














AXC Accessories



Louvered Shutters (with Tail Piece)		
LS100-4W	Louvered Shutter, 4" Duct	
LS150-6W	Louvered Shutter, 6" Duct	

Sound Attenu	ators	0
SA100	Sound Attenuator, 4" Duct	
SA150	Sound Attenuator, 6" Duct	
SA200	Sound Attenuator, 8" Duct	
SA250	Sound Attenuator, 10" Duct	
SA300	Sound Attenuator, 12.4" Duct	
SA400	Sound Attenuator, 16" Duct	

Backdr Dampe			
Spring Loa	ded Dampers		
BDD100	Backdraft Damper, 4" Duct		
BDD125	Backdraft Damper, 5" Duct		
BDD150	Backdraft Damper, 6" Duct		
BDD200	Backdraft Damper, 8" Duct		
BDD250	Backdraft Damper, 10" Duct		
BDD300	Backdraft Damper, 12" Duct		
Gravity Op	Gravity Operated Dampers*		
BDD175	Backdraft Damper, 7" Duct		
BDD355	Backdraft Damper, 14" Duct		
BDD400	Backdraft Damper, 16" Duct		

^{*}Suitable for horizontal or vertical (upblast only) installations

Protec Guard:		
PG100	Protection Guard, 4" Duct	
PG125	Protection Guard, 5" Duct	
PG150	Protection Guard, 6" Duct	
PG200	Protection Guard, 8" Duct	
PG250	Protection Guard, 10" Duct	
PG300	Protection Guard, 12" Duct	

Mounting Clamps for Rigid Duct (Sold in Pairs) **MODEL DESCRIPTION** MC100 Mounting Clamps for Rigid 4" Duct (2pc) MC125 Mounting Clamps for Rigid 5" Duct (2pc) MC150 Mounting Clamps for Rigid 6" Duct (2pc) Mounting Clamps for Rigid 8" Duct (2pc) MC200 MC250 Mounting Clamps for Rigid 10" Duct (2pc) Mounting Clamps for Rigid 12" Duct (2pc) MC300 MC355 Mounting Clamps for Rigid 14" Duct (2pc)

Gear Clamps for Flexible Duct		
GC150	Gear Clamp for 4" - 6" Duct,	Stainless Steel
GC200	Gear Clamp for 5.5" - 8.5" Du	ıct, Stainless Steel

Duct Reduce	rs/Increasers
DRI-04-03	Duct Reducer/Increaser, 4" - 3" Duct, Plastic
DRI-06-04	Duct Reducer/Increaser, 6" - 4" Duct, Galvanized
DRI-08-06	Duct Reducer/Increaser, 8" - 6" Duct, Galvanized
DRI-10-08	Duct Reducer/Increaser, 10" - 8" Duct, Galvanized
DRI-12-10	Duct Reducer/Increaser, 12" - 10" Duct, Galvanized
DRI-14-12	Duct Reducer/Increaser, 14" - 12" Duct, Galvanized

Wye Fitting	s	
WYE-04	Y-Fitting, 4"x4"x4" Duct	
WYE-06	Y-Fitting, 6"x6"x6" Duct	
WYE-08	Y-Fitting, 8"x8"x8" Duct	


Roof C (Black	aps Plastic)	
RC100	Roof Cap, 4" Duct, Black Plastic	
RC150	Roof Cap, 6" Duct, Black Plastic	
RC200	Roof Cap, 8" Duct, Black Plastic	

Roof caps include damper, screen and collar

Wall C	•
WC100	Wall Cap, 4" Duct, Aluminum, Reducer 4" - 3"
WC150	Wall Cap, 6" Duct, Aluminum
WC200	Wall Cap, 8" Duct, Aluminum

Wall caps include spring controlled damper


AXC Controls




Thermo	ostat	<u>C</u>
MODEL	DESCRIPTION	
TST120V	Line Voltage Thermostat, 120V	












Current Sensor (Solid State)

CS120AF Current Sensor, 120V, Solid State






AXC Supply & Exhaust Grilles







GR150 & GR150-6PK fit standard 6" duct; suitable for 5" duct when used without collar









Industrial Fans & Blowers

Centrifugal Blowers | Axial Fans Panel & Flange Fans Roof Ventilators | Fiberglass Fans



OEM Solutions & Custom Fans

Motorized Axials | Motorized Centrifugals

OEM Impellers

Cabinet Cooling | Plenum & Plug Fans



Commercial Fans & Dampers

Wall Fans | Utility Fans
Cabinet & Exhaust Fans
Roof Fans | BDD & IRIS Dampers



Residential Fans & Air Purification Systems

Bathroom Fans | In-line Duct Fans
External Mount Duct Fans
Dryer Boosting | Air Purification



www.continentalfan.com

_better AIRFLOW by DESIGNTM

USA - Continental Fan Manufacturing Inc. 203 Eggert Road, Buffalo, NY 14215 T:716-842-0670 • 800-779-4021 • F: 716-842-0611

Canada - Continental Fan Canada Inc. 12-205 Matheson Blvd E, Mississauga, ON L4Z 3E3 T: 905-890-6192 • 800-779-4021 • F: 905-890-6193

CFM