

MBFS-0020-SAA-111

CFC, R-12, 60Hz, 1- Phase, 115 V



Availability : **Obsolete**

Mechanical

Unit Height (in):	
Unit Length (in):	
Unit Width (in):	
Ship Weight (lbs):	0.0
Condensor Type:	Air
CopeVap Water Storage:	NA
Liquid Connection Size (in)/Type:	null null
Suction Connection Size (in)/Type:	null null
Discharge Line Size(in):	
Water Inlet (in):	
Water Outlet (in):	
Oil Type:	ABO
Oil Recharge Amount (oz):	12

Electrical

Max Fuse Size:	15
Min Circuit Ampacity:	5.5
Compressor:	ARB17C3-SAA-103
Compressor LRA - Low:	
Compressor LRA - High:	23.00
Compressor LRA - Half winding:	
Compressor RLA:	3.8
UL:	Recognized
UL File #:	SA633
UL Guide Card:	LZFE2
Amps Per Motor:	0.36
Fan Motor Quantity:	1

Air - Cooled Unit Performance

Release Date:	20-Jul-2002	Return Gas Temp. (°F):	65
Compressor:	ARB17C3-SAA-103 x 1	Subcooling (°F):	5
Performance No:	3895	Air Flow Rate (CFM)	235

90°F Ambient Air Temperature

<u>Evap Temp</u> <u>(°F)</u>	<u>Unit Capacity</u> <u>(Btu/hr)</u>	<u>Cond. Temp.</u> <u>(°F)</u>	<u>Temp. Diff.</u> <u>(°F)</u>	<u>EER</u> <u>(Btu/Wh):</u>
45	2,090	111.6	21.6	7.0