

HVACRinfo.com

5/1/2008

Copeland Copelametic® Application Data - Compilation

©Copyright 2002-2008 Powell Patrick, HVACRinfo.com - All rights reserved

Please visit: www.hvacrinfo.com for more HVACR knowledge

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION				RECOMMENDED SERVICE VALVE		WGT	
					R12	R134a	R502	R404A	R22	SUCT		DISCH
2DA3-0500-TFC	5	1134	208/230-3	22.3	MH					1 3/8	7/8	292
2DA3-0500-TFD	5	1134	460-3	10.4	MH					1 3/8	7/8	292
2DA3-0600-TFD	6	1134	460-3	10.2			L		L	1 3/8	7/8	310
2DA3-060E-TFC	6	1134	208/230-3	28.8		H	L	L	L	1 3/8	7/8	310
2DA3-060E-TFD	6	1134	460-3	10.2		H	L	L	L	1 3/8	7/8	310
2DA3-075E-TFC	7 1/2	1134	208/230-3	32			M	M	MH	1 3/8	7/8	325
2DA3-075E-TFD	7 1/2	1134	460-3	14.1			M	M	MH	1 3/8	7/8	325
2DA3F23K0-TFD	6	1134	460-3	10.2			L		L	1 3/8	7/8	310
2DA3F23KE-TFC	6	1134	208/230-3	28.8			L	L	L	1 3/8	7/8	310
2DA3F23KE-TFD	6	1134	460-3	10.2			L	L	L	1 3/8	7/8	310
2DA3R58K0-TFC	5	1134	208/230-3	22.3	MH					1 3/8	7/8	292
2DA3R58K0-TFD	5	1134	460-3	10.4	MH					1 3/8	7/8	292
2DA3R89KE-TFC	7 1/2	1134	208/230-3	32			M	M	MH	1 3/8	7/8	325
2DA3R89KE-TFD	7 1/2	1134	460-3	14.1			M	M	MH	1 3/8	7/8	325
2DB3-0500-TFC	5	1190	208/230-3	19.2	MH					1 3/8	7/8	292
2DB3-0500-TFD	5	1190	460-3	10.2	M					1 3/8	7/8	292
2DB3-060E-TFC	6	1190	208/230-3	28.2			L	L	L	1 3/8	7/8	305
2DB3-060E-TFD	6	1190	460-3	13.3			L	L	L	1 3/8	7/8	305
2DB3F25KE-TFC	6	1190	208/230-3	28.2			L	L	L	1 3/8	7/8	305
2DB3F25KE-TFD	6	1190	460-3	13.3			L	L	L	1 3/8	7/8	305
2DB3R61K0-TFC	5	1190	208/230-3	19.2	MH					1 3/8	7/8	292
2DB3R61K0-TFD	5	1190	460-3	10.2	M					1 3/8	7/8	292
2DC3-0500-CFB	5	716	230-1				M		MH	1 3/8	7/8	310
2DC3-0500-TFC	5	716	208/230-3	22.3			M		MH	1 3/8	7/8	310
2DC3-0500-TFD	5	716	460-3	10.4			M		MH	1 3/8	7/8	310
2DC3-050E-TFC	5	716	208/230-3	22.3			M	M	MH	1 3/8	7/8	310
2DC3-050E-TFD	5	716	460-3	10.4			M	M	MH	1 3/8	7/8	310
2DC3R53K0-CFB	5	716	230-1				M		MH	1 3/8	7/8	310
2DC3R53K0-TFC	5	716	208/230-3	22.3			M		MH	1 3/8	7/8	310
2DC3R53K0-TFD	5	716	460-3	10.4			M		MH	1 3/8	7/8	310
2DC3R53KE-TFC	5	716	208/230-3	22.3			M	M	MH	1 3/8	7/8	310
2DC3R53KE-TFD	5	716	460-3	10.4			M	M	MH	1 3/8	7/8	310
2DD3-050E-TFC	5	823	208/230-3	22.3			M	M	MH	1 3/8	7/8	315
2DD3-050E-TFD	5	823	460-3	10.5			M	M	MH	1 3/8	7/8	315
2DD3R63KE-TFC	5	823	208/230-3	22.3			M	M	MH	1 3/8	7/8	315
2DD3R63KE-TFD	5	823	460-3	10.5			M	M	MH	1 3/8	7/8	315
2DF3-030E-CFB	3	908	230-1	25.8		H	L	L	L	1 3/8	7/8	291
2DF3-030E-TFC	3	908	208/230-3	16.8		H	L	L	L	1 3/8	7/8	291
2DF3-030E-TFD	3	908	460-3	8.1		H	L	L	L	1 3/8	7/8	291
2DF3F16KE-CFB	3	908	230-1	25.8		H	L	L	L	1 3/8	7/8	291
2DF3F16KE-TFC	3	908	208/230-3	16.8		H	L	L	L	1 3/8	7/8	291
2DF3F16KE-TFD	3	908	460-3	8.1		H	L	L	L	1 3/8	7/8	291
2DL3-040E-TFC	4	1008	208/230-3	26.3			L	L	L	1 3/8	7/8	295

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
2DL3-040E-TFD	4	1008	460-3	10.2			L	L	L	1 3/8	7/8	295
2DL3-075E-TFC	7 1/2	1008	208/230-3	31.6			M	M	MH	1 3/8	7/8	322
2DL3-075E-TFD	7 1/2	1008	460-3	13.8			M	M	MH	1 3/8	7/8	322
2DL3F20KE-TFC	4	1008	208/230-3	26.3			L	L	L	1 3/8	7/8	295
2DL3F20KE-TFD	4	1008	460-3	10.2			L	L	L	1 3/8	7/8	295
2DL3R78KE-TFC	7 1/2	1008	208/230-3	31.6			M	M	MH	1 3/8	7/8	322
2DL3R78KE-TFD	7 1/2	1008	460-3	13.8			M	M	MH	1 3/8	7/8	322
3AB1-031A-TAC	3	525	208/230-3	8.2			L			1 1/8	5/8	192
3AB1-031A-TAD	3	525	460-3	6.4			L			1 1/8	5/8	192
3AB2-031A-CAB	3	525	230-1	14.7			L			1 1/8	5/8	192
3ABA-031E-TAC	3	525	208/230-3	10			L	L		1 1/8	5/8	200
3ABA-031E-TAD	3	525	460-3	5.1			L	L		1 1/8	5/8	178
3ABB-032E-CAB	3	525	230-1	14.7			L	L		1 1/8	5/8	200
3AH1-020A-TAC	2	664	208/230-3	6.6	L					7/8	1/2	186
3AH1-020A-TAD	2	664	460-3	3.7	L					7/8	1/2	186
3AH2-020A-CAB	2	664	230-1	9.3	L					7/8	1/2	186
3AH2-020A-CAH	2	664	208-1	12.4	L					7/8	1/2	186
3AJ1-020A-TAD	2	593	460-3	3	L					7/8	1/2	186
3AJA-021A-TAC	2	593	208/230-3	6.6	L					7/8	1/2	186
3AJB-021A-CAB	2	593	230-1	9.3	L					7/8	1/2	186
3DA3A0500-TFC	5	1371	208/230-3	18.6	LM					1 3/8	7/8	347
3DA3A0500-TFD	5	1371	460-3	11	LM					1 3/8	7/8	347
3DA3A060E-TFC	6	1371	208/230-3	30.3			L	L	L	1 3/8	1 1/8	335
3DA3A060E-TFD	6	1371	460-3	13.7			L	L	L	1 3/8	1 1/8	335
3DA3A0750-TFC	7 1/2	1371	208/230-3	41			M		MH	1 3/8	1 1/8	393
3DA3A0750-TFD	7 1/2	1371	460-3	20			M		MH	1 3/8	1 1/8	393
3DA3A075E-TFC	7 1/2	1371	208/230-3	41			M	M	MH	1 3/8	1 1/8	393
3DA3A075E-TFD	7 1/2	1371	460-3	20			M	M	MH	1 3/8	1 1/8	393
3DA3F18K0-TFC	5	1371	208/230-3	18.6	LM					1 3/8	7/8	347
3DA3F18K0-TFD	5	1371	460-3	11	LM					1 3/8	7/8	347
3DA3F28KE-TFC	6	1371	208/230-3	30.3			L	L	L	1 3/8	1 1/8	335
3DA3F28KE-TFD	6	1371	460-3	13.7			L	L	L	1 3/8	1 1/8	335
3DA3R10M0-TFC	7 1/2	1371	208/230-3	41			M		MH	1 3/8	1 1/8	393
3DA3R10M0-TFD	7 1/2	1371	460-3	20			M		MH	1 3/8	1 1/8	393
3DA3R10ME-TFC	7 1/2	1371	208/230-3	41			M	M	MH	1 3/8	1 1/8	393
3DA3R10ME-TFD	7 1/2	1371	460-3	20			M	M	MH	1 3/8	1 1/8	393
3DB3A0500-TFC	5	1615	208/230-3	18	L					1 3/8	7/8	330
3DB3A0500-TFD	5	1615	460-3	7.5	L					1 3/8	7/8	330
3DB3A075E-TFC	7 1/2	1615	208/230-3	31.5		H	L	L	L	1 3/8	1 1/8	359
3DB3A075E-TFD	7 1/2	1615	460-3	16.1		H	L	L	L	1 3/8	1 1/8	359
3DB3A1000-TFC	10	1615	208/230-3	43.6			M		MH	1 3/8	1 1/8	389
3DB3A1000-TFD	10	1615	460-3	20			M		MH	1 3/8	1 1/8	389
3DB3A100E-TFC	10	1615	208/230-3	43.6			M	M	MH	1 3/8	1 1/8	389
3DB3A100E-TFD	10	1615	460-3	20			M	M	MH	1 3/8	1 1/8	389
3DB3F22K0-TFC	5	1615	208/230-3	18	L					1 3/8	7/8	330
3DB3F22K0-TFD	5	1615	460-3	7.5	L					1 3/8	7/8	330
3DB3F33KE-TFC	7 1/2	1615	208/230-3	31.5		H	L	L	L	1 3/8	1 1/8	359
3DB3F33KE-TFD	7 1/2	1615	460-3	16.1		H	L	L	L	1 3/8	1 1/8	359
3DB3R12M0-TFC	10	1615	208/230-3	43.6			M		MH	1 3/8	1 1/8	389

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
3DB3R12M0-TFD	10	1615	460-3	20			M		MH	1 3/8	1 1/8	389
3DB3R12ME-TFC	10	1615	208/230-3	43.6			M	M	MH	1 3/8	1 1/8	389
3DB3R12ME-TFD	10	1615	460-3	20			M	M	MH	1 3/8	1 1/8	389
3DE3A0750-TFC	7 1/2	1371	208/230-3	41			M		MH	1 3/8	1 1/8	393
3DE3A0750-TFD	7 1/2	1371	460-3	20			M		MH	1 3/8	1 1/8	393
3DE3A075E-TFC	7 1/2	1371	208/230-3	41					MH	1 3/8	1 1/8	393
3DE3A075E-TFD	7 1/2	1371	460-3	20					MH	1 3/8	1 1/8	393
3DE3R10M0-TFC	7 1/2	1371	208/230-3	41			M		MH	1 3/8	1 1/8	393
3DE3R10M0-TFD	7 1/2	1371	460-3	20			M		MH	1 3/8	1 1/8	393
3DE3R10ME-TFC	7 1/2	1371	208/230-3	41					MH	1 3/8	1 1/8	393
3DE3R10ME-TFD	7 1/2	1371	460-3	20					MH	1 3/8	1 1/8	393
3DEHA075E-TFC	7 1/2	1371	208/230-3	41			M	M		1 3/8	1 1/8	385
3DEHA075E-TFD	7 1/2	1371	460-3	20			M	M		1 3/8	1 1/8	385
3DEHR10ME-TFC	7 1/2	1371	208/230-3	41			M	M		1 3/8	1 1/8	385
3DEHR10ME-TFD	7 1/2	1371	460-3	20			M	M		1 3/8	1 1/8	385
3DF3A090E-TFC	9	1913	208/230-3	39		H	L	L	L	1 3/8	1 1/8	360
3DF3A090E-TFD	9	1913	460-3	16.9		H	L	L	L	1 3/8	1 1/8	360
3DF3A120E-TFC	12	1913	208/230-3	48.2			M	M	MH	1 3/8	1 1/8	395
3DF3A120E-TFD	12	1913	460-3	23.6			M	M	MH	1 3/8	1 1/8	395
3DF3F40KE-TFC	9	1913	208/230-3	39		H	L	L	L	1 3/8	1 1/8	360
3DF3F40KE-TFD	9	1913	460-3	16.9		H	L	L	L	1 3/8	1 1/8	360
3DF3R15ME-TFC	12	1913	208/230-3	48.2			M	M	MH	1 3/8	1 1/8	395
3DF3R15ME-TFD	12	1913	460-3	23.6			M	M	MH	1 3/8	1 1/8	395
3DH3A0600-TFC	6	1371	208/230-3	30.3	MH					1 3/8	1 1/8	385
3DH3A0600-TFD	6	1371	460-3	13.7	MH					1 3/8	1 1/8	385
3DH3A060E-TFC	6	1371	208/230-3	30.3		MH				1 3/8	1 1/8	385
3DH3A060E-TFD	6	1371	460-3	13.7		MH				1 3/8	1 1/8	385
3DH3F28K0-TFC	6	1371	208/230-3	30.3	MH					1 3/8	1 1/8	385
3DH3F28K0-TFD	6	1371	460-3	13.7	MH					1 3/8	1 1/8	385
3DH3F28KE-TFC	6	1371	208/230-3	30.3		MH				1 3/8	1 1/8	385
3DH3F28KE-TFD	6	1371	460-3	13.7		MH				1 3/8	1 1/8	385
3DK3A120E-TFC	12	1914	208/230-3	48.2					M	1 3/8	1 1/8	385
3DK3A120E-TFD	12	1914	460-3	23.6					M	1 3/8	1 1/8	385
3DK3R15ME-TFC	12	1914	208/230-3	48.2					M	1 3/8	1 1/8	385
3DK3R15ME-TFD	12	1914	460-3	23.6					M	1 3/8	1 1/8	385
3DP3A1000-TFC	10	1615	208/230-3	43.6					MH	1 3/8	1 1/8	385
3DP3A1000-TFD	10	1615	460-3	20					MH	1 3/8	1 1/8	385
3DP3A100E-TFC	10	1615	208/230-3	43.6					MH	1 3/8	1 1/8	385
3DP3A100E-TFD	10	1615	460-3	20					MH	1 3/8	1 1/8	385
3DP3R12M0-TFC	10	1615	208/230-3	43.6					MH	1 3/8	1 1/8	385
3DP3R12M0-TFD	10	1615	460-3	20					MH	1 3/8	1 1/8	385
3DP3R12ME-TFC	10	1615	208/230-3	43.6					MH	1 3/8	1 1/8	385
3DP3R12ME-TFD	10	1615	460-3	20					MH	1 3/8	1 1/8	385
3DS3A0750-TFC	7 1/2	2127	208/230-3	32	LM					1 3/8	1 1/8	379
3DS3A0750-TFD	7 1/2	2127	460-3	16.4	LM					1 3/8	1 1/8	379
3DS3A100E-TFC	10	2127	208/230-3	42		H	L	L	L	1 3/8	1 1/8	365
3DS3A100E-TFD	10	2127	460-3	18.6		H	L	L	L	1 3/8	1 1/8	365
3DS3A150E-TFC	15	2127	208/230-3	59.6			M	M	M	1 5/8	1 1/8	383
3DS3A150E-TFD	15	2127	460-3	29			M	M	M	1 5/8	1 1/8	383

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
3DS3F30K0-TFC	7 1/2	2127	208/230-3	32	LM					1 3/8	1 1/8	379
3DS3F30K0-TFD	7 1/2	2127	460-3	16.4	LM					1 3/8	1 1/8	379
3DS3F46KE-TFC	10	2127	208/230-3	42		H	L	L	L	1 3/8	1 1/8	365
3DS3F46KE-TFD	10	2127	460-3	18.6		H	L	L	L	1 3/8	1 1/8	365
3DS3R17ME-TFC	15	2127	208/230-3	59.6			M	M	M	1 5/8	1 1/8	383
3DS3R17M-TFD	15	2127	460-3	29			M	M	M	1 5/8	1 1/8	383
3DT3A1000-TFC	10	2127	208/230-3	42	H					1 3/8	1 1/8	385
3DT3A1000-TFD	10	2127	460-3	18.6	H					1 3/8	1 1/8	385
3DT3A1500-TFC	15	2127	208/230-3	59.6					MH	1 5/8	1 1/8	385
3DT3A1500-TFD	15	2127	460-3	29					M	1 5/8	1 1/8	385
3DT3A150E-TFC	15	2127	208/230-3	59.6					MH	1 5/8	1 1/8	385
3DT3A150E-TFD	15	2127	460-3	29					M	1 5/8	1 1/8	385
3DT3R11M0-TFC	10	2127	208/230-3	42	H					1 3/8	1 1/8	385
3DT3R11M0-TFD	10	2127	460-3	18.6	H					1 3/8	1 1/8	385
3DT3R17M0-TFC	15	2127	208/230-3	59.6					MH	1 5/8	1 1/8	385
3DT3R17M0-TFD	15	2127	460-3	29					M	1 5/8	1 1/8	385
3DT3R17ME-TFC	15	2127	208/230-3	59.6					MH	1 5/8	1 1/8	385
3DT3R17ME-TFD	15	2127	460-3	29					M	1 5/8	1 1/8	385
3RA1-031A-TAC	3	628	208/230-3	13.1			M		M	1 1/8	5/8	204
3RA1-031A-TAD	3	628	460-3	6.6			M		M	1 1/8	5/8	205
3RA2-031A-CAB	3	628	230-1	17.8			M		M	1 1/8	5/8	205
3RAA-031E-TAC	3	628	208/230-3	14.2			M	M		1 1/8	5/8	200
3RAA-031E-TAD	3	628	460-3	6.3				M	M	1 1/8	5/8	178
3RK1-031A-TAC	3	702	208/230-3	11.8	MH					1 1/8	5/8	218
3RK1-031A-TAD	3	702	460-3	5.2	MH					1 1/8	5/8	218
3RK2-031A-CAB	3	702	230-1	18.3	MH					1 1/8	5/8	218
4DA3-100E-TSK	10	2386	208/230-3	21			L	L	L	1 5/8	1 1/8	461
4DA3-101E-TSK	10	2386	208/230-3	45.2			L	L	L	1 5/8	1 1/8	400
4DA3-2000-TSK	20	2386	208/230-3	66			M		MH	1 5/8	1 3/8	470
4DA3-200E-TSK	20	2386	208/230-3	66			M	M	MH	1 5/8	1 3/8	470
4DA3A1000-FSD	10	2386	460-3	20			L		L	1 5/8	1 1/8	461
4DA3F47KE-TSK	10	2386	208/230-3	45.2			L	L	L	1 5/8	1 1/8	400
4DA3R12M0-FSD	10	2386	460-3	20			L		L	1 5/8	1 1/8	461
4DA3R12ME-TSK	10	2386	208/230-3	21			L	L	L	1 5/8	1 1/8	461
4DA3R18M0-TSK	20	2386	208/230-3	66			M		MH	1 5/8	1 3/8	470
4DA3R18ME-TSK	20	2386	208/230-3	66			M	M	MH	1 5/8	1 3/8	470
4DB3-2200-FSD	22	2758	460-3	32.5					MH	2 1/8	1 3/8	470
4DB3-2200-TSK	22	2758	208/230-3	65.6					MH	2 1/8	1 3/8	470
4DB3R20M0-FSD	22	2758	460-3	32.5					MH	2 1/8	1 3/8	470
4DB3R20M0-TSK	22	2758	208/230-3	65.6					MH	2 1/8	1 3/8	470
4DC3-2200-TSK	22	2758	208/230-3	65.6					H	2 1/8	1 3/8	450
4DE3-100E-TSK	10	2386	208/230-3	42		?				1 5/8	1 3/8	450
4DE3-2000-FSD	20	2386	460-3	33.6			M		MH	1 5/8	1 3/8	470
4DE3-2000-TSK	20	2386	208/230-3	66			M		MH	1 5/8	1 3/8	470
4DE3R12ME-TSK	10	2386	208/230-3	42		?				1 5/8	1 3/8	450
4DE3R18M0-FSD	20	2386	460-3	33.6			M		MH	1 5/8	1 3/8	470
4DE3R18M0-TSK	20	2386	208/230-3	66			M		MH	1 5/8	1 3/8	470
4DH3-150E-TSK	15	3018	208/230-3	58		MH				1 5/8	1 1/8	425
4DH3R16ME-TSK	15	3018	208/230-3	58		MH				1 5/8	1 1/8	425

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT	
					R12	R134a	R502	R404A	R22	SUCT	DISCH		
4DK3-150E-TSK	15	3018	208/230-3	29		H					1 5/8	1 1/8	450
4DK3-250E-FSD	25	3018	460-3	40.6			M	M	MH		2 1/8	1 3/8	502
4DK3-250E-TSK	25	3018	208/230-3	82.2			M	M	MH		2 1/8	1 3/8	502
4DK3R16ME-TSK	15	3018	208/230-3	29		H					1 5/8	1 1/8	450
4DK3R22M0-FSD	25	3018	460-3	40.6			M		MH		2 1/8	1 3/8	502
4DK3R22M0-TSK	25	3018	208/230-3	82.2			M		MH		2 1/8	1 3/8	502
4DK3R22ME-FSD	25	3018	460-3	40.6			M	M	MH		2 1/8	1 3/8	502
4DK3R22ME-TSK	25	3018	208/230-3	82.2			M	M	MH		2 1/8	1 3/8	502
4DL3-150E-TSK	15	3018	208/230-3	52.6			L	L	L		1 5/8	1 3/8	435
4DL3F63KE-TSK	15	3018	208/230-3	52.6			L	L	L		1 5/8	1 3/8	435
4DN3-101E-TSK	10	2386	208/230-3	45.2			L	L			1 5/8	1 1/8	450
4DN3F47KE-TSK	10	2386	208/230-3	45.2			L	L			1 5/8	1 1/8	450
4DP3-150E-TSK	15	3018	208/230-3	52.6			L	L			1 5/8	1 3/8	450
4DP3F63KE-TSK	15	3018	208/230-3	52.6			L	L			1 5/8	1 3/8	450
4DR3-200E-TSK	20	3605	208/230-3	66		H					2 1/8	1 3/8	450
4DR3-3000-FSD	30	3605	460-3	45			M		MH		2 1/8	1 3/8	480
4DR3-3000-TSK	30	3605	208/230-3	94			M		MH		2 1/8	1 3/8	480
4DR3R19ME-TSK	20	3605	208/230-3	66		H					2 1/8	1 3/8	450
4DR3R28M0-FSD	30	3605	460-3	45			M		MH		2 1/8	1 3/8	480
4DR3R28M0-TSK	30	3605	208/230-3	94			M		MH		2 1/8	1 3/8	480
4DR3R28ME-TSK	30	3605	208/230-3	94			M	M	MH		2 1/8	1 3/8	480
4DT3-220E-TSK	22	3605	208/230-3	66			L	L	L		2 1/8	1 3/8	425
4DT3F76KE-TSK	22	3605	208/230-3	66			L	L	L		2 1/8	1 3/8	425
4RA3-100A-TSK	10	2386	208/230-3	54.8	LMH		L				1 5/8	1 1/8	400
4RA3-200A-TSK	20	2386	208/230-3	71.4			M		MH		1 5/8	1 1/8	411
4RE2-200A-FSD	20	2386	460-3	32.3			M		H		1 5/8	1 1/8	411
4RE2-200A-TSK	20	2386	208/230-3	71.4			M		H		1 5/8	1 1/8	411
4RH1-150A-TSK	15	3017	208/230-3	63	MH						1 5/8	1 1/8	429
4RK2-250A-FSD	25	3020	460-3	45			M		H		2 1/8	1 1/8	437
4RK2-250A-TSK	25	3020	208/230-3	88.5			M		H		2 1/8	1 1/8	437
4RL1-150A-TSK	15	3017	208/230-3	62.6			L				1 5/8	1 1/8	429
4RR2-300A-TSK	30	3604	208/230-3	102			M		MH		2 1/8	1 3/8	530
6DC3-270E-TSK	27	4527	208/230-3	80.8			L	L			2 1/8	1 3/8	550
6DC3F93KE-TSK	27	4527	208/230-3	80.8			L	L			2 1/8	1 3/8	550
6DD3-270E-TSK	27	4527	208/230-3	80.8			L	L			2 1/8	1 3/8	550
6DD3F93KE-TSK	27	4527	208/230-3	80.8			L	L			2 1/8	1 3/8	550
6DE3-300E-TSK	30	5408	208/230-3	95.6			L	L			2 1/8	1 3/8	550
6DE3F11ME-TSK	30	5408	208/230-3	95.6			L	L			2 1/8	1 3/8	550
6DF3-300E-TSK	30	5408	208/230-3	95.6			L	L			2 1/8	1 3/8	550
6DF3F11ME-TSK	30	5408	208/230-3	95.6			L	L			2 1/8	1 3/8	550
6DG3-3500-FSD	35	4957	460-3	66			M		MH		2 1/8	1 5/8	550
6DG3-3500-FSU	35	4957	200-3	135			M		MH		2 1/8	1 5/8	550
6DG3R37M0-FSD	35	4957	460-3	66			M		MH		2 1/8	1 5/8	550
6DG3R37M0-FSU	35	4957	200-3	135			M		MH		2 1/8	1 5/8	550
6DH3-200E-TSK	20	4527	208/230-3	37.5		H					2 1/8	1 3/8	550
6DH3-350E-TSK	35	4527	208/230-3	62.6			M	M	MH		2 1/8	1 5/8	550
6DH3R23ME-TSK	20	4527	208/230-3	37.5		H					2 1/8	1 3/8	550
6DH3R35ME-TSK	35	4527	208/230-3	62.6			M	M	MH		2 1/8	1 5/8	550
6DK3-200E-TSK	20	4527	208/230-3	75		H					2 1/8	1 3/8	550

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT	
					R12	R134a	R502	R404A	R22	SUCT	DISCH		
6DK3R23ME-TSK	20	4527	208/230-3	75		H					2 1/8	1 3/8	550
6DL3-270E-TSK	27	4527	208/230-3	80.8			L	L	L		2 1/8	1 3/8	485
6DL3F93KE-TSK	27	4527	208/230-3	80.8			L	L	L		2 1/8	1 3/8	485
6DN3-3500-FSD	35	4957	460-3	66			M		MH		2 1/8	1 5/8	550
6DN3-3500-FSU	35	4957	200-3	135			M		MH		2 1/8	1 5/8	550
6DN3-3500-TSN	35	4957	230-3	125			M		MH		2 1/8	1 5/8	550
6DN3-350E-TSN	35	4957	230-3	125			M	M	MH		2 1/8	1 5/8	550
6DN3R37M0-FSD	35	4957	460-3	66			M		MH		2 1/8	1 5/8	550
6DN3R37M0-FSU	35	4957	200-3	135			M		MH		2 1/8	1 5/8	550
6DN3R37M0-TSN	35	4957	230-3	125			M		MH		2 1/8	1 5/8	550
6DN3R37ME-TSN	35	4957	230-3	125			M	M	MH		2 1/8	1 5/8	550
6DP3-200E-TSK	20	4527	208/230-3	37.5		H					2 1/8	1 3/8	550
6DP3-3500-FSD	35	4527	460-3	55			M		MH		2 1/8	1 5/8	545
6DP3-3500-TSK	35	4527	208/230-3	107			M		MH		2 1/8	1 5/8	545
6DP3R23ME-TSK	20	4527	208/230-3	37.5		H					2 1/8	1 3/8	550
6DP3R35M0-FSD	35	4527	460-3	55			M		MH		2 1/8	1 5/8	545
6DP3R35M0-TSK	35	4527	208/230-3	107			M		MH		2 1/8	1 5/8	545
6DR3-300E-TSK	30	5408	208/230-3	50		H					2 1/8	1 5/8	550
6DR3-4000-FSD	30	5408	460-3	70			M		MH		2 1/8	1 5/8	565
6DR3-400E-FSD	40	5408	460-3	70			M	M	MH		2 1/8	1 5/8	565
6DR3R28ME-TSK	30	5408	208/230-3	50		H					2 1/8	1 5/8	550
6DR3R40M0-FSD	30	5408	460-3	70			M		MH		2 1/8	1 5/8	565
6DR3R40ME-FSD	40	5408	460-3	70			M	M	MH		2 1/8	1 5/8	565
6DS3-300E-TSK	30	5408	208/230-3	100		H					2 1/8	1 5/8	550
6DS3-4000-FSD	40	5408	460-3	70			M		MH		2 1/8	1 5/8	601
6DS3-4000-FSU	40	5408	200-3	150			M		MH		2 1/8	1 5/8	601
6DS3-4000-TSN	40	5408	230-3	142			M		MH		2 1/8	1 5/8	601
6DS3-400E-TSN	40	5408	230-3	142			M	M	MH		2 1/8	1 5/8	601
6DS3R28ME-TSK	30	5408	208/230-3	100		H					2 1/8	1 5/8	550
6DS3R40M0-FSD	40	5408	460-3	70			M		MH		2 1/8	1 5/8	601
6DS3R40M0-FSU	40	5408	200-3	150			M		MH		2 1/8	1 5/8	601
6DS3R40M0-TSN	40	5408	230-3	142			M		MH		2 1/8	1 5/8	601
6DS3R40ME-TSN	40	5408	230-3	142			M	M	MH		2 1/8	1 5/8	601
6DT3-300E-FSD	30	5408	460-3	42.8			L	L	L		2 1/8	1 3/8	530
6DT3-300E-TSK	30	5408	208/230-3	95.6			L	L	L		2 1/8	1 3/8	530
6DT3F11ME-FSD	30	5408	460-3	42.8			L	L	L		2 1/8	1 3/8	530
6DT3F11ME-TSK	30	5408	208/230-3	95.6			L	L	L		2 1/8	1 3/8	530
6DW3-3000-FSD	30	4138	460-3	50					MH		2 1/8	1 5/8	573
6DW3-3000-TSK	30	4138	208/230-3	105					MH		2 1/8	1 5/8	573
6DW3R32M0-FSD	30	4138	460-3	50					MH		2 1/8	1 5/8	573
6DW3R32M0-TSK	30	4138	208/230-3	105					MH		2 1/8	1 5/8	573
6DY3-3000-FSD	30	4138	460-3	50					MH		2 1/8	1 5/8	573
6DY3-3000-TSK	30	4138	208/230-3	105					MH		2 1/8	1 5/8	573
6DY3-300E-TSK	30	4138	208/230-3	105				M	MH		2 1/8	1 5/8	573
6DY3R32M0-FSD	30	4138	460-3	50					MH		2 1/8	1 5/8	573
6DY3R32M0-TSK	30	4138	208/230-3	105					MH		2 1/8	1 5/8	573
6DY3R32ME-TSK	30	4138	208/230-3	105				M	MH		2 1/8	1 5/8	573
6RA4-100A-TSK	10	3579	208/230-3	43.6	L						1 5/8	1 3/8	440
6RA4-200A-TSK	20	3579	208/230-3	67.3	MH		L				2 1/8	1 3/8	450

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
6RE2-200A-TSK	20	3579	208/230-3	67.3	MH		L			2 1/8	1 3/8	450
6RH1-200A-TSK	20	4526	208/230-3	72	MH					2 1/8	1 3/8	451
6RL1-250A-TSK	25	4526	208/230-3	96.9			L			2 1/8	1 3/8	482
6RN2-300A-TSK	30	3580	208/230-3	105			M		H	2 1/8	1 3/8	496
6RP2-200A-TSK	20	4526	208/230-3	72	MH					2 1/8	1 3/8	451
6RP2-350A-FSD	35	4530	460-3	67.5			M		H	2 1/8	1 3/8	507
6RP2-350A-TSK	35	4530	208/230-3	135			M		H	2 1/8	1 3/8	507
6RS2-400A-FSD	40	5404	460-3	64.3			M		H	2 1/8	1 3/8	560
6RS2-400A-TSN	40	5404	230-3	142			M		H	2 1/8	1 3/8	560
6RT1-300A-TSK	30	5407	208/230-3	111			L			2 1/8	1 3/8	496
8DP1-5000-FSD	50	6430	460-3	91			M		H	2 5/8	1 5/8	830
8DP1-5000-TSK	50	6430	208/230-3	180			M		H	2 5/8	1 5/8	830
8DS1-6000-FSD	60	7681	460-3	96.5			M		H	3 1/8	1 5/8	850
8DS1-6000-TSK	60	7681	208/230-3	224			M		H	3 1/8	1 5/8	850
9RA1-050A-CFB	5	1371	230-1	26.9	M					1 3/8	7/8	349
9RA1-050A-TFC	5	1371	208/230-3	16.7	M					1 3/8	7/8	349
9RA1-050A-TFD	5	1371	460-3	8.6	M					1 3/8	7/8	349
9RB1-050A-TFC	5	1615	208/230-3	15.9	L					1 3/8	1 1/8	353
9RB1-050A-TFD	5	1615	460-3	7.9	L					1 3/8	1 1/8	353
9RB1-076A-TFC	7 1/2	1615	208/230-3	29.9	M		L			1 3/8	1 1/8	372
9RB1-076A-TFD	7 1/2	1615	460-3	15.4	M		L			1 3/8	1 1/8	372
9RC1-076A-TFC	7 1/2	1615	208/230-3	30.6	MH		L		M	1 3/8	1 1/8	384
9RC1-076A-TFD	7 1/2	1615	460-3	15.8	MH		L		M	1 3/8	1 1/8	384
9RC1-101A-TFC	10	1615	208/230-3	44			M		MH	1 3/8	1 1/8	391
9RC1-101A-TFD	10	1615	460-3	20			M		MH	1 3/8	1 1/8	391
9RJ1-050A-TFC	5	1371	208/230-3	16.9	LM					1 3/8	7/8	378
9RJ1-076A-TFC	7 1/2	1371	208/230-3	29.6	LM		LM		M	1 3/8	1 1/8	366
9RJ1-076A-TFD	7 1/2	1371	460-3	14.7	LM		M		M	1 3/8	1 1/8	366
9RS1-150A-TFD	15	2127	460-3	28.5			M		MH	1 5/8	1 1/8	418
9RS1-150A-TSC	15	2127	208/230-3	56.4			M		MH	1 5/8	1 1/8	418
9RS2-076A-TFC	7 1/2	2127	208/230-3	29.4	LM		XL			1 5/8	1 1/8	371
9RS2-076A-TFD	7 1/2	2127	460-3	16.5	LM		XL			1 5/8	1 1/8	371
9RS3-076A-TFC	7 1/2	2127	208/230-3	29.4	LM		XL			1 3/8	1 1/8	371
9RS3-076A-TFD	7 1/2	2127	460-3	16.5	LM		XL			1 3/8	1 1/8	371
9RS3-1015-TFC	10	2127	208/230-3	41			L			1 3/8	1 1/8	330
9RS3-1015-TFD	10	2127	460-3	19			L			1 3/8	1 1/8	330
EAA2-015A-CAH	1 1/2	338	208-1	8.3			L			7/8	1/2	168
EAAA-015A-TAC	1 1/2	338	208/230-3	5.9			L			7/8	1/2	168
EAAAB-015A-CAB	1 1/2	338	230-1	8.9			L			7/8	1/2	168
EAB1-015A-TAC	1 1/2	388	208/230-3	5.8	M		L			7/8	1/2	168
EAB2-015A-CAB	1 1/2	388	230-1	6.4	M		L			7/8	1/2	168
EABA-020A-TAC	2	388	208/230-3	6.8					?	7/8	1/2	155
EABB-020A-CAB	2	388	230-1	8.4					?	7/8	1/2	178
EAC2-015A-CAB	1 1/2	338	230-1	7.1	MH				L	7/8	1/2	168
EACA-020A-TAC	2	338	208/230-3	6.8					M	7/8	1/2	155
EACA-020A-TAD	2	338	460-3	3.5					M	7/8	1/2	155
EAD1-032A-TAC	3	388	208/230-3	12.4					H	7/8	1/2	178
EAD1-032A-TAD	3	388	460-3	5.2					H	7/8	1/2	178
EAD2-020A-CAH	2	388	208-1	12.4			L			7/8	1/2	170

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
EADA-020A-TAD	2	388	460-3	3.4	M		L			7/8	1/2	170
EADA-020E-TAC	2	388	208/230-3	6.8			L	L		7/8	1/2	170
EADB-020A-CAB	2	388	230-1	8.4			L			7/8	1/2	170
EADB-021E-CAB	2	388	230-1	10			L	L		7/8	1/2	170
EAJA-015A-TAC	1 1/2	493	208/230-3	5.9	L					7/8	1/2	168
EAJB-015A-CAB	1 1/2	493	230-1	6.6	L					7/8	1/2	168
EAJB-015A-CAH	1 1/2	493	208-1	5.9	L					7/8	1/2	168
EAL1-020A-TAD	2	525	460-3	3.7	M					7/8	1/2	170
EALA-020A-TAC	2	525	208/230-3	7.1	M					7/8	1/2	170
EALB-020A-CAB	2	525	230-1	8.7	M					7/8	1/2	170
EALB-020A-CAH	2	525	208-1	12.9	M					7/8	1/2	170
EAV1-015A-TAC	1 1/2	441	208/230-3	5.6	L					7/8	1/2	173
EAV2-015A-CAB	1 1/2	441	230-1	6.4	L					7/8	1/2	173
EAVA-021A-TAC	2	441	208/230-3	7.4	MH		L		L	7/8	1/2	168
EAVA-021A-TAD	2	441	460-3	3.9	MH		L		L	7/8	1/2	153
EAVA-021E-TAC	2	441	208/230-3	7.4	MH		L	L	L	7/8	1/2	168
EAVA-021E-TAD	2	441	460-3	3.9			L	L	L	7/8	1/2	168
EAVB-015A-CAH	1 1/2	441	208-1	5.5	L					7/8	1/2	168
EAVB-020A-CAB	2	441	230-1	10	MH		L		L	7/8	1/2	153
EAVB-020A-CAH	2	441	208-1	12.4	MH		L		L	7/8	1/2	153
EAVB-021A-CAV	2	441	208/230-1	14.7	MH		L		L	7/8	1/2	153
EAVB-021E-CAV	2	441	208/230-1	14.7	MH		L	L	L	7/8	1/2	168
ERA1-0200-TAC	2	338	208/230-3	6.6					MH	7/8	5/8	170
ERA1-020A-TAD	2	338	460-3	3.5					MH	7/8	5/8	170
ERA2-020A-CAB	2	338	230-1	10.4					MH	7/8	5/8	170
ERC2-020A-CAB	2	338	230-1	10.9			M		M	7/8	5/8	170
ERCA-020A-TAC	2	338	208/230-3	6.8			M		M	7/8	5/8	170
ERCA-020E-TAD	2	338	460-3	3.5			M	M	M	7/8	1/2	153
ERCA-021E-TAC	2	338	208/230-3	8.8			M	M		7/8	5/8	153
ERFA-0311-TAD	3	461	460-3	5.8					H	1 1/8	5/8	178
ERFA-031E-TAC	3	461	208/230-3	12.4			M	M	MH	1 1/8	5/8	180
ERFA-031E-TAD	3	461	460-3	5.8			M	M	MH	1 1/8	5/8	180
ERJ1-020A-TAC	2	493	208/230-3	6.3	MH					7/8	5/8	177
ERJ1-020A-TAD	2	493	460-3	3.4	MH					7/8	5/8	177
ERJ2-020A-CAB	2	493	230-1	10.1	MH					7/8	5/8	186
HAF2-0025-IAA	1/4	63	115-1	3.9	M					3/8	1/4	73
HAF2-0025-IAB	1/4	63	230-1	2.3	M					3/8	1/4	73
HAF2-0033-IAA	1/3	63	115-1	5.4	MH		L		L	1/2	3/8	73
HAF2-0033-IAB	1/3	63	230-1	2.5	MH		L			1/2	3/8	73
HAFB-0033-IAA	1/3	63	115-1	5.4	H		L		L	1/2	3/8	72
HAFB-003E-IAA	1/3	63	115-1	5.4			L	L	L	1/2	3/8	73
HAG1-0050-TAC	1/2	76	208/230-3	2.4					MH	1/2	3/8	72
HAG2-0050-CAA	1/2	76	115-1	8.6					MH	1/2	3/8	72
HAG2-0050-CAV	1/2	76	208/230-1	4.4					MH	1/2	3/8	72
HAGA-005E-TAC	1/2	76	208/230-3	2			M	M	H	1/2	3/8	72
HAGB-005E-CAV	1/2	76	208/230-1	4			M	M	H	1/2	3/8	72
HAJ1-0050-TAC	1/2	84	208/230-3	2.2			M		M	1/2	3/8	72
HAJ2-0025-IAA	1/4	84	115-1	4.1	L					3/8	1/4	72
HAJ2-0025-IAB	1/4	84	230-1	2.1	L					3/8	1/4	72

MODEL	APPLICATION									RECOMMENDED SERVICE VALVE		WGT
	HP	CFH	VOLTAGE	RLA	R12	R134a	R502	R404A	R22	SUCT	DISCH	
HAJ2-0033-IAA	1/3	84	115-1	5.2	M					1/2	3/8	73
HAJ2-0033-IAB	1/3	84	230-1	2.5	M					1/2	3/8	73
HAJ2-0050-CAA	1/2	84	115-1	8.5			M		M	1/2	3/8	72
HAJ2-0050-CAV	1/2	84	208/230-1	3.7			M		M	1/2	3/8	72
HAJA-005E-TAC	1/2	84	208/230-3	2.2			M	M	M	1/2	3/8	72
HAJB-003E-IAA	1/3	84	115-1	4.7			XL	XL		1/2	3/8	73
HAJB-005E-CAV	1/2	84	208/230-1	3.7			M	M	M	1/2	3/8	78
HAK2-0033-IAA	1/3	103	115-1	5	L					1/2	3/8	73
HAK2-0033-IAB	1/3	103	230-1	2.4	L					1/2	3/8	73
HAK2-0050-IAA	1/2	103	115-1	6.6	MH		L			1/2	3/8	78
HAK2-0050-IAB	1/2	103	230-1	4	MH		L			1/2	3/8	78
HAT2-0033-IAA	1/3	123	115-1	5.2	L					1/2	3/8	73
HAT2-0033-IAB	1/3	123	230-1	2.4	L					1/2	3/8	73
HAT2-0050-IAA	1/2	123	115-1	6.9	M					1/2	3/8	78
HAT2-0050-IAB	1/2	123	230-1	3.9	M					1/2	3/8	78
HATB-0051-CAA	1/2	123	115-1	8.9	M				L	1/2	3/8	72
HATB-005E-CAA	1/2	123	115-1	10.4				LM		1/2	3/8	78
KAA1-007A-TAC	3/4	255	208/230-3	2.6	L					5/8	3/8	87
KAA2-007A-IAA	3/4	255	115-1	10.2	L		L			5/8	3/8	87
KAA2-007A-IAB	3/4	255	230-1	5.4	L					5/8	3/8	87
KAA2-007A-IAH	3/4	255	208-1	5.6	LMH					5/8	3/8	87
KAAB-007A-CAV	3/4	255	208/230-1	5.2	L					5/8	3/8	87
KAAB-007A-IAA	3/4	255	115-1	10.2	L		L			5/8	3/8	87
KAAB-007E-CAA	3/4	255	115-1	10.2			XL	XL		5/8	3/8	96
KAAB-007E-CAV	3/4	255	208/230-1	5.8			XL	XL		5/8	3/8	87
KAE2-005A-IAB	1/2	134	230-1	4.1	M					1/2	3/8	83
KAE2-005A-IAH	1/2	134	208-1	4.1	M					1/2	3/8	83
KAEA-005A-TAC	1/2	134	208/230-3	1.9	M					1/2	3/8	83
KAEA-007E-TAC	3/4	134	208/230-3	3.4			L	L	M	1/2	3/8	96
KAEB-005A-CAV	1/2	134	208/230-1	3.4	M					1/2	3/8	83
KAEB-005A-IAA	1/2	134	115-1	7.8	M					1/2	3/8	83
KAEB-007A-CAV	3/4	134	208/230-1	5.3					M	5/8	3/8	87
KAEB-007E-CAA	3/4	134	115-1	10.9			L	L	M	1/2	3/8	96
KAEB-007E-CAV	3/4	134	208/230-1	5.4			L	L	M	1/2	3/8	96
KAG1-005A-TAC	1/2	185	208/230-3	1.9	L		L			1/2	3/8	83
KAG2-005A-IAA	1/2	185	115-1	7.8	L					1/2	3/8	83
KAG2-007A-IAH	3/4	185	208-1	5.6	M					5/8	3/8	95
KAGA-007A-TAC	3/4	185	208/230-3	2.6	M					5/8	3/8	95
KAGA-010A-TAC	1	185	208/230-3	4.3			M		H	5/8	3/8	88
KAGA-010E-TAC	1	185	208/230-3	4.3			M	M	H	5/8	3/8	88
KAGA-015A-TAC	1 1/2	185	208/230-3	5.5					MH	7/8	1/2	92
KAGA-015A-TAD	1 1/2	185	460-3	2.5					MH	7/8	1/2	92
KAGB-005A-CAV	1/2	185	208/230-1	3.6	L					1/2	3/8	83
KAGB-005A-IAA	1/2	185	115-1	7.8	L		L			1/2	3/8	83
KAGB-005E-IAA	1/2	185	115-1	7.8			XL	XL		1/2	3/8	91
KAGB-007A-CAV	3/4	185	208/230-1	5.4	M					5/8	3/8	95
KAGB-007A-IAA	3/4	185	115-1	9.5	M					5/8	3/8	95
KAGB-010E-CAV	1	185	208/230-1	7.5			M	M		5/8	3/8	88
KAGB-015A-CAV	1 1/2	185	208/230-1	9.6					MH	7/8	1/2	92

MODEL	APPLICATION									RECOMMENDED SERVICE VALVE		WGT
	HP	CFH	VOLTAGE	RLA	R12	R134a	R502	R404A	R22	SUCT	DISCH	
KAJ3-007A-IAB	3/4	218	230-1	5.2	L		L			5/8	3/8	87
KAJA-007A-TAC	3/4	218	208/230-3	2.8	L		L			5/8	3/8	87
KAJA-010A-TAC	1	218	208/230-3	3.4	MH		L			5/8	1/2	95
KAJA-011A-TAC	1	218	208/230-3	4.6	M		L			5/8	1/2	95
KAJA-011A-TAD	1	218	460-3	2			L			5/8	1/2	95
KAJA-011E-TAC	1	218	208/230-3	4.6			L	L		5/8	1/2	95
KAJA-011E-TAD	1	216	460-3	2			L	L		5/8	1/2	95
KAJB-007A-CAV	3/4	218	208/230-1	5.1	L		XL			5/8	3/8	87
KAJB-007A-IAA	3/4	218	115-1	9.1	L		L			5/8	3/8	87
KAJB-007E-IAA	3/4	218	115-1	10.4			L	XL		5/8	3/8	87
KAJB-010A-CAA	1	218	115-1	12.4	MH		L			5/8	1/2	95
KAJB-010A-CAV	1	218	208/230-1	6.8	MH		L			5/8	1/2	95
KAJB-010E-CAV	1	218	208/230-1	6.9			L	L		5/8	1/2	95
KAK2-010A-CAA	1	255	115-1	11.4	M					5/8	1/2	95
KAKA-010A-TAC	1	255	208/230-3	3.3	M					5/8	1/2	95
KAKA-010A-TAD	1	255	460-3	1.9	M					5/8	1/2	95
KAKA-020A-TAC	2	255	208/230-3	6.8	M		M		LMH	7/8	1/2	101
KAKA-020A-TAD	2	255	460-3	3	M		M		LMH	7/8	1/2	101
KAKA-020E-TAC	2	255	208/230-3	6.8			M	M		7/8	1/2	101
KAKB-011A-CAV	1	255	208/230-1	7.9	M		L			5/8	1/2	96
KAKB-011E-CAV	1	255	208/230-1	7.9				L		5/8	1/2	96
KAKB-015A-CAB	1 1/2	255	230-1	7.5	?				?	7/8	1/2	90
KAKB-021A-CAV	2	255	208/230-1	9.1	M		M		LMH	7/8	1/2	106
KAKB-021E-CAV	2	255	208/230-1	10.6			M	M		7/8	1/2	99
KALA-010A-TAC	1	315	208/230-3	3.3	L		XL			5/8	1/2	90
KALA-010A-TAD	1	315	460-3	1.8	L					5/8	1/2	90
KALA-015A-TAC	1 1/2	315	208/230-3	5.4	MH		L		L	7/8	1/2	97
KALA-015A-TAD	1 1/2	315	460-3	2.9	MH		L		L	7/8	1/2	97
KALA-016E-TAC	1 1/2	315	208/230-3	6.6	MH		L	L		7/8	1/2	98
KALA-016E-TAD	1 1/2	315	460-3	3.4			L	L		7/8	1/2	98
KALB-010A-CAA	1	315	115-1	10.9	L					5/8	1/2	90
KALB-010A-CAB	1	315	230-1	5.1	L					5/8	1/2	90
KALB-010A-CAV	1	315	208/230-1	6.9	L		XL			5/8	1/2	90
KALB-010E-CAV	1	315	208/230-1	6.9			XL	XL		5/8	1/2	94
KALB-015A-CAB	1 1/2	315	230-1	5.6	MH		L		L	7/8	1/2	97
KALB-015A-CAH	1 1/2	315	208-1	8.1	MH		L		L	7/8	1/2	97
KALB-015A-CAV	1 1/2	315	208/230-1	9.9	MH		L			7/8	1/2	97
KALB-015E-CAV	1 1/2	315	208/230-1	9.9	MH		L	L		7/8	1/2	97
KAM1-010A-TAD	1	169	460-3	2.2					MH	5/8	3/8	94
KAM2-010A-CAA	1	169	115-1	15.5			M		MH	5/8	3/8	94
KAMA-005A-TAC	1/2	169	208/230-3	1.7	L					1/2	3/8	93
KAMA-007A-TAC	3/4	169	208/230-3	3.2	MH		L		L	5/8	3/8	92
KAMA-007E-TAC	3/4	169	208/230-3	3.2			L	L	L	5/8	3/8	92
KAMA-010A-TAC	1	169	208/230-3	4.5					MH	5/8	3/8	94
KAMB-005A-CAV	1/2	169	208/230-1	3.7	L					1/2	3/8	93
KAMB-005A-IAA	1/2	169	115-1	7.2	L		L			1/2	3/8	93
KAMB-005A-IAB	1/2	169	230-1	3.8	L					1/2	3/8	93
KAMB-005A-IAH	1/2	169	208-1	3.8	L					1/2	3/8	93
KAMB-007A-CAA	3/4	169	115-1	10.9	MH				L	5/8	3/8	92

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION					RECOMMENDED SERVICE VALVE		WGT
					R12	R134a	R502	R404A	R22	SUCT	DISCH	
KAMB-007A-CAV	3/4	169	208/230-1	5.6	MH		L		L	5/8	3/8	92
KAMB-007E-CAA	3/4	169	115-1	10.9			L	L	L	5/8	3/8	92
KAMB-007E-CAV	3/4	169	208/230-1	5.6		MH	L	L	L	5/8	3/8	92
KAMB-007E-IAA	3/4	169	115-1	10.1		MH				5/8	3/8	87
KAMB-010A-CAV	1	169	208/230-1	7.5					MH	5/8	3/8	94
KAN2-007A-CAA	3/4	113	115-1	11.7					MH	1/2	3/8	87
KANA-006E-TAC	3/4	113	208/230-3	2.2				L		1/2	3/8	90
KANA-007E-TAC	3/4	113	208/230-3	3			M	M	H	1/2	3/8	87
KANB-005A-CAV	1/2	113	208/230-1	3.6	MH		L			1/2	3/8	90
KANB-005A-IAA	1/2	113	115-1	8.1	MH		L			1/2	3/8	90
KANB-005E-CAV	1/2	113	208/230-1	3.6			L	L		1/2	3/8	83
KANB-005E-IAA	1/2	113	115-1	8			L	L		1/2	3/8	83
KANB-007E-CAV	3/4	113	208/230-1	5.4			M	M	H	1/2	3/8	87
KAR2-010A-CAA	1	157	115-1	15.4			M		MH	5/8	1/2	95
KARA-010E-TAC	1	157	208/230-3	4.3			M	M	MH	5/8	1/2	93
KARA-011E-TAD	1	157	460-3	2			M	M	H	5/8	1/2	95
KARB-010A-CAV	1	157	208/230-1	7.4			M		MH	5/8	1/2	95
KARB-010E-CAV	1	157	208/230-1	7.4			M	M	MH	5/8	1/2	93
KATA-010A-TAC	1	388	208/230-3	3.9	L					5/8	1/2	93
KATA-010A-TAD	1	388	460-3	2.1	L					5/8	1/2	93
KATA-015A-TAC	1 1/2	388	208/230-3	5	M					7/8	1/2	99
KATA-015A-TAD	1 1/2	388	460-3	2.9	M					7/8	1/2	99
KATA-015E-TAC	1 1/2	388	208/230-3	5			XL	XL		7/8	1/2	99
KATB-010A-CAA	1	388	115-1	12.4	L					5/8	1/2	95
KATB-010A-CAV	1	388	208/230-1	7.2	L		XL			5/8	1/2	95
KATB-015A-CAB	1 1/2	388	230-1	6.1	M					7/8	1/2	99
KATB-015A-CAH	1 1/2	388	208-1	7.8	M					7/8	1/2	99
KATB-015A-CAV	1 1/2	388	208/230-1	9.6	M		XL			7/8	1/2	99
KATB-015E-CAV	1 1/2	388	208/230-1	9.6			XL	XL		7/8	1/2	99
LACA-031A-TAC	3	816	208/230-3	10	M		L			1 1/8	5/8	209
LACA-032A-TAD	3	816	460-3	6			L			1 1/8	5/8	209
LACA-032E-TAC	3	816	208/230-3	12.8			L	XL		1 1/8	5/8	201
LACA-032E-TAD	3	816	460-3	6		M	XL	XL		1 1/8	5/8	209
LACB-031A-CAB	3	816	230-1	15.4	M		L			1 1/8	5/8	209
LACB-032E-CAB	3	816	230-1	15.5		MH	XL	XL		1 1/8	5/8	209
LAHA-031A-TAC	3	695	208/230-3	8.5	MH					1 1/8	5/8	215
LAHA-031A-TAD	3	695	460-3	5.1	H		L		L	1 1/8	5/8	215
LAHA-031E-TAC	3	695	208/230-3	8.5		MH				1 1/8	5/8	215
LAHA-032E-TAC	3	695	208/230-3	12.8			L	L		1 1/8	5/8	215
LAHA-032E-TAD	3	695	460-3	6			L	L		1 1/8	5/8	215
LAHB-031A-CAB	3	695	230-1	16.6	H		L		L	1 1/8	5/8	215
LAHB-031E-CAB	3	695	230-1	16.6		H			L	1 1/8	5/8	215
LAHB-032E-CAB	3	695	230-1	16.7			L	L		1 1/8	5/8	215
LALA-031A-TAC	3	774	208/230-3	10.9	M		L			1 1/8	5/8	211
LALA-032E-TAC	3	774	208/230-3	12.6			L	L		1 1/8	5/8	210
LALA-032E-TAD	3	774	460-3	6.2			L	L		1 1/8	5/8	210
LALB-031A-CAB	3	774	230-1	14.2	M		L			1 1/8	5/8	211
LALB-032E-CAB	3	774	230-1	15			XL	XL		1 1/8	5/8	211
LAM1-0310-CAB	3	958	230-1	12.7	L					1 1/8	5/8	211

MODEL	HP	CFH	VOLTAGE	RLA	APPLICATION				RECOMMENDED SERVICE VALVE		WGT	
					R12	R134a	R502	R404A	R22	SUCT		DISCH
LAM1-0310-TAC	3	958	208/230-3	10	L					1 1/8	5/8	211
LAM1-0310-TAD	3	958	460-3	4.7	L					1 1/8	5/8	211
LAMA-031A-TAC	3	958	208/230-3	10	L					1 1/8	5/8	211
LAMA-031A-TAD	3	958	460-3	4.7	L					1 1/8	5/8	211
LAMB-031A-CAB	3	958	230-1	12.7	L					1 1/8	5/8	211
MRA2-050A-CFB	5	1081	230-1	27.5	M		L			1 3/8	7/8	297
MRA2-050A-TFC	5	1081	208/230-3	22	M		L			1 3/8	7/8	298
MRA2-050A-TFD	5	1081	460-3	8.6	M		L			1 3/8	7/8	298
MRB1-050A-TFC	5	1192	208/230-3	21.2	M		L			1 3/8	7/8	298
MRB1-050A-TFD	5	1192	460-3	12.1	M		L			1 3/8	7/8	298
MRF2-050A-CFB	5	1081	230-1	23.5	MH					1 3/8	7/8	298
MRF2-050A-TFC	5	1081	208/230-3	21	MH		M		M	1 3/8	7/8	298
MRF2-050A-TFD	5	1081	460-3	8.7	MH		M		M	1 3/8	7/8	298
MRH4-076A-TFC	7 1/2	1136	208/230-3	30.3			M		MH	1 3/8	1 1/8	310
MRH4-076A-TFD	7 1/2	1136	460-3	13.5			M		MH	1 3/8	1 1/8	310
NRA2-050A-TFC	5	815	208/230-3	19.2			M		MH	1 1/8	5/8	248
NRA2-050A-TFD	5	815	460-3	9.6			M		MH	1 1/8	5/8	248
NRB2-031A-TFC	3	695	208/230-3	12.9	MH					1 1/8	5/8	256
NRB2-031A-TFD	3	695	460-3	6.4	MH					1 1/8	5/8	256
NRB2-040A-TFC	4	695	208/230-3	21.8			M		MH	1 1/8	5/8	248
NRB2-040A-TFD	4	695	460-3	11.3			M		MH	1 1/8	5/8	248
NRB2-040E-TFC	4	695	208/230-3	21.8			M	M		1 1/8	5/8	262
NRB2-040E-TFD	4	695	460-3	9			M	M	MH	1 1/8	5/8	232
NRD1-031A-TFC	3	816	208/230-3	14.3	M		L			1 1/8	5/8	281
NRD1-031A-TFD	3	816	460-3	7.3	M		L			1 1/8	5/8	281
NRD1-032E-TFC	3	816	208/230-3	16.3	MH		L	L		1 1/8	5/8	262
NRD1-032E-TFD	3	816	460-3	8.4			L	L		1 1/8	5/8	262
NRD1-040A-CFB	4	816	230-1	23.6	M		L			1 1/8	5/8	268
NRD1-040E-CFB	4	816	230-1	27.7			L	L		1 1/8	5/8	268
NRM1-050A-TFC	5	971	208/230-3	24.3			M		M	1 1/8	5/8	280
NRM1-050A-TFD	5	971	460-3	12.1			M		M	1 1/8	5/8	280
NRN2-031A-TFC	3	971	208/230-3	13	L					1 1/8	5/8	281
NRN2-031A-TFD	3	971	460-3	6.5	L					1 1/8	5/8	281