
Diversitech
is proud to be the
world's largest
manufacturer of
equipment pads.

We are pleased to publish this edition of DiversiTech's product offering to our wholesale industry partners. We have added copper fittings, black steel nipples, black iron and steel pipe fittings, driers, and a full line of Robertshaw thermostats. We have also introduced Little Giant condensate pumps.


DiversiTech is proud to be the world's largest manufacturer of equipment pads. We are also pleased that we have grown our company to become an important value-added manufacturer for hundreds of other products within our trade channel.

It is our goal to continue being the company in our industry with whom it is easiest to do business.

We wish all of you continued success.



Charles M. Lipman
President



James H. Kirby, Jr.
Senior Vice President, Sales

80% of our Sales
come from DiversiTech Manufactured Products!

Part Number Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
01714	80	161-193	20	31711	42	450-39E	98
01724	80	161-193220	20	32-2	12	45040H	19
02035	104	161-193330	21	32-3	12	45050H	19
02053	104	16448	81	3232-2	12	45060H	19
02055	104	16491	81	3232-3	12	45075H	19
02100	104	16492	81	3237-2	12	45100H	19
02255	104	16500	35	3237-3	12	45125H	19
04000	105	16510	35	324-388	20	45150H	19
04010	105	16520	35	3345-3	12	45175H	19
04011	105	18001	81	340-408	20	45200H	19
04012	105	18002	81	3434-2	12	45250H	19
04013	105	18003	81	3434-3	12	45250R	20
04022	105	18004	81	357-20	29	45300H	19
04023	105	18005	81	358-20	29	45300R	20
04056	105	189-227	20	36-2	12	45350H	19
04113	105	189-227220	20	362-16	29	45350R	20
04123	105	189-227330	21	36-3	12	45400H	19
04134	105	19101	81	3636-2	12	45400R	20
04401	105	19102	81	3636-3	12	45450H	19
04402	105	19103	81	3640-2	12	45450R	20
04404	105	200-240	20	3640-3	12	45500H	19
04406	105	20233	104	3648-2	12	45500R	20
04407	105	20-3132-18	24	3648-3	12	4550-3	12
04410	105	20-3132-24	24	3660-3	12	4558-3	12
04451	105	20-3132-36	24	3678-3	12	45600H	19
04452	105	20-3132-48	24	370-16	29	45600R	20
04500	105	20-3135-18	24	37020H	18	45700H	19
04502	105	20-3135-24	24	37030H	18	45700R	20
04503	105	20-3135-36	24	37040H	18	45800H	19
04507	105	20-3135-48	24	37050H	18	45800R	20
04509	105	2102	117	37050HB	18	460-552	20
04700	105	216-259	20	37060H	18	4700-12	72
04800	105	216-259220	20	37075H	18	4700-34	72
04801	105	216-259330	21	37075HB	18	4701-12	72
04802	105	2302	117	37100H	18	4701-34	72
04803	105	233-280220	20	37100HB	18	4703-12	72
04850	105	233-292	20	37125H	18	4703-34	72
04852	105	2424-2	12	37150H	18	4704-12	72
04870	105	2424-3	12	37175H	18	4704-34	72
04871	105	2430-2	12	37200H	18	4706-12	72
04872	105	2430-3	12	37250H	18	4706-34	72
04873	105	2436-2	12	37250R	19	4707-12	72
04899	105	2436-3	12	37300H	18	47072-12	72
06000	44	2442-2	12	37300R	19	47072-34	72
06001	44	2448-2	12	37350H	18	4707-34	72
06002	44	2448-3	12	37350R	19	4711-12	72
06003	44	2454-2	12	37400H	18	4711-34	72
06004	44	2601	31	37400R	19	4766-3	12
06005	44	2602	31	37450H	18	4848-3	12
06006	44	2603	31	37450R	19	490-20	29
06007	44	26-2	12	37500H	18	4JJ0525	19
06008	44	2626-2	12	37500R	19	4JJ0530	19
06009	44	2626-3	12	37600H	18	4JJ0535	19
06015	44	26-3	12	37600R	19	4JJ0545	19
06020	44	2636-2	12	37700H	18	4JJ1055	19
06025	44	2636-3	12	37700R	19	4JJ7535	19
06026	44	270-324	20	37800H	18	4JJ7540	19
06027	44	270-324220	20	37800R	19	4JJ7545	19
06030	44	2838-2	12	378-440	20	4JR0525	20
06033	44	2838-3	12	3865-3	12	4JR0530	20
06035	44	30-2	12	3870-3	12	4JR0535	20
06036	44	30-3	12	3GJ0515	18	4JR0540	20
06037	44	3030-2	12	3GJ0520	18	4JR0545	20
06040	44	3030-3	12	3GJ0525	18	4JR0555	20
06070	44	30305	44	3GJ0530	18	4JR7530	20
06083	44	30306	44	3GJ0535	18	4JR7535	20
06086	44	30307	44	3GJ0540	18	50302	66
10*PH	94	30308	44	3GJ0545	18	50304	66
10*PHT	94	30309	44	3GJ1015	18	50306	66
1000-1200	20	30310	44	3GJ1025	18	505-13640	32
10012	80	30311	44	3GJ1060	18	505-13641	32
1002	31	30312	44	3GJ1520	18	505-14200	32
10180	80	30-3132-12	24	3GJ7530	18	505-14201	32
10600	80	30-3132-18	24	3GJ7535	18	505-14203	32
10702	117	30-3132-24	24	3GJ7555	18	505-14204	32
108-130	20	30-3132-30	24	3GR0425	18	505-14315	32
108-130220	20	30-3132-36	24	3GR0525	18	505-14316	32
108-130330	21	30-3132-48	24	3GR0530	18	5053-3	12
12*PH	94	30-3132-60	24	3GR0535	18	505-40305	32
12*PHT	94	30-3132-72	24	3GR0545	18	505-40650	32
124-156	20	3036-2	12	3GR0580	18	5056-3	12
124-156220	20	3036-3	12	4*PH	94	5-05790	33
124-156330	21	3040-2	12	4*PHT	94	5070-3	12
14145	62	3040-3	12	400-480	20	5-10	78
14175	62	3048-2	12	4062-3	12	5-100020	72
14250	62	3060-3	12	4147-2	12	5-100030	72
14340	62	3143-2	12	4147-3	12	510-3400	71
14460	62	3143-3	12	4183-3	12	510-D102338	72
145-175	20	315-20	29	436-20	29	510-D304020	72
145-175220	20	315-20	81	450-15E	98	510-D304030	72
145-175330	21	31700	42	450-1E	98	5-1115	45
		31701	42	45020H	19	5-1119	45
		31710	42	45030H	19	5-1135	45

Part Number Index

C410-0303	76	CH-103-2	118	D90-292Q	22	DP25224	21	EL2626-2	13
C410-0304	76	CH-104	118	D90-293Q	22	DP252240	21	EL3030-2	13
C410-0305	76	CH-104-3	118	D90-294Q	22	DP301120	21	EL3030-3	13
C410-0306	76	CH-105	118	D90-295Q	22	DP30124	21	EL3036-2	13
C410-0398	76	CH-135	118	D90-296Q	22	DP301240	21	EL3036-3	13
C410-0399	76	CH-135-2	118	D90-297Q	22	DP302120	21	EL3040-2	13
C410-0400	76	CH-196	118	D-90340	22	DP30224	21	EL3040-3	13
C410-1498	76	CH-196-2	118	D-90341	22	DP302240	21	EL3232-2	13
C460-0002	77	CH-196-3	118	D-90342	22	DP303120	21	EL3232-3	13
C460-0025	77	CH-196-6	118	D90-360	22	DP30324	21	EL3238-2	13
C460-0050	77	CH-197	118	D90-362	22	DP303240	21	EL3238-3	13
C460-0058	77	CH-202-3	118	D90-364	22	DP402120	21	EL3244-2	13
C460-0090	77	CH-230	118	D90-366	22	DP40224	21	EL3244-3	13
C460-0100	77	CH-230-3	118	D90-370	22	DP402240	21	EL3636-2	13
C460-0107	77	CH-230-6	118	D90-372	22	DP403120	21	EL3636-3	13
C460-0117	77	CL-2016	143	D90-374	22	DP40324	21	EL3640-2	13
C460-0150	77	CL-2032	143	D90-376	22	DP403240	21	EL3640-3	13
C460-0159	77	CL-2128	143	D90-380	22	DP503120	21	EL3648-2	13
C460-0160	77	CL-64	143	D90-382	22	DP50324	21	EL3648-3	13
C460-0215	77	CL-8	143	D90-384	22	DP503240	21	ET130C1	67
C460-0222	77	CLL-1	145	DA1V02	22	DP603120	21	ET22	67
C460-0223	77	CLL-16	145	DA1V06	22	DP60324	21	ET33	66
C460-0295	77	CLL-4	145	DA1V09	22	DP603240	21	ET44	66
C460-0303	77	CLR-4	143	DA1V14	22	DP753120	21	FD11	88
C460-0304	77	CLR-64	143	DA22	93	DP75324	21	FD11C	88
C460-0305	77	CLR-8	143	DA2V02	22	DP753240	21	FD12	88
C460-0390	77	CO-1	130	DA2V06	22	DP903120	21	FD12C	88
C460-0398	77	CP-2	144	DA2V09	22	DP90324	21	FD21	88
C460-0399	77	CPN1	99	DA2V14	22	DP903240	21	FD211	88
C512	99	CPN1C	99	DA3V02	22	DS20	88	FD211C	88
C512L	99	CPN2	99	DA3V06	22	DS20C	88	FD212	88
C-640	28	CPN2C	99	DA3V09	22	DS21	88	FD212C	88
C-640BL	28	CPN3	99	DA3V14	22	DS21C	88	FD21C	88
C657-0025	77	CPN3C	99	DD-032	109	DS22	88	FD22	88
C657-0050	77	CR-1	130	DD-032S	109	DS22A	88	FD221	88
C657-0100	77	CSF-4	146	DD-052	109	DS22AC	88	FD221C	88
C657-0150	77	CSG-1	123	DD-052S	109	DS22C	88	FD222	88
C947-0025	77	CT-16	146	DD-053	109	DS23	88	FD222C	88
C947-0050	77	CT-4	146	DD-053S	109	DS23C	88	FD22C	88
C947-0100	77	CT800	87	DD-082	109	DS24	88	FD32	88
C947-0150	77	CTU-05-1	119	DD-082S	109	DS24C	88	FD32C	88
C947-0215	77	CTU-10-1	119	DD-083	109	DS25	88	FH-1	57
C947-0295	77	CTU-15-1	119	DD-083S	109	DS25C	88	FH22	95
C947-0390	77	CTU-20-1	119	DD-162	109	DS26	88	FH22C	95
CAN-4	147	CTZ-1	145	DD-163	109	DS26C	88	FH32	95
CAP-26	108	CTZ-16	145	DD-163S	109	DS27	88	FH32C	95
CAP-26-12	108	CTZ-4	145	DD-164	109	DS27C	88	FM0450	26
CAP-31	108	CU-05-1	119	DD-164S	109	DSC3	88	FR22	89
CAP-31-10	108	CU-10-1	119	DD-165	109	DSC3C	88	FR22C	89
CAP-36	108	CU-15-1	119	DD-165S	109	DSP-1	114	FTL3	87
CAP-36-10	108	CU-20-1	119	DD-303	109	DST-5	116	FTL3D	87
CAP-42	108	D010	94	DD-303S	109	DST-6	116	FUL0425	26
CAP-42-10	108	D010C	94	DD-304	109	DST-8	116	FUL0625	26
CAP-44	108	D011	94	DD-304S	109	DTP-3	114	GC275	67
CAP-44-10	108	D011C	94	DD-305	109	DX-1	109	GC277	67
CAP-49	108	D012	94	DD-305S	109	DX-2	109	GG-1	125
CAP-49-10	108	D012C	94	DD-414	109	DX-3	109	GG-10F	125
CAP-50	108	D021	94	DD-414S	109	DX-4	109	GG-1-90	125
CAP-50-10	108	D021C	94	DD-415	109	DX-6	109	GG-1P	125
CAP-54	108	D022	94	DD-415S	109	DX-7	109	GGC-12	125
CAP-54-10	108	D022C	94	DD-417S	109	DX-8	109	GN-23H	81
CAP-55	108	D032	94	DDS-30	56	DX-9	109	GOTS-1	103
CAP-55-10	108	D032C	94	DDS-60	56	DXA-5	109	GOTS-12C	103
CAP-59	108	D033	94	DDS60U	56	DXF1	88	GOTS-12D	103
CAP-59-10	108	D033C	94	DH11	95	DXF1C	88	GOTS-12H	103
CAP-64	108	DOM11	94	DH11C	95	DXF2	88	GOTS-12W	103
CAP-64-10	108	DOM11C	94	DH12	95	DXF2C	88	GOTS-1P	103
CAP-70	108	DOM12	94	DH12C	95	DXF3	88	GOTS-1T	103
CAP-70-10	108	DOM12C	94	DH21	95	DXF3C	88	GOTS-2	103
CAP-75	108	DOM22	94	DH21C	95	DXM1	88	GOTS-2P	103
CAP-75-10	108	DOM22C	94	DH22	95	DXM1C	88	GOTS-2T	103
CAP-80	108	DOM32	94	DH22C	95	DXM2	88	GP-1	123
CAP-80-10	108	DOM32C	94	DH32	95	DXM2C	88	GP1-12BL	81
CAP-85	108	D10	22	DH32C	95	DXM3	88	GP1-40BL	81
CAP-85-10	108	D11	22	DHM12	95	DXM3C	88	GRT100	94
CAP-90	108	D210	93	DHM12C	95	E-10	120	GV04	89
CAP-90-10	108	D210C	93	DHM21	95	E-5	120	GV05	89
CAS-2712	143	D211	93	DHM21C	95	E-6	120	GV06	89
CC32	93	D211C	93	DHM22	95	E-8	120	GV07	89
CC32C	93	D212	93	DHM22C	95	EB-10	120	GV08	89
CC33	87	D212C	93	DM11	93	EB-6	120	GV10	89
CC33-18	87	D220	93	DM11C	93	EB-8	120	GV12	89
CC33-24	87	D220C	93	DM12	93	EC-56	120	GV14	89
CH-100	118	D221	93	DM12C	93	EC-810	120	GV16	89
CH-100-3	118	D221C	93	DM21	93	EE-30	120	GVA1	89
CH-101	118	D222	93	DM21C	93	EE-48	120	GVA2	89
CH-101-1	118	D222C	93	DM22	93	EH-1	120	H211	89
CH-101-2	118	D232	93	DM22C	93	EL2424-2	13	H211C	89
CH-101-3	118	D232C	93	DM32	93	EL2424-3	13	H212	89
CH-102	118	D233	93	DM32C	93	EL2430-2	13	H212C	89
CH-102-2	118	D233C	93	DMM2	88	EL2430-3	13	H221	89
CH-102-3	118	D90-290Q	22	DMM2C	88	EL2436-2	13	H221C	89
CH-103	118	D90-291Q	22	DP252120	21	EL2436-3	13	H222	89


Part Number Index

H222C	89	HS08	89	PK-2B	42	R215C	91	S030	92
H231	89	HS08B	89	POE-100	27	R220	91	S030C	92
H231C	89	HS-144	126	POE-32	27	R220C	91	S031	92
H232	89	HS16	89	POE-68	27	R221	91	S031C	92
H232C	89	HS16B	89	PT-151	127	R221C	91	S032	92
HB-01	116	HS-192	126	PT-152	127	R222	91	S032C	92
HB-02	116	HS24	89	PT-153	127	R222C	91	S210	92
HB-02-2	116	HS-30	126	PT-154	128	R223	91	S210C	92
HB-03	116	HS-30-2	126	PT-154B	128	R223C	91	S211	92
HB-04	116	HS32	89	PT-156	128	R224	91	S211C	92
HB-04-2	116	HS-60	126	PT-161	127	R224C	91	S212	92
HB-05	116	HS-60-2	126	PT-200	127	R225	91	S212C	92
HB-06	116	HSA1	89	PT-236	127	R225C	91	S220	92
HB-06-2	116	HSA2	89	QAV-2	123	R230	91	S220C	92
HB-07	116	HTA2	95	QO200TR	56	R230C	91	S221	92
HB-08-2	116	ISO-18	129	QT-1	107	R231	91	S221C	92
HB-09	116	ISO-2	129	QT-100	106	R231C	91	S222	92
HB-10-2	116	ISO-4	129	QT-100G	106	R232	91	S222C	92
HCO-128	125	LPS-1	130	QT-100N	106	R232C	91	S230	92
HCO-15	125	LPS-13	132	QT-2	107	R233	91	S230C	92
HCO-64	125	LPS-1G	130	OTH-1	107	R233C	91	S231	92
HCO-7	125	LPS-2	130	OTH-2	107	R234	91	S231C	92
HCP-128	125	LPS-2G	130	OTL-1	107	R234C	91	S232	92
HCP-15	125	LPS-3	131	OTL-2	107	R235	91	S232C	92
HCP-3	125	LPS-3G	131	OTM-1	107	R235C	91	S-3	123
HCP-64	125	LPS-40	130	OTM-2	107	R242	91	SC-10	144
HCP-7	125	LPS-4-140	132	OTM-3	107	R242C	91	SC-25	144
HDR-101	113	LPS-4CF	132	R010	90	R243	91	SCM-10	144
HDR-102	113	LPS-4NS	132	R010C	90	R243C	91	SCM-25	144
HDR-201	113	LPS-4NU	132	R011	90	R244	91	SCM-5	144
HDR-202	113	LPS-5	131	R011C	90	R244C	91	SH-06	81
HDR-211	113	LPS-5BC	131	R012	90	R245	91	SH12	95
HDR-212	113	LPS-6	131	R012C	90	R245C	91	SH-12	81
HDR-221	113	LPS-728	133	R013	90	R252	91	SH12C	95
HDR-222	113	LPS-728A	133	R013C	90	R252C	91	SH22	95
HEK-100	113	LPS-7PS	133	R014	90	R253	91	SH22C	95
HEK-200	113	LPS-7X	133	R014C	90	R253C	91	SH32	95
HEK-400	113	LPS-7Z	133	R015	90	R254	91	SH32C	95
HEK-500	113	LPS-8	131	R015C	90	R254C	91	SN010	93
HFL-4257	112	LPS-9	132	R020	90	R255	91	SN010C	93
HFL-4300	112	M-1	124	R020C	90	R255C	91	SN020	93
HFL-4333	112	M-1R	124	R021	90	R256	91	SN020C	93
HFL-5257	112	M-2	124	R021C	90	R256C	91	SN210	93
HFL-5258	112	M-2R	124	R022	90	R256C	91	SN210C	93
HFL-5300	112	M-3	124	R022C	90	RH10	95	SN220	93
HFL-5301	112	M-3G	124	R023	90	RH10C	95	SN220C	93
HFL-5333	112	M-3R	124	R023C	90	RH11	95	SR31J-100	117
HFS-110	112	M-4	124	R024	90	RH11C	95	SR31J-250	117
HFS-120	112	M-4R	124	R024C	90	RH12	95	SR31J-50	117
HFS-130	112	M-5	124	R025	90	RH12C	95	SR32J-100	117
HFS-140	112	M-5G	124	R025C	90	RH13	95	SR32J-250	117
HFS-150	112	M-5R	124	R030	90	RH13C	95	SR32J-50	117
HFS-160	112	MB21	97	R030C	90	RH20	95	SR51J-100	117
HLA-130	111	MB22	97	R031	90	RH20C	95	SR51J-250	117
HLA-140	111	MHP-4	123	R031C	90	RH21	95	SR51J-50	117
HLA-150	111	ML-100	134	R032	90	RH21C	95	SR52J-100	117
HLA-160	111	ML-200	134	R032C	90	RH22	95	SR52J-250	117
HLA-170	111	ML-222	134	R033	90	RH22C	95	SR52J-50	117
HLA-180	111	MP-12	129	R033C	90	RH23	95	SR81J-100	117
HLA-190	111	MP-12C	129	R034	90	RH23C	95	SR81J-250	117
HLA-200	111	MP-12E	129	R034C	90	RH30	95	SR81J-50	117
HLA-210	111	MP-18	129	R035	90	RH30C	95	SR82J-100	117
HLA-230	111	MP-18C	129	R035C	90	RH31	95	SR82J-250	117
HLA-240	111	MP-18E	129	R042	90	RH31C	95	SR82J-50	117
HLA-250	111	MP-2	129	R042C	90	RH32	95	SRE-S	117
HLA-275	111	MP-2C	129	R043	90	RH32C	95	SRP-CK	117
HLA-290	111	MP-2E	129	R043C	90	RH33	95	SRP-CRG	117
HLA-300	111	MP-3	129	R044	90	RH33C	95	SRS-T	117
HLE-130	111	MP-3C	129	R044C	90	RH34	95	SS-1	41
HLE-140	111	MP-3E	129	R045	90	RH34C	95	SS210C	92
HLE-150	111	MP-4	129	R045C	90	RH35	95	SS211C	92
HLE-160	111	MP-4C	129	R052	90	RH35C	95	SS212C	92
HLE-170	111	MP-4E	129	R052C	90	RH43	95	SS220C	92
HMR-130	112	MP-6	129	R053	90	RH55	95	SS221C	92
HOT-50	112	MP-6C	129	R053C	90	RH65	95	SS222C	92
HOT-60	112	MP-6E	129	R054	90	RS-15	126	SS230C	92
HP-HS-16	30	MP-8	129	R054C	90	RS-20	126	SS231C	92
HP-MS-03	30	MP-8C	129	R055	90	RS-31	126	SS232C	92
HPR-12	11	MT-4U	100	R055C	90	RS-41	126	ST-10	33
HPR-3	11	OT-1808	147	R056	90	RS-9	126	ST-20XX	100
HPR-6	11	PA10	97	R056C	90	RSA2	91	ST-24	33
HP-SB-16	30	PA18	97	R-1	124	S010	92	ST-30XX	100
HP-SK-16	30	PA25	97	R210	91	S010C	92	ST-4	33
HP-SKDP-20	30	PA25AP	97	R210C	91	S011	92	ST-60XX	100
HP-SKDS-16	30	PC-600-B	65	R211	91	S011C	92	ST-80XX	100
HS012	89	PC-600-S	65	R211C	91	S012	92	STL-0	121
HS012B	89	PC-609-B	65	R212	91	S012C	92	STL-1	121
HS03	89	PC-609-S	65	R212C	91	S020	92	STL-2	121
HS03B	89	PC-622-B	65	R213	91	S020C	92	STL-3	121
HS04	89	PC-622-S	65	R213C	91	S021	92	STL-4	121
HS04B	89	PC-783	65	R214	91	S021C	92	STL-5	121
HS06	89	PE-104	68	R214C	91	S022	92	STL-6	121
HS06B	89	PK-2	42	R215	91	S022C	92	T-1	119

Part Number Index

T-10	119	UC2430-2	11	W101	86	WT15	96
T-100	119	UC2430-3	11	W101-100	86	WT15C	96
T-101	119	UC2436-2	11	W101-50	86	WTA1	96
T-11	119	UC2436-3	11	W102	86	WTB05	96
T-12	119	UC2442-3	11	W102-100	86	WTB05C	96
T-13	119	UC2448-3	11	W102-50	86	WTB07	96
T-14	119	UC2626-2	11	W103	86	WTB07C	96
T1401	23	UC2626-3	11	W103-100	86	WTB11	96
T1402	23	UC2636-2	11	W103-50	86	WTB11C	96
T1403	23	UC2838-3	11	W104	86	WTB15	96
T1404	23	UC3030-2	11	W104-100	86	WTB15C	96
T-15	119	UC3030-3	11	W104-50	86	WTBA1	96
T-16	119	UC3036-2	11	W105	86	WTM05	97
T-17	119	UC3036-3	11	W105-100	86	WTM05C	97
T-18	119	UC3040-2	11	W105-50	86	WTM07	97
T-20	119	UC3040-3	11	W121	86	WTM07C	97
T-200	120	UC3143-2	11	W121-100	86	WTM1	96
T-21	119	UC3232-2	11	W121-50	86	WTM11	97
T-23	119	UC3232-3	11	W122	86	WTM11C	97
T2401	23	UC3237-2	11	W122-100	86	WTM14	97
T2402	23	UC3237-3	11	W122-50	86	WTM14C	97
T2403	23	UC3434-2	11	W123	86	WTM1C	96
T2404	23	UC3434-3	11	W123-100	86	WTM2	96
T-300	120	UC3445-3	11	W123-50	86	WTM2C	96
T3401	23	UC3636-2	11	W124	86	WTMB05	97
T3402	23	UC3636-3	11	W124-100	86	WTMB05C	97
T3403	23	UC3640-2	11	W124-50	86	WTMB07	97
T3501	23	UC3642-3	11	W125	86	WTMB07C	97
T-400	120	UC3648-2	11	W125-100	86	WTMB11	97
T-408	120	UC3648-3	11	W125-50	86	WTMB11C	97
T-409	120	UC4147-2	11	W141	86	WTMB14	97
T-411	120	VA-24	110	W141-100	86	WTMB14C	97
T-412	120	VA-3-346	110	W141-50	86		
T-417	120	VA-34	110	W142	86		
T-418	120	VA-39	110	W142-100	86		
T4401	23	VA-46	110	W142-50	86		
T4402	23	VA-58	110	W143	86		
T4403	23	VA-68	110	W143-100	86		
T4501	23	VAU-24	110	W143-50	86		
T5401	23	VAU-45	110	W144	86		
T5402	23	VAX-2	110	W144-100	86		
T5403	23	VAX-3	110	W144-50	86		
T5404	23	VAX-4	110	W145	86		
T6751	23	VAX-5	110	W145-100	86		
T6752	23	VAX-6	110	W145-50	86		
T6753	23	VAX-8	110	W801	86		
T7751	23	VC-4	110	W801-100	86		
T7752	23	VC-4R	110	W801-50	86		
T-8	119	VCC-4	104	W802	86		
T-9	119	VCR-1	106	W802-100	86		
TC-007	115	VCRT-1	106	W802-50	86		
TD-1	102	VCRT-1R	106	W803	86		
TD-2	102	VCRT-1RK	106	W803-100	86		
TG-05	102	VCRT-1S	106	W803-50	86		
TG-30	102	VD-24	111	W804	86		
TG-30-1	102	VD-4	111	W804-100	86		
TLC-3-10	87	VD-45	111	W804-50	86		
TLC-3-12	87	VD-4A	111	W805	86		
TLC-3-8	87	VE-2	110	W805-100	86		
TMC-35	117	VLC-10	106	W805-50	86		
TS-1	124	VLC-12	106	WC02	96		
TS-2	124	VLC-14	106	WC03	96		
TS-3	124	VLC-18	106	WC04	96		
TS-4	124	VLC-25	106	WC05	96		
TS-5	124	VLC-4	106	WC06	96		
TS-6	124	VLC-5	106	WC07	96		
TT-120	115	VLC-6	106	WC08	96		
TT-24	115	VLC-8	106	WC09	96		
TT-240	115	VP-68GL	27	WC10	96		
U2660-3	11	VP-68QT	27	WC12	96		
U3353-3	11	VS-4	110	WC14	96		
U3660-3	11	VST-4	110	WC16	96		
U3678-3	11	VST-44	110	WCA1	96		
U3865-3	11	VST-44X	110	WF-100	27		
U3870-3	11	VST-4X	110	WF-32	27		
U4042-3	11	VT-24	110	WF-68	27		
U4347-3	11	VT-4	110	WHT20	98		
U4550-3	11	VTR-24	110	WHTB10-20	98		
U4558-3	11	VTS-10	110	WHTB10-50	98		
U4848-3	11	VTS-12	110	WHTB12-20	98		
U4854-3	11	VTS-14	110	WHTB12-50	98		
U4866-3	11	VTS-18	110	WHTB14-50	98		
U5053-3	11	VTS3-10	110	WHTR14-50	98		
U5056-3	11	VTS3-12	110	WHTW14-50	98		
U5075-3	11	VTS3-14	110	WS-1	115		
U5079-3	11	VTS3-18	110	WT04	96		
U5252-3	11	VTS-46	110	WT04C	96		
U5557-3	11	VTS-56	110	WT05	96		
U6067-3	11	VTS-68	110	WT05C	96		
UC1636-2	11	VTS-810	110	WT07	96		
UC1636-3	11	VU-4	110	WT07C	96		
UC2424-2	11	VUR-4	110	WT11	96		
UC2424-3	11	VVC-1	110	WT11C	96		

ULTRALITE™, CLADLITE® & E-LITE® Equipment Pads



ULTRALITE™ Rock Solid, Fiber Tough Equipment Pads

- #1 A/C pad with contractors
- U.L. Classified
- Durable concrete appearance
- As lightweight as plastic
- Will not sink into the ground
- Will not discolor, crack or chip
- Vibration resistant
- Stands up to job-site handling
- Available in over 70 sizes
- Limited Lifetime Warranty

CLADLITE® Lightweight Concrete Equipment Pads

- 20% the weight of conventional concrete
- Durable concrete appearance
- Cladding has superior resistance to sun, moisture and freeze-thaw conditions
- Foam core is impervious to water, soil conditions, fungus and bacteria
- Steel reinforcement throughout cladding
- Available in over 70 sizes
- Over 30 years of proven performance
- Limited Lifetime Warranty

E-LITE® Premium Plastic Equipment Pads

- Injection molded
- High recycled content
- High strength-to-weight ratio
- Lightweight, but not too light
- Monolithic appearance
- Size is molded into each pad
- Subtle texture prevents unit slide
- Nonporous surface will not absorb moisture
- Uniform ribbing provides even load transfer without inserts
- Limited Lifetime Warranty

Manufactured by
DIVERSITECH
www.diversitech.com

The Best Just Got Better.

The *Original* Lightweight Concrete Pad:

- Stronger
- Easier to level
- Won't discolor, crack, or chip

DIVERSITECH
America's HVACR Supplier



Limited Lifetime
Warranty


ROCK SOLID FIBER TOUGH

ULTRALITE™

A / C EQUIPMENT PAD



ULTRALITE™ Lightweight Equipment Pads



A concrete pad at the weight of plastic (approximately 2.5 lbs. per square foot*).

ULTRALITE, strengthened by almost nine miles of fiber in each square foot of fiber-cement coating, flexes instead of cracking or breaking. The textured surface prevents unit slide and allows water drainage, while the engineered EPS core prevents warping and provides a solid bottom to resist settling. ULTRALITE is unaffected by soil conditions, UV, temperature extremes, and other weather conditions.

2" ULTRALITE PADS (5 cm) 20 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
16 x 36	41 x 91	10.4	4.7
24 x 24	61 x 61	10.4	4.7
24 x 30	61 x 76	13.0	5.9
24 x 36	61 x 91	15.6	7.1
26 x 26	66 x 66	12.2	5.6
26 x 36	66 x 91	16.3	7.4
30 x 30	76 x 76	15.7	7.1
30 x 36	76 x 91	18.8	8.6
30 x 40	76 x 102	20.9	9.5
31 x 43	78 x 109	23.3	10.6
32 x 32	81 x 81	17.9	8.1
32 x 37	81 x 94	20.6	9.4
34 x 34	86 x 86	19.8	9.0
36 x 36	91 x 91	22.2	10.1
36 x 40	91 x 102	24.6	11.2
36 x 48	91 x 122	29.6	13.4
41 x 47	104 x 119	33.0	15.0

3" ULTRALITE PADS (7.6 cm) 15 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
16 x 36	41 x 91	11.2	5.1
24 x 24	61 x 61	11.2	5.1
24 x 30	61 x 76	14.0	6.3
24 x 36	61 x 91	16.7	7.6
24 x 42	61 x 107	19.5	8.9
24 x 48	61 x 122	21.6	9.8
26 x 26	66 x 66	13.1	5.9
26 x 60*	66 x 152	46.0	20.9
28 x 38	71 x 96	19.9	9.0
30 x 30	76 x 76	16.9	7.7
30 x 36	76 x 91	20.2	9.2
30 x 40	76 x 102	22.5	10.2
32 x 32	81 x 81	19.2	8.7
32 x 37	81 x 94	22.2	10.1
33 x 53*	84 x 134	51.6	23.4
34 x 34	86 x 86	21.7	9.8
34 x 45	86 x 114	27.7	12.6
36 x 36	91 x 91	23.4	10.6
36 x 42	91 x 107	27.3	12.4
36 x 48	91 x 122	31.2	14.2
36 x 60	91 x 152	50.0	22.7
36 x 78*	91 x 198	82.9	37.6
38 x 65*	96 x 165	72.9	33.1
38 x 70*	96 x 178	78.5	35.7
40 x 42	102 x 107	30.4	13.8
43 x 47	109 x 119	36.5	16.6
45 x 50*	114 x 127	66.4	30.2
45 x 58*	114 x 147	77.0	35.0
48 x 48*	122 x 122	68.0	30.9
48 x 54*	122 x 137	76.5	34.7
48 x 66*	122 x 168	93.5	42.5
50 x 53*	127 x 134	78.2	35.5
50 x 56*	127 x 142	82.6	37.5
50 x 75*	127 x 190	110.7	50.3
50 x 79*	127 x 201	116.6	52.9
52 x 52*	132 x 132	79.8	36.2
55 x 57*	140 x 145	92.5	42.0
60 x 67*	152 x 170	118.6	53.9

ICBO No. PFC-5112
 U.S. Patent No. 4,505,449—5,209,968
 Additional U.S. and foreign patents applied for.

LIMITED LIFETIME WARRANTY

DIVERSITECH'S ULTRALITE LIMITED LIFETIME WARRANTY

To the original owner of the ULTRALITE equipment base, DiversiTech warrants the base to be free of defects in materials and workmanship for the life of the equipment under which it is installed so long as the installing homeowner lives there. All defective merchandise must be returned to the factory, transportation prepaid, and if the same is found to be defective, it will be repaired or replaced free of charge, F.O.B. factory. This warranty does not cover replacement labor cost, or any cost claim incident to the defect, replacement, or reinstallation, nor field repair expenses. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you.

EXCLUSIONS AND LIMITATIONS

DiversiTech's ULTRALITE equipment pads are designed and manufactured to be used as bases for light, ground supported equipment such as air conditioning condensers, swimming pool filters and heat pumps. Use of ULTRALITE pads for purposes other than those listed above or improper installation of ULTRALITE pads may result in pad failure. DiversiTech Corporation disclaims any liability due to such misuse or improper installation. If you have questions concerning the proper installation or use of DiversiTech's ULTRALITE equipment pads, you should contact our Customer Service Department at (800)995-2222.

* Except for noted sizes which weigh substantially more per square foot.


Heat Pump Risers

Sturdy and stable, DiversiTech's Heat Pump Riser provides the desired elevation for heat pumps and air handlers. The one-piece, heavy-duty plastic unit is manufactured in three heights. Butyl mastic on the top and bottom guarantees no slipping and reduced vibration and noise.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HPR-3	Riser—3"	48	6.00
HPR-6	Riser—6"	36	7.40
HPR-12	Riser—12"	16	10.00

CLADLITE® Lightweight Equipment Pads



Concrete appearance and superior performance at 20% the weight of conventional concrete pads.

The cladding provides superior resistance to sun, moisture and freeze-thaw conditions; the polystyrene foam core is virtually impervious to water, soil conditions, fungus and bacteria. Cladlite is further strengthened by continuous steel reinforcement throughout the cladding. Available in over 70 sizes, Cladlite is code approved for installation throughout the U.S.

2" CLADLITE PADS (5 cm) 25 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
24 x 24	61 x 61	28	12.7
24 x 30	61 x 76	32	14.5
24 x 36	61 x 91	43	19.5
24 x 42	61 x 107	49	22.2
24 x 48	61 x 122	61	27.6
24 x 54	61 x 137	71	32.3
26 x 26	66 x 66	32	14.5
26 x 36	66 x 91	46	20.9
28 x 38	71 x 96	47	21.4
30 x 30	76 x 76	41	18.6
30 x 36	76 x 91	51	23.2
30 x 40	76 x 102	60	27.3
30 x 48	76 x 122	71	32.3
31 x 43	78 x 109	71	24.9
32 x 32	81 x 81	46	21.3
32 x 37	81 x 94	56	23.1
34 x 34	86 x 86	54	23.1
36 x 36	91 x 91	65	24.0
36 x 40	91 x 102	58	26.7
36 x 48	91 x 122	98	31.3
41 x 47	104 x 119	97	35.4

ROUND PADS

26 x 2	66 x 5	26	11.8
30 x 2	76 x 5	31	14.9
32 x 2	81 x 5	37	16.3
36 x 2	91 x 5	43	20.4

LIMITED LIFETIME WARRANTY

DIVERSITECH'S CLADLITE LIMITED LIFETIME WARRANTY

To the original owner of the CLADLITE equipment base, DiversiTech warrants the base to be free of defects in materials and workmanship for the life of the equipment under which it is installed so long as the installing homeowner lives there. All defective merchandise must be returned to the factory, transportation prepaid, and if the same is found to be defective, it will be repaired or replaced free of charge, F.O.B. factory. This warranty does not cover replacement labor cost, or any cost claim incident to the defect, replacement, or reinstallation, nor field repair expenses. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you.

EXCLUSIONS AND LIMITATIONS

DiversiTech's CLADLITE equipment pads are designed and manufactured to be used as bases for light, ground supported equipment such as air conditioning condensers, swimming pool filters and heat pumps. Use of CLADLITE pads for purposes other than those listed above or improper installation of CLADLITE pads may result in pad failure. DiversiTech Corporation disclaims any liability due to such misuse or improper installation. If you have questions concerning the proper installation or use of DiversiTech's CLADLITE equipment pads, you should contact our Customer Service Department at (800)995-2222.

3" CLADLITE PADS (7.6 cm) 20 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
24 x 24	61 x 61	36	16.4
24 x 30	61 x 76	48	21.8
24 x 36	61 x 91	54	24.5
24 x 48	61 x 122	60	27.3
26 x 26	66 x 66	45	20.4
28 x 38	71 x 96	71	32.3
30 x 30	76 x 76	54	24.5
30 x 36	76 x 91	60	27.3
30 x 40	76 x 102	80	36.4
30 x 60*	76 x 152	111	50.4
31 x 43	79 x 109	63	28.6
32 x 32	81 x 81	57	25.9
32 x 37	81 x 94	74	33.6
33 x 45	84 x 114	99	45.0
34 x 34	86 x 86	62	28.2
36 x 36	91 x 91	80	36.4
36 x 40	91 x 102	85	38.6
36 x 48	91 x 122	112	50.9
36 x 60*	91 x 152	139	63.2
36 x 78**	91 x 198	167	75.9
38 x 65*	96 x 165	146	66.4
38 x 70**	96 x 178	152	69.1
40 x 62**	102 x 157	152	69.1
41 x 47*	104 x 119	117	53.2
41 x 83**	104 x 211	196	89.1
45 x 50*	114 x 127	134	60.9
45 x 58*	114 x 147	150	68.2
47 x 66**	119 x 168	186	84.5
48 x 48*	122 x 122	136	61.8
50 x 53*	127 x 135	99	45.0
50 x 56**	127 x 142	120	54.5
50 x 70**	127 x 178	218	99.1
52 x 52**	132 x 132	167	75.9
55 x 57**	140 x 145	201	91.4
60 x 67**	152 x 170	241	109.5

ROUND PADS

26 x 3	66 x 7.6	43	19.5
30 x 3	76 x 7.6	54	24.5
32 x 3	81 x 7.6	57	25.9
36 x 3	91 x 7.6	68	30.9


* 15 per pallet

**10 per pallet

ICBO No. PFC-5112
U.S. Patent No. 4,505,449
Canadian Patent—Brevet Canadien 1235681



E-LITE® Plastic Equipment Pads



DIVERSITECH'S E-LITE LIMITED LIFETIME WARRANTY

To the original owner of the E-LITE equipment base, DiversiTech warrants the base to be free of defects in materials and workmanship for the life of the equipment under which it is installed so long as the installing homeowner lives there. All defective merchandise must be returned to the factory, transportation prepaid, and if the same is found to be defective, it will be repaired or replaced free of charge, F.O.B. factory. This warranty does not cover replacement labor cost, or any cost claim incident to the defect, replacement, or reinstallation, nor field repair expenses. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you.

EXCLUSIONS AND LIMITATIONS

DiversiTech's E-LITE equipment pads are designed and manufactured to be used as bases for light, ground supported equipment such as air conditioning condensers, swimming pool filters and heat pumps. Use of E-LITE pads for purposes other than those listed above or improper installation of E-LITE pads may result in pad failure. DiversiTech Corporation disclaims any liability due to such misuse or improper installation. If you have questions concerning the proper installation or use of DiversiTech's E-LITE equipment pads, you should contact our Customer Service Department at (800)995-2222.

E-LITE's rugged design provides uniform and generous ribbing for optimum, self-leveling ground support without inserts. The result is a pad that is lightweight, but not too light. A subtle texture prevents unit slide and presents a classic appearance, which is enhanced by rounded edges and a concrete gray color. Each pad is molded with a size label and a symbol representing content of recycled material.

2" E-LITE PADS (5 cm) 22 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
24 x 24*	61 x 61	9.6	4.4
24 x 30	61 x 76	12.0	5.4
24 x 36	61 x 91	14.4	6.5
26 x 26	66 x 66	12.5	5.7
30 x 30	76 x 76	15.0	6.8
30 x 36	76 x 91	18.0	8.2
30 x 40	76 x 102	20.0	9.1
32 x 32	81 x 81	17.1	7.8
32 x 38	81 x 96	20.3	9.2
32 x 44	81 x 112	23.5	10.7
36 x 36	91 x 91	21.6	9.8
36 x 40	91 x 102	24.0	10.9
36 x 48	91 x 122	33.0	15.0

*44 per pallet

3" E-LITE PADS (7.6 cm) 16 per Pallet			
SIZE		WEIGHT	
IN.	CM.	LBS.	KG.
24 x 24	61 x 61	13.8	6.3
24 x 30	61 x 76	18.6	8.4
24 x 36	61 x 91	21.8	9.9
30 x 30	76 x 76	23.1	10.5
30 x 36	76 x 91	26.7	12.1
30 x 40	76 x 102	32.1	14.6
32 x 32	81 x 81	22.6	10.3
32 x 38	81 x 96	29.0	13.2
32 x 44	81 x 112	32.1	14.6
36 x 36	91 x 91	32.1	14.6
36 x 40	91 x 102	37.0	16.8
36 x 48	91 x 122	44.6	20.3

LIMITED LIFETIME WARRANTY

Condensate Products



Little Giant VC Series Condensate Pumps

Vertical type pumping unit, with high impact polystyrene tank, ABS motor and tank covers, volute and impeller. Thermally protected motor and stainless steel shaft. Equipped with snap action switch, 6' cord with 3-prong molded plug. Pump engages in 2.5" of water, disengages in 1.125" of water. Includes safety switch and check valve with 3/8" discharge. Available in 115V or 230V. UL and CSA approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-100	Condensate Pump – 15' lift VCMA-15ULS	5	113.40
750-101	Condensate Pump – 15' lift w/tubing VCMA-15ULST	5	121.80
750-200	Condensate Pump – 20' lift VCMA-20ULS	5	121.80
750-201	Condensate Pump – 20' lift w/tubing VCMA-20ULST	5	130.20
750-230	Condensate Pump – 230 volt version of VCMA-20ULS	5	130.20
750-250	Low Profile Condensate Pump – 20' lift VCC-20ULS	5	144.00



Little Giant EC-400 Mini-Split Condensate Pump


A complete pumping system designed to remove condensation from wall mounted, ceiling and cassette split air conditioning equipment. Consists of 2 components: pump/control unit and reservoir. Compact, two-piece design allows installation in every system. Self priming and both components can be placed in air handler or up to 3 ft. above reservoir. 4 gallons/hour maximum flow. UL and CSA approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-EC400	115V Mini Split Condensate Pump	1	280.00
750-EC401	230V Mini Split Condensate Pump	1	280.00



A/C Secondary Condensate Drain Pans

- New rolled edges for durability
- New ribbed bottoms for rigidity
- New reinforced corners for strength
- 3/4" PVC fittings attached to each pan
- No seams—no rust—no leakage
- Available in over 20 convenient sizes
- Five pans per master carton
- Complies with Southern Building Code



CATALOG NO.	BOTTOM DIMENSION		OVERALL DIMENSION		DEPTH		NO. CARTON	PRICE/EACH
	IN.	CM.	IN.	CM.	IN.	CM.		
6-1246L	12" x 46"	30 x 117	14" x 48"	36 x 122	2"	5	5	32.00
6-1246S	12" x 46"	30 x 117	14" x 48"	36 x 122	2"	5	5	32.00
6-1838L	18" x 38"	46 x 97	20" x 40"	51 x 102	2"	5	5	33.60
6-1838S	18" x 38"	46 x 97	20" x 40"	51 x 102	2"	5	5	33.60
6-1846L	18" x 46"	46 x 117	20" x 48"	51 x 122	2"	5	5	34.40
6-1846S	18" x 46"	46 x 117	20" x 48"	51 x 122	2"	5	5	34.40
6-2424L	24" x 24"	61 x 61	26" x 26"	66 x 66	2"	5	5	32.40
6-2626L	26" x 26"	66 x 66	28" x 28"	71 x 71	2"	5	5	34.40
6-2739L	27" x 39"	69 x 99	29" x 41"	74 x 104	2"	5	5	48.00
6-2748L	27" x 48"	69 x 122	29" x 50"	74 x 127	2"	5	5	56.80
6-2748S	27" x 48"	69 x 122	29" x 50"	74 x 127	2"	5	5	56.80
6-2763L	27" x 63"	69 x 160	29" x 65"	74 x 165	2"	5	5	70.40
6-2763S	27" x 63"	69 x 160	29" x 65"	74 x 165	2"	5	5	70.40
6-3030L	30" x 30"	76 x 76	32" x 32"	81 x 81	2"	5	5	39.60
6-3050L	30" x 50"	76 x 127	32" x 52"	81 x 132	2"	5	5	61.20
6-3050S	30" x 50"	76 x 127	32" x 52"	81 x 132	2"	5	5	61.20
6-3060L	30" x 60"	76 x 152	32" x 62"	81 x 157	2"	5	5	70.00
6-3060S	30" x 60"	76 x 152	32" x 62"	81 x 157	2"	5	5	70.00
6-3263L	32" x 63"	81 x 160	34" x 65"	86 x 165	2"	5	5	71.20
6-3263S	32" x 63"	81 x 160	34" x 65"	86 x 165	2"	5	5	71.20
6-3636L	36" x 36"	91 x 91	38" x 38"	97 x 97	2"	5	5	54.00
6-3660L	36" x 60"	91 x 152	38" x 62"	97 x 157	2"	5	5	74.00
6-3660S	36" x 60"	91 x 152	38" x 62"	97 x 157	2"	5	5	74.00

L = Drain Line Outlets in Long Side
S = Drain Line Outlets in Short Side



6-1
6-2



6-5

A/C Condensate Drain Pan Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-1	3/4" Slip	50	3.00
6-2	1" Slip	50	5.00
6-5	3/4" Female Pipe Thread	50	3.36



A/C Condensate Float Switch

Designed for use in condensate drain pan overflow. Easily installed on the side of the auxiliary drain pan. Single pole, double throw normally OPEN or normally CLOSED.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-JMP	Condensate Float Switch	1	23.44

U.L. Listed; CSA Certified. 5 Amps @ 125 VAC; 3 Amps @ 250 VAC.






Air Handler Block

Lightweight styrofoam block (concrete gray) provides A/C air handler support in attic installations.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-60	Air Handler 8" x 8" x 4"	1	4.00

Tube Insulation



Tubing Insulation by

Insul-Tube 180 is a flexible elastomeric thermal insulation. Black in color, marked in blue ink, identified by NP-77, available in a wide variety of thicknesses and diameters. Will not absorb moisture over long periods of use, weather resistant, and high resistance to common corrosive chemicals.

	CATALOG NO.	OPENING SIZE (I.D.)	FT./CARTON	PRICE/CARTON
1/4"	7-1438	3/8"	840	491.20
WALL	7-1412	1/2"	648	428.80
	7-1458	5/8"	540	391.08
	7-1434	3/4"	450	331.00
	7-1478	7/8"	360	289.40
	7-141-18	1-1/8"	246	218.80
3/8"	7-3838	3/8"	690	436.40
WALL	7-3812	1/2"	510	345.80
	7-3858	5/8"	426	330.92
	7-3834	3/4"	378	311.60
	7-3878	7/8"	318	275.40
	7-381-18	1-1/8"	216	213.00
	7-381-38	1-3/8"	168	188.52
	7-381-58	1-5/8"	150	208.52
	7-382-18	2-1/8"	96	176.60
	7-382-58	2-5/8"	72	179.60
	7-383-18	3-1/8"	60	176.60
1/2"	7-1238	3/8"	456	442.20
WALL	7-1212	1/2"	360	373.24
	7-1258	5/8"	324	370.00
	7-1234	3/4"	270	317.80
	7-1278	7/8"	228	290.80
	7-121-18	1-1/8"	156	222.60
	7-121-38	1-3/8"	120	188.60
	7-121-58	1-5/8"	114	207.80
	7-122-18	2-1/8"	72	170.68
	7-122-58	2-5/8"	60	189.20
	7-123-18	3-1/8"	48	178.84
3/4"	7-3438	3/8"	294	428.80
WALL	7-3412	1/2"	228	366.60
	7-3458	5/8"	180	316.00
	7-3434	3/4"	120	230.60
	7-3478	7/8"	126	264.94
	7-341-18	1-1/8"	90	213.52
	7-341-38	1-3/8"	78	229.40
	7-341-58	1-5/8"	72	308.40
	7-342-18	2-1/8"	60	323.40
	7-342-58	2-5/8"	42	259.00

ASTM C-534 TYPE I TUBULAR, ASTM D1056

3 Steps to a **W**healthier You

- 1.** *Protect yourself and your customer from claims related to poor filter design. Buy filters with low air resistance to prevent motor burnout and frozen coils. If your current filter fabric is soft, fluffy, or fuzzy, then it's not permanent. Switch to filters with lower air resistance and less chance of motor burnout and frozen coils.*

- 2.** *If your filter sales have dropped, or if your customers can buy the same quality filter at the same price you do, tell your wholesaler to switch to DiversiTech to keep you competitive.*



- 3.** *Call TODAY for your FREE brochure that tells the truth about air filters!*



Manufactured by

DIVERSITECH

WASHABLE • ELECTROSTATIC
Permanent Air Filters

Permanent Air Filters

DiversiTech Permanent Air Filters

Every filter makes trade-offs between letting too much air through (good for the unit) and trapping too much “stuff” (good for the homeowner). So, where is the right balance? What is best for both the homeowner and their unit?

DiversiTech offers two permanent air filters. Choose the **Red Label Filter** for a good balance between ample air flow and ability to trap dust. Choose the **Blue Label Filter** if you feel greater air flow is needed, perhaps for older units.



RED LABEL FILTER

0.12 Initial Resistance
82% Peak Dust Arrestance
76% Average Dust Arrestance
147 gm. Dust Holding Capacity

1" NOMINAL SIZE	PART NO.	PRICE/EA.
12 x 12 x 1	AFR1212-1	75.60
12 x 20 x 1	AFR1220-1	75.60
12 x 24 x 1	AFR1224-1	75.60
14 x 20 x 1	AFR1420-1	75.60
14 x 24 x 1	AFR1424-1	75.60
14 x 25 x 1	AFR1425-1	75.60
14 x 30 x 1	AFR1430-1	75.60
15 x 20 x 1	AFR1520-1	75.60
16 x 20 x 1	AFR1620-1	75.60
16 x 24 x 1	AFR1624-1	75.60
16 x 25 x 1	AFR1625-1	75.60
18 x 18 x 1	AFR1818-1	75.60
18 x 24 x 1	AFR1824-1	75.60
18 x 25 x 1	AFR1825-1	75.60
20 x 20 x 1	AFR2020-1	75.60
20 x 24 x 1	AFR2024-1	75.60
20 x 25 x 1	AFR2025-1	75.60
20 x 30 x 1	AFR2030-1	75.60
24 x 24 x 1	AFR2424-1	75.60
25 x 25 x 1	AFR2525-1	75.60
Custom 1"	AFR-CUSTOM-1	99.60

BLUE LABEL FILTER

0.08 Initial Resistance
73% Peak Dust Arrestance
67% Average Dust Arrestance
99 gm. Dust Holding Capacity

1" NOMINAL SIZE	PART NO.	PRICE/EA.
12 x 12 x 1	AFB1212-1	71.60
12 x 20 x 1	AFB1220-1	71.60
12 x 24 x 1	AFB1224-1	71.60
14 x 20 x 1	AFB1420-1	71.60
14 x 24 x 1	AFB1424-1	71.60
14 x 25 x 1	AFB1425-1	71.60
14 x 30 x 1	AFB1430-1	71.60
15 x 20 x 1	AFB1520-1	71.60
16 x 20 x 1	AFB1620-1	71.60
16 x 24 x 1	AFB1624-1	71.60
16 x 25 x 1	AFB1625-1	71.60
18 x 18 x 1	AFB1818-1	71.60
18 x 24 x 1	AFB1824-1	71.60
18 x 25 x 1	AFB1825-1	71.60
20 x 20 x 1	AFB2020-1	71.60
20 x 24 x 1	AFB2024-1	71.60
20 x 25 x 1	AFB2025-1	71.60
20 x 30 x 1	AFB2030-1	71.60
24 x 24 x 1	AFB2424-1	71.60
25 x 25 x 1	AFB2525-1	71.60
Custom 1"	AFB-CUSTOM-1	95.60

2" filters: same sizes available. Specify 2".

LIMITED LIFETIME WARRANTY

DiversiTech hereby guarantees to the original purchaser that this DiversiTech permanent air filter will remain free of defects in materials and workmanship, when used in accordance with the recommended guidelines, for the life of the unit on which it is installed. Should this air filter be found to be defective, the remedies of the original purchaser are expressly limited to having DiversiTech replace the filter free of charge. To obtain the replacement filter, the original purchaser must return the defective filter to DiversiTech, 2530 Lantrac Court, Decatur, GA 30035, with postage charges prepaid.

The warranty does not include the cost of installing the DiversiTech permanent air filter or any other costs, all of which shall be borne by the original purchaser. This warranty does not cover damage due to abuse, improper installation, installation in other than standard residential air conditioning and/or heating units, cleaning by high pressure hose or sprays or by use of highly caustic or corrosive cleaning agents.

DiversiTech makes no other warranty whatsoever and all other warranties of merchantability and fitness whether expressed or implied are limited to the life of the original air conditioning or heating unit on which the DiversiTech permanent air filter is installed.

How to Order

Standard Sizes: Orders for DiversiTech's permanent air filters should be a part of your normal procedure for ordering pads and accessories from DiversiTech. Standard packs are boxes of five. All filters are also sold in mix-and-match boxes of five—your choice. When specifying standard sizes, bear in mind that all standard sizes are nominal (3/8" undersized).

Custom Sizes: If you wish to order any size other than standard 1" sizes, then you must tell us the exact size, and we will cut the frame $\pm 1/8"$. We recommend you measure the old filter being replaced whenever possible. Custom orders may not be cancelled after they have been produced. **Custom filters may not be returned.** DiversiTech may decline orders for custom sizes over 625 square inches, as handling is unwieldy. Instead, use smaller filters to cover the same area.

Delivery: Standard sizes ship with regular DiversiTech orders. Custom orders ship within 48 hours of order receipt. Freight is prepaid both for orders of five or more and for custom sizes. Customer Service can help arrange priority delivery if necessary.



Motor Run Capacitors – 370 VAC

Single capacitance. Oval shape, metal can.

CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
37020H	2	1.58	1	4.28
37030H	3	1.58	1	4.44
37040H	4	1.58	1	4.24
37050H	5	1.58	1	4.80
37050HB	5	1.58	100 (bulk)	4.56
37060H	6	2.38	1	4.76
37075H	7.5	2.38	1	6.00
37075HB	7.5	2.38	100 (bulk)	5.84
37100H	10	2.38	1	6.88
37100HB	10	2.38	100 (bulk)	6.60
37125H	12.5	3.10	1	8.40
37150H	15	3.10	1	9.76
37175H	17.5	3.10	1	11.04
37200H	20	3.10	1	11.40
37250H	25	3.10	1	12.76
37300H	30	3.10	1	14.08
37350H	35	3.88	1	14.36
37400H	40	3.88	1	18.20
37450H	45	3.88	1	20.52
37500H	50	3.88	1	23.48
37600H	60	3.88	1	26.80
37700H	70	3.88	1	28.56
37800H	80	3.88	1	30.76



Motor Run Capacitors – 370 VAC

Dual capacitance. Oval shape, metal can.

CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
3GJ0515	15+5	3.88	1	14.44
3GJ1015	15+10	3.88	1	14.52
3GJ0520	20+5	3.88	1	15.40
3GJ1520	20+15	3.88	1	16.32
3GJ0525	25+5	3.88	1	18.08
3GJ1025	25+10	3.88	1	18.48
3GJ0530	30+5	3.88	1	18.32
3GJ7530	30+7.5	3.88	1	18.96
3GJ0535	35+5	3.88	1	19.88
3GJ7535	35+7.5	3.88	1	20.32
3GJ0540	40+5	3.88	1	20.00
3GJ0545	45+5	3.88	1	20.72
3GJ7555	55+7.5	3.88	1	41.00
3GJ1060	60+10	3.88	1	41.40



Motor Run Capacitors – 370 VAC

Dual capacitance. Round shape, metal can.

CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
3GR0425	25+4	3.88	1	28.00
3GR0525	25+5	3.88	1	27.20
3GR0530	30+5	3.88	1	25.60
3GR0535	35+5	4.25	1	20.12
3GR0545	45+5	4.25	1	24.68
3GR0580	80+5	4.25	1	49.40



Motor Run Capacitors – 370 VAC Single capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
37250R	25	3.10	1	13.60
37300R	30	3.88	1	15.00
37350R	35	3.88	1	16.20
37400R	40	3.88	1	19.40
37450R	45	3.88	1	20.92
37500R	50	3.88	1	21.20
37600R	60	3.88	1	23.80
37700R	70	3.88	1	29.64
37800R	80	3.88	1	43.20

Motor Run Capacitors – 440 VAC Single capacitance. Oval shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
45020H	2	2.38	1	4.28
45030H	3	2.38	1	4.92
45040H	4	2.38	1	5.16
45050H	5	2.38	1	5.80
45060H	6	2.38	1	6.48
45075H	7.5	2.38	1	7.36
45100H	10	3.88	1	8.56
45125H	12.5	3.88	1	10.76
45150H	15	3.88	1	11.40
45175H	17.5	3.88	1	11.48
45200H	20	3.88	1	13.04
45250H	25	3.88	1	15.32
45300H	30	3.88	1	18.24
45350H	35	3.88	1	17.44
45400H	40	3.88	1	23.56
45450H	45	3.88	1	24.56
45500H	50	3.88	1	32.84
45600H	60	3.88	1	40.68
45700H	70	3.88	1	64.00
45800H	80	3.88	1	67.20

Motor Run Capacitors – 440 VAC Dual capacitance. Oval shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
4JJ0525	25+5	3.88	1	25.60
4JJ0530	30+5	3.88	1	21.68
4JJ0535	35+5	3.88	1	22.60
4JJ7535	35+7.5	3.88	1	22.84
4JJ7540	40+7.5	3.88	1	46.56
4JJ7545	45+7.5	3.88	1	48.00
4JJ1055	55+10	3.88	1	50.00
4JJ0545	45+5	3.88	1	48.00

Motor Run Capacitors – 440 VAC

Dual capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
4JR0525	25+5	3.88	1	28.80
4JR0530	30+5	4.25	1	31.40
4JR7530	30+7.5	4.25	1	28.00
4JR0535	35+5	4.25	1	22.80
4JR7535	35+7.5	4.25	1	32.00
4JR0540	40+5	4.25	1	37.00
4JR0545	45+5	4.25	1	24.68
4JR0555	55+5	4.25	1	35.00

Motor Run Capacitors – 440 VAC

Single capacitance. Round shape, metal can.



CATALOG NO.	uf	CAN HT. INCHES	STANDARD PACK	PRICE/EACH
45250R	25	3.88	1	14.56
45300R	30	3.88	1	15.72
45350R	35	3.88	1	16.76
45400R	40	3.88	1	20.04
45450R	45	3.88	1	20.20
45500R	50	3.88	1	22.36
45600R	60	3.88	1	24.40
45700R	70	3.88	1	64.00
45800R	80	3.88	1	66.20

Motor Start Capacitors – 110/125VAC

Variable capacitance. Round shape, plastic can.



CATALOG NO.	uf	CASE DIAMETER	CASE HEIGHT	STANDARD PACK	PRICE/EACH
88-108	88-108	1-7/16"	2-3/4"	1	3.64
108-130	108-130	1-7/16"	2-3/4"	1	3.96
124-156	124-156	1-7/16"	2-3/4"	1	5.32
145-175	145-175	1-7/16"	2-3/4"	1	4.48
161-193	161-193	1-7/16"	2-3/4"	1	4.76
189-227	189-227	1-7/16"	2-3/4"	1	5.12
200-240	200-240	1-7/16"	2-3/8"	1	5.28
216-259	216-259	1-7/16"	3-3/8"	1	5.52
233-292	233-292	1-7/16"	3-3/8"	1	6.72
270-324	270-324	1-7/16"	3-3/8"	1	6.32
324-388	324-388	1-13/16"	3-3/8"	1	7.28
340-408	340-408	1-13/16"	3-3/8"	1	7.52
378-440	378-440	1-13/16"	3-3/8"	1	8.88
400-480	400-480	1-13/16"	3-3/8"	1	8.32
460-552	460-552	1-13/16"	3-3/8"	1	9.16
540-648	540-648	1-13/16"	3-3/8"	1	11.96
590-708	590-708	1-13/16"	3-3/8"	1	12.64
708-850	708-850	1-13/16"	3-3/8"	1	14.48
829-995	829-995	1-13/16"	3-3/8"	1	16.80
1000-1200	1000-1200	1-13/16"	3-3/8"	1	19.40

Motor Start Capacitors – 220/250 VAC

Variable capacitance. Round, plastic



CATALOG NO.	uf	CASE DIAMETER	CASE HEIGHT	STANDARD PACK	PRICE/EACH
88-108220	88-108	1-13/16"	3-3/8"	1	7.52
108-130220	108-130	1-13/16"	3-3/8"	1	7.12
124-156220	124-156	1-13/16"	3-3/8"	1	12.00
145-175220	145-175	2-1/16"	3-3/8"	1	9.32
161-193220	161-193	1-13/16"	4-3/8"	1	10.08
189-227220	189-227	2-1/16"	4-3/8"	1	15.60
216-259220	216-259	2-1/16"	4-3/8"	1	12.48
233-280220	233-292	2-1/16"	4-3/8"	1	17.28
270-324220	270-324	2-1/16"	4-3/8"	1	15.48



Motor Start Capacitors – 330 VAC

Variable capacitance. Round shape, plastic.



CATALOG NO.	uf	CASE DIAMETER	CASE HEIGHT	STANDARD PACK	PRICE/EACH
88-108330	88-108	2-1/16"	3-3/8"	1	12.36
108-130330	108-130	2-1/16"	4-3/8"	1	14.48
124-156330	124-156	2-1/16"	4-3/8"	1	18.52
145-175330	145-175	2-9/16"	4-3/8"	1	19.16
161-193330	161-193	2-9/16"	4-3/8"	1	20.84
189-227330	189-227	2-9/16"	4-3/8"	1	23.88
216-259330	216-259	2-9/16"	4-3/8"	1	26.80

Contactors



Definite Purpose Contactors

Two pole, small frame.

CATALOG NO.	FL AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
DP25224	25	24	1	20.60
DP252120	25	120	1	20.60
DP252240	25	240	1	20.60
DP30124	30	24	1	20.60
DP301120	30	120	1	20.60
DP301240	30	240	1	20.60
DP30224	30	24	1	19.60
DP302120	30	120	1	19.60
DP302240	30	240	1	19.60
DP40224	40	24	1	37.40
DP402120	40	120	1	37.40
DP402240	40	240	1	37.40



Definite Purpose Contactors

Three pole, large frame.

CATALOG NO.	FL AMPS	COIL VAC	STANDARD PACK	PRICE/EACH
DP30324	30	24	1	55.00
DP303120	30	120	1	55.00
DP303240	30	240	1	55.00
DP40324	40	24	1	59.80
DP403120	40	120	1	59.80
DP403240	40	240	1	59.80
DP50324	50	24	1	150.00
DP503120	50	120	1	150.00
DP503240	50	240	1	150.00
DP60324	60	24	1	164.16
DP603120	60	120	1	164.16
DP603240	60	240	1	164.16
DP75324	75	24	1	272.00
DP753120	75	120	1	272.00
DP753240	75	240	1	272.00
DP90324	90	24	1	372.00
DP903120	90	120	1	372.00
DP903240	90	240	1	372.00

Contactor Accessories

Auxiliary contacts and replacement coils.



CATALOG NO.	CONTACTOR FRAME SIZE	VOLTAGE	STANDARD PACK	PRICE/EACH
DA1V14	20-40 Amp	24	1	46.00
DA1V02	20-40 Amp	120	1	46.00
DA1V09	20-40 Amp	240	1	46.00
DA1V06	20-40 Amp	480	1	46.00
DA2V14	50-60 Amp	24	1	41.40
DA2V02	50-60 Amp	120	1	41.40
DA2V09	50-60 Amp	240	1	41.40
DA2V06	50-60 Amp	480	1	41.40
DA3V14	75-90 Amp	24	1	52.60
DA3V02	75-90 Amp	120	1	52.60
DA3V09	75-90 Amp	240	1	52.60
DA3V06	75-90 Amp	480	1	52.60

Auxiliary contacts are designed for 20 Amp to 90 Amp 3-pole contactors. You may use 2/contactor.

CATALOG NO.	CONTACTS	AMPERAGE	STANDARD PACK	PRICE/EACH
D10	1-N.O.	20-90	1	22.00
D11	1-N.O. 1-N.C.	20-90	1	41.00

Relays

General Purpose Relays – 8400 Series



CATALOG NO.	DESCRIPTION	AMPS RES/IND	COIL VOLTAGE	PRICE/EACH
D90-290Q	SPST-NO	16/8	24 VAC	14.20
D90-291Q	SPST-NO	16/8	120 VAC	14.48
D90-292Q	SPST-NO	16/8	240 VAC	15.40
D90-296Q	SPST-NO	16/8	277 VAC	15.80
D90-293Q	SPDT	8/8	24 VAC	14.40
D90-294Q	SPDT	8/8	120 VAC	15.40
D90-295Q	SPDT	8/8	240 VAC	15.40
D90-297Q	SPDT	8/8	277 VAC	15.80

General Purpose Relays – 9400 Series



CATALOG NO.	DESCRIPTION	AMPS RES	FLA/LRA@125V	FLA/LRA@250V	COIL VOLTAGE	PRICE/EACH
D90-360	SPST-NO	18	12/60	8/48	24 VAC	13.80
D90-362	SPST-NO	18	12/60	8/48	120 VAC	14.00
D90-364	SPST-NO	18	12/60	8/48	240 VAC	14.40
D90-366	SPST-NO	18	12/60	8/48	277 VAC	14.40
D90-370	SPDT	18	12/60	8/48	24 VAC	14.40
D90-372	SPDT	18	12/60	8/48	120 VAC	14.40
D90-374	SPDT	18	12/60	8/48	240 VAC	14.40
D90-376	SPDT	18	12/60	8/48	277 VAC	14.40
D90-380	SPST NO+NC	18	12/60	8/48	24 VAC	14.40
D90-382	SPST NO+NC	18	12/60	8/48	120 VAC	15.80
D90-384	SPST NO+NC	18	12/60	8/48	240 VAC	16.40

General Purpose Switching Relays



CATALOG NO.	COIL VOLT.	TERMINALS 1-2-3	TERMINALS 4-5-6	PRICE/EACH
D-90340	24	POWER	POWER	18.80
D-90341	110/120	POWER	POWER	20.40
D-90342	208/240	POWER	POWER	21.00



Transformers



Transformers – Class 2 1585 UL Recognized – Open Frame

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T1401	40	120	24	14.00
T1402	40	277	24	14.60
T1403	40	208/240	24	14.60
T1404	40	120/208/240	24	14.60



Transformers – Class 2 1585 UL Recognized – Foot Mount

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T2401	40	120	24	14.40
T2402	40	277	24	14.80
T2403	40	208/240	24	14.80
T2404	40	120/208/240	24	14.80



Transformers – Class 2 1585 UL Recognized

Multi-mount with terminal connection secondary.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T3401	40	120	24	19.28
T3402	40	208/240	24	19.56
T3403	40	120/208/240	24	21.00
T3501	50	120/208/240	24	21.20



Transformers – Class 2 1585 UL Recognized

Plate-mount with terminal connection.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T4401	40	120	24	19.68
T4402	40	208/240	24	19.96
T4403	40	120/208/240	24	21.80
T4501	50	120/208/240	24	22.00



Transformers – Class 2 1585 UL Recognized

Multi-mount with wire connection secondary.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T5401	40	120	24	18.48
T5402	40	208/240	24	18.88
T5403	40	120/208/240	24	21.16
T5404	40	120/208/240	24/12/2.5	21.16



Transformers – Class 2 1585 UL Recognized

Heavy duty with external fuse or circuit breaker.

CATALOG NO.	VA	PRI	SEC	PRICE/EACH
T6751	75	480	24	40.80
T6752	75	120/208/240	24	41.76
T6753	75	120/208/240/480	24	42.40
T7751	75	120/208/240	24	43.60
T7752	75	120/208/240/480	24	44.00

Washer, Dryer, Water Heater Supplies

Water Heater Safety Pans

Complies with the Southern Building Code Congress International 1980 Revision 2/19/79 Addition 1213.7, Page 5.



CATALOG NO.	BOTTOM DIMENSION	OVERALL DIMENSION	DEPTH	NO./CARTON	PRICE/EACH
6-18	18"	20"	2-1/2"	12	9.80
6-20	20"	22"	2-1/2"	12	10.00
6-22	22"	24"	2-1/2"	12	10.40
6-24	24"	26"	2-1/2"	12	11.80

Bottom of heater pan should be 2" larger than the diameter of the hot water heater.
Use with electric appliances only.

Indoor/Outdoor Gas Connectors

Corrugated, stainless steel connectors with special "Supr-Safe" design to increase flexibility. Maximum service and safety, approved for indoor or outdoor use. Perfect for range and furnace connection. AGA and CGA approved.

Dormont "30 Series" Gas Connectors 7/8" O.D. x 1/2" I.D. 1/2" MIP x 1/2" FIP Connectors



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
30-3132-12	12" Long	12	18.72
30-3132-18	18" Long	12	22.80
30-3132-24	24" Long	12	26.12
30-3132-30	30" Long	12	28.20
30-3132-36	36" Long	12	30.88
30-3132-48	48" Long	12	39.40
30-3132-60	60" Long	12	47.04
30-3132-72	72" Long	12	55.28



Dormont "20 Series" Gas Connectors 1/2" O.D. x 3/8" I.D. 1/2" MIP x 1/2" FIP Connectors

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
20-3132-18	18" Long	12	21.84
20-3132-24	24" Long	12	24.96
20-3132-36	36" Long	12	30.48
20-3132-48	48" Long	12	36.92

Dormont "20 Series" Gas Connectors with Gas Valves

1/2" O.D. x 3/8" I.D. 1/2" MIP x 1/2" FIP Ball Valve



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
20-3135-18	18" Long	12	35.20
20-3135-24	24" Long	12	38.00
20-3135-36	36" Long	12	43.60
20-3135-48	48" Long	12	50.40



Gas Ball Valve

Gas Ball Valves meet the stringent ISO 9000 quality standard. AGA and CGA certified.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
91-3042	5/8" O.D. Flare x 3/4" FIP (for "30 Series" Gas Conn)	10	23.00
91-2032	1/2" O.D. Flare x 1/2" FIP (for "20 Series" Gas Conn)	10	16.40
92-3232	1/2" FIP x 1/2" FIP	10	14.00
92-4242	3/4" FIP x 3/4" FIP	10	18.16



Air Handler Base – Heavy-duty Adjustable

Available in steel or aluminum.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-HAB-BG	Black Steel Air Handler Base	1	101.52
6-HAB-A	Aluminum Air Handler Base	1	114.48



Aluminum Dryer Vent Hoods, Kits, and Fittings

Aluminum vent hood with flange plate. Kits include flexible tubing and two clamps.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-001	4" Aluminum Hood	24	5.56
650-002	3" Aluminum Hood	24	5.56
650-003	4" Hood / 8' Tubing	24	15.80
650-004	4" Hood / 5' Tubing	24	13.80
650-018	4" 90° Elbow	24	11.40

Louvered Dryer Vent Hood

Deflecto's SUPurr-Vent louvered vent hoods are available with aluminum pipe and collar or hood only. Ideal for dryer and bathroom fan exhausts.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-014	4" Hood Only – White	24	4.28
650-015	4" Hood Only w/Bird Guard – White	24	4.28
650-016	4" Hood, Pipe and Collar – White (Assembled)	6	6.40
650-017	4" Hood, Pipe and Collar – White (Unassembled)	6	6.12

Plastic Wide Mouth Dryer Vent Hood

4" White Hood, aluminum pipe and collar.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-012	4" White Hood – Assembled	6	6.60
650-013	4" White Hood – Unassembled	6	5.80



Periscope Connection Kit

For tight space duct venting. Contains one male snap-lock fitting and one draw-band with clamp. Adjustable 17" to 28".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-020	4" Periscope Kit	9	37.40



SUppurr-FLEX 5 Ply Duct

Pure aluminum 5 ply multi-layered flexible metallic duct. U.L. 181 Listed. Will "contain" a fire up to 265°F. Leading dryer manufacturers recommend using SUppurr-FLEX dryer vent ducting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
FUL0425	4" x 25' SUppurr-FLEX	1	50.60
FUL0625	6" x 25' SUppurr-FLEX	1	71.68



Metallic Duct – 2 Ply

2 ply metallic duct — aluminum outside, polyester inside. Ideal for bath fan ducting and all purpose venting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
FM0450	4" x 50' Metallic Duct	1	66.00



Semi-Rigid (Flexible) Aluminum Duct

8' length compressed to 28".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PIECE
650-011	4" x 8' Flexible Aluminum Duct	9	12.24
650-021	3" x 8' Flexible Aluminum Duct	16	10.40



Dryer Vent Hose

High quality flexible white vinyl tubing. Available in 3" or 4" diameters. One 50' roll per box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
650-005	3" x 50' Dryer Hose	1	30.80
650-006	4" x 50' Dryer Hose	1	30.80

Dryer Hose Clamps

Available for 3" or 4" dryer vent hose. Steel screw design or convenient spring action design.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-007	Steel Screw Clamp for 3" Hose	20	1.96
650-008	Steel Screw Clamp for 4" Hose	25	1.96
650-009	Spring Clamp for 3" Hose	20	0.96
650-010	Spring Clamp for 4" Hose	20	0.96





CAPELLA WF Refrigeration Mineral Oil

CAPELLA® WF lubricants are highly refined naphthenic base petroleum oils intended for use in compression refrigeration systems containing non-hydrofluorocarbon refrigerants such as R-12, R-22, R-502 and ammonia. CAPELLA WF has: excellent lubricity to prevent compressor wear, thermal and chemical stability for long service life, low waxing tendency for good low temperature performance, compatibility with system materials and low moisture content. OEM approved by: Copeland, Tecumseh, Bristol, Carrier, Frick, Sullair, Trane, York and Viltner.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
WF-32	Capella WF 32 Mineral Oil – Gallon	6	27.36
WF-68	Capella WF 68 Mineral Oil – Gallon	6	27.36
WF-100	Capella WF 100 Mineral Oil – Gallon	6	27.36



ALKYLBENZENE Refrigeration Oil

A wax-free, alkylated benzene based lubricant, that does not contain paraffin chains which cause floc properties. Our Alkylbenzene has excellent miscibility with R-22 which makes it miscible with some of the new interim refrigerants such as MP-39, MP-52, MP-66, HP-80 and HP-81. It also makes retrofitting easier and more effective. Alkylbenzene also offers excellent thermal and chemical stability. It can be used in place of mineral oil or added to it. OEM approved by: Copeland, Tecumseh, York, Bristol, Carrier, Trane, Greenville Products, Mycom, General Electric, FES, and Scroll Technologies.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ALK-150	Alkylbenzene 150 Refrigeration Oil – Gallon	6	45.76
ALK-200	Alkylbenzene 200 Refrigeration Oil – Gallon	6	48.64
ALK-300	Alkylbenzene 300 Refrigeration Oil – Gallon	6	51.48



POE Refrigeration Oil

Our POE offers excellent miscibility with HFC refrigerants and excellent chemical and thermal stability, as well as superior lubricity characteristics on steel and aluminum. OEM approved by: Tecumseh, Bristol, Blissfield, Carrier, Carlyle, Dunham-Bush, Climate Control, Americold, Mycom, and York.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
POE-32	POE 32 Refrigeration Oil – Gallon	6	134.12
POE-68	POE 68 Refrigeration Oil – Gallon	6	139.28
POE-100	POE 100 Refrigeration Oil – Gallon	6	154.72



CANOPUS 68 Vacuum Pump Oil

CANOPUS 68 is recommended for those applications requiring straight mineral paraffinic oil. In service, Canopus 68 provides low carbon residue and good water separating capability.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VP-68QT	Canopus 68 Vacuum Pump Oil – Quart	12	11.96
VP-68GL	Canopus 68 Vacuum Pump Oil – Gallon	6	28.64



Coil Cleaners

Professional strength formula cleans, brightens, deodorizes and degreases air cooled condensers, evaporators, electronic filters, fan blades, etc.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
8-R	Red foaming cleaner (acid) – 1 Gallon	4	24.00
8-G	Green no rinse (non-toxic) – 1 Gallon	4	24.00
8-Y	Yellow foaming (non-acid) – 1 Gallon	4	24.00
8-P	Super foaming concentrate (non-acid) – 1 Gallon	4	24.00

Product sold in Standard Pack quantities only.



Environmentally Friendly Coil Cleaner

PRO-AIR ENVIRO-FOAM safely cleans evaporators and condensers without potential damage to equipment, personnel, or the environment. Unlike acid or alkaline cleaners that attack metal, ENVIRO-FOAM attacks only dirt build up and leaves metal surfaces clean and free of corrosion.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
8-3N	PRO-AIR ENVIRO-FOAM – 1 Gallon	4	24.00



Coil Guard

Ideally used in coastal areas, where salt air accelerates rust and decay. Highly recommended for use in all geographical areas to prolong the life of a unit. When applied properly, Coil Guard dries quickly and immediately resists salt spray, alcohol, acids, and soap solutions. Weather will not blacken it. Coil Guard has high dielectric properties and has no effect on heat transfer. Our blue tinted product is used to ensure complete coverage of coating.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
C-20	20 oz. Clear Coil Guard	12	42.00
C-20BL	20 oz. Blue Coil Guard	12	42.00
C-128	1 Gallon Clear Coil Guard	4	180.00
C-128BL	1 Gallon Blue Coil Guard	4	180.00
C-640	5 Gallon Clear Coil Guard	1	756.00
C-640BL	5 Gallon Blue Coil Guard	1	756.00



TRUE-BLUE™ Leak Detector

Easy to use, high bubbling, high viscosity blue leak-detector.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
800-002	1 Quart w/Spray Top	12	13.40

Product sold in Standard Pack quantities only.



WD-40

Loosens rusted parts. Stops squeaks. Removes tar, grease and adhesives. Displaces moisture. Protects metal.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
741-001	WD-40 8 oz.	12	8.60
741-002	WD-40 11 oz.	12	10.60



Aerosols from DiversiTech



COIL CLEANING SOLVENT 357-20 - Net Wt. 18 Ounces

This high performance product offers maximum cleaning and degreasing from an aerosol coil cleaner. The high solvency formula quickly and easily liquifies dirt, grease, oil or other residue and deposits while the blasting nozzle powerfully separates the undesirable materials from the surface. The product can be used on most types of coils and is super-fast evaporating while requiring little or no wiping or post-use clean up. The nonflammable, nonconductive formula is safe to use on or near live equipment while the pleasant lemon fragrance leaves the area clean and fresh smelling. This product contains no ozone depleters.

\$14.60 (12 per case)



COIL CLEANING FOAM 358-20 - Net Wt. 19 Ounces

A heavy duty foam detergent coil cleaner in the convenience of an aerosol can. Use on most any coils such as window air conditioners, roof top HVAC units, small air cooled equipment, small condenser and evaporator coils, metal fillers, fan blades, and more. Nonflammable and water based, it contains no chlorinated solvents or ozone depleters. Can be sprayed in any position while the blasting stream reaches into tight areas. The aggressive alkaline detergent blend quickly liquifies dirt, grease, oil, or other residue and deposits. Fortified with corrosion inhibitors to prevent metal degradation. Will not harm drain pans, plastics, or other materials in and around the area. The clinging foam is completely self-rinsing on condensate producing coils. Simply spray on and condensation generated will wash away the emulsified material. Lemon fragrance helps leave area not only cleaned but deodorized.

\$6.20 (12 per case)



HEAVY DUTY ADHESIVE SPRAY 315-20 - Net Wt. 12 Ounces

This wide web spray adhesive is one of the highest performance aerosol adhesives available. For both temporary or permanent bonding, this high solids product is ideal for uneven or porous surfaces and weight materials. Waterproof, flexible, transparent and non-staining, use for your toughest adhesive applications with leather, cardboard, most plastics, polyethylene sheeting and insulation in HVAC applications. Formulated with the environment in mind, this product contains NO CHLORINATED SOLVENTS OR OZONE DEPLETERS. Cleans with Mineral Spirits. Not intended for use on vinyl.

\$8.40 (12 per case)



BELT DRESSING 370-16 - Net Wt. 11 Ounces

This specially formulated product stops belts from slipping, adds more power, eases strain on bearings and bushings, and stops squealing. Works well on leather, rubber, canvas, and fabric belts. The results are quick and economical improvements over untreated belts. A next generation formulation, this product is made without chlorinated solvents or ozone depleters.

\$7.00 (12 per case)



RTV SILICONE

770-Super Blue, 771-Super Red High Temp, 772-Super Black, 773-Super Clear Caulk/Sealant, 774-Super White Mildew Resistant Silicone Sealant - Net Wt. 226.8 grams

This RTV Adhesive/Sealant will bond, caulk, seal, fasten, insulate, protect and repair many types of materials. Because it's virtually unaffected by weather, temperature extremes, chemicals and aging, it offers unmatched performance under the most severe operating conditions. This material also seals or replaces a wide range of cork, paper, asbestos, felt and metal gaskets. It works on flanges, cover plates, hose connections and threaded assemblies. Self propellant. No caulk gun needed. Longer shelf life.

\$22.60 (6 per case)



WASP & HORNET KILLER

436-20 - Net Wt. 14 Ounces

Kills Wasps, Hornets and Yellow Jackets. Fast acting when insects are hit directly. Allow about 24 hours for those insects which were not directly hit by spray to leave the area. If insects should return to the treated area, spray again. This container delivers a stream type spray, making it possible for the operator to stay back from the place sprayed. Great for contractor use in and around HVAC installations. This formulation utilizes pyrethrins, piperonyl butoxide and a carbamate type insecticide, a combination particularly effective on this class of insect.

\$14.40 (12 per case)



FIRE ANT INJECTOR SPRAY

490-20 - Net Wt. 17 Ounces

To kill Fire Ants in their Mounds: DO NOT DISTURB MOUND PRIOR TO TREATMENT. Attach injector rod to can. While spraying, slowly drive rod into mound until resistance is met, which indicates the bottom of the nest has been reached. Spray for 5 seconds for each 6" diameter mound. For example, an 18" diameter mound would require three separate injections around the mound. All mounds in the vicinity should be treated. For best results treatment should be made in early morning or late evening when ants are less active.

\$15.40 (12 per case)



CONTACT & CIRCUIT BOARD CLEANER

362-16 - Net Wt. 14 Ounces

Cleans oil, grease, dirt, condensation and moisture from circuit boards, precision instruments, oxygen equipment, controls, switches, motors and film. Can be used on the following plastics: Neoprene W, Buna N, Buna S, Silicone rubber, Butyl, Natural rubber, Thiokol FA, Hypalon 40, Viton A, Adiprene L, Nordel, Delrin resin, Zytel, Nylon, Teflon, PVC, Polyurethane. For other plastics test on inconspicuous spot first. Developed for Radio, TV, Aeronautical and Communications industries. Contains materials with over 85% less ozone depleting potential than traditional circuit board cleaners.

\$16.60 (12 per case)



Sure Burn™ – Concentrated Fuel Oil Treatment

A state-of-the-art fuel oil treatment designed to insure oil burner ignition even in the most extreme weather conditions. Sure Burn acts as a water dispersant and promotes cleaner, more efficient combustion. Also inhibits sludge formation and combats fuel tank corrosion.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SB-16	Concentrated Heating Fuel Treatment—16 oz.	12	12.80



Spill Kill™ Powder – Fuel Spill Deodorant and Absorbent

A one-step liquid absorbent and deodorant with a convenient shaker top. Spill Kill is multi-functional. It absorbs and deodorizes fuel oil, as well as other liquid spills. The unique granular formula soaks up liquids and entraps odors much faster than dusty powders. The quick absorbing action minimizes the slip hazards associated with liquid spills.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDP-20	Granular Fuel Oil Deodorant and Absorbent—20 oz.	12	14.60



Spill Kill™ Liquid – Fuel Spill Deodorant Spray

Designed to neutralize noxious fuel oil odors while imparting a pleasant residual fragrance. Using the convenient trigger spray applicator, Spill Kill can be sprayed directly on the spill as well as misted into the air as a space deodorant. The safe, nonflammable formula lends itself to other deodorizing applications where noxious odors are a problem.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SKDS-16	Fuel Spill Deodorant Spray—16 oz.	12	17.80



Hot Seat™ – High Temperature Furnace Cement

A high quality, fiber reinforced refractory cement scientifically formulated to withstand temperatures exceeding 2000°F without cracking. Superior bonding properties make it effective on masonry as well as metal surfaces. The fast drying, ready-to-use formula seals cracks and flues, and resets firebrick in furnaces and chimneys. Freeze protected to 0°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-HS-16	Furnace Cement—16 fluid oz. Tub	12	17.16



Soot Kill™ – Catalytic Soot Remover

Soot Kill is a ready-to-use nonflammable, noncorrosive catalytic soot cleaner. The cost effective trigger spray application assures fast, efficient cleaning of the combustion chamber. The catalytic cleaning action dramatically reduces time consuming vacuuming of the burner chamber. Soot Kill's residual action slows soot accumulation and assures long term heater efficiency.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-SK-16	Catalytic Soot Remover Spray—16 oz.	12	15.68



Magic Soot Stick™ – Catalyzed Soot Destroyer

A one-shot fuel oil combustion chamber treatment. The noncorrosive formula catalytically eliminates soot deposits which increases burner efficiency. The 1" diameter tube easily fits through combustion chamber peep holes. Also reduces soot build up in fireplaces, wood and coal burning stoves and furnaces. This helps prevent chimney fires.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HP-MS-03	Catalyzed Soot Destroyer—3 oz. Tube	36	2.60



Sprayers, Hoses



Compression Sprayers by **CHAPIN**

All Chapin wand sprayers are of an acid impervious poly design and come with a 36" reinforced hose, shut-off with lock-on feature for continuous spraying, a 2-piece nozzle that's detachable for easy clean up and fits directly to the shut-off or extension wand. The Chapin Hand-Held Sprayer has a 48 oz. capacity, perfect for small areas. All sprayers have a full 5 year warranty.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
1002	Hand Held Sprayer	1	33.00
2601	1 Gallon Wand Sprayer	1	72.00
2602	2 Gallon Wand Sprayer	1	78.00
2603	3 Gallon Wand Sprayer	1	90.00



Garden Hose

Incomparable quality yet priced for high volume sales. New Soft-Flex formulation gives the 5 ply "Forever Garden Hose" ease of handling and still withstands 500 psi water pressure. Green in color with heavy duty solid brass couplings and hose collar. Full Lifetime Guarantee!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-IG5850	Flexon 5-Ply Forever Garden Hose	6	57.00



Hot Water Hose

Very high burst strength. 500 PSI. Withstands hot water up to 160°F. Special EPDM tube. Heavy duty solid brass couplings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-HW5850	5/8" x 50' Hot Water Hose	5	93.28

Gloves



Black PVC Coated Gloves

DiversiTech gives you the highest value black PVC glove available. Fully coated, smooth finish, 2 piece liner. Ideal for use with DiversiTech's Coil Cleaners.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/DOZEN
540-7000	PVC Coated w/Knit Wrist	Dozen	54.60
540-7012	PVC Coated 12" Gauntlet Style	Dozen	70.60
540-7014	PVC Coated 14" Gauntlet Style	Dozen	79.80



Leather Work Gloves

Versatile leather work gloves ideal for many industrial jobs. DiversiTech's leather work gloves offer these features: wing thumb pattern, continuous pull patch, seamless full leather index finger, leather knuckle strap, leather finger tips, full jersey lined palm and thumb with elastic gather on back. Generously sized for a good working fit.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PAIR
540-2114	Leather Glove w/Safety Cuff	Pair	6.80
540-2214	Leather Glove w/4-1/2" Waterproof Cuff	Pair	7.80
540-2144	Leather Glove w/Full Red Jersey Lining	Pair	10.00
540-2200	Renegade® Performance Glove w/Kevlar Thread	Pair	12.40

String Knit Gloves



Enjoy a cool, comfortable, snug fit on either hand with these seamless gloves. Ideal as a liner under work gloves.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/DOZEN
540-1050	Cotton String Knit Gloves	Dozen	19.60

Cotton Canvas Gloves and Jersey Gloves



The most popular glove for industry today! This multi-purpose glove is ideal for many of your work needs. Made from 100% cotton canvas.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/DOZEN
540-1000	8 oz. Canvas w/Knit Wrist	Dozen	37.00
540-1006	8 oz. Canvas w/Band Top Cuff	Dozen	40.80
540-1010	10 oz. Canvas w/Knit Wrist	Dozen	47.20
540-1100	9 oz. Brown Jersey Glove	Dozen	44.00

Safety Supplies & Devices



5-500

Dust Masks by Aearo

Extremely lightweight. Metal noseclips to fit individual facial contours.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-500	Disposable Nuisance Dust Mask for Non-Toxic Particles	50/Box	22.00



505-13641

Safety Glasses by Aearo

High-impact polycarbonate with large, protective side shields and browguard. Handsome aviator styling guarantees quick sales. Tour-Guard III® Style Safety Glasses feature traditional styling while providing economical eye protection. Meets ANSI Z87.1. Fits over personal glasses. Tour-Guard comes in a 20 unit dispenser box. Nassau Plus® Safety Glasses offer the best value in performance, style, and comfort. Rimless unilens styling with a colorful nylon frame. 99.9% UV protection. Adjustable temples give a comfortable custom fit. Exclusive anti-fog coating.



505-14201

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
505-13640	Aerosite® Slate Gray w/Clear Lens	10	14.00
505-13641	Aerosite® Slate Gray Lens	10	14.00
505-14200	Nassau Plus Black Frame/Clear Lens	10	20.60
505-14201	Nassau Plus Black Frame/Gray Lens	10	23.40
505-14203	Nassau Plus Blue Frame/Clear Lens	10	20.60
505-14204	Nassau Plus Blue Frame/Gray Lens	10	23.40
505-14315	Nassau Plus Red Frame/Clear Lens	12	20.60
505-14316	Nassau Plus Red Frame/Gray Lens	10	23.40



505-14200

Centurion® Safety Goggles by Aearo

Centurion® Safety Goggles feature a wrap-around lens. Impact resistant with a wide angle view for exceptional vision. Centurion features DuraFon® II coating for anti-fog and anti-abrasion. Indirect venting system for protection against chemical splash. The Economy Goggles have an impact resistant polycarbonate lens with ventilation openings to help reduce "fog up".



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
505-40305	Centurion Goggle	1	23.80
505-40650	Economy Goggle	20	6.80



Industrial Towels



WypAll Plus

Absorbs grease, oil, water and solvents from floors, hands, parts, tools and machinery. Tough enough for extra heavy jobs. Comes in a convenient pop-up box of 100 towels.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-05790	WypAll Plus Towels—White	100/box	30.00



Teri® Towels

The Teri® reinforced towels feature multi-ply tissue reinforced with nylon webbing for added strength on the job. Made from 100% recycled paper. Towel size is 9-3/4" x 16-3/4". Towel color is white. Comes in a convenient pop up box. 126 towels/box. 10 boxes/case.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-34790	Teri Reinforced Towels	126/box	33.92



Workhorse® Manufactured Rags

The economical alternative to scrap rags. Workhorse® Manufactured Rags is the first product to be made from Kimberly-Clark's advanced new material – Hydroknit®. Durable, rag tough construction stands up to any task. Can be re-used time and time again. Available in white or blue.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-41455	9-3/4" x 16-3/4" White	100/box	41.20
5-41411	9-3/4" x 16-3/4" Blue	100/box	45.20



Kintex® Towels

Long lasting Kintex® stands up to oils, chemicals and solvents better than ordinary shop towels. Cloth-like feel and performance. Towel size is 9-3/4" x 16-3/4". 100 towels/box. 5 boxes/case.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-33570	Kintex Shop Towels	100/box	51.20



WypAll ShopPro X80 Towels

Like a rental shop towel, only more consistent. Engineered to feel like cloth and work even better. Absorbs more oil and water faster pound for pound than laundered shop towels. The ShopPro X80 is simply the heaviest duty towel in the Kimberly Clark line. 160 towels/box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
5-41041	WypAll ShopPro X80 Towels	160/box	80.40



Shop Towels

Heavy duty reusable towels. For wipe ups of grease, oil, water, etc. 100% cotton material is pre-shrunk and hemmed. Each towel measures 13" x 16".

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ST-4	Shop Towels	4 per bag	9.60
ST-10	Shop Towels	10 per bag	22.00
ST-24	Shop Towels	24 per bag	42.00

Sheet Metal Screws – Taper Point

Hex washer slotted head. Burr-free. Full 1/4" head will not strip out of hex driver opening. Heat treated tapered point will not break or "walk". Packaged in resealable plastic cartons.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
5-SCR63-8	6 x 3/8 Taper Point	1,000	25.00
5-SCR63-8BULK	6 x 3/8 Taper Point – Bulk	20,000	484.00
5-SCR71-2	7 x 1/2 Taper Point	1,000	27.00
5-SCR71-2BULK	7 x 1/2 Taper Point – Bulk	15,000	384.00
5-SCR81-2	8 x 1/2 Taper Point	1,000	28.60
5-SCR81-2BULK	8 x 1/2 Taper Point – Bulk	12,000	328.00
5-SCR83-4	8 x 3/4 Taper Point	1,000	35.00
5-SCR83-4BULK	8 x 3/4 Taper Point – Bulk	10,000	328.00
5-SCR81	8 x 1 Taper Point	500	22.40
5-SCR81BULK	8 x 1 Taper Point – Bulk	7,500	312.00
5-SCR81-12	8 x 1-1/2 Taper Point	250	15.84
5-SCR81-12W	8 x 1-1/2 Taper Point w/White Head	250	20.04
5-SCR81-12BULK	8 x 1-1/2 Taper Point – Bulk	5,000	290.00
5-SCR82	8 x 2 Taper Point	350	27.40
5-SCR82W	8 x 2 Taper Point w/White Head	350	36.40
5-SCR82BULK	8 x 2 Taper Point – Bulk	3,000	232.00
5-SCR101-2	10 x 1/2 Taper Point	1,000	41.40
5-SCR101-2BULK	10 x 1/2 Taper Point – Bulk	14,000	552.00
5-SCR103-4	10 x 3/4 Taper Point	1,000	48.40
5-SCR103-4BULK	10 x 3/4 Taper Point – Bulk	10,000	464.00
5-SCR101	10 x 1 Taper Point	500	28.60
5-SCR101BULK	10 x 1 Taper Point – Bulk	5,000	377.00

Sheet Metal Screws – Drill Point

Self-drilling, self-tapping. Hex washer head. Produces the optimum hole size, resulting in a tighter fit. Made from special heat treated steel for extra strength. Packaged in resealable plastic cartons.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
5-SCR61-2DP	6x1/2 Drill Point	1000	36.48
5-SCR61-2DPBULK	6x1/2 Drill Point – Bulk	15,000	528.00
5-SCR81-2DP	8x1/2 Drill Point	1000	36.80
5-SCR81-2DPBULK	8x1/2 Drill Point – Bulk	10,000	360.00
5-SCR83-4DP	8x3/4 Drill Point	500	23.20
5-SCR83-4DPBULK	8x3/4 Drill Point – Bulk	10,000	432.00
5-SCR81DP	8x1 Drill Point	500	27.60
5-SCR81DPBULK	8x1 Drill Point – Bulk	7,500	392.00
5-SCR81-12DP	8x1-1/2 Drill Point	500	41.40
5-SCR81-12DPBULK	8x1-1/2 Drill Point – Bulk	5,000	398.00
5-SCR82DP	8x2 Drill Point	350	36.60
5-SCR82DPBULK	8x2 Drill Point – Bulk	2,500	265.20
5-SCR101-2DP	10x1/2 Drill Point	500	27.00
5-SCR101-2DPBULK	10x1/2 Drill Point – Bulk	10,000	508.80
5-SCR103-4DP	10x3/4 Drill Point	500	30.20
5-SCR103-4DPBULK	10x3/4 Drill Point – Bulk	5,000	286.00
5-SCR101DP	10x1 Drill Point	500	35.00
5-SCR101DPBULK	10x1 Drill Point – Bulk	5,000	332.80
5-SCR101-12DP	10x1-1/2 Drill Point	250	22.80
5-SCR101-12DPBULK	10x1-1/2 Drill Point – Bulk	3,500	296.80
5-SCR102DP	10x2 Drill Point	350	35.12
5-SCR102DPBULK	10x2 Drill Point – Bulk	2,500	252.40



Sheet Metal Screw Assortment Kit

The 7 most popular sizes in one multi-compartmented, resealable, plastic container. Perfect for the toolbox or work van. Contains:



- 7x1/2 Taper Point – 175 pieces
- 8x1/2 Drill Point – 100 pieces
- 8x1 Taper Point – 50 pieces
- 8x2 Taper Point – 40 pieces
- 8x1/2 Taper Point – 175 pieces
- 8x3/4 Taper Point – 60 pieces
- 8x1-1/2 Taper Point – 50 pieces
- 1/4" Nut Setter – 1 each

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/KIT
5-SCR-AK	Sheet Metal Screw Assortment Pack	1	36.00

Welding Torches, Gases, Supplies



TurboLite by TurboTorch®

The TurboTorch TL-44's patented swirl combustion has the best burn in a self lighting package. The flame tube swivels 180° for easy positioning. Uses MAPP or Propane gas without changing the orifice. Locking button and flame adjusting valve give optimum performance. Large flame tube provides more heat for soft or silver soldering.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
525-TL44	TL-44 TurboLite	1	185.12



STK-9 Hand Torch by TurboTorch®

Developed for the professional. This portable torch is built with patented TurboTorch swirl combustion. 360° tip for easy use, rugged brass regulator, easy to clean orifice, and interchangeable tip capability. Designed to operate with a tank of either MAPP or Propane gas.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
525-STK9	STK-9 Hand Torch	1	139.60



MAPP and Propane Gas

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
525-MT1	MAPP Gas – 16 oz.	12	21.40
525-PT1	Propane Gas – 14.1 oz.	12	14.80



Blaze Barrier® Cloth

This flame barrier drop cloth withstands temperatures to 3,000°F. No asbestos. Protects walls, floors, equipment, components and adjacent surfaces from torch flames when soldering, brazing or welding. All cloths have edges taped and sewn with grommets at each corner. Highly resistant to many chemicals and acids.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
16500	18" x 18" Plain	1	66.00
16510	18" x 18" Keyhole w/cutout for draping over pipes & tubes	1	70.80
16520	36" x 36" Plain	1	214.52



T-50 Series Staples and Staple Guns by **ARROW**

The #1 selling staple gun in the world! Used extensively by building contractors, home do-it-yourselfers and specialty trade applications for tacking insulation, ceiling tile, window screening, cornerite, and 1001 other jobs ranging from light to heavy duty work. The T-50 Outward Clinch Staple Gun is ideal for fiberglass ductwork.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T50M	T50M Heavy Duty Staple Gun Tacker	1	82.60
540-T50MOC	T50MOC Outward Clinch Staple Gun	1	125.20
540-504	1/4" Leg Staples for T50 Staple Guns (1250/PK)	4	6.00
540-506	3/8" Leg Staples for T50 Staple Guns (1250/PK)	4	7.32
540-508	1/2" Leg Staples for T50 Staple Guns (1250/PK)	4	7.72
540-509	9/16" Leg Staples for T50 Staple Guns (1250/PK)	4	8.32



Plier Staple Gun by **ARROW**

The Arrow P35S Plier Staple Gun is made of an all steel construction. Has hand guide loop and spear pointed anvil arm for penetrating and sealing from within.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-P35S	Plier Staple Gun	1	84.20
540-354	1/4" Leg Staple for P35S (5000/PK)	1	19.44
540-356	3/8" Leg Staple for P35S (5000/PK)	1	23.00



Insulated Wiring Tacker by **ARROW**

The exclusive design of the Arrow T59 Staple Gun and #5911 Series Insulated Staple allows safe and secure installation of all types of wiring from 1/4" to 5/16" in diameter. The #5911 Series Insulated Staple with its special coating increases holding power by over 3 times.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T59	T59 Insulated Wiring Tacker	1	133.20
540-591168	#5911 Insulated Staples – 6mm (300/PK)	1	22.56



Wiring Tacker by **ARROW**

The Arrow T25M Wiring Tacker uses round crown staples to hold wire up to 1/4" snugly. Grooved guide for proper staple placement. Grooved ejector plate halts staple at safe height.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-T25M	T25M Wiring Tacker	1	111.00
540-256	3/8" Leg Staple for T25M (1000/PK)	5	5.60
540-259	9/16" Leg Staple for T25M (1000/PK)	5	5.76



Nut Setter – Power

Magnetic hex drive nut setter to be used with any 1/4" power bit. Individually packed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-MSH1/4MC	Hex Drive 1/4", 1-3/4" long, 1/4" nut	30/Box	5.56
5-MSH5/16MC	Hex Drive 1/4", 1-3/4" long, 5/16" nut	30/Box	6.00





Nut Setters – Bulk

Bulk pack.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-500	5/16"	30	4.60
540-400	1/4"	30	4.40



Ratchet Driver

DiversiTech's Ratchet Driver is manufactured of chrome-vanadium steel with durable ratcheting device, ergonomic handle with bit storage compartment, and many additional bits, sockets and attachments. Ratcheting device can extend from handle for ease of use and additional leverage at a variety of angles.

Kit Contains:

- | | |
|--|---------------------------------|
| 1 pc 6" Ratchet Driver | 4 pc Socket Set for 1/4" Drive: |
| 1 pc 2" Magnetic Aluminum Bit Adapter | 1/4", 5/16", 11/32", 3/8" |
| 1 pc 3" Extension Bar for Sockets | 1 pc Blow Molded Plastic Case |
| 6 pc Bit Set: Phillips Head – #1, #2, #3 | |
| Slotted Head – 3/16", 1/4", 5/16" | |

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
535-RD1	Ratchet Driver Kit	1	33.80

SHEET METAL SCREWS

Taper Point and Drill Point



- Made from special heat-treated steel for extra strength
- Conveniently packaged in resealable plastic cartons
- Also available in bulk packs





(SEE PAGE 34)

Snips



540-6716S



540-6716L



540-6716R



540-6716B

Aviation Snips by **MIDWEST**

These Aviation Snips by Midwest have a moly alloy tool steel blade that is hot drop-forged and scientifically heat-treated to provide a strong, longer lasting cutting edge. Durable serrated blades are designed to grip the metal for cutting ease. The patent pending spring on these snips is guaranteed to last for the life of the tool. Will cut 18 gauge cold-rolled steel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-6716S	Aviation Snip – Cuts Straight – Yellow Handle	6	34.60
540-6716L	Aviation Snip – Cuts Left – Red Handle	6	34.60
540-6716R	Aviation Snip – Cuts Right – Green Handle	6	34.60
540-6716B	Aviation Snip – Bulldog Notching Snip – Yellow Handle	6	37.92

Offset Snips by **MIDWEST**

The same high quality construction as the Aviation Snips with an additional advantage – the Offset Snips allow your hand to stay above metal for cutting ease and comfort.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-6510L	Offset Snip – Cuts Left – Red Handle	6	44.60
540-6510R	Offset Snip – Cuts Right – Green Handle	6	44.60



540-6510L



540-6510R

Tinner Snips by **MIDWEST**

Midwest's Tinner Snips are constructed of the finest quality high carbon tool steel. These snips are hot drop-forged and heat-treated to assure strength and durability. "Kush-N-Cote" vinyl coated handles for added comfort. Available in a Straight Pattern for a powerful straight cutting snip or Duckbill Pattern for cutting scrolls, circles, or straight lines. Snips are 12-1/2 inches long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-P127S	Straight Cutting Tinner Snip	6	40.40
540-P127D	Duckbill Tinner Snip	6	40.40



540-P127S



540-P127D

HVAC Tools by **MIDWEST**

Blades are made of hot drop-forged carbon steel. Compound leverage action handles. Heavy duty plastic grips for user comfort.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-FCTMN1	8" Notcher – 31° Cutting Angle	3	93.44
540-FCTMC5	8" Crimper – 22 Ga. Crimping Capacity	3	66.40
540-FCTMS1	3" Straight Seamer – 22 Ga. Capacity	2	100.40
540-FCTMS2	3" Offset Seamer – 22 Ga. Capacity	2	107.00



540-FCTMN1



540-FCTMC5



540-FCTMS1



540-FCTMS2





Locking Pliers Curved Jaws with Wire Cutters

Three sizes – 10", 7" and 4". All have curved jaws, knurled tips and wire cutters. They lock on instantly, release quickly and adjust to pliers action. Properly adjusted and locked, Vise-Grip tools won't slip. Progressive bites will cut 1/4" bolt.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
544-4WR	4WR 4", 15/16" adj.	5	32.16
544-7WR	7WR 7", 1-5/8" adj.	5	38.40
544-10WR	10WR 10", 1-7/8" adj.	5	41.16



Locking "C" Clamps

Two sizes – 11 inch "regular" and 6 inch "mini". Small jaw area at contact points are ideal for working in close quarters. Simply adjust to correct the opening, squeeze to lock and press the easy-release trigger to unlock.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
544-6R	6R 6" C Clamp	5	37.80
544-11R	11R 11" C Clamp	5	63.84



Sheet Metal Tool

Locks to work with powerful grip. You get a smoother, more accurate bending and seaming job. Makes all kinds of bending, forming, crimping jobs easier and faster. Micro-adjusting screw and easy release trigger.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
544-8R	8R 8" Sheet metal tool	1	56.80



Pinch-Off Tool

Specially designed for refrigeration industry. Pinches off and locks on copper tubing instantly. Easy release trigger. Leaves both hands free. Ideal for emergencies – no shut off valves needed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
544-RR7	RR 7" Pinch-Off Tool	5	46.40

**Prevent damage to your compressors and motors with our
Digital Line Voltage Monitors**



DSP-1
Digital Single Phase Line Voltage Monitor

NEW

(SEE PAGE 114)



DTP-3
Digital Triple Phase Line Voltage Monitor



Adjustable Wrenches

Drop forged of special analysis steel. Heat treated for maximum durability and proper hardness of working surfaces. Chromium plated, strong, and streamlined for maximum usefulness.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-804	4" Long 1/2" Capacity	1	37.20
545-806	6" Long 3/4" Capacity	1	37.40
545-808	8" Long 15/16" Capacity	1	42.20
545-810	10" Long 1-1/8" Capacity	1	54.00
545-812	12" Long 1-15/16" Capacity	1	77.00



Tongue and Groove Pliers

Patented undercut tongue and groove design. Patented permalock fasteners and reinforcing edge. Dipped plastic comfort grips.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-420	9-1/2" Tongue and Groove Pliers	1	38.00
545-422	9-1/2" Curved Jaw Tongue and Groove Pliers	1	38.00
545-424	4-1/2" Tongue and Groove Pliers	1	36.60
545-426	6-1/2" Tongue and Groove Pliers	1	31.60
545-430	10" Tongue and Groove Pliers	1	39.60
545-440	12" Tongue and Groove Pliers	1	42.56
545-442	12" Curved Jaw Tongue and Groove Pliers	1	42.56
545-460	16" Tongue and Groove Pliers	1	74.40



Pliers

Slender, perfectly mated jaws with no side wobble provide a firm grip on fine work in tight places. Sharp, hand honed side cutters on some styles. Beautiful, high polished finish. Channellock Blue™ dipped plastic comfort grips.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-317	7-1/2" Long Nose Pliers w/Side Cutters	1	53.00
545-326	6" Long Nose Pliers w/Side Cutters	1	49.20
545-386	6" Curved Long Nose Pliers	1	49.20
545-348	8-1/2" Rounded Nose Lineman Electrician Pliers	1	63.52
545-3047	7" Bevel Nose Lineman Electrician Pliers	1	58.12
545-3048	8-1/2" Bevel Nose Lineman Electrician Pliers	1	64.24
545-3248	Wiring Pliers w/Cutter and Crimper	1	70.12
545-337	7" Lap Joint Cutting Pliers	1	47.56
545-436	6" Box Joint Cutting Pliers	1	46.36
545-357	7" End Cutter Pliers	1	55.32
545-526	6" Slip Joint Pliers	1	20.96
545-548	8" Slip Joint Pliers	1	39.52
545-5410	10" Slip Joint Pliers	1	42.36
545-738	8" Long Reach Needle Nose Pliers	1	47.00
545-447	3/4" Box Joint Curved Diagonal	1	55.88
545-909	Crimping Tool	1	55.44

Screwdrivers

Channellock screwdrivers have precision ground hardened blades.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
545-P14	#1 Phillips 5/32" Dia. 4" Blade (7-1/4" Overall)	5	11.00
545-P24	#2 Phillips 7/32" Dia. 4" Blade (8" Overall)	5	12.80
545-P36	#3 Phillips 5/16" Dia. 6" Blade (10" Overall)	5	19.80
545-52	5/32" Dia. 2" Blade (4" Overall)	5	7.00
545-54	5/32" Dia. 4" Blade (7-1/4" Overall)	5	9.24
545-74	7/32" Dia. 4" Blade (8" Overall)	5	11.00
545-106	5/16" Dia. 6" Blade (10" Overall)	5	17.40



MegaPro 15 in 1 HVACR Screwdriver Made in the USA.



- Designed for the HVACR industry
- 4 Phillips Bits
- Palm Saving Rotating Cap
- Patented Quick Change Bit System
- Industrial Quality Double Ended Bits.
- Power Tool Interchangeable
- High Impact Triax Housing
- Rotating Balance Point Collar
- 1/4" Hex Drive
- Lifetime Replacement Warranty Against Manufacturers Defects.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-MP15	Mega Pro 15 in 1 HVACR Screwdriver	12	45.20

Combination Screwdriver



Multiple bits in one handy screwdriver. No need for tool box for those quick jobs. Lifetime guarantee.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-41	4-in-1 with #1 and #2 Phillips, 3/16 and 5/16 Slotted	12	13.60
5-61	6-in-1 with #1 and #2 Phillips, 3/16 and 5/16 Slotted, 1/4 Nut Driver, 5/16 Nut Driver	12	15.80

Switchblade Self-Retracting Knife



For right or left hand operation. Die cast zinc alloy construction. Blade exposed only when thumb is pressed forward on button. Blade automatically retracts into handle when thumb is released. High visibility orange finish. 1 heavy duty rounded tip blade included. Carded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
535-42065	Self retracting knife	10/box	17.60
535-42117	Replacement blades	5/card	4.80

Snap-Off Blade Utility Knife



8 sharp points per blade. Retractable blade with 2-piece positive lock. Built in blade breaker with pocket clip. 1 blade included. Carded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
535-42047	Snap off blade utility knife	10/box	6.00
535-42330	Replacement blades	5/card	7.40

Top Slide Utility Knives



Die cast zinc alloy construction. Top slide push button blade adjustment. 1 heavy duty blade included. Carded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
535-42070	Utility knife	5/box	14.40
535-42075	Utility knife - economy	5/box	9.00
535-42115	Replacement blades	5/card	3.80

Super Sharp Knife Sharpener



Sharpens your knives razor sharp to cut electrical wires, insulation, tubing and more. Safe and easy to use. High impact composite handle and virtually indestructible tungsten carbide honers. One of the easiest to use, safest, and most economical sharpeners on the market today.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SS-1	Super Sharp Knife Sharpener	12	23.00

Tube and Hose Cutters

Kut-All Plastic Tube and Hose Cutter

Tough, durable nylon. Blade closes into its own handle for safe handling. Replaceable high carbon, teflon coated steel blades. Ideal for cutting up to 1-1/8" I.D. plastic tubing, reinforced plastic tubing, rigid plastic pipe, and rubber hose.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
PK-2	Kut-All Plastic Tube and Hose Cutter	1	27.20
PK-2B	Replacement Blades	1	22.00

Little Helper™ – All Purpose Cutter

Cuts up to 1-1/4" polyethylene, thinwall PVC, ABS, rubber hose, NM conduit and clear vinyl tubing. Reversible stainless steel blade, like two blades in one. Sturdy all metal construction.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
548-001	Little Helper (Carded)	1	23.00
548-002	Replacement Blades	1	11.00

Big Helper™ PVC Pipe Cutter

Ratchet style pipe cutters cut up to 2-1/2" Sch. 40 PVC Pipe. Ratchet action requires minimal pressure to easily cut through PVC pipe. Molybdenum stainless steel blade won't rust or break and lasts twice as long as most competitor's. The new Mega-Cutter is now available – the strongest pipe cutter on the market today!



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
548-003	1" O.D. Cutting Capacity	1	30.00
548-004	1" Replacement Blades	1	14.80
548-005	1-1/4" O.D. Cutting Capacity	1	35.00
548-006	1-1/4" Replacement Blades	1	15.80
548-009	1-5/8" O.D. Cutting Capacity	1	36.00
548-010	1-5/8" Replacement Blades	1	16.00
548-007	2-1/2" O.D. Mega-Cutter	1	112.00
548-008	2-1/2" Mega-Blades	1	48.00



Ratch-Cut® Tube Cutters

Ratcheting action on these rugged, professional tube cutters permits easy cuts in tight, hard-to-reach spaces where ordinary tube cutters cannot operate. Cuts copper, stainless, aluminum and PVC tubing. Individually blister packed.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
31700	RC-375 Small Ratch-Cut – cuts 1/8 - 3/8" dia.	1	92.28
31710	RC-1125 Large Ratch-Cut – cuts 5/16 - 1-1/8" dia.	1	99.56
REPLACEMENT PARTS			
31701	Replacement cutting wheels (poly bag) for 31700	12	11.64
31711	Replacement cutting wheels (poly bag) for 31710	12	12.24





Deluxe Hi-Tension Hacksaw

Hackframe featuring handle and end pieces made of die cast aluminum. Lightweight yet extremely rigid and highly tensioned (up to 25,000 psi) providing cleaner, surer cut. Permanent blade pins feature versatile angling (up to 55 degrees) for special flush cutting and blade can be inserted in handle to be used as compass saw. Frame will fit most standard tool boxes.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-278HX0002	Hacksaw Frame with Blade	1	37.60
540-278BM0024	Replacement Blades for Hacksaw Frame 12" x 24T	1	3.20

Bi-Metal Reciprocating Saw Blades

Premium high speed steel with a flexible alloy back. These professional bi-metal blades fit all reciprocating saws with 1/2" shank.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-RB636W	6" x 6T Wood and Nail Slope 3/4" x 6" x .050	5	5.64
540-RB656WS	6" x 6T Wood and Nail Scroll 3/4" x 6" x .050	5	5.84
540-RB956W	9" x 6T Wood and Nail 3/4" x 9" x .050	5	7.60
540-RB125W	12" x 6T Wood and Nail 3/4" x 12" x .050	5	10.00
540-RB414M	4" x 14T Short Metal Cutting 3/4" x 4" x .035	5	2.92
540-RB418M	4" x 18T Short Metal Cutting 5/8" x 4" x .035	5	2.92
540-RB424M	4" x 24T Thin Short Metal Cutting 5/8" x 4" x .035	5	2.92
540-RB610HDM	6" x 10T HD Metal Cutting 3/4" x 6" x .035	5	4.20
540-RB614HDM	6" x 14T HD Metal Cutting 3/4" x 6" x .035	5	4.20
540-RB618HDM	6" x 18T HD Metal Cutting 3/4" x 6" x .035	5	4.20
540-RB624HDM	6" x 24T HD Metal Cutting 3/4" x 6" x .035	5	4.20
540-RB810HDM	8" x 10T HD Metal Cutting 3/4" x 8" x .035	5	6.60
540-RB814HDM	8" x 14T HD Metal Cutting 3/4" x 8" x .035	5	6.60
540-RB636DW	Drywall Cutting with V Head 5/8" x 6" x .035	5	3.80
540-R8CCRF	Cast Iron-Ceramic Tile Carbide Grit 8" Long	1	15.80

Power Measuring Tapes



Rust resistant yellow lacquered blade is marked with easy to read inch/foot markings (English). Chrome case and neon case both have belt clips and finger-tip blade lock to provide a precise and durable measuring instrument. Ultralife tape is our highest quality tape measure — lasts up to 10X longer than typical blades, with patented "blade wiper" that cleans the blade as you measure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-12	Power Tape – Chrome 1/2" x 12'	6	22.40
540-16	Power Tape – Chrome 3/4" x 16'	6	25.00
540-25	Power Tape – Chrome 1" x 25'	6	34.60
540-25R	Power Tape – Neon Orange 1" x 25'	6	31.00
540-25G	Power Tape – Neon Green 1" x 25'	6	31.00
540-25UL	Power Tape – Ultralife 1" x 25' w/Yellow Case	6	43.40

Anchor Kit

Plastic anchor kit for sheet rock applications. Kit includes 100 anchors, screws and 1 masonry bit.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/KIT
540-AK100	Anchor size 1/4 x 1, Screw Size 10 x 1-1/4 HWH Head Size 5/16 hex	100/box	12.40

More Quality TOOLS
on pages 119-124





Clipboards and Form Holders

Rugged aluminum construction to protect your paperwork and forms. Smooth aluminum surfaces provide excellent writing support.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
30305	Aluminum Clipboard – Holds 9-1/2" x 12" Forms	1	25.72
30306	SNAPAK Clipboard on Box w/Hinged Back – 8-1/2" x 12"	1	68.72
30307	Clipboard with Hinged Backing Piece – 8-1/2" x 12"	1	44.76
30308	SNAPAK Clipboard on Box w/Hinged Back – 5-2/3" x 9-1/2"	1	45.60
30309	REDI-RITE Clipboard on Box – 8-1/2" x 12"	1	66.88
30310	CRUISER MATE 2 Compartment Clipboard – 8-1/2" x 12"	1	73.76
30311	SNAPAK Clipboard on Box w/Hinged Back and Calculator – 8-1/2" x 12"	1	121.28
30312	REDI-RITE Clipboard on Box w/Calculator – 8-1/2" x 12"	1	115.32

Technical Books



HVACR Technical Book Library

Leading books and manuals for HVACR service personnel include fundamental principals and service techniques. For students and professionals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
06000	Doolin's Trouble Shooters Bible	1	173.32
06001	Auto Air Conditioning	1	32.00
06002	Residential Cooling (Part 1)	1	32.00
06003	Residential Cooling (Part 2)	1	32.00
06004	Residential Heating (Gas)	1	32.00
06005	Window Units	1	32.00
06006	Commercial Refrigeration	1	32.00
06007	Frost Free and Conventional Refrigerators	1	32.00
06015	Modern Air Conditioning and Refrigeration	1	154.68
06008B	Doolin's Trouble Shooters Bible, Spanish Version	1	186.68
06009	Trouble Shooters Bible, Test Questions and Answer Key	1	16.00
06020	Heating and Cooling Essentials	1	120.76
06025	Refrigeration & Air Conditioning Technology	1	207.88
06026	Refrigeration & Air Conditioning Technology, Instructor's Guide	1	175.88
06027	Refrigeration & Air Conditioning Technology, Study Guide/Lab Manual	1	93.20
06030	Heat Pumps: Theory and Service	1	223.88
06033	Principles of Refrigeration	1	199.88
06035	Electrical Theory & Control Systems in HVAC Tech.	1	175.88
06037	Electricity for Refrigeration, Heating & Air Conditioning	1	197.20
06040	Heating Technology	1	279.88
06070	Pocket Reference Book	1	26.36
06083	Heat Pump Systems & Service	1	133.24
06086	Medium & High-Efficiency Gas Furnaces	1	133.24

Easy Heat Pipe Heating Cables

(SEE PAGE 116)



Tool Bags



Tool Pouches

The finest quality top-grain leather tool bags available. Made in the USA. Top quality hardware for strength and durability while resisting rust plus double stitched construction for long life.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
535-W500	8-Pocket Electrician's Tool Pouch	2	67.60
535-W438	6-Pocket Electrical and Maintenance Tool Pouch	2	49.60
535-415	4-Pocket Tool Pouch	2	44.52
535-417	Plier/Tool Holder	6	13.00
535-E450-1	1-3/4" Embossed Leather Work Belt (Waist Sizes 29"-46")	1	35.00
535-C501	2-1/4" Cotton Web Work Belt (Waist Sizes 29"-46")	1	19.80

Double Zipper Rigger's Bag

Rugged, lightweight soft-sided tote/organizer for tools and business accessories. Features double pull top zipper for easy access, reinforced bottom panel to keep bag's wide profile, and padded carrying handle. Total of 50 multi-use pockets!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1115	Double Zipper Rigger's Bag	1	93.60

BigMouth™ Bag

Internal metal frame holds bag wide open for easy access to tools and supplies. Reinforced interior bottom panel enables the BigMouth bag to keep its wide profile. Padded sides and bottom. Built of super tough, super light fabric.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1135	BigMouth™ Bag	1	75.00

Bucket Pockets™ Tool Bag

Turns a standard 5 gallon bucket into a super carrier/organizer for your most needed tools and accessories. 48 pocket design features 14 double row pockets inside and 34 triple row pockets outside. Built of super tough, super light fabric for extra durability. ToolWorks Plus Bucket Pockets bag made with super-rugged Anso-tex nylon and features a total of 65 inside and outside multi-size pockets.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1119	Bucket Pockets™ Tool Bag	1	44.20
5-3122	ToolWorks Plus Bucket Pockets™ Bag	1	85.20

Drawstring BucketBag

Features 6 large inside compartments for organizing and stowing small parts. With unique easy lock/pushbutton release drawstring system, reinforced web loop carrying handle. Can stack 2 or 3 BucketBags inside a standard 5 gallon bucket.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-1148	Drawstring BucketBag	1	47.80



Refrigerant Hanging Scale

Check-weigh gas cylinder contents when filling or recapturing. Know the exact gas weight! Dial adjusts for tare weight. Dual dial markings run clockwise and counter clockwise. Lightweight. Scale goes wherever the serviceman goes! Suspension accessory included.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-001	Hanging Scale – Pelouze #D70.	1	168.48



Utility Scales

Large easy to read dial can be viewed from top or side. Low profile enables you to slide cartons and crates onto scale. Memory Lock holds reading when dial is obscured. Perfect for shipping and receiving parcels or crates in the mailroom or warehouse.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-002	100 lb Capacity (Pelouze #P100S)	1	243.60
660-003	250 lb Capacity (Pelouze #P250S)	1	264.60



Electronic Utility Scales

Constructed for heavy duty weighing. Perfect for warehouse use, check weighing, large crates and shipping freight. Low profile platform. Control panel can be wall mounted for easy viewing. Large LCD display. Operates with AC adapter (included) or one 9V battery (not included).

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
660-004	150 lb Capacity (Pelouze #4010)	1	382.20
660-005	400 lb Capacity (Pelouze #4040)	1	453.60



MAC RACK

*A countertop POP display
with the most popular
industry-standard Access
Fittings & Valves.*

*Call Customer Service today
for details!*

(SEE PAGE 110)





900 Series Mechanical Thermostats

- 24 VAC 1 Heat/1 Cool, Gas/Electric Compatible
- 0.1 to 1.2 Amps Heat Anticipation
- J-Box Compatible

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-986-1	1 Heat, Gas/Electric	1	33.60
675-988-1	1 Heat /1 Cool, Gas/Electric	1	39.20



9200 Series Mercury-free Deluxe Mechanical Thermostats

- 1 Heat/1 Cool
- 24 VAC 1H/1C Gas/Electric Compatible
- 0.2 to 1.6 Amps Heat Anticipation
- Bi-Metallic Temperature Indicator
- System and Fan Switch
- J-Box Compatible
- O & B Terminals

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9200H	Mechanical Thermostat – Horizontal	1	57.40
675-9200V	Mechanical Thermostat – Vertical	1	57.40



9500 Series Digital Non-Programmable Thermostat

- 1 Heat /1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9500	1 Heat/1 Cool Digital Thermostat	1	105.40



9505 Series Digital Non-Programmable Thermostat

- 1 Heat
- Compatible with all standard 24 VAC or millivolt heating systems
- Positive Off Switch

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9505	1 Heat Digital Thermostat	1	100.00



9515 Series Digital Non-Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all standard 24 VAC multi-stage heating & cooling systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection
- Worry-Free Memory Storage
- Adjustable 1st and 2nd Stage Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9515	2 Heat/2 Cool Digital Thermostat	1	136.00



9520 Series Digital Non-Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all Standard 24 VAC Heat Pump Systems
- O & B Terminals
- Automatic Compressor Short Cycle Protection
- Lighted System Status Indicators
- Worry Free Memory Storage
- Adjustable 1st and 2nd stage differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9520	2 Heat/2 Cool Digital Heat Pump Thermostat	1	136.00



9600 Series Digital Programmable Thermostat

- 1 Heat/1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- Weekly 5-2 Day Programming
- Automatic Compressor Short Cycle Protection

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9600	1 Heat/1 Cool Programmable Thermostat	1	120.00



9610 Series Digital Programmable Thermostat

- 1 Heat/1 Cool
- Compatible with all standard 24 VAC heating and cooling systems
- 7 Day Programming
- Quickset™
- Energy Star rated for Energy Savings
- O & B Terminals

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9610	1 Heat/1 Cool 7 Day Programmable Thermostat	1	181.40



9615 Series Digital Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all standard 24 VAC multistage heating & cooling systems
- Quickset™
- Energy Star rated for Energy Savings
- O & B Terminals
- 24V Powered with Battery Backup

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9615	2 Heat/2 Cool Programmable Thermostat	1	178.60



9620 Series Digital Programmable Thermostat

- 2 Heat/2 Cool
- Compatible with all standard 24 VAC heat pump systems
- Quickset™
- Energy Star rated for Energy Savings
- Multi Colored LEDs indicate system status
- 24V Powered with Battery Backup
- Adjustable 1st and 2nd stage differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9620	2 Heat/2 Cool Programmable Heat Pump Thermostat	1	178.60





9701 Invensys Deluxe Programmable Thermostat

- 1 Heat/1 Cool with Auto Changeover
- Compatible with all single stage 24 VAC heating and cooling, including single stage heat pump systems
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9701	9701 Invensys Thermostat	1	329.40



9715i Invensys Deluxe Programmable Thermostat

- 2 Heat/2 Cool with Auto Changeover
- Compatible with all standard 24 VAC heating and cooling systems, up to two stage heat and two stage cool
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry-Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable
- Adjustable 1st and 2nd Stage Temperature Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9715	9715 Invensys Thermostat	1	362.60



9720i Invensys Deluxe Programmable Thermostat

- 2 Heat/2 Cool with Auto Changeover
- Compatible with all standard 24 VAC heat pump systems, up to two stage heat and two stage cool
- 7-Day, 5-2, 5-1-1 or 24 hour programming
- 2, 4 or 6 events per day
- Worry-Free Memory Storage
- ENERGY STAR rated for energy savings
- Indoor/Outdoor Remote Sensor Capable
- Adjustable 1st and 2nd Stage Temperature Differential

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
675-9720	9720 Invensys Thermostat	1	378.60

Guard your thermostat and save on utility bills with Wagner's

Thermostat Guards



*Available in Clear Plastic
or Heavy-Duty Metal*

(SEE PAGES 84-85)



Thermostat Wire

Thermostat Wire

Class 2 thermostat wire for indoor wiring needs. Soft drawn bare copper wire, semi-rigid PVC insulation and PVC overall jacket. Packaged on aluminum spool.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-18-2	18 AWG, 2 Conductors – 500 ft. Spool	4 Rolls	
620-18-3	18 AWG, 3 Conductors – 500 ft. Spool	4 Rolls	
620-18-4	18 AWG, 4 Conductors – 250 ft. Spool	4 Rolls	
620-18-5	18 AWG, 5 Conductors – 250 ft. Spool	4 Rolls	
620-18-6	18 AWG, 6 Conductors – 250 ft. Spool	4 Rolls	
620-18-7	18 AWG, 7 Conductors – 250 ft. Spool	4 Rolls	
620-18-8	18 AWG, 8 Conductors – 250 ft. Spool	4 Rolls	CALL
620-18-9	18 AWG, 9 Conductors – 250 ft. Spool	4 Rolls	FOR
620-18-10	18 AWG, 10 Conductors – 250 ft. Spool	4 Rolls	A
620-18-12	18 AWG, 12 Conductors – 250 ft. Spool	4 Rolls	QUOTATION
620-20-2	20 AWG, 2 Conductors – 500 ft. Spool	4 Rolls	
620-20-3	20 AWG, 3 Conductors – 500 ft. Spool	4 Rolls	
620-20-4	20 AWG, 4 Conductors – 250 ft. Spool	4 Rolls	
620-20-5	20 AWG, 5 Conductors – 250 ft. Spool	4 Rolls	
620-20-6	20 AWG, 6 Conductors – 250 ft. Spool	4 Rolls	
620-20-7	20 AWG, 7 Conductors – 250 ft. Spool	4 Rolls	
620-20-8	20 AWG, 8 Conductors – 250 ft. Spool	4 Rolls	
620-20-9	20 AWG, 9 Conductors – 250 ft. Spool	4 Rolls	
620-20-10	20 AWG, 10 Conductors – 250 ft. Spool	4 Rolls	
620-20-12	20 AWG, 12 Conductors – 250 ft. Spool	4 Rolls	

U.L. Listed. Meets Subject 13 per Article 725, 1990 NEC.

Plenum Thermostat Wire

UL Listed type CL2P – NEC Article 725

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-18-2P	18 AWG, 2 Conductors – 500 ft Spool	4 rolls	
620-18-3P	18 AWG, 3 Conductors – 500 ft Spool	4 rolls	Call
620-18-4P	18 AWG, 4 Conductors – 250 ft Spool	4 rolls	for
620-18-5P	18 AWG, 5 Conductors – 250 ft Spool	4 rolls	Quotation
620-18-6P	18 AWG, 6 Conductors – 250 ft Spool	4 rolls	
620-18-8P	18 AWG, 8 Conductors – 250 ft Spool	4 rolls	

Motor Wire

14-8 AWG Stranded Copper THHN Motor Wire

- Available in 5 Colors
- Spooled or in Dispenser Packs

(SEE PAGE 86)



Outdoor Extension Cord

Heavy duty, round, vinyl extension cord designed for use by contractors and industrial. Orange vinyl jacket protects against oil, grease, ozone, and gives added flexibility at below freezing temperatures. Vinyl plugs and connectors are molded on and won't break or pull off cord.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ECC50725	25' 15 AMP Extension Cord SJTW-A 14/3	14	29.80
7-ECC50730	50' 15 AMP Extension Cord SJTW-A 14/3	10	41.60
7-ECC50735	100' 13 AMP Extension Cord SJTW-A 14/3	5	72.00
7-ECC1625	25' 15 Amp Extension Cord SJTW-A 16/3	24	23.36
7-ECC1650	50' 15 Amp Extension Cord SJTW-A 16/3	12	34.80
7-ECC16100	100' 13 Amp Extension Cord SJTW-A 6/3	6	56.00
7-ECC1225	25' Extension Cord, 12/3 SJTW-A	10	38.08
7-ECC1250	50' Extension Cord, 12/3 SJTW-A	6	60.00
7-ECC12100	100' Extension Cord, 12/3 SJTW-A	3	92.48

Type: SJTW-A U.L. Listed, meets OSHA Requirements.

Power Blocks

Professional power blocks designed to give contractors and industrial personnel maximum flexibility in arranging portable power needs at the job site. Vinyl connectors are solid molded for high resistance to breakage and abuse.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-AD010000	Triple tap power block adapter converts single 15 AMP 123V U-ground outlet to 3 15A, 125V U-ground outlets.	1	12.80

AWG: 12/3 TYPE: STW-A U.L. Listed, meets OSHA Requirements.



Metal Guard Trouble Lights

Designed for rugged use by contractors and industrial. Tough plastic handles are heat and shock resistant, with switch and 15A, 125V grounding side outlet.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-TLC10625	25' Metal Guard Trouble Light	1	34.60
7-TLC10630	50' Metal Guard Trouble Light	1	46.24

AWG: 16/3 Type: SJTW-A U.L. Listed, meets OSHA Requirements.



Mag-Lite Flashlights.
Quite simply, the finest flashlights in the world.

(SEE PAGES 133-134)



Rough Service and Coated Shatterproof Light Bulbs

Designed to withstand unusual shock and abuse on drop cords, mechanic trouble lights, extension cords and anywhere else severe shocks may be encountered. Coated shatterproof light bulbs are shatter resistant. No glass fragments if broken. 4 bulbs per box. 120/case.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CASE
7-75W	75 Watt Rough Service Bulb – Bulk Packed	120	276.00
7-100W	100 Watt Rough Service Bulb – Bulk Packed	120	276.00

Power Supply Cord (Pigtails)


Stranded bare copper conductors. Grounding conductors. PVC jacket. Right and straight angle male plug. 110 Volt. 16 AWG x 6' long.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-16-6	Power Supply Cord – Straight Plug	50	5.40
625-16-690	Power Supply Cord – 90 Degree Plug	50	5.40

Plastic Wall Plates

Molded of non-flammable thermoplastic, phenolic or urea material. Color-matched 1/2" long steel mounting screws furnished. Smooth surface – no recessed areas to collect dirt, discolor. Easy to clean. Full weight and thickness provide high dielectric strength, minimum moisture absorption, impact resistance. Warp resistant, fit flush to wall.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-2139V	Double Toggle Cover – Ivory	10	1.44
625-2139B	Double Toggle Cover – Brown	10	1.44
625-2139W	Double Toggle Cover – White	10	1.44
625-2132B	Duplex Receptacle Cover – Brown	25	0.72
625-2132V	Duplex Receptacle Cover – Ivory	25	0.72
625-2132W	Duplex Receptacle Cover – White	25	0.72
625-2129V	Blank Cover – Ivory	25	1.00
625-2129B	Blank Cover – Brown	25	1.00
625-2129W	Blank Cover – White	25	1.00
625-2134B	Single Toggle Cover – Brown	25	0.72
625-2134V	Single Toggle Cover – Ivory	25	0.72
625-2134W	Single Toggle Cover – White	25	0.72

U.L. Listed. CSA Approved.

Electrical Toggle Switches

Side wire design with automatic grounding and large binding head terminal screws for fast wiring. Lubricated cam provides smooth lever action.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-CS120W	20A-1HP 120V Single Pole, White	10	10.88
620-600	20A-1 HP 120V, Single Pole, Brown	10	10.88
620-601	20A-1 HP 120V, Single Pole, Ivory	10	10.88
620-602	20A-1 HP 120V, 3-Way, Brown	10	15.20
620-603	20A-1 HP 120V, 3-Way, Ivory	10	15.20
625-1301W	15A-1/2HP 120V Single Pole, White	10	2.40
620-604	15A-1/2 HP 120V, Single Pole, Brown	10	2.40
620-605	15A-1/2 HP 120V, Single Pole, Ivory	10	2.40
620-606	15A-1/2 HP 120V, 3-Way, Brown	10	4.32
620-607	15A-1/2 HP 120V, 3-Way, Ivory	10	4.32

U.L. Listed. C.S.A. Certified. Verified to Federal Spec. WS896E.





Switch/Plug Combo

Use with air handlers and condensate pumps. Touch-A-Matic design, with exclusive spring loaded steel ball mechanism for smooth, positive contact movement. Small neon pilot light ON when switch is ON, is built-in to the switch on switch/receptacle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-274W	White 2P 3W Grounding—15A 125V	10	22.72

U.L. Listed. CSA Approved.



Outlet Box Cover with Switch

Box covers are heavy gauge steel. Oil burner plate is red with white aluminum letters. 15A 120-227V AC • 1/2 HP 120V AC • 2 HP 240V AC

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-609	Toggle Switch/4" Oil Burner	5	10.16

U.L. Listed.



Electrical Duplex Receptacles

Automatic grounding for fast installation. Heavy duty mounting strap for additional assembly strength. Copper alloy power/ground contacts for optimum continuity. Side wire design with large binding head terminal screws for fast wiring.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-700	15A, 125V, Brown	10	5.40
620-701	15A, 125V, Ivory	10	5.40
625-CR15W	15A 125V, White	10	5.40
620-702	20A, 125V, Brown	10	7.28
620-703	20A, 125V, Ivory	10	7.28
625-CR20W	20A 125V, White	10	7.28
620-704	15A, 125V, Brown – Residential	10	2.40
620-705	15A, 125V, Ivory – Residential	10	2.40
625-270W	15A 125V, White – Residential	10	2.40

U.L. Listed. C.S.A. Certified (NEMA 5-15 Type).



Dryer Receptacle

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-1225	Dryer Receptacle 30A 125/250V NEMA 14-30	10	28.00



Range Receptacle

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-1212	Range Receptacle 50A 125/250V NEMA 14-50R	10	28.00

U.L. Listed. CSA Approved.



Ground Fault Circuit Interruptor with Cover

Provides protection against ground fault leakage and shock for outlets and equipment in susceptible applications.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-GFCI-I	Ground Fault Circuit Interrupt 15 AMP—Ivory	1	36.00
625-GFCI-B	Ground Fault Circuit Interrupt 15 AMP—Brown	1	36.00
625-GFCI-W	Ground Fault Circuit Interrupt 15 AMP—White	1	36.00




Electrical Outlet Boxes, Extensions and Covers

4" steel octagon outlet box, extensions and covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-300	1-1/2" Deep, 1/2" and 3/4" K.O.s	50	2.68
620-301	2-1/8" Deep, 1/2" and 3/4" K.O.s	25	5.56
620-302	1-1/2" Deep, 1/2" K.O. Extension	50	4.68
620-303	Flat Blank Cover	50	0.88
620-304	Flat, Duplex Receptacle Cover	50	0.84
620-306	Flat Cover 1/2" K.O. in Center	50	0.92


Conforms to Article 370 of NEC. U.L. Listed.



4" steel square outlet box, extensions and covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-400	1-1/4" Deep, 1/2" K.O.s	50	5.98
620-401	2-1/8" Deep, 1/2" and 3/4" K.O.s	50	4.40
620-402	1-1/2" Deep, 1/2" K.O. Extension	50	6.52
620-403	1-1/2" Deep, 1/2" K.O.s	50	2.44
620-404	1-1/2" Deep, 1/2" and 3/4" K.O.s Extension	50	6.52
620-405	Flat Cover 1/2" K.O. in Center	50	1.00
620-406	Flat Blank Cover	50	1.00
620-408	Flat, One Toggle Switch Cover	50	2.52
620-409	Flat, One Duplex Receptacle Cover	50	2.52
620-410	Flat, Two Toggle Switch Cover	50	2.52
620-411	1 Sw and 1 Duplex Receptacle Cover	50	2.52
620-412	Flat, Two Duplex Receptacle Cover	50	2.52

Conforms to Article 370 of NEC. U.L. Listed.



4-11/16" steel square outlet box covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-500	2-1/8" Deep, 1/2" and 3/4" K.O.s	25	6.16
620-501	Flat Blank Cover	25	1.96
620-502	Raised Cover for Single Device	25	4.20
620-503	Flat Cover 1/2" K.O. in Center	25	2.44

Conforms to Article 370 of NEC. U.L. Listed.



Standard steel utility (Handy) boxes and covers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-200	1-1/2" Deep, 1/2" K.O.s	50	2.76
620-201	1-7/8" Deep, 1/2" K.O.s	50	2.48
620-202	2-1/8" Deep, 1/2" K.O.s	50	2.96
620-20134	1-7/8" Deep, 3/4" K.O.s	50	4.59
620-252	Flat, Two Duplex Receptacle Cover	25	0.80
620-253	Flat, Toggle Switch Cover	25	0.80
620-254	Flat Blank Cover	25	0.80
620-255	Flat Cover 1/2" K.O.	25	1.24

Conforms to Article 370 of NEC. U.L. Listed.





Square D Homeline Circuit Breakers

Homeline circuit breakers provide the high level of protection you expect from Square D. No other name in circuit protection is more trusted for reliability and performance than Square D. These are the only breakers accepted in genuine Square D Homeline Load Centers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-GS15H	Single Pole, 15A	10	13.20
625-GS20H	Single Pole, 20A	10	13.20
625-GS30H	Single Pole, 30A	10	13.20
625-GS40H	Single Pole, 40A	10	13.20
625-GS50H	Single Pole, 50A	10	13.20
625-GD15H	Two Pole, 15A	5	30.40
625-GD20H	Two Pole, 20A	5	30.40
625-GD30H	Two Pole, 30A	5	30.40
625-GD40H	Two Pole, 40A	5	30.40
625-GD50H	Two Pole, 50A	5	30.40
625-GD60H	Two Pole, 60A	5	30.40
625-GDI00	Two Pole, 100A	5	98.00



Square D Homeline Load Centers

From leading innovations in circuit protection and exclusive features to a comprehensive selection of options and accessories, Homeline load centers are the smart choice for value-minded contractors and builders. Feature for feature, Homeline load centers are the industry leader.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-HOM24	Indoor, 70A, 2 Spaces, 4 Circuits Max	1	42.20
625-HOM24D	Outdoor, 70A, 2 Spaces, 4 Circuits Max	1	48.60
625-HOM48	Indoor, 125A, 4 Spaces, 8 Circuits Max	1	45.40
625-HOM612	Indoor, 125A, 6 Spaces, 12 Circuits Max	1	53.00
625-HOM816	Indoor, 125A, 8 Spaces, 16 Circuits Max	1	69.40

PRO-TREAT

CONDENSATE DRAIN PAN TREATMENT

(SEE PAGES 127-128)

Disconnect Switches



Diversitech Pull-out Disconnect Switches with Side Opening Door

- Fused models designed with fuses in pull-out handle for easy replacement
- Line, load, and ground terminals aligned for ease of wiring
- Patent pending reversible door – opens to the left or to the right
- Side opening door opens more than 180 degrees for maximum access
- Fused models have indicator lights for blown fuses
- Full dead front
- DDS-60U available August 2002. DDS-30 & DDS-60 available October 2002.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
DDS-30	30A Fusible Disconnect Switch	10	28.00
DDS-60	60A Fusible Disconnect Switch	10	28.00
DDS-60U	60A Non-Fusible Disconnect Switch	10	27.00



A/C Pull-out Disconnect Switches with Side Opening Door by SQUARE D GROUPE SCHNEIDER

- Side hinged cover, Type 3R enclosure offers better access to interior components.
- Compact design for easy installation and low visual profile.
- Easy to install and wire – plenty of wire bending space and knockouts.
- Slot for hanging with mounting holes spaced for standard mortar joints.
- Molded interior trim – one piece design with captive screw.
- Swing down cover latch – prevents damage during shipment and installation.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
755-30F	30A Fused Pullout Disconnect Switch	10	30.00
755-60F	60A Fused Pullout Disconnect Switch	10	30.00
755-60NF	60A Non-Fused Pullout Disconnect Switch	10	29.00



OO200TR Air Conditioning Disconnect by SQUARE D GROUPE SCHNEIDER

- 60 amp molded case switch rated for 10 HP motors at 240 VAC.
- On-Off circuit breaker type switch. No pull-out head that can be lost or stolen.
- Four, one-inch combination knockouts – two in back and two in bottom end wall.
- Removing the cover housing provides open access to lugs for easy wiring.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
OO200TR	60A Molded Case Disconnect Switch	1	32.60



Non-Metallic Disconnects by SQUARE D GROUPE SCHNEIDER

NEMA 3R rated non-metallic, pullout type disconnect switches, excellent for coastal environments. Single phase 240 Volts AC.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-P30F	Fusible 30 Amp	10	35.00
750-P60F	Fusible 60 Amp	10	35.00
750-P60NF	Non-Fused 60 Amp	10	35.00



Three Phase Disconnects by SQUARE D GROUPE SCHNEIDER

UL listed, File E5239. Meets UL98 for enclosed switches and NEMA Std. KS-1. Suitable as service entrance equipment when applied with neutral or ground lug kit. Rainproof type 3R enclosure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-30F-3PH	Fusible 30 Amp	1	136.00
750-60F-3PH	Fusible 60 Amp	1	206.72
750-60NF-3PH	Non-Fused 60 Amp	1	200.64



Dual Element Fuses – 250V

Provides time delay for temporary over-current conditions and motor running protection for heating and air conditioning equipment. Eliminates unnecessary maintenance from harmless overloads.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-CRNR15	15 Amps	10/Box	5.40
7-CRNR20	20 Amps	10/Box	5.40
7-CRNR25	25 Amps	10/Box	5.40
7-CRNR30	30 Amps	10/Box	5.40
7-CRNR35	35 Amps	10/Box	9.20
7-CRNR40	40 Amps	10/Box	9.20
7-CRNR45	45 Amps	10/Box	9.20
7-CRNR50	50 Amps	10/Box	9.20
7-CRNR60	60 Amps	10/Box	9.20

U.L. Class RK-5, Standard for Safety 198E, Current Limiting Fuses, Interrupting Rating 200,000 Amps. rms. A.C.

One Time Fuses

General protection to lighting, heating, and other non-transient circuits. Efficient overload and short circuit protection up to 10,000 amps rms AC.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-10KOTN30	30 Amps	10/Box	1.80
7-10KOTN35	35 Amps	10/Box	2.88
7-10KOTN40	40 Amps	10/Box	2.88
7-10KOTN45	45 Amps	10/Box	2.88
7-10KOTN50	50 Amps	10/Box	2.88
7-10KOTN60	60 Amps	10/Box	2.88

U.L. Class H, Standard for Safety 1988, One Time Fuse Interrupting Rating 10,000 Amps. rms. A.C.

In-Line Fuse Holder

For fusing all control circuits up to 30 amp. Features rigid plastic protective covering for each fuse. Used on AC and DC circuits.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FH-1	In-Line Fuse Holder	12	5.80

Box Cover Units

Maximum amps: 15. Maximum AC volts: 125. For use with Type "T" Plug Fuses.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
620-608	Switch/Fuse Combo (ESSU)	1	19.00
620-6081	Plug Fuse Base Only (ESOU)	1	12.40
620-6082	Receptacle/Fuse Combo (ESRU)	1	18.48
620-6083	Switch/Fuse Combo Square (ESSY)	1	20.44

U.L. Listed and CSA certified.

Time Delay Plug Fuses



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-15T	15A Type "T" Plug Fuse	4/box	3.88
626-20T	20A Type "T" Plug Fuse	4/box	3.88
626-25T	25A Type "T" Plug Fuse	4/box	4.40
626-30T	30A Type "T" Plug Fuse	4/box	3.88

Plug Fuses – Fast Acting

Expels gases caused by the blow, but doesn't allow flame to escape. Glass top for safety against shock. Positive visual indication of OK condition or blown condition. Distinguishes between overload and dead short conditions. Magnifying center of face. Shapes of face openings identify ratings. Meets Federal Specification WF-791E/Gen. Type 791/1. Base "W" Fast acting fuses.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-15	15 Amp	4	1.52
626-20	20 Amp	4	1.52
626-25	25 Amp	4	1.52
626-30	30 Amp	4	1.52

U.L. Listed.

Type "S" Non-Tamper Fuses

Provides specific overcurrent protection. Time-delay element protects against premature blowing from motors in air conditioners or compressors. Visual indication of good or blown condition.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-3S	3.2 Amp	4	10.60
626-4S	4 Amp	4	12.00
626-5S	5 Amp	4	11.40
626-6S	6.25 Amp	4	10.60
626-10S	10 Amp	4	10.60
626-15S	15 Amp	4	5.00
626-20S	20 Amp	4	5.00
626-25S	25 Amp	4	5.40
626-30S	30 Amp	4	5.40

U.L. Listed. CSA Approved.



Fuse Pullers

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-38071	For Fuse Sizes 1/4" to 1/2"	10	16.84
626-38073	For Fuse Sizes 1" to 1-3/4"	1	51.20

Fuseblocks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-23133	1 Pole Screw Class H, 250V	1	4.60
626-23233	2 Pole Screw Class H, 250V	1	8.72
626-23333	3 Pole Screw Class H, 250V	1	12.40
626-26311	3 Pole Box Lug Class H, 250V	1	27.36

Fuse Adapters



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
626-38632	60 to 30 Reducer for Class H, 250V	1	11.40
626-38636	60 to 30 Reducer for Class H, 600V	1	11.44



DiversiWhips, Conduit, Fittings, Cable

DiversiWhips

Liquid-tight flexible conduit system. A labor saving convenience kit for A/C unit hookup. Also use for heat pumps, refrigeration, hot tubs, swimming pools and outdoor lighting. Three distinct colors for ease of hook-up. 1 straight and 1 90° metallic or non-metallic connector. 90° connector is removable for straight connections. (Second straight connector not included.)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4	1/2 x 4' #10 THHN Wire-Metallic Connectors	6	20.00
6-12-6	1/2 x 6' #10 THHN Wire-Metallic Connectors	6	24.00
6-34-4	3/4 x 4' #8 THHN Wire-Metallic Connectors	6	27.00
6-34-6	3/4 x 6' #8 THHN Wire-Metallic Connectors	6	31.00
6-12-4NM	1/2 x 4' #10 THHN Wire-Non-Metallic Connectors	6	19.00
6-12-6NM	1/2 x 6' #10 THHN Wire-Non-Metallic Connectors	6	23.00
6-34-4NM	3/4 x 4' #8 THHN Wire-Non-Metallic Connectors	6	26.00
6-34-6NM	3/4 x 6' #8 THHN Wire-Non-Metallic Connectors	6	30.00

Barrels of DiversiWhips

DiversiWhips are now available in a convenient, bulk-packaged barrel at a discounted price. Barrel makes an attractive floor-standing display. 1 straight and 1 90° metallic or non-metallic connector.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B6-12-4	1/2 x 4' #10 THHN Wire – Metallic Connectors	90	19.00
B6-12-4NM	1/2 x 4' #10 THHN Wire – Non-Metallic Connectors	90	18.00
B6-12-6	1/2 x 6' #10 THHN Wire – Metallic Connectors	60	23.00
B6-12-6NM	1/2 x 6' #10 THHN Wire – Non-Metallic Connectors	60	22.00
B6-34-4	3/4 x 4' #8 THHN Wire – Metallic Connectors	60	26.00
B6-34-4NM	3/4 x 4' #8 THHN Wire – Non-Metallic Connectors	60	25.00
B6-34-6	3/4 x 6' #8 THHN Wire – Metallic Connectors	45	30.00
B6-34-6NM	3/4 x 6' #8 THHN Wire – Non-Metallic Connectors	45	29.00

DiversiWhips with Extended Length Wires

We now offer our DiversiWhips with extra long lead wires for those difficult to wire applications. These whips offer 10" of lead wire on the straight side, and 18" of lead wire on the 90° side.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4R	1/2 x 4' #10 THHN Wire-Metallic Connectors	6	21.00
6-12-6R	1/2 x 6' #10 THHN Wire-Metallic Connectors	6	25.00
6-34-4R	3/4 x 4' #8 THHN Wire-Metallic Connectors	6	28.60
6-34-6R	3/4 x 6' #8 THHN Wire-Metallic Connectors	6	32.60
6-12-4NMR	1/2 x 4' #10 THHN Wire-Non-Metallic Connectors	6	20.00
6-12-6NMR	1/2 x 6' #10 THHN Wire-Non-Metallic Connectors	6	24.00
6-34-4NMR	3/4 x 4' #8 THHN Wire-Non-Metallic Connectors	6	27.60
6-34-6NMR	3/4 x 6' #8 THHN Wire-Non-Metallic Connectors	6	31.60

DiversiWhips for the Swimming Pool Industry

A labor saving kit for hookup of swimming pool motors, pumps, filters, and timers. Three distinct colors for ease of hook-up. 1 straight and 1 90° metallic or non-metallic connector included.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-12-4P	1/2 x 4' #12 THHN Wire-Metallic Connectors	6	17.80
6-12-6P	1/2 x 6' #12 THHN Wire-Metallic Connectors	6	20.60
6-12-8P	1/2 x 8' #12 THHN Wire-Metallic Connectors	6	23.40
6-12-4NMP	1/2 x 4' #12 THHN Wire-Non-Metallic Connectors	6	15.00
6-12-6NMP	1/2 x 6' #12 THHN Wire-Non-Metallic Connectors	6	17.80
6-12-8NMP	1/2 x 8' #12 THHN Wire-Non-Metallic Connectors	6	20.60

Liquid Tight Flexible Conduit



Specifically for electrical applications. For outside, inside and industrial uses including transformer connections, air conditioning and heating. Joins with metallic or non-metallic connectors, easy to cut. Conduit is impact resistant, chemical resistant and will not kink. U.L. Listed. For use as indicated in Article 351 of the 1987 NEC.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-12100	1/2" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	86.00
750-34100	3/4" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	108.00
750-10100	1" x 100' Liquid Tight Conduit (Non-Metallic)	100' Roll	216.76
750-500	1/2" x 100' Liquid Tight Conduit (Metallic)	100' Roll	222.40
750-600	3/4" x 100' Liquid Tight Conduit (Metallic)	100' Roll	312.80

Liquid Tight Connectors



For use with metallic and non-metallic liquid tight conduit, Type B. Provides smooth connection, no sharp edges to strip wire. Wiring easily pulled through. U. L. Listed. C.U.L. Listed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-NMLT75	3/4" Non-Metallic Straight Connector	10	3.12
750-NMLT4575	3/4" Non-Metallic 45 Degree Elbow Connector	10	5.96
750-NMLT9075	3/4" Non-Metallic 90 Degree Elbow Connector	10	5.40
750-NMLT50	1/2" Non-Metallic Straight Connector	25	2.12
750-NMLT4550	1/2" Non-Metallic 45 Degree Elbow Connector	10	3.84
750-NMLT9050	1/2" Non-Metallic 90 Degree Elbow Connector	10	3.48
750-MLT4550	1/2" Metallic 45 Degree Elbow Connector	10	4.00
750-MLT4575	3/4" Metallic 45 Degree Elbow Connector	10	6.24
750-MLT50	1/2" Metallic Straight Connector	25	2.36
750-MLT75	3/4" Metallic Straight Connector	10	4.20
750-MLT9050	1/2" Metallic 90 Degree Elbow	10	4.00
750-MLT9075	3/4" Metallic 90 Degree Elbow	10	5.96

Screw-On Liquid-Tight Fittings



Conduit threads onto ferrule and up inside the outer body. An inside taper squeezes down on the outside of conduit for a superior liquid tight seal. The cut portion of the conduit does not show, giving a more finished appearance. Easy to use at a lower cost than regular liquid-tight fittings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-NMSC50	1/2" Straight Screw-On Fitting	25	1.84
750-NMSC75	3/4" Straight Screw-On Fitting	25	2.60
750-NMSC9050	1/2" 90° Screw-On Fitting	25	2.88
750-NMSC9075	3/4" 90° Screw-On Fitting	25	4.44

Aluminum Armored MC Cable



90°, C Rated aluminum metal clad cable system. THHN solid copper with specially compounded heat-resistant U.L. Listed insulation and jacket. Flexible interlocked aluminum armor. Extremely durable – withstands severe handling. U.L. Listed #4. Conforms to NEC article 333.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
640-122	12-2 Aluminum Armored MC Cable – 100 ft. Roll	1	107.20
640-142	14-2 Aluminum Armored MC Cable – 100 ft. Roll	1	100.60

BX Set Screw Connectors



BX cable range = .445 to .630 diameter. U.L. Listed. CSA Approved.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
640-845	Trade Size 3/8"	100	.48





EMT (Thinwall) Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-800	Set Screw Connector 1/2"	50	0.44
625-801	Set Screw Connector 3/4"	25	0.72
625-304	Strap-One Hole 1/2"	100	0.16
625-305	Strap-One Hole 3/4"	100	0.24
625-810	Set Screw Coupling 1/2"	50	0.48
625-811	Set Screw Coupling 3/4"	25	0.76

EMT Drive Straps

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-812	EMT Drive Straps – 1/2"	100	0.12
625-813	EMT Drive Straps – 3/4"	100	0.16



Romex Connectors – Metallic

Cable connectors for Romex Wire. Zinc die-cast.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-RC841	3/8" Romex Connector for 1/2" Knockouts	100	0.44
750-RC842	3/4" Romex Connector for 3/4" Knockouts	50	1.08

U.L. Listed and CSA Approved.



Cable Staples

Cable Staples for NMB Cable (Romex) and Copper Insulated Staples for thermostat wire.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
625-183	Romex Staples – 1/2"	100	3.56
625-184	Romex Staples – 1/2"	500	14.00
625-IS5	Copper Insulated #5 Staples for T-Stat Wire	100	4.80



Non-Metallic Sheathed Cable (Romex Wire)

600V building wire. Easy to pull and strip, flame and moisture resistant. Saves time, labor and money. Color coded conductors of copper, PVC insulation and outer jacket with ground.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
620-8-2	8 AWG, 2 Conductors with Ground – 125' Roll	1	
620-10-2	10 AWG, 2 Conductors with Ground – 250' Roll	1	CALL
620-12-2	12 AWG, 2 Conductors with Ground – 250' Roll	4	FOR
620-14-2	14 AWG, 2 Conductors with Ground – 250' Roll	4	QUOTE

U.L. Listed 719 Federal Specifications J-C94.

UltraLite™ EQUIPMENT PADS


ROCK SOLID,
FIBER TOUGH!

(SEE PAGES 9-11)



Egg Crate Louvers – Air Return Diffusers

White polystyrene 1/2" open cell grid.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
650-300	2' x 2' x 1/2"	20	16.00
650-200	2' x 4' x 3/8"	15	17.00
650-100	2' x 4' x 1/2"	10	26.24

Booster Fans

For hard to heat or cool rooms. Easily installs in branch duct (round, square, or rectangular) which supplies air to the problem room. Electrical hookup can be to a wall switch, auxiliary switch, thermostat or directly to the blower making it possible to use all the time or only at certain times. Each booster fan individually boxed.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
625-AF6	6" Booster Fan	4	57.40
625-AF8	8" Booster Fan	4	69.84
625-AF10	10" Booster Fan	2	107.92
625-AF12	12" Booster Fan	1	157.60
625-AF14	14" Booster Fan	1	165.40

Roof Flashing by Oatey

Easy to install. The no-caulk flashing slips over vent stack and automatically adjusts to pipe size and roof angle. 24 gauge galvanized steel.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-11830	1/2" – 3/4" – 1"	12	10.72
5-11840	1-1/4" – 1-1/2"	12	11.64
5-11853	2"	12	12.48
5-11866	3"	12	14.20
5-11879	4"	12	17.68
5-11921	1-1/4" – 1-1/2" (18 x 18 base)	12	16.20
5-11934	2" (18 x 18 base)	12	16.76


Smokeys

Smoke emitter cartridges provide effective, low cost leak testing of heat exchangers, air ducts, tanks and boilers. Visual air balancing of HVAC systems. Cartridges produce clean, non-toxic, oil-free smoke through chemical reaction. Use also for fire drills as well as the placement and testing of smoke alarms/detectors.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
14145	45 second burn time, 150 cu. ft., pkg. of 10	1	23.20
14175	75 second burn time, 600 cu. ft., pkg. of 10	1	28.80
14250	2-1/2 minute burn time, 1,100 cu. ft., pkg. of 5	1	43.00
14340	4 minute burn time, 2,500 cu. ft., pkg. of 5	1	88.40
14460	6 minute burn time, 18,000 cu. ft., pkg. of 1	1	131.80





Power Vents by

Preset thermostat, 2 year warranty.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-MD105	Aluminum Hood Power Vent	1	169.00
6-HI22	Aluminum Hood – 1240 CFM	1	236.00



Versa Cap® Flue and Hot Stack Caps by

Non-clogging positive draft design, recommended for flue or hot stack installation. Clamp fitting adjustable for all standard sizes. Aluminum model. U.L. Listed.

CATALOG NO.	PIPE O.D.	DOUBLE WALL	SINGLE WALL	J-M TRANS. SITE	HEIGHT/OVERALL DIAMETER	STANDARD PACK	PRICE/EACH
6-3050	2-7/8" - 5"	3 and 4	3 and 4	3 and 4	4-1/2" x 6-5/8"	12	30.80
6-5070	4-7/8" - 7"	5 and 6	5 and 6	5 and 6	4-3/4" x 9-1/2"	12	40.00
6-7090	6-7/8" - 9"	7 and 8	7 and 8	7 and 8	5-7/8" x 11-5/8"	12	58.20
6-9011	8-7/8" - 11"	9 and 10	9 and 10	9 and 10	6-1/2" x 12-3/4"	6	83.80
6-1200	11-7/8" - 14-1/2"	12	12 and 14	12	8-11/16" x 17-9/16"	2	145.00



Slant Back Roof Louver by

Easy to install. Aluminum construction. Fits all roof types.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-NSB50A	Aluminum Slant Back Roof Louver	10	27.00



Roof Louver by

Unique interior louver design, eliminating the need for a screen. The square hood has been designed for maximum air movement. Large nailing flange for easy installation. U.L. Listed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-R50A	Roof Louver – Aluminum	10	17.40
6-R50G	Roof Louver – Galv.	10	24.20



"Finger Saver" Tab Collars by Atco

For use with ductboard or sheet metal. Made from corrosion resistant, galvanized sheet metal. Snap together for easy assembly without tools. Available with Short Tabs for ductboard, Long Tabs for both ductboard and sheet metal, and the new Tab Lock collars for R-6 ductboard (1.5 inches thick).

SHORT TAB CATALOG NO. (40/BOX)	LONG TAB CATALOG NO. (40/BOX)	TAB LOCK CATALOG NO. (30/BOX)	DESCRIPTION	PRICE/EACH
570-4S	570-4L	570-4TL	4"	1.80
570-5S	570-5L	570-5TL	5"	2.12
570-6S	570-6L	570-6TL	6"	2.20
570-7S	570-7L	570-7TL	7"	2.60
570-8S	570-8L	570-8TL	8"	3.00
570-9S	570-9L	570-9TL	9"	3.40
570-10S	570-10L	570-10TL	10"	3.52
570-12S	570-12L	570-12TL	12"	4.24
570-14S	570-14L	570-14TL	14"	5.88
570-16S	570-16L	570-16TL	16"	6.60
570-18S	570-18L	570-18TL	18"	6.84
570-20S	570-20L	570-20TL	20"	7.40

Duct Strap, Ties, Clamps



Heavy Duty Cable Ties

6.6 nylon, the heavy duty duct straps feature smooth insertion, and a locking mechanism that gives ductwork a firm hold. Accommodates 7 to 15 inch duct. Tensioning tool for 32"+ allows operator to adjust strap to any desired tension.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-P24	24" Long – Fits up to 6" Duct – 175 lb. Tensile	50	0.44
7-P36	36" Long – Fits up to 10" Duct – 175 lb. Tensile	50	0.46
7-P48	48" Long – Fits up to 14" Duct – 175 lb. Tensile	50	0.88
7-L300	Tensioning Tool for 120-175 lb. Ties	1	52.00



Plastic Hanger Strap

Flexible, non-conductive. 3/4" wide x .050 thick. Load tested to 120 lbs. In handy dispenser box.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-P100	3/4" x 100' Roll (Boxed)	20	19.20



Hanging Wire

18 gauge galvanized on reel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-182G	2# Roll (330') 18 Gauge Galvanized	16 Rolls/Case	13.36
710-185G	5# Roll (830') 18 Gauge Galvanized	16 Rolls/Case	25.44



Strapping Hanger Iron

Galvanized vent strapping, hanger iron, plumber's tape, pipe hanger tape and many other uses. 1/4" centers for bolts or nails.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-A1710	Hanger Iron (Galv.) 10' Rolls – 28 Gauge	50 Rolls/Case	1.80
710-A1650	Hanger Iron (Galv.) 50' Rolls – 28 Gauge	10 Rolls/Case	9.00
710-A16100	Hanger Iron (Galv.) 100' Rolls – 28 Gauge	6 Rolls/Case	16.88



Duct Strap – Metallic – Roll

Galvanized duct strap in convenient cardboard dispenser. Solid strapping, easy to drill or nail.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-001	26 Gauge – 1" x 100'	1	18.36
710-002	30 Gauge – 1" x 100'	1	15.12
710-003	30 Gauge – 1-1/2" x 100'	1	23.12
710-004	26 Gauge – 1-1/2" x 100'	1	31.32
710-005	22 Gauge – 1" x 100'	1	24.76



Duct Strap – Woven Polypropylene

Webbed duct strap possessing high tensile and abrasion resistance. Chemical resistant. Use for flex duct – easy to cut and staple to joists.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
710-100	1-3/4" x 100 Yards (Black)	24 Rolls	19.00
710-101	1-3/4" x 100 Yards (Silver)	24 Rolls	19.00
710-102	3" x 100 Yards (Black)	8 Rolls	44.00
710-103	3" x 100 Yards (Silver)	8 Rolls	44.00





Cork Insulation Tape

Adheres firmly to all metals. Use on hot or cold pipes to stop condensation and drips.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-330	1/8" x 2" x 30' Roll (Black)	12	16.20



Foam Insulation Tape

Superior self-adhesive foam tape can be used on hot or cold pipes. Fits well around valves and fittings. Easily cut and molded.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-9718	1/8" x 2" x 30' Roll (Black)	12	14.40



Teflon Tape

Made of pure white Teflon. Non-toxic. For use with chemicals, solvents, oxygen, and on food lines. Withstands up to 2000 psi of pressure.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
6-733	1/2" x 520" Teflon Tape	200	1.08
6-734	1/2" x 260" Teflon Tape	200	0.84
6-735	3/4" x 520" Teflon Tape	144	2.08
6-736	3/4" x 260" Teflon Tape	144	1.64



Carton Sealing Tape

2" nominal width, 110 yd. length, clear. 2.4 mil.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
540-2110C	2" x 110 Yards – Clear	36	6.00



Carton Tape Dispenser

Heavy duty, boxed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-DISP	Dispenser 2" Carton Tape	1	18.00

Cloth Duct Tapes by

High-tack, excellent strength. Superior performance in sealing air handling systems. Heavy cloth content for easier tearing and additional strength. Made in the USA.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
PC-622-S	2" x 60 yds. Premium Grade Duct Tape – Silver	24	20.60
PC-622-B	2" x 60 yds. Premium Grade Duct Tape – Black	24	20.60
PC-609-S	2" x 60 yds. Industrial Grade Duct Tape – Silver	24	13.60
PC-609-B	2" x 60 yds. Industrial Grade Duct Tape – Black	24	13.60
PC-600-S	2" x 60 yds. Contractor Grade Duct Tape – Silver	24	11.40
PC-600-B	2" x 60 yds. Contractor Grade Duct Tape – Black	24	11.40
PC-783	2" x 60 yds. Metallized UL181B-FX Flex Duct Tape	24	26.00



DiversiTech Stick-E-Tape

Self-adhesive aluminum tape with temperature range of -40°F to 200°F. Easily painted. Excellent vapor barrier; effective UV and water shield over urethane foam. Preferred duct and pipe wrap.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
50302	AFT-701-2, 2" x 50' roll	6	41.88
50304	AFT-701-4, 4" x 50' roll	3	83.76
50306	AFT-701-6, 6" x 50' roll	2	133.20



Aluminum Foil Tape

Prevents heating and cooling losses. Blocks odors and moisture. Easy to handle. Use for HVAC and refrigeration systems. -35°F to +260°F working temperatures. 3-5 year shelf life. Made in USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-AF2	2" Aluminum Foil Tape – 50 yds.	24	17.60
640-AF25	2-1/2" Aluminum Foil Tape – 50 yds.	20	22.00
640-AF3	3" Aluminum Foil Tape – 50 yds.	16	26.40



Foil Scrim Kraft Tape

Non-tearable, diamond patterned backing with an aggressive rubber based adhesive system for consistently dependable performance. Made in the USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-FSK2	2" Foil Scrim Kraft Tape – 60 yds.	24	17.92
640-FSK3	3" Foil Scrim Kraft Tape – 60 yds.	16	26.92



UL Listed Foil Tape

Unique acrylic adhesive for airtight bonds on joints and seams of fiberglass duct systems. Flexible, easy to use. Meets or exceeds performance standard AFLS-100-73 and UL 181 A-P.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-UL25	2-1/2" UL 181 Listed Foil Tape	20	38.40
640-UL3	3" UL 181 Listed Foil Tape	16	46.08



Flex Duct Tape

Specially designed to meet new UL181B-FX code for flex duct. Higher adhesion and tack than traditional cloth duct tapes. Conformable, hand tearable foil; 3 mil thickness. 2" x 120 yds. Code identification printed on the tape. Acrylic adhesive for superior performance in extreme environments. (-35°F to 260°F)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
640-FD2S	2" Silver Flex Duct Tape	24	28.60
640-FD2B	2" Black Flex Duct Tape	24	28.60
640-FD3S	3" Silver Flex Duct Tape	16	42.80
640-FD3B	3" Black Flex Duct Tape	16	42.80



Scotch 3M Super 33+ Electrical Tape

Premium grade, 7 mil thick, all-weather vinyl insulating tape. Performs continuously in a temperature ambient of up to 220°F and as low as 0°F. Resealable plastic case. Made in USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
ET33	3/4" x 66' Super 33+ Electrical Tape	10	13.00



Scotch 3M Super 88 Electrical Tape

Premium grade, 8.5 mil thick, all-weather vinyl insulating tape. Performs continuously in a temperature ambient of up to 220°F and as low as 0°F. Excellent resistance to abrasion, moisture, acids and corrosion. Packaged in a resealable plastic case. Made in the USA.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
ET44	3/4" x 66' Super 88 Electrical Tape	10	15.40





Glass Cloth, Moisture Sealing, and Economy Electrical Tapes

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
GC275	1/2" x 66' Glass Cloth Electrical Tape by 3M	10	24.40
GC277	3/4" x 66' Glass Cloth Electrical Tape by 3M	10	36.40
ET130C1	1" x 30' Moisture Sealing Splicing Tape by 3M	10	33.80
ET22	3/4" x 66' Hiawatha Electrical Tape by 3M	10	5.60
6-3460	3/4" x 60' Economy Electrical Tape	10	1.72

Pipe, Tubing, Fittings



Nylon Fittings

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
701-001	Adapter – 1/2 Barb x 1/2 MPT	2	2.31
701-002	Adapter – 1/2 Barb x 3/4 MPT	2	2.41
701-003	Adapter – 1/2 Barb x 3/8 MPT	2	2.09
701-004	Adapter – 1/4 Barb x 1/4 MPT	2	1.99
701-005	Adapter – 1/4 Barb x 3/8 MPT	2	2.05
701-006	Adapter – 3/4 Barb x 3/4 FPT	2	4.02
701-007	Adapter – 3/4 Barb x 3/4 MPT	2	2.57
701-008	Adapter – 3/4 MGHT x 3/4 FGHT	2	5.48
701-009	Adapter – 3/4 MGHT x 3/4 FPT	2	5.59
701-010	Adapter – 3/4 MGHT x 3/4 MPT	2	2.57
701-011	Adapter – 3/4 MPT x 3/4 FGHT	2	5.53
701-012	Adapter – 3/8 Barb x 1/2 MPT	2	2.17
701-013	Adapter – 3/8 Barb x 3/8 MPT	2	2.07
701-014	Adapter – 5/8 Barb x 3/4 MPT	2	3.40
701-041	Adapter – 1/2 Barb x 1/2 Female	2	2.94
701-042	Adapter – 3/8 Barb x 1/4 MPT	2	2.14
701-043	Adapter – 3/4 MPT x 3/8 Barb	2	2.52
701-015	Bushing – 1 MPT x 3/4 FPT	2	3.73
701-016	Bushing – 1/2 MPT x 3/8 FPT	2	3.11
701-017	Bushing – 3/4 MPT x 1/2 FPT	2	3.17
701-018	Elbow – 1/2 Barb	2	2.63
701-019	Elbow – 1/2 Barb x 3/4 FPT	2	3.95
701-020	Elbow – 1/2 Barb x 3/4 MPT	2	3.24
701-021	Elbow – 1/4 Barb x 1/4 MPT	2	2.31
701-022	Elbow – 1/4 Barb x 3/8 MPT	2	2.63
701-023	Elbow – 3/4 Barb	2	3.15
701-024	Elbow – 3/4 Barb x 3/4 FPT	2	4.63
701-025	Elbow – 3/4 Barb x 3/4 MPT	2	3.60
701-026	Elbow – 3/8 Barb x 1/2 MPT	2	2.83
701-027	Elbow – 3/8 Barb x 3/8 MPT	2	2.73
701-028	Elbow – 5/8 Barb x 3/4 MPT	2	3.40
701-040	Elbow – 5/8 Barb	2	3.76
701-044	Elbow – 1/2 MPT x 3/4 Barb	2	3.48
701-029	Hose Mender – 1/2 Barb	2	2.54
701-030	Hose Mender – 1/4 Barb	2	1.95
701-031	Hose Mender – 3/4 Barb	2	2.83
701-032	Hose Mender – 3/8 Barb	2	2.09
701-033	Hose Mender – 5/8 Barb	2	2.63
701-034	Tee – 1/2 Barb	2	3.44
701-035	Tee – 1/2 x 3/4 x 1/2	2	3.43
701-036	Tee – 1/4 Barb	2	3.09
701-037	Tee – 3/4 Barb	2	4.11
701-038	Tee – 3/8 Barb	2	3.19
701-039	Tee – 5/8 Barb	2	3.44

All fittings packaged with identification.

Clear Vinyl Tubing

Applications include: air conditioning and refrigeration condensate drains, condensate pump discharge lines and humidifier overflows.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/ROLL
7-14	1/4" ID	100 Ft./Roll	19.80
7-38	3/8" ID	100 Ft./Roll	21.60
7-12	1/2" ID	100 Ft./Roll	35.40
7-58	5/8" ID	100 Ft./Roll	43.60
7-34	3/4" ID	100 Ft./Roll	59.20
7-78	7/8" ID	50 Ft./Roll	42.60
7-10	1" ID	50 Ft./Roll	55.00

Polyethylene Tubing

F.D.A. approved, flexible, non-toxic tubing. Tasteless and odorless, lightweight, low density. Ideal for drinking water lines, evaporative coolers, and radiant heating. I.D.: 11/64", O.D.: 1/4", Wall: 0.040, Max. W/P (in.) PSI @ 70F: 150.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
PE-104	Polyethylene Tubing – 100' Roll	1	20.00

PVC Condensate Pipe

Polyvinyl Chloride, white PVC 1120



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/FOOT
5-2001	1/2" PVC – PSI 315	10' Straight End	
5-2002	3/4" PVC – PSI 200	10' Straight End	
5-2005	3/4" PVC – PSI 200	20' Belled End	CALL
5-401	3/4" PVC – Sch. 40	10' Straight End	FOR A
5-407	3/4" PVC – Sch. 40	20' Belled End	QUOTATION
5-404	2" PVC – Sch. 40, ASTM 2665	10' Straight End	
5-405	3" PVC – Sch. 40, ASTM 2665	10' Straight End	

PVC Schedule 40 Pressure Fittings

Tee (Slip x Slip x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-401005	1/2"	50	0.56
5-401007	3/4"	100	0.64
5-401010	1"	50	1.16
5-401012	1-1/4"	25	1.94
5-401015	1-1/2"	25	2.20
5-401020	2"	25	3.12
5-401025	2-1/2"	10	10.60
5-401030	3"	10	13.68

90 Ell (Slip x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-406005	1/2"	50	0.48
5-406007	3/4"	100	0.52
5-406010	1"	50	0.84
5-406012	1-1/4"	25	1.56
5-406015	1-1/2"	25	1.64
5-406020	2"	25	2.56
5-406025	2-1/2"	10	7.84
5-406030	3"	10	9.32





90 Ell Reducing (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-406101	3/4" x 1/2"	50	0.88
5-406130	1" x 1/2"	50	1.32
5-406131	1" x 3/4"	50	1.56



90 Ell (Slip x FPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-407005	1/2"	50	0.56
5-407007	3/4"	50	0.64
5-407010	1"	50	1.16
5-407012	1-1/4"	25	1.94
5-407015	1-1/2"	25	2.20
5-407020	2"	10	5.52
5-407025	2-1/2"	10	13.56
5-407030	3"	10	20.24



90 Ell Reducing (Slip x FPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-407074	1/2" x 3/4"	50	1.16
5-407101	3/4" x 1/2"	50	0.68
5-407130	1" x 1/2"	50	1.76
5-407131	1" x 3/4"	50	1.76



90 Street Ell (SPIG x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-409005	1/2"	50	1.28
5-409007	3/4"	50	1.52
5-409010	1"	50	2.60
5-409012	1-1/4"	25	3.12
5-409015	1-1/2"	25	3.40
5-409020	2"	10	6.40



90 Street Ell (MIPT x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-410005	1/2"	50	0.92
5-410007	3/4"	50	1.12
5-410010	1"	50	1.96
5-410012	1-1/4"	25	2.60
5-410015	1-1/2"	25	2.68
5-410020	2"	10	6.60



45 Ell (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-417005	1/2"	50	0.72
5-417007	3/4"	50	1.12
5-417010	1"	50	1.36
5-417012	1-1/4"	25	1.88
5-417015	1-1/2"	25	2.68
5-417020	2"	25	3.04
5-417025	2-1/2"	10	7.84
5-417030	3"	10	12.08



Coupling (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-429005	1/2"	100	0.36
5-429007	3/4"	100	0.44
5-429010	1"	50	0.68
5-429012	1-1/4"	25	0.92
5-429015	1-1/2"	25	1.04
5-429020	2"	25	1.56
5-429025	2-1/2"	10	3.40
5-429030	3"	10	5.32

Female Adapter (Slip x FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-435005	1/2"	100	0.52
5-435007	3/4"	100	0.64
5-435010	1"	50	0.72
5-435012	1-1/4"	25	1.12
5-435015	1-1/2"	25	1.32
5-435020	2"	25	1.72
5-435025	2-1/2"	10	4.32
5-435030	3"	10	5.72

Female Adapter Reducing (Slip x FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-435074	1/2" x 3/4"	50	0.88
5-435075	1/2" x 1"	50	0.88
5-435101	3/4" x 1/2"	50	0.88
5-435102	3/4" x 1"	50	1.16
5-435131	1" x 3/4"	50	1.16

Male Adapter (MIPT x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-436005	1/2"	100	0.44
5-436007	3/4"	100	0.48
5-436010	1"	50	0.76
5-436012	1-1/4"	25	0.92
5-436015	1-1/2"	25	1.32
5-436020	2"	25	1.64
5-436025	2-1/2"	10	4.96
5-436030	3"	10	7.08

Male Adapter Reducing (MIPT x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-436074	1/2" x 3/4"	50	0.80
5-436101	3/4" x 1/2"	50	0.72
5-436102	3/4" x 1"	50	1.12
5-436130	1" x 1/2"	50	1.94
5-436131	1" x 3/4"	50	2.36

Reducer Bushing (SPIG x Slip)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-437101	3/4" x 1/2"	100	0.48
5-437130	1" x 1/2"	100	0.84
5-437131	1" x 3/4"	100	0.84

Reducer Bushing (SPIG X FIPT)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-438101	3/4" x 1/2"	100	0.72
5-438130	1" x 1/2"	100	1.16
5-438131	1" x 3/4"	100	1.16





Cap (Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-447005	1/2"	100	0.44
5-447007	3/4"	100	0.48
5-447010	1"	50	0.72
5-447012	1-1/4"	25	1.04
5-447015	1-1/2"	25	1.12
5-447020	2"	25	1.44
5-447025	2-1/2"	10	4.36
5-447030	3"	10	4.68



Cap (FIPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-448005	1/2"	100	0.88
5-448007	3/4"	100	0.92
5-448010	1"	50	1.48
5-448015	1-1/2"	25	1.72
5-448020	2"	10	3.08
5-448025	2-1/2"	10	4.64
5-448030	3"	10	5.96




Plug (Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-449005	1/2"	50	0.92
5-449007	3/4"	50	1.12
5-449010	1"	50	1.40
5-449015	1-1/2"	25	2.32
5-449020	2"	10	2.88
5-449025	2-1/2"	10	4.80
5-449030	3"	10	6.40



Plug (MIPT)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-450005	1/2"	50	1.16
5-450007	3/4"	50	1.32
5-450010	1"	50	2.04
5-450015	1-1/2"	25	2.32
5-450020	2"	10	2.88
5-450025	2-1/2"	10	3.96
5-450030	3"	10	6.12



Traps (Slip x Slip)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-408	3/4" "P" Trap	100	1.68
5-409	3/4" Running Trap	100	1.68
5-410	3/4" Mini "P" Trap	100	1.68

3/4" Rubber Elbow

Allows for quick disconnect and reconnect of drain lines. Made of 60 DURO EPDM.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-520	3/4" Rubber Elbows	50	3.00



Clean Out Tee

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
510-3400	3/4" Clean Out Tee	50	2.32

PVC DWV Fittings



Couplings (Hub x Hub)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-100020	2"	100	CALL
5-100030	3"	60	FOR
510-D102338	3" x 2"	20	QUOTE

90 Elbow (Hub x Hub)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-300020	2"	50	CALL
510-D304020	2" Long Sweep	25	FOR
5-300030	3"	25	QUOTE
510-D304030	3" Long Sweep	10	



45 Elbow (Hub x Hub)

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-321020	2"	50	CALL FOR
5-321030	3"	20	QUOTE



Plastic DWV J-Hooks

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
515-J2000	2" x 7-1/2" DWV Swiveling J-Hook	25	2.16
515-J3000	3" x 7-1/2" DWV Swiveling J-Hook	25	2.52

CPVC-CTS Pipe and Fittings by



Flowguard Gold is a patented CPVC formulated compound developed by BF Goodrich to improve the impact resistance of CPVC hot and cold water plumbing products.



4701-12
4701-34

4703-12
4703-34

4704-12
4704-34

4711-12
4711-34

4707-12
4707-34

4706-12
4706-34

47072-12
47072-34

4700-12
4700-34


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
4700-12	1/2" x 10' CPVC Pipe	500'	1.24/ft
4701-12	1/2" Coupling S x S	20	0.68
4704-12	1/2" Adapter M x S	20	0.84
4703-12	1/2" Adapter F x S	25	2.40
4707-12	1/2" 90° Elbow S x S	20	0.52
4706-12	1/2" 45° Elbow S x S	20	0.92
4711-12	1/2" Tee S x S x S	20	0.80
47072-12	1/2" 90° Street Ell S x S	10	1.00
4700-34	3/4" x 10' CPVC Pipe	250'	2.30
4701-34	3/4" Coupling S x S	20	0.84
4704-34	3/4" Adapter M x S	10	1.16
4703-34	3/4" Adapter F x S	25	3.40
4707-34	3/4" 90° Elbow S x S	20	1.16
4706-34	3/4" 45° Elbow S x S	20	1.36
4711-34	3/4" Tee S x S x S	20	1.68
47072-34	3/4" 90° Street Ell S x S	10	1.36



Black Iron and Steel Pipe Fittings

Malleable Black Iron Pipe Fittings

- Material: ASTM A 197 Cupola Malleable Iron, 150 lb.
- Dimensions: ANSI B 16.3 Malleable Iron Threaded Fittings
ANSI B 16.14 Ferrous Pipe Plugs, Bushings etc.
ANSI B 16.39 Malleable Iron Threaded Pipe Unions
- Threads: ANSI B 2.1 or BS 21
- Tensile Strength: 28.4 kg/mm.min



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BPF-01	1/2" 90 Degree Elbow	50	0.88
BPF-02	3/4" 90 Degree Elbow	35	1.28
BPF-03	1" 90 Degree Elbow	20	1.96
BPF-04	1/2" 45 Degree Elbow	50	0.88
BPF-05	3/4" 45 Degree Elbow	40	1.32
BPF-06	1" 45 Degree Elbow	20	1.96
BPF-07	1/2" Coupling	40	0.68
BPF-08	3/4" Coupling	50	0.92
BPF-09	1" Coupling	25	1.56
BPF-10	3/4" x 1/2" Reducing Coupling	60	1.20
BPF-11	1" x 1/2" Reducing Coupling	30	1.68
BPF-12	1" x 3/4" Reducing Coupling	25	1.80
BPF-13	1/2" 90 Degree Street Elbow	60	1.00
BPF-14	3/4" 90 Degree Street Elbow	35	1.40
BPF-15	1" 90 Degree Street Elbow	30	2.08
BPF-16	1/2" Tee	40	1.12
BPF-17	3/4" Tee	35	1.60
BPF-18	1" Tee	20	2.52
BPF-19	1/2" x 1/2" x 3/4" Reducing Tee	30	2.00
BPF-20	3/4" x 1/2" x 1/2" Reducing Tee	30	2.00
BPF-21	3/4" x 1/2" x 3/4" Reducing Tee	40	2.00
BPF-22	3/4" x 1/2" Hex Bushing	50	0.84
BPF-23	1" x 1/2" Hex Bushing	50	1.24
BPF-24	1" x 3/4" Hex Bushing	50	1.36
BPF-25	1/2" Cap	50	0.68
BPF-26	3/4" Cap	40	0.84
BPF-27	1" Cap	25	1.20
BPF-28	1/2" Plug	50	0.60
BPF-29	3/4" Plug	30	0.72
BPF-30	1" Plug	20	1.00
BPF-31	1/2" Union	50	3.76
BPF-32	3/4" Union	35	4.88
BPF-33	1" Union	20	5.84



Black Steel Welded Nipples

- ASTM A-120 (NOM-B-10)
- Sch 40
- 700 PSI test pressure
- Welded Steel

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BPN-1	1/2" x CL Black Welded Nipple	10	0.68
BPN-2	1/2" x 1-1/2" Black Welded Nipple	10	0.72
BPN-3	1/2" x 2" Black Welded Nipple	10	0.76
BPN-4	1/2" x 2-1/2" Black Welded Nipple	10	0.80
BPN-5	1/2" x 3" Black Welded Nipple	10	0.92
BPN-6	1/2" x 3-1/2" Black Welded Nipple	10	1.00
BPN-7	1/2" x 4" Black Welded Nipple	10	1.12
BPN-8	1/2" x 4-1/2" Black Welded Nipple	10	1.24
BPN-9	1/2" x 5" Black Welded Nipple	10	1.32
BPN-10	1/2" x 5-1/2" Black Welded Nipple	10	1.52
BPN-11	1/2" x 6" Black Welded Nipple	10	1.64
BPN-12	1/2" x 7" Black Welded Nipple	10	2.48
BPN-13	1/2" x 8" Black Welded Nipple	10	2.68
BPN-14	1/2" x 9" Black Welded Nipple	10	2.84
BPN-15	1/2" x 10" Black Welded Nipple	10	3.04
BPN-16	1/2" x 11" Black Welded Nipple	10	3.20
BPN-17	1/2" x 12" Black Welded Nipple	10	3.64
BPN-18	3/4" x CL Black Welded Nipple	10	0.92
BPN-19	3/4" x 1-1/2" Black Welded Nipple	10	0.96
BPN-20	3/4" x 2" Black Welded Nipple	10	1.04
BPN-21	3/4" x 2-1/2" Black Welded Nipple	10	1.12
BPN-22	3/4" x 3" Black Welded Nipple	10	1.24
BPN-23	3/4" x 3-1/2" Black Welded Nipple	10	1.40
BPN-24	3/4" x 4" Black Welded Nipple	10	1.52
BPN-25	3/4" x 4-1/2" Black Welded Nipple	10	1.64
BPN-26	3/4" x 5" Black Welded Nipple	10	1.80
BPN-27	3/4" x 5-1/2" Black Welded Nipple	10	1.96
BPN-28	3/4" x 6" Black Welded Nipple	10	2.12
BPN-29	3/4" x 7" Black Welded Nipple	10	3.00
BPN-30	3/4" x 8" Black Welded Nipple	10	3.36
BPN-31	3/4" x 9" Black Welded Nipple	10	3.60
BPN-32	3/4" x 10" Black Welded Nipple	10	3.80
BPN-33	3/4" x 11" Black Welded Nipple	10	4.08
BPN-34	3/4" x 12" Black Welded Nipple	10	4.24
BPN-35	1" x CL Black Welded Nipple	10	1.32
BPN-36	1" x 1-1/2" Black Welded Nipple	10	1.40
BPN-37	1" x 2" Black Welded Nipple	10	1.44
BPN-38	1" x 2-1/2" Black Welded Nipple	10	1.52
BPN-39	1" x 3" Black Welded Nipple	10	1.68
BPN-40	1" x 3-1/2" Black Welded Nipple	10	1.84
BPN-41	1" x 4" Black Welded Nipple	10	2.04
BPN-42	1" x 4-1/2" Black Welded Nipple	10	2.20
BPN-43	1" x 5" Black Welded Nipple	10	2.36
BPN-44	1" x 5-1/2" Black Welded Nipple	10	2.56
BPN-45	1" x 6" Black Welded Nipple	10	2.80
BPN-46	1" x 7" Black Welded Nipple	10	3.72
BPN-47	1" x 8" Black Welded Nipple	10	4.16
BPN-48	1" x 9" Black Welded Nipple	10	4.60
BPN-49	1" x 10" Black Welded Nipple	10	4.80
BPN-50	1" x 11" Black Welded Nipple	10	5.28
BPN-51	1" x 12" Black Welded Nipple	10	5.76



Copper Fittings



90 Degree Ell C x C

CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/EACH
C235-0002	3/8	1/4	25	1.60
C235-0025	1/2	3/8	25	1.60
C235-0050	5/8	1/2	100	0.56
C235-0090	3/4	5/8	25	3.32
C235-0100	7/8	3/4	25	1.20
C235-0150	1-1/8	1	10	2.96
C235-0215	1-3/8	1-1/4	50	4.48
C235-0295	1-5/8	1-1/2	35	7.00
C235-0390	2-1/8	2	17	12.72



90 Degree Street Ell Ftg. x C

C254-0002	3/8	1/4	25	2.96
C254-0025	1/2	3/8	25	1.96
C254-0050	5/8	1/2	25	0.80
C254-0090	3/4	5/8	25	3.44
C254-0100	7/8	3/4	25	1.76
C254-0150	1-1/8	1	10	4.48
C254-0215	1-3/8	1-1/4	50	6.84
C254-0295	1-5/8	1-1/2	35	8.96
C254-0390	2-1/8	2	18	19.48



90 Degree Long Turn Ell C x C

C242-0001	1/4	1/8	25	3.16
C242-0002	3/8	1/4	25	2.52
C242-0025	1/2	3/8	25	3.04
C242-0050	5/8	1/2	25	2.72
C242-0090	3/4	5/8	25	2.92
C242-0100	7/8	3/4	10	3.72
C242-0150	1-1/8	1	10	5.36
C242-0215	1-3/8	1-1/4	35	8.56
C242-0295	1-5/8	1-1/2	25	11.48
C242-0390	2-1/8	2	12	30.24



Street Ell Ftg. x C

C272-0002	3/8	1/4	25	2.92
C272-0025	1/2	3/8	25	5.56
C272-0050	5/8	1/2	25	3.96
C272-0090	3/4	5/8	25	4.68
C272-0100	7/8	3/4	10	4.72
C272-0150	1-1/8	1	10	7.68
C272-0215	1-3/8	1-1/4	35	11.32
C272-0295	1-5/8	1-1/2	25	15.76



45 Degree Ell C x C

C290-0002	3/8	1/4	25	3.16
C290-0025	1/2	3/8	25	2.56
C290-0050	5/8	1/2	25	1.00
C290-0090	3/4	5/8	25	4.92
C290-0100	7/8	3/4	25	1.72
C290-0150	1-1/8	1	10	4.32
C290-0215	1-3/8	1-1/4	60	5.88
C290-0295	1-5/8	1-1/2	40	7.04
C290-0390	2-1/8	2	18	11.84



Street 45 Degree Ftg. x C

C295-0002	3/8	1/4	25	4.48
C295-0025	1/2	3/8	25	3.04
C295-0050	5/8	1/2	25	1.16
C295-0090	3/4	5/8	25	7.44
C295-0100	7/8	3/4	25	1.76
C295-0150	1-1/8	1	10	5.72
C295-0215	1-3/8	1-1/4	60	7.20
C295-0295	1-5/8	1-1/2	40	8.84
C295-0390	2-1/8	2	18	14.04

Coupling (Socket) w/Rolled Tube Stop C x C



CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/EACH
C165-0002	3/8	1/4	25	0.40
C165-0025	1/2	3/8	25	0.52
C165-0050	5/8	1/2	25	0.40
C165-0090	3/4	5/8	25	1.20
C165-0100	7/8	3/4	25	1.00
C165-0150	1-1/8	1	10	1.64
C165-0215	1-3/8	1-1/4	100	2.92
C165-0295	1-5/8	1-1/2	60	3.84
C165-0390	2-1/8	2	40	6.40

Reducer Coupling w/Stop C x C



C165-0007	3/8 X 1/4	1/4 X 1/8	25	2.68
C165-0032	1/2 X 3/8	3/8 X 1/4	25	0.84
C165-0058	5/8 X 1/2	1/2 X 3/8	25	0.84
C165-0059	5/8 X 3/8	1/2 X 1/4	25	0.92
C165-0093	3/4 X 5/8	5/8 X 1/2	25	2.04
C165-0094	3/4 X 1/2	5/8 X 3/8	25	2.40
C165-0149	7/8 X 3/4	3/4 X 5/8	25	1.48
C165-0107	7/8 X 5/8	3/4 X 1/2	25	1.48
C165-0159	1-1/8 X 7/8	1 X 3/4	10	2.68
C165-1498	1-1/8 X 3/4	1 X 5/8	10	2.84
C165-0222	1-3/8 X 1-1/8	1-1/4 X 1	100	3.76
C165-0303	1-5/8 X 1-3/8	1-1/2 X 1-1/4	100	6.24
C165-0304	1-5/8 X 1-1/8	1-1/2 X 1	100	6.24
C165-0398	2-1/8 X 1-5/8	2 X 1-1/2	50	9.68
C165-0399	2-1/8 X 1-3/8	2 X 1-1/4	50	9.68

Fitting Reducer Coupling Ftg. x C



C410-0007	3/8 X 1/4	1/4 X 1/8	25	1.16
C410-0032	1/2 X 3/8	3/8 X 1/4	25	1.20
C410-0033	1/2 X 1/4	3/8 X 1/8	25	1.36
C410-0058	5/8 X 1/2	1/2 X 3/8	25	0.96
C410-0059	5/8 X 3/8	1/2 X 1/4	25	0.96
C410-0149	7/8 X 3/4	3/4 X 5/8	25	1.48
C410-0107	7/8 X 5/8	3/4 X 1/2	25	1.48
C410-0159	1-1/8 X 7/8	1 X 3/4	10	2.36
C410-1498	1-1/8 X 3/4	1 X 5/8	25	2.56
C410-0160	1-1/8 X 5/8	1 X 1/2	10	2.64
C410-0161	1-1/8 X 1/2	1 X 3/8	20	2.76
C410-0222	1-3/8 X 1-1/8	1-1/4 X 1	100	4.08
C410-0223	1-3/8 X 7/8	1-1/4 X 3/4	100	4.08
C410-0224	1-3/8 X 5/8	1-1/4 X 1/2	100	4.08
C410-0303	1-5/8 X 1-3/8	1-1/2 X 1-1/4	100	5.40
C410-0304	1-5/8 X 1-1/8	1-1/2 X 1	100	5.40
C410-0305	1-5/8 X 7/8	1-1/2 X 3/4	100	5.40
C410-0306	1-5/8 X 5/8	1-1/2 X 1/2	100	5.40
C410-0398	2-1/8 X 1-5/8	2 X 1-1/2	50	10.12
C410-0399	2-1/8 X 1-3/8	2 X 1-1/4	50	10.12
C410-0400	2-1/8 X 1-1/8	2 X 1	50	10.12

Male Adapter C x M



C101-0005	3/8 X 1/2	1/4 X 1/2	50	2.96
C101-0007	3/8 X 1/8	1/4 X 1/8	50	4.76
C101-0025	1/2 X 3/8	3/8 X 3/8	25	2.80
C101-0050	5/8 X 1/2	1/2 X 1/2	25	1.16
C101-0057	5/8 X 3/4	1/2 X 3/4	25	3.32
C101-0058	5/8 X 3/8	1/2 X 3/8	50	2.84
C101-0100	7/8 X 3/4	3/4 X 3/4	25	1.88
C101-0150	1-1/8 X 1	1 X 1	10	4.88
C101-0159	1-1/8 X 3/4	1 X 3/4	10	7.20
C101-0215	1-3/8 X 1-1/4	1-1/4 X 1-1/4	10	7.20
C101-0222	1-3/8 X 1	1-1/4 X 1	10	10.80
C101-0295	1-5/8 X 1-1/2	1-1/2 X 1-1/2	10	8.28
C101-0390	2-1/8 X 2	2 X 2	5	14.04



Female Adapters C x F



CATALOG NO.	O.D. SIZE	I.D. SIZE	STANDARD PACK	PRICE/EACH
C105-0025	1/2 X 3/8	3/8 X 3/8	25	3.72
C105-0050	5/8 X 1/2	1/2 X 1/2	50	1.80
C105-0057	5/8 X 3/4	1/2 X 3/4	10	3.88
C105-0058	5/8 X 3/8	1/2 X 3/8	25	2.80
C105-0059	5/8 X 1/4	1/2 X 1/4	50	2.80
C105-0100	7/8 X 3/4	3/4 X 3/4	10	2.44
C105-0107	7/8 X 1/2	3/4 X 1/2	25	3.88
C105-0150	1-1/8 X 1	1 X 1	10	5.68
C105-0159	1-1/8 X 3/4	1 X 3/4	25	8.28
C105-0215	1-3/8 X 1-1/4	1-1/4 X 1-1/4	10	8.28
C105-0295	1-5/8 X 1-1/2	1-1/2 X 1-1/2	10	13.00
C105-0390	2-1/8 X 2	2 X 2	1	17.60

Cap



C154-0002	3/8	1/4	25	0.52
C154-0025	1/2	3/8	25	0.80
C154-0050	5/8	1/2	25	0.40
C154-0090	3/4	5/8	25	0.88
C154-0100	7/8	3/4	10	0.68
C154-0150	1-1/8	1	10	1.64
C154-0215	1-3/8	1-1/4	200	2.32
C154-0295	1-5/8	1-1/2	140	3.40
C154-0390	2-1/8	2	60	6.24

Unions C x Brass



C657-0025	1/2	3/8	100	9.68
C657-0050	5/8	1/2	50	5.56
C657-0100	7/8	3/4	100	7.00
C657-0150	1-1/8	1	50	12.40

Tee C x C x C



C460-0002	3/8	1/4	25	3.56
C460-0025	1/2	3/8	25	2.72
C460-0050	5/8	1/2	50	0.92
C460-0090	3/4	5/8	25	5.92
C460-0100	7/8	3/4	20	2.24
C460-0150	1-1/8	1	10	6.84
C460-0215	1-3/8	1-1/4	35	10.40
C460-0295	1-5/8	1-1/2	20	14.40
C460-0390	2-1/8	2	10	22.48

Reducing Tee C x C x C



C460-0058	5/8 X 5/8 X 1/2	1/2 X 1/2 X 3/8	25	4.72
C460-0107	7/8 X 7/8 X 5/8	3/4 X 3/4 X 1/2	10	2.16
C460-0117	7/8 X 5/8 X 7/8	3/4 X 1/2 X 3/4	10	2.64
C460-0159	1-1/8 X 1-1/8 X 7/8	1 X 1 X 3/4	10	6.84
C460-0160	1-1/8 X 1-1/8 X 5/8	1 X 1 X 1/2	10	6.84
C460-0222	1-3/8 X 1-3/8 X 1-1/8	1-1/4 X 1-1/4 X 1	40	10.12
C460-0223	1-3/8 X 1-3/8 X 7/8	1-1/4 X 1-1/4 X 3/4	50	10.12
C460-0303	1-5/8 X 1-5/8 X 1-3/8	1-1/2 X 1-1/2 X 1-1/4	25	10.72
C460-0304	1-5/8 X 1-5/8 X 1-1/8	1-1/2 X 1-1/2 X 1	30	10.72
C460-0305	1-5/8 X 1-5/8 X 7/8	1-1/2 X 1-1/2 X 3/4	35	10.72
C460-0398	2-1/8 X 2-1/8 X 1-5/8	2 X 2 X 1-1/2	10	16.96
C460-0399	2-1/8 X 2-1/8 X 1-3/8	2 X 2 X 1-1/4	15	16.96

U-Type Strap



C947-0025	1/2	3/8	100	0.32
C947-0050	5/8	1/2	100	0.32
C947-0100	7/8	3/4	100	0.52
C947-0150	1-1/8	1	100	0.56
C947-0215	1-3/8	1-1/4	100	0.68
C947-0295	1-5/8	1-1/2	100	0.76
C947-0390	2-1/8	2	100	0.84

Cements, Sealants, Adhesives



PVC Cement – Clear

PVC Cement is clear. All cans have brush-top applicator.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
5-14	1/4 Pint – Oatey #31012	24	4.32
5-12	1/2 Pint – Oatey #31013	24	6.56
5-10	1 Pint – Oatey #31014	24	11.12



All-purpose Clear Cement for ABS, PVC and CPVC Pipe and Fittings

Heavy-bodied clear cement recommended for use on ABS, PVC, and CPVC pipe and fittings up to 12" in diameter. Flows freely and provides a thick layer of cement on the pipe. Apply at temperatures 40° to 90°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30818	Clear Cement – 4 oz.	24	5.24
530-30821	Clear Cement – 8 oz.	24	8.44
530-30834	Clear Cement – 16 oz.	24	15.60



PVC Gray Cement for High Efficiency Furnaces, Vent and Make-Up Air

Medium-bodied gray colored cement for use on Sch. 40 conduit, drain waste, and vent pipe. Flows freely and covers with a thicker layer than regular PVC. Can be applied at temperatures 40° to 100°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30883	Gray Cement – 4 oz.	24	4.64
530-30884	Gray Cement – 8 oz.	24	6.72
530-30885	Gray Cement – 16 oz.	24	11.72

NSF and UPC listed. Exceeds ASTM D-2564.



Purple Primer for PVC Pipe and Fittings (Black Label)

Recommended for all PVC and CPVC installations – all sizes/schedules. Purple tinted primer formulated to remove surface dirt and grease as well as soften the pipe surface to allow for a fast, secure and permanent solvent weld. For use in areas where codes call for primer verification.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30755	Purple Primer – 4 oz.	24	5.00
530-30756	Purple Primer – 8 oz.	24	7.32
530-30757	Purple Primer – 16 oz.	24	12.48

NSF and UPC listed. Exceeds ASTM F-656.



Heavy Duty PVC Cement

Heavy bodied clear cement recommended for use on PVC pipe and fittings up to 12" in diameter for Sch. 40 and Sch. 80 potable water pressure pipe, gas, conduit, drain waste and vent pipe. Exceeds ASTM D-2564.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30850	Heavy Duty Cement – 4 oz.	24	5.48
530-30863	Heavy Duty Cement – 8 oz.	24	8.28
530-30876	Heavy Duty Cement – 16 oz.	24	13.80





Rain-R-Shine Blue Cement

Medium bodied blue colored cement for PVC pipe and fittings up to 6 inches in diameter. A very fast setting cement formulated for wet conditions and/or when quick pressurization and fast installation is needed. Exceeds ASTM D-2654.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-30890	4 oz. Rain-R-Shine cement	24	5.28
530-30891	8 oz. Rain-R-Shine cement	24	8.76
530-30893	16 oz. Rain-R-Shine cement	24	14.60



All Weather PVC Cement

Medium bodied cement for PVC pipe and fittings up to 6'. Formulated for fast initial set-up from 10°F. to 100°F. Exceeds ASTM D-2564.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
530-31132	16 oz. All Weather Cement	24	17.16
530-31133	32 oz. All Weather Cement	12	25.28



Pro-Air Duct Sealant – UL 181 AM-BM Listed

Water-based fiber-reinforced duct sealant/mastic formulated for indoor/outdoor use. Meets U.L. Class 1 rating and local codes while featuring long term flexibility and strength. Use on all types of metal heating, ventilating and air conditioning duct systems as well as fiberglass duct board systems and flex duct systems. Recommended for use to 10" of water column pressure without the need for fiberglass mesh reinforcement.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
800-008	1/10 Gallon Tube	12	6.40
800-009	1 Gallon	4	46.00



DiversiGum Sealing Compound

Non-hardening. For plugging openings through foundations or around refrigeration tube entry.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-202-1	1 lb. Slug	24	4.64
6-202-2	2 lb. Slug	20	8.80
AG-25	3/8" x 25' Caulking Cord	12	12.40



Caulkers

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-100	Caulker – Super Ratchet Type	12	19.20
7-200	Caulk Gun – Standard Duty	12	7.24

Silicone Sealant

Food grade 100% RTV Silicone Sealant. Can be used in applications for continuous use to 450°F. UV and water resistant. Long-term flexibility. Non-paintable. Available in 10.3 fl. oz. tube for use in standard caulk gun or in 3 fl. oz. squeeze tube.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4000	Clear Silicone Sealant 10.3 fl. oz. Tube	12	10.00
7-4001	Clear Silicone Sealant 3 fl. oz. Squeeze Tube	36	6.00
7-4100	White Silicone Sealant 10.3 fl. oz. Tube	12	10.00
7-4101	White Silicone Sealant 3 fl. oz. Squeeze Tube	36	6.00
7-4200	Aluminum Silicone Sealant 10.3 fl. oz. Tube	12	10.00

High Temp Red Silicone Sealant

A one part non-slumping paste that cures to a tough, rubbery solid at room temperature. Formulated to perform at temperatures ranging from -85°F to 500°F for continuous operation, and to 600°F for intermittent exposure. Tack free cure time – 15 minutes. Full cure time – 24 hours.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4300	High Temp Red Silicone Sealant – 10.1 oz. Cartridge	12	17.00

25 Year Acrylic Latex Painter's Caulk

Designed for both interior and exterior use. DiversiTech's 25 Year Acrylic Latex Painter's Caulk forms a tough, paintable resilient bond to all building material surfaces. Excellent resistance to water, weathering and moisture vapor.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-4500	Acrylic Latex Caulk – White 10.1 oz. Cartridge	12	3.76
7-4400	Acrylic Latex Caulk – Clear 10.1 oz. Cartridge	12	4.16

Foam Products, Sealants, Adhesives

Foam Sealant – One Component

One component closed-cell expanding polyurethane foam sealant for lineal caulking applications. Air-moisture cure. Tack free in 20 minutes; fully cured in 12 hours. Paintable. Use for insulating and sealing around windows, doors, pipes, ducts and vents. Non-toxic when cured. Paint to protect from UV exposure. "R" value 4.7 (1" thickness). Foam contains fire retarding chemical and is U.L. Listed but is not rated as a firestop product. Environmental concerns have led us to replace CFC's and HCFC's with hydrocarbon material in our one component foam products. Refer to instructions on each product to ensure safe use and quality results.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
01714	Foam 12 oz. can – Yields 275' (3/8" bead)	12	14.00
01724	Foam 20 oz. can – Yields 460' (3/8" bead)	12	27.20

Foam Sealant – Two Component

Two component closed-cell expanding polyurethane foam sealant for cavity filling, surface coating and insulation applications. Rapid chemical cure (Component A and Component B). Tack free in 2 minutes, fully cured in 20 minutes. Use for insulation repairs in refrigerated enclosures. Spray coat and insulate tanks, pipes, tubs and panels. Non-toxic when cured. Paint to protect from UV exposure. "R" value 5 (1" thickness). Kits include dispensing nozzles, hose and flow control mechanism. Foam contains fire retarding chemicals and is U.L. Listed but is not rated as a firestop product.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
10012	Foam – 2 Kit – 12 bd. ft. Kit – Yields 1 cu. ft.	12	68.00
10180	Foam – 2 Kit – 180 bd. ft. Kit – Yields 15 cu. ft.	1	1,050.00
10600	Foam – 2 Kit – 600 bd. ft. Kit – Yields 50 cu. ft.	1	2,454.00





Geocel Caulking Sealant

Exceptional bonding and sealing caulk for interior and exterior applications involving seams, joints, ductwork, flashing and any similar use. Excellent adhesion to virtually any surface (metals, fiberglass, wood, concrete, brick and most plastics) even if moisture is present. Resealable, paintable, flexible. Will not crack, chip or peel. Specially formulated for the HVACR industry. "Brush Grade" Geocel is a thinner viscosity co-polymer sealant which may be applied with a brush to form a flexible, waterproof seal/coating for roofs, walls, ducts, drain pans and other related applications.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
18001	Geocel Sealant – 11 oz. cartridge – Clear	24	11.12
18002	Geocel Sealant – 11 oz. cartridge – White	24	11.12
18003	Geocel Sealant – 11 oz. cartridge – Aluminum	24	11.12
18004	Geocel Sealant – 11 oz. cartridge – Brown	24	11.12
18005	Geocel Sealant – 11 oz. cartridge – Black	24	11.12
19101	Geocel Sealant (Brush Grade) – 1 gal. can – Clear	4	82.60
19102	Geocel Sealant (Brush Grade) – 1 gal. can – White	4	82.60
19103	Geocel Sealant (Brush Grade) – 1 gal. can – Gray	4	82.60

SpecSeal Firestop Products for Class A Buildings

U.L. Classified. Code Approved. Seal penetrations of plumbing, refrigeration and AC lines, ducts, vents and electrical cable through fire-rated floors, walls and ceilings. Easy-to-use, non-shrinking, non-toxic and permanently flexible. Blocks fire, gas, smoke, air and water migration. Use ceramic fiber filler together with putty or caulk for thick penetrations. Technical bulletins available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
16448	Flameseal II Putty* – 1/4" x 4" x 8" pad	20	18.80
16491	Firestop Caulk – Red – 10.3 fl. oz. cartridge	10	46.52
16492	Firestop Caulk – Red – 5 gal. pail	1	1,531.44



Pro-Air Industrial Grade Spray Adhesive

A clear, pressure sensitive aerosol adhesive with exceptional tack and shear strength characteristics. An excellent choice for most permanent adhesive applications: duct liner and wrap, sheet aluminum, fiberglass insulation board, and much more. The aerosol package offers a specially designed web spray pattern for even, controlled distribution. Flammability meets aerosol flame extension test requirements. Coverage is approximately 90-100 square feet per pound.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
315-20	Spray Adhesive – 12 oz	12	8.40
GP1-12BL	Spray Adhesive – 12 lb Disposable Cylinder	1	296.60
GP1-40BL	Spray Adhesive – 38 lb Disposable Cylinder	1	660.00
GN-23H	Spray Gun	1	368.00
SH-06	6' Spray Hose	1	134.40
SH-12	12' Spray Hose	1	186.40



Wasp & Hornet Killer by ENFORCER

Enforcer's Wasp & Hornet Killer shoots a 20 foot jet blast for instant knockdown of wasps, hornets, and yellow jackets. Enforcer's Wasp & Yellow Jacket Foam is a 20 foot blast of blanketing foam that plugs yellow jacket holes and clings to wasp and hornet nests, preventing their escape.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
8-WH16	16 oz. Wasp & Hornet Killer	12	12.20
8-FWH16	16 oz. Wasp & Yellow Jacket Foam	12	11.00

Three Sure Ways for Vibration Elimination

ISO-CUBE:

Solid Rubber Tough
Good vibration dampening
in a rugged, solid rubber
design. ▼

GOOD

BETTER

▲ **CORK & RUBBER:**
The Industry Standard
Good vibration dampening in an economic design of cork bonded between ribbed rubber sheets.

EVA PAD:
The **BEST** Performer
The best vibration dampening available in a durable, high-tech composite of rubber and engineered EVA foam. ▼

BEST



WAGNER
MANUFACTURING
A Division of DiversiTech

800-995-2222
770-593-8600 Fax
www.diversitech.com





WAGNER
MANUFACTURING
A Division of DiversiTech

Innovative Products • Superior Quality • Competitive Prices

- *Access Valves*
- *Line Tap Valves*
- *Anti-Vibration Pads*
- *Thermostat Guards*
- *Electronic Controls*
- *Gallo Guns*
- *Coil Cleaners*
- *Wire Connectors*



Thermostat Guards

Introducing an all new, full line of industry-standard Thermostat Guards. Each guard is manufactured to precise tolerances. Available in both clear plastic as well as a heavy-duty steel design.



585-TG

- The perfect guard for most applications
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 8-1/4" x 4-1/2" x 3-1/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG	Clear Plastic w/Two Bases	18	28.48



585-TG1

- The perfect guard for standard size wall T-Stats
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 5-3/4" x 3-1/2" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG1	Clear Plastic w/Two Bases	18	28.08



585-TG2

- Medium in size
- Clear plastic
- Ring Base and Solid Base included
- T-Stat Clearance 4-3/4" x 4-1/4" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG2	Clear Plastic w/Two Bases	18	27.24



585-TG3

- Our most versatile guard in a solid steel construction
- Beige Steel
- Solid Base included
- T-Stat Clearance 6" x 4" x 3"


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG3	Beige Steel w/Solid Base	18	37.44



585-TG4

- Our most versatile guard in a solid steel construction
- Beige Steel
- Ring Base included
- T-Stat Clearance 6" x 4" x 3"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG4	Beige Steel w/Ring Base	18	37.44



585-TG5

- Compact design
- Ideal for pneumatic T-Stats as well as small T-Stats
- Solid Base included
- T-Stat Clearance 3-1/2" x 3-1/4" x 2-1/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG5	Clear Plastic w/Solid Base	24	22.68



585-TG6

- Low Profile design
- Clear plastic
- Engineered for electronic thermostats
- Ring Base and Solid Base included
- T-Stat Clearance 6-1/4" x 3-3/4" x 1-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG6	Clear Plastic w/Two Bases	18	26.40



585-TG7

- Our most versatile guard in a solid steel construction
- Beige Steel
- Solid Base included
- T-Stat Clearance 5-1/2" x 3-1/2" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG7	Steel Guard w/Solid Base	18	38.28



585-TG8

- The most secure guard in our line
- Constructed of 20 gauge steel
- Extremely strong and tamper proof
- Hinged, Ring Base included
- T-Stat Clearance 5" x 3" x 2-3/4"

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG8	Steel Guard w/Ring Base	18	38.28



585-TG9

- Combination of the 585-TG3 and 585-TG4
- Contains both Ring and Solid bases

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
585-TG9	Steel Guard w/Two Bases	18	41.80

Cross Reference

DIVERSITECH PART NO.	BEKO PART NO.	BRAMEC PART NO.	MARS PART NO.
585-TG	BTG-UK2	13012	70220
585-TG1	BTG-RK	13016	70210
585-TG2	BTG-K	13008	70205
585-TG3	BTG-UM	13010	70223
585-TG4	BTG-UWM	13011	70224
585-TG5	BTG-EK	13004	70201
585-TG6	BTG-DK	13018	70217
585-TG7	BTG-54VL	13002	70215
585-TG8	BTG-54VLW	13001	70216

Stranded Copper THHN Wire

UL, 600 V, 105°C Stranded THHN wire. 19 strand copper.
Part numbers in parentheses.



CLEAR DISPENSER PACK	STANDARD PACK	PRICE/ROLL
08 Gauge 10 ft THHN Wire in Clear Dispenser Pack Black (W801), Red (W802), Green (W803), Blue (W804), White (W805)	1 Roll	13.80
10 Gauge 10 ft THHN Wire in Clear Dispenser Pack Black (W101), Red (W102), Green (W103), Blue (W104), White (W105)	1 Roll	11.92
12 Gauge 15 ft THHN Wire in Clear Dispenser Pack Black (W121), Red (W122), Green (W123), Blue (W124), White (W125)	1 Roll	11.92
14 Gauge 20 ft THHN Wire in Clear Dispenser Pack Black (W141), Red (W142), Green (W143), Blue (W144), White (W145)	1 Roll	11.92



50 FT. SPOOL	STANDARD PACK	PRICE/SPOOL
08 Gauge 50 ft Spool Black (W801-50), Red (W802-50), Green (W803-50), Blue (W804-50), White (W805-50)	1 Spool	52.80
10 Gauge 50 ft Spool Black (W101-50), Red (W102-50), Green (W103-50), Blue (W104-50), White (W105-50)	1 Spool	31.20
12 Gauge 50 ft Spool Black (W121-50), Red (W122-50), Green (W123-50), Blue (W124-50), White (W125-50)	1 Spool	20.40
14 Gauge 50 ft Spool Black (W141-50), Red (W142-50), Green (W143-50), Blue (W144-50), White (W145-50)	1 Spool	17.60



100 FT. SPOOL	STANDARD PACK	PRICE/SPOOL
08 Gauge 100 ft Spool Black (W801-100), Red (W802-100), Green (W803-100), Blue (W804-100), White (W805-100)	1 Spool	100.80
10 Gauge 100 ft Spool Black (W101-100), Red (W102-100), Green (W103-100), Blue (W104-100), White (W105-100)	1 Spool	59.20
12 Gauge 100 ft Spool Black (W121-100), Red (W122-100), Green (W123-100), Blue (W124-100), White (W125-100)	1 Spool	38.80
14 Gauge 100 ft Spool Black (W141-100), Red (W142-100), Green (W143-100), Blue (W144-100), White (W145-100)	1 Spool	33.37



Term Lok Compressor Repair Kit

Finally, a product that simplifies the repair of burned or damaged spade terminals when reconnecting or replacing a compressor. Term Lok fits both non-burned and burned terminals. Term Lok connects to the compressor via precision brass cylinders that fit over the terminals and connect with stainless steel set screws. Wires are permanently attached. Standard factory 600V, 65 strand machine wire. Easy to install and guaranteed for the life of the compressor.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TLC-3-8	3 Wire, 8 Gauge Connection Kit	1	90.60
TLC-3-10	3 Wire, 10 Gauge Connection Kit	1	64.00
TLC-3-12	3 Wire, 12 Gauge Connection	1	58.40

Replacement Compressor Leads

Extreme heat within compressors typically causes failure of wiring insulation. This failure can cause corrosion to the inner strands of copper within the wire used for compressor hook-up. This reduces the power flow to the compressor causing the unit to overheat and can prevent the compressor from starting. A MINIMUM of 12" of wire must be removed. The DiversiTech Replacement Compressor Leads are ideal for replacing this corroded wiring. 24" leads also available for replacing wire all the way to the contactor and capacitor.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CC33	Compressor Leads – 12" w/Butt	3	15.80
CC33-18	Compressor Leads – 18" w/Butt	3	19.80
CC33-24	Compressor Leads – 24" w/Ring	3	22.00

Multi Color Test Leads

Easy to use multi-colored test leads. 5 colors (white, red, black, yellow, green) with 2 connections each for easy testing on the job. Wire is 18 gauge, 18" long.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CT800	Multi Color Test Leads	1	16.40

Superflex Test Leads

Heavy duty copper wire with pure rubber insulation stays flexible in any temperature. Alligator clips are connected with resin core solder and crimped to the insulation. Covered by pure vinyl boots, again for flexibility at any temperature without cracking.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FTL3	Pair, Red and Black – 36"	1	15.00
FTL3D	Pair, Red and Black – 36" – Super Heavy Duty	1	19.00
ACK4	Two Red and Two Black Boots with Four Alligator Clips	1	9.00

Custom lengths of FTL3 can be ordered. Add 50¢ for each foot over 3 feet that is ordered.

Butt Connectors – Insulated

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
B211	Butt Connector 22-18 W	18	4.00
B211C	Butt Connector 22-18 W	100	19.40
B222	Butt Connector 16 - 14 W	18	4.00
B222C	Butt Connector 16 - 14 W	100	19.40
B233	Butt Connector 12-10 W	11	4.00
B233C	Butt Connector 12-10 W	100	31.80
BA22	Butt Connectors Assorted	16	4.00
BS22	Splice Connectors 18-14 W	10	4.00



Special Disconnects

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DMM2	Double Male Insulated .250	4	4.00
DMM2C	Double Male Insulated .250	100	83.40
DS20	Stud Adapter #8, .250	15	4.00
DS20C	Stud Adapter #8, .250	100	16.00
DS21	Stud Adapter #10, .250	20	4.00
DS21C	Stud Adapter #10, .250	100	16.00
DS22	F/M Piggyback 16-14 W. .250	10	4.00
DS22C	F/M Piggyback 16-14 W. .250	100	32.00
DS23	F/M Piggyback .250 (Volkswagon)	20	4.00
DS23C	F/M Piggyback .250 (Volkswagon)	100	16.00
DS24	F/M Wire Piggyback 16-14 W. .250	5	4.00
DS24C	F/M Wire Piggyback 16-14 W. .250	100	46.00
DS224	F/M Wire Piggyback Insulated 16-14 W. .250	6	4.00
DS224C	F/M Wire Piggyback Insulated 16-14 W. .250	100	55.80
DS25	Stud Adapter .250, #6 Screw	5	4.00
DS25C	Stud Adapter .250, #6 Screw	100	72.20
DS26	Double Male Screw Mount Connector	5	4.00
DS26C	Double Male Screw Mount Connector	100	68.40
DS27	F/M Open Barrel Piggyback	8	4.00
DS27C	F/M Open Barrel Piggyback	100	42.00
DSC3	F/M Piggyback .250 (Chair)	7	4.00
DSC3C	F/M Piggyback .250 (Chair)	100	47.40
DXF1	Female Disconnect Full Ins. 22-18 W. .250	10	4.00
DXF1C	Female Disconnect Full Ins. 22-18 W. .250	100	43.00
DXF2	Female Disconnect Full Ins. 16-14 W. .250	10	4.00
DXF2C	Female Disconnect Full Ins. 16-14 W. .250	100	43.00
DXF3	Female Disconnect Full Ins. 12-10 W. .250	7	4.00
DXF3C	Female Disconnect Full Ins. 12-10 W. .250	100	47.40
DXM1	Male Disconnect Full Ins. 22-18 W. .250	10	4.00
DXM1C	Male Disconnect Full Ins. 22-18 W. .250	100	43.00
DXM2	Male Disconnect Full Ins. 16-14 W. .250	10	4.00
DXM2C	Male Disconnect Full Ins. 16-14 W. .250	100	43.00
DXM3	Male Disconnect Full Ins. 12-10 W. .250	7	4.00
DXM3C	Male Disconnect Full Ins. 12-10 W. .250	100	47.40

Flag Disconnects

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FD11	Flag Disconnect 22-18 W. .187	25	4.00
FD11C	Flag Disconnect 22-18 W. .187	100	13.20
FD12	Flag Disconnect 22-18 W. .250	25	4.00
FD12C	Flag Disconnect 22-18 W. .250	100	13.20
FD21	Flag Disconnect 16-14 W. .187	25	4.00
FD21C	Flag Disconnect 16-14 W. .187	100	13.80
FD22	Flag Disconnect 16-14 W. .250	25	4.00
FD22C	Flag Disconnect 16-14 W. .250	100	13.80
FD32	Flag Disconnect 12-10 W. .250	10	4.00
FD32C	Flag Disconnect 12-10 W. .250	100	33.40
FD211	Full Insulated Flag Disconnect 22-18 W. .187	6	4.00
FD211C	Full Insulated Flag Disconnect 22-18 W. .187	100	62.20
FD212	Full Insulated Flag Disconnect 22-18 W. .250	6	4.00
FD212C	Full Insulated Flag Disconnect 22-18 W. .250	100	62.20
FD221	Full Insulated Flag Disconnect 16-14 W. .187	6	4.00
FD221C	Full Insulated Flag Disconnect 16-14 W. .187	100	62.20
FD222	Full Insulated Flag Disconnect 16-14 W. .250	6	4.00
FD222C	Full Insulated Flag Disconnect 16-14 W. .250	100	62.20



Flag Rings



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
FR22	Flag Ring 16-14 W. 10 S.	20	4.00
FR22C	Flag Ring 16-14 W. 10 S.	100	16.40

Grommets – Vinyl (By Panel Hole Size)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
GV04	1/4" Grommets	18	4.00
GV05	5/16" Grommets	15	4.00
GV06	3/8" Grommets	13	4.00
GV07	7/16" Grommets	12	4.00
GV08	1/2" Grommets	12	4.00
GV10	5/8" Grommets	7	4.00
GV12	3/4" Grommets	3	4.00
GV14	7/8" Grommets	4	4.00
GV16	1" Grommets	4	4.00
GVA1	Assorted Grommets – Small	15	4.00
GVA2	Assorted Grommets – Large	5	4.00

Sizes shown above also available in 100 packs.

Hook Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
H211	Hook, 22-18 W, 8 Stud	14	4.00
H211C	Hook, 22-18 W, 8 Stud	100	22.00
H212	Hook, 22-18 W, 10 S	14	4.00
H212C	Hook, 22-18 W, 10 S	100	22.00
H221	Hook, 16-14 W, 8 Stud	14	4.00
H221C	Hook, 16-14 W, 8 Stud	100	22.00
H222	Hook, 16-14 W, 10 S	14	4.00
H222C	Hook, 16-14 W, 10 S	100	22.00
H231	Hook, 12-10 W, 8 Stud	10	4.00
H231C	Hook, 12-10 W, 8 Stud	100	29.80
H232	Hook, 12-10 W, 10 S	10	4.00
H232C	Hook, 12-10 W, 10 S	100	29.80

Heat Shrink Tubing – Polyolefin 50% Shrink Commercial Grade – Black



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HS03	3/16" I.D. Expanded – 4" Long	8	4.00
HS03B	3/16" I.D. Expanded – Per Foot	Bulk	1.08
HS04	1/4" I.D. Expanded – 4" Long	7	4.00
HS04B	1/4" I.D. Expanded – Per Foot	Bulk	1.32
HS06	3/8" I.D. Expanded – 4" Long	6	4.00
HS06B	3/8" I.D. Expanded – Per Foot	Bulk	1.48
HS08	1/2" I.D. Expanded – 4" Long	5	4.00
HS08B	1/2" I.D. Expanded – Per Foot	Bulk	2.00
HS012	3/4" I.D. Expanded – 4" Long	4	4.00
HS012B	3/4" I.D. Expanded – Per Foot	Bulk	2.68
HS16	1" I.D. Expanded – 4" Long	3	4.00
HS16B	1" I.D. Expanded – Per Foot	Bulk	4.08
HS24	1.5" I.D. Expanded – Per Foot	Bulk	8.00
HS32	2" I.D. Expanded – Per Foot	Bulk	12.00
HSA1	Assorted 3/16, 1/4, 3/8" – 4" Long	7	4.00
HSA2	Assorted 1/2, 3/4, 1" – 4" Long	4	4.00

Available in lengths up to 250 ft. Use bulk price for any length of any size.

Rings – Butted Seam – Not Insulated

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R010	Ring 22-18 W. 6 Stud	30	4.00
R010C	Ring 22-18 W. 6 Stud	100	10.80
R011	Ring 22-18 W. 8 Stud	30	4.00
R011C	Ring 22-18 W. 8 Stud	100	10.80
R012	Ring 22-18 W. 10 Stud	30	4.00
R012C	Ring 22-18 W. 10 Stud	100	10.80
R013	Ring 22-18 W. 1/4 Stud	20	4.00
R013C	Ring 22-18 W. 1/4 Stud	100	15.80
R014	Ring 22-18 W. 5/16 Stud	20	4.00
R014C	Ring 22-18 W. 5/16 Stud	100	15.80
R015	Ring 22-18 W. 3/8 Stud	20	4.00
R015C	Ring 22-18 W. 3/8 Stud	100	15.80
R020	Ring 16-14 W. 6 Stud	30	4.00
R020C	Ring 16-14 W. 6 Stud	100	10.80
R021	Ring 16-14 W. 8 Stud	30	4.00
R021C	Ring 16-14 W. 8 Stud	100	10.80
R022	Ring 16-14 W. 10 Stud	30	4.00
R022C	Ring 16-14 W. 10 Stud	100	10.80
R023	Ring 16-14 W. 1/4 Stud	20	4.00
R023C	Ring 16-14 W. 1/4 Stud	100	15.80
R024	Ring 16-14 W. 5/16 Stud	20	4.00
R024C	Ring 16-14 W. 5/16 Stud	100	15.80
R025	Ring 16-14 W. 3/8 Stud	20	4.00
R025C	Ring 16-14 W. 3/8 Stud	100	15.80
R030	Ring 12-10 W. 6 Stud	20	4.00
R030C	Ring 12-10 W. 6 Stud	100	15.80
R031	Ring 12-10 W. 8 Stud	20	4.00
R031C	Ring 12-10 W. 8 Stud	100	15.80
R032	Ring 12-10 W. 10 Stud	20	4.00
R032C	Ring 12-10 W. 10 Stud	100	15.80
R033	Ring 12-10 W. 1/4 Stud	15	4.00
R033C	Ring 12-10 W. 1/4 Stud	100	22.60
R034	Ring 12-10 W. 5/16 Stud	15	4.00
R034C	Ring 12-10 W. 5/16 Stud	100	22.60
R035	Ring 12-10 W. 3/8 Stud	15	4.00
R035C	Ring 12-10 W. 3/8 Stud	100	22.60



Rings – Brazed Seam – Not Insulated

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R042	Ring 8 W. 10 Stud	5	4.00
R042C	Ring 8 W. 10 Stud	100	61.40
R043	Ring 8 W. 1/4 Stud	5	4.00
R043C	Ring 8 W. 1/4 Stud	100	61.40
R044	Ring 8 W. 5/16 Stud	5	4.00
R044C	Ring 8 W. 5/16 Stud	100	61.40
R045	Ring 8 W. 3/8 Stud	5	4.00
R045C	Ring 8 W. 3/8 Stud	100	61.40
R052	Ring 6 W. 10 Stud	3	4.00
R052C	Ring 6 W. 10 Stud	100	95.80
R053	Ring 6 W. 1/4 Stud	3	4.00
R053C	Ring 6 W. 1/4 Stud	100	95.80
R054	Ring 6 W. 5/16 Stud	3	4.00
R054C	Ring 6 W. 5/16 Stud	100	95.80
R055	Ring 6 W. 3/8 Stud	3	4.00
R055C	Ring 6 W. 3/8 Stud	100	95.80
R056	Ring 6 W. 1/2 Stud	2	4.00
R056C	Ring 6 W. 1/2 Stud	100	139.60



Rings – Butted Seam – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R210	Ring 22-18 W. 6 Stud	16	4.00
R210C	Ring 22-18 W. 6 Stud	100	20.40
R211	Ring 22-18 W. 8 Stud	16	4.00
R211C	Ring 22-18 W. 8 Stud	100	20.40
R212	Ring 22-18 W. 10 Stud	16	4.00
R212C	Ring 22-18 W. 10 Stud	100	20.40
R213	Ring 22-18 W. 1/4 Stud	12	4.00
R213C	Ring 22-18 W. 1/4 Stud	100	27.80
R214	Ring 22-18 W. 5/16 Stud	12	4.00
R214C	Ring 22-18 W. 5/16 Stud	100	27.80
R215	Ring 22-18 W. 3/8 Stud	12	4.00
R215C	Ring 22-18 W. 3/8 Stud	100	27.80
R220	Ring 16-14 W. 6 Stud	16	4.00
R220C	Ring 16-14 W. 6 Stud	100	20.40
R221	Ring 16-14 W. 8 Stud	16	4.00
R221C	Ring 16-14 W. 8 Stud	100	20.40
R222	Ring 16-14 W. 10 Stud	16	4.00
R222C	Ring 16-14 W. 10 Stud	100	20.40
R223	Ring 16-14 W. 1/4 Stud	12	4.00
R223C	Ring 16-14 W. 1/4 Stud	100	27.80
R224	Ring 16-14 W. 5/16 Stud	12	4.00
R224C	Ring 16-14 W. 5/16 Stud	100	27.80
R225	Ring 16-14 W. 3/8 Stud	12	4.00
R225C	Ring 16-14 W. 3/8 Stud	100	27.80
R230	Ring 12-10 W. 6 Stud	12	4.00
R230C	Ring 12-10 W. 6 Stud	100	27.80
R231	Ring 12-10 W. 8 Stud	12	4.00
R231C	Ring 12-10 W. 8 Stud	100	27.80
R232	Ring 12-10 W. 10 Stud	12	4.00
R232C	Ring 12-10 W. 10 Stud	100	27.80
R233	Ring 12-10 W. 1/4 Stud	10	4.00
R233C	Ring 12-10 W. 1/4 Stud	100	32.40
R234	Ring 12-10 W. 5/16 Stud	10	4.00
R234C	Ring 12-10 W. 5/16 Stud	100	32.40
R235	Ring 12-10 W. 3/8 Stud	10	4.00
R235C	Ring 12-10 W. 3/8 Stud	100	32.40

Rings – Brazed Seam – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
R242	Ring 8 W. 10 Stud	4	4.00
R242C	Ring 8 W. 10 Stud	100	81.60
R243	Ring 8 W. 1/4 Stud	4	4.00
R243C	Ring 8 W. 1/4 Stud	100	81.60
R244	Ring 8 W. 5/16 Stud	4	4.00
R244C	Ring 8 W. 5/16 Stud	100	81.60
R245	Ring 8 W. 3/8 Stud	4	4.00
R245C	Ring 8 W. 3/8 Stud	100	81.60
R252	Ring 6 W. 10 Stud	3	4.00
R252C	Ring 6 W. 10 Stud	100	108.80
R253	Ring 6 W. 1/4 Stud	3	4.00
R253C	Ring 6 W. 1/4 Stud	100	108.80
R254	Ring 6 W. 5/16 Stud	3	4.00
R254C	Ring 6 W. 5/16 Stud	100	109.80
R255	Ring 6 W. 3/8 Stud	3	4.00
R255C	Ring 6 W. 3/8 Stud	100	109.80
R256	Ring 6 W. 1/2 Stud	3	4.00
R256C	Ring 6 W. 1/2 Stud	100	125.00
RSA2	Rings and Spades Assorted	15	4.00

Spade Terminals – Not Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S010	Spade 22-18 W. 6 Stud	30	4.00
S010C	Spade 22-18 W. 6 Stud	100	10.80
S011	Spade 22-18 W. 8 Stud	30	4.00
S011C	Spade 22-18 W. 8 Stud	100	10.80
S012	Spade 22-18 W. 10 Stud	30	4.00
S012C	Spade 22-18 W. 10 Stud	100	10.80
S020	Spade 16-14 W. 6 Stud	30	4.00
S020C	Spade 16-14 W. 6 Stud	100	10.80
S021	Spade 16-14 W. 8 Stud	30	4.00
S021C	Spade 16-14 W. 8 Stud	100	10.80
S022	Spade 16-14 W. 10 Stud	30	4.00
S022C	Spade 16-14 W. 10 Stud	100	10.80
S030	Spade 12-10 W. 6 Stud	22	4.00
S030C	Spade 12-10 W. 6 Stud	100	15.80
S031	Spade 12-10 W. 8 Stud	22	4.00
S031C	Spade 12-10 W. 8 Stud	100	15.80
S032	Spade 12-10 W. 10 Stud	22	4.00
S032C	Spade 12-10 W. 10 Stud	100	15.80

Spade Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S210	Spade 22-18 W. 6 Stud	16	4.00
S210C	Spade 22-18 W. 6 Stud	100	20.40
S211	Spade 22-18 W. 8 Stud	16	4.00
S211C	Spade 22-18 W. 8 Stud	100	20.40
S212	Spade 22-18 W. 10 Stud	16	4.00
S212C	Spade 22-18 W. 10 Stud	100	20.40
S220	Spade 16-14 W. 6 Stud	16	4.00
S220C	Spade 16-14 W. 6 Stud	100	20.40
S221	Spade 16-14 W. 8 Stud	16	4.00
S221C	Spade 16-14 W. 8 Stud	100	20.40
S222	Spade 16-14 W. 10 Stud	16	4.00
S222C	Spade 16-14 W. 10 Stud	100	20.40
S230	Spade 12-10 W. 6 Stud	12	4.00
S230C	Spade 12-10 W. 6 Stud	100	27.80
S231	Spade 12-10 W. 8 Stud	12	4.00
S231C	Spade 12-10 W. 8 Stud	100	27.80
S232	Spade 12-10 W. 10 Stud	12	4.00
S232C	Spade 12-10 W. 10 Stud	100	27.80

Snap Spade Terminals – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SS210C	Spade 22-18 W. 6 Stud	100	21.60
SS211C	Spade 22-18 W. 8 Stud	100	21.60
SS212C	Spade 22-18 W. 10 Stud	100	21.60
SS220C	Spade 16-14 W. 6 Stud	100	21.60
SS221C	Spade 16-14 W. 8 Stud	100	21.60
SS222C	Spade 16-14 W. 10 Stud	100	21.60
SS230C	Spade 12-10 W. 6 Stud	100	31.80
SS231C	Spade 12-10 W. 8 Stud	100	31.80
SS232C	Spade 12-10 W. 10 Stud	100	31.80



Block Spades – 0.20 Wide To Fit Terminal Blocks



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SN010	Uninsulated, 22-18 W. 6 Stud	30	4.00
SN010C	Uninsulated, 22-18 W. 6 Stud	100	10.80
SN020	Uninsulated, 16-14 W. 6 Stud	30	4.00
SN020C	Uninsulated, 16-14 W. 6 Stud	100	10.80
SN210	Insulated, 22-18 W. 6 Stud	16	4.00
SN210C	Insulated, 22-18 W. 6 Stud	100	20.40
SN220	Insulated 16-14 W. 6 Stud	16	4.00
SN220C	Insulated 16-14 W. 6 Stud	100	20.40

Disconnects – Insulated



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
D210	Female Disconnect 22-18 W. 0.110 (1/8")	16	4.00
D210C	Female Disconnect 22-18 W. 0.110 (1/8")	100	20.40
D211	Female Disconnect 22-18 W. 0.187 (3/16")	16	4.00
D211C	Female Disconnect 22-18 W. 0.187 (3/16")	100	20.40
D212	Female Disconnect 22-18 W. 0.250 (1/4")	16	4.00
D212C	Female Disconnect 22-18 W. 0.250 (1/4")	100	20.40
D220	Female Disconnect 16-14 W. 0.110 (1/8")	16	4.00
D220C	Female Disconnect 16-14 W. 0.110 (1/8")	100	20.40
D221	Female Disconnect 16-14 W. 0.187 (3/16")	16	4.00
D221C	Female Disconnect 16-14 W. 0.187 (3/16")	100	20.40
D222	Female Disconnect 16-14 W. 0.250 (1/4")	16	4.00
D222C	Female Disconnect 16-14 W. 0.250 (1/4")	100	20.40
D232	Female Disconnect 12-10 W. 0.250	12	4.00
D232C	Female Disconnect 12-10 W. 0.250	100	25.80
D233	Female Disconnect 12-10 W. 0.375 (3/8")	6	4.00
D233C	Female Disconnect 12-10 W. 0.375 (3/8")	100	52.80
DM11	Male Disconnect 22-18 W. 0.187 (3/16")	16	4.00
DM11C	Male Disconnect 22-18 W. 0.187(3/16")	100	21.80
DM12	Male Disconnect 22-18 W. 0.250	16	4.00
DM12C	Male Disconnect 22-18 W. 0.250	100	20.40
DM21	Male Disconnect 16-14 W. 0.187	16	4.00
DM21C	Male Disconnect 16-14 W. 0.187	100	20.40
DM22	Male Disconnect 16-14 W. 0.250	16	4.00
DM22C	Male Disconnect 16-14 W. 0.250	100	20.40
DM32	Male Disconnect 12-10 W. 0.250	12	4.00
DM32C	Male Disconnect 12-10 W. 0.250	100	25.80
DA22	Assorted Female Disconnects	18	4.00

Compressor Terminals

The only terminals recommended for the wiring of compressors. Made from a phosphorous bronze material to allow for a very tight grip while allowing full current flow.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CC32	Compressor Terminals .250	6	4.00
CC32C	Compressor Terminals .250	100	51.80

Alligator Clips



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ACK4	Two Red and Two Black Boots w/4 Clips	1	9.00

Disconnects – Not Insulated

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
D010	Female Disconnect 22-18 W. 0.110 (1/8")	30	4.00
D010C	Female Disconnect 22-18 W. 0.110 (1/8")	100	11.20
D011	Female Disconnect 22-18 W. 0.187 (3/16")	30	4.00
D011C	Female Disconnect 22-18 W. 0.187 (3/16")	100	11.20
D012	Female Disconnect 22-18 W. 0.250 (1/4")	30	4.00
D012C	Female Disconnect 22-18 W. 0.250 (1/4")	100	11.20
D021	Female Disconnect 16-14 W. 0.187	30	4.00
D021C	Female Disconnect 16-14 W. 0.187	100	11.20
D022	Female Disconnect 16-14 W. 0.250	30	4.00
D022C	Female Disconnect 16-14 W. 0.250	100	11.20
D032	Female Disconnect 12-10 W. 0.250	25	4.00
D032C	Female Disconnect 12-10 W. 0.250	100	13.60
D033	Female Disconnect 12-10 W. 0.375 (3/8")	10	4.00
D033C	Female Disconnect 12-10 W. 0.375 (3/8")	100	33.20
DOM11	Male Disconnect 22-18 W. 0.187	25	4.00
DOM11C	Male Disconnect 22-18 W. 0.187	100	11.20
DOM12	Male Disconnect 22-18 W. 0.250	30	4.00
DOM12C	Male Disconnect 22-18 W. 0.250	100	11.20
DOM22	Male Disconnect 16-14 W. 0.250	30	4.00
DOM22C	Male Disconnect 16-14 W. 0.250	100	11.20
DOM32	Male Disconnect 12-10 W. 0.250	25	4.00
DOM32C	Male Disconnect 12-10 W. 0.250	100	13.60




Heavy Duty Peghooks

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
4" PH	4" Without Vinyl Safety Tip	10	0.48
4" PHT	4" With Vinyl Safety Tip	10	0.56
6" PH	6" Without Vinyl Safety Tip	10	0.60
6" PHT	6" With Vinyl Safety Tip	10	0.68
8" PH	8" Without Vinyl Safety Tip	10	0.76
8" PHT	8" With Vinyl Safety Tip	10	0.84
10" PH	10" Without Vinyl Safety Tip	10	0.92
10" PHT	10" With Vinyl Safety Tip	10	1.00
12" PH	12" Without Vinyl Safety Tip	10	1.08
12" PHT	12" With Vinyl Safety Tip	10	1.16



Generic Re-Order Tags

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
GRT100	Generic Re-Order Tags	100	20.00



Guard your thermostat and save on utility bills with DiversiTech's



Thermostat Guards

Available in Clear Plastic
or Heavy-Duty Metal

(SEE PAGES 84-85)



High Temperature Terminals

DiversiTech high temperature terminals are made of nickel plated steel. The nickel plating prevents rust and provides a good electrical conductivity. They tolerate temperatures up to 900°F and withstand vibration well.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
BH11	Butt Connectors 22-18 W.	20	4.00
BH11C	Butt Connectors 22-18 W.	100	14.20
BH22	Butt Connectors 16-14 W.	20	4.00
BH22C	Butt Connectors 16-14 W.	100	14.20
BH33	Butt Connectors 12-10 W.	18	4.00
BH33C	Butt Connectors 12-10 W.	100	17.60
DH11	Female Disconnects 22-18 W. 0.187 (3/8")	20	4.00
DH11C	Female Disconnects 22-18 W. 0.187 (3/8")	100	17.40
DH12	Female Disconnects 22-18 W. 0.250 (1/4")	20	4.00
DH12C	Female Disconnects 22-18 W. 0.250 (1/4")	100	17.40
DH21	Female Disconnects 16-14 W. 0.187	20	4.00
DH21C	Female Disconnects 16-14 W. 0.187	100	17.40
DH22	Female Disconnects 16-14 W. 0.250	20	4.00
DH22C	Female Disconnects 16-14 W. 0.250	100	17.40
DH32	Female Disconnects 12-10 W. 0.250	13	4.00
DH32C	Female Disconnects 12-10 W. 0.250	100	26.00
DHM12	Male Disconnects 22-18 W. 0.250	20	4.00
DHM12C	Male Disconnects 22-18 W. 0.250	100	14.00
DHM21	Male Disconnects 16-14 W. 0.187 (3/8")	20	4.00
DHM21C	Male Disconnects 16-14 W. 0.187 (3/8")	100	14.00
DHM22	Male Disconnects 16-14 W. 0.250	20	4.00
DHM22C	Male Disconnects 16-14 W. 0.250	100	14.00
FH22	Flag Disconnects 16-14 W. 0.250	18	4.00
FH22C	Flag Disconnects 16-14 W. 0.250	100	19.60
FH32	Flag Disconnects 12-10 W. 0.250	12	4.00
FH32C	Flag Disconnects 12-10 W. 0.250	100	27.00
HTA2	Assorted Hi-Temp Terminals	20	4.00
RH10	Ring 22-18 W. 6 Stud	22	4.00
RH10C	Ring 22-18 W. 6 Stud	100	13.40
RH11	Ring 22-18 W. 8 Stud	22	4.00
RH11C	Ring 22-18 W. 8 Stud	100	13.40
RH12	Ring 22-18 W. 10 Stud	22	4.00
RH12C	Ring 22-18 W. 10 Stud	100	13.40
RH13	Ring 22-18 W. 1/4 Stud	22	4.00
RH13C	Ring 22-18 W. 1/4 Stud	100	16.40
RH20	Ring 16-14 W. 6 Stud	22	4.00
RH20C	Ring 16-14 W. 6 Stud	100	13.40
RH21	Ring 16-14 W. 8 Stud	22	4.00
RH21C	Ring 16-14 W. 8 Stud	100	13.40
RH22	Ring 16-14 W. 10 Stud	22	4.00
RH22C	Ring 16-14 W. 10 Stud	100	13.40
RH23	Ring 16-14 W. 1/4 Stud	18	4.00
RH23C	Ring 16-14 W. 1/4 Stud	100	17.80
RH30	Ring 12-10 W. 6 Stud	15	4.00
RH30C	Ring 12-10 W. 6 Stud	100	20.60
RH31	Ring 12-10 W. 8 Stud	15	4.00
RH31C	Ring 12-10 W. 8 Stud	100	20.60
RH32	Ring 12-10 W. 10 Stud	15	4.00
RH32C	Ring 12-10 W. 10 Stud	100	20.60
RH33	Ring 12-10 W. 1/4 Stud	15	4.00
RH33C	Ring 12-10 W. 1/4 Stud	100	23.00
RH34	Ring 12-10 W. 5/16 Stud	15	4.00
RH34C	Ring 12-10 W. 5/16 Stud	100	23.00
RH35	Ring 12-10 W. 3/8 Stud	15	4.00
RH35C	Ring 12-10 W. 3/8 Stud	100	23.00
RH43	Ring, 8 Wire, 1/4 Stud	4	4.00
RH55	Ring, 6 Wire, 3/8 Stud	3	4.00
RH65	Ring, 4 Wire, 3/8 Stud	2	4.00
SH12	Spade 22-18 W. 10 Stud	22	4.00
SH12C	Spade 22-18 W. 10 Stud	100	12.00
SH22	Spade 16-14 W. 10 Stud	22	4.00
SH22C	Spade 16-14 W. 10 Stud	100	12.00
SH32	Spade 12-10 W. 10 Stud	22	4.00
SH32C	Spade 12-10 W. 10 Stud	100	20.60

Wire and Cable Clamps – Nylon



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WC02	1/8" Diameter	40	4.00
WC03	3/16" Diameter	40	4.00
WC04	1/4" Diameter	35	4.00
WC05	5/16" Diameter	35	4.00
WC06	3/8" Diameter	30	4.00
WC07	7/16" Diameter	30	4.00
WC08	1/2" Diameter	25	4.00
WC09	9/16" Diameter	20	4.00
WC10	5/8" Diameter	20	4.00
WC12	3/4" Diameter	15	4.00
WC14	7/8" Diameter	15	4.00
WC16	1" Diameter	14	4.00
WCA1	Cable Clamps, Assorted, 1/8" to 1"	26	4.00

All the above sizes are available in 100 pks.

White Nylon Wire Ties



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WT04	Wire Ties, 4" Nylon	40	4.00
WT04C	Wire Ties, 4" Nylon	100	5.12
WT05	Wire Ties, 5" Nylon	35	4.00
WT05C	Wire Ties, 5" Nylon	100	8.00
WT07	Wire Ties, 7" Nylon	30	4.00
WT07C	Wire Ties, 7" Nylon	100	8.80
WT11	Wire Ties, 11" Nylon	15	4.00
WT11C	Wire Ties, 11" Nylon	100	18.00
WT15	Wire Ties, 15" Nylon	12	4.00
WT15C	Wire Ties, 15" Nylon	100	25.00
WTA1	Wire Ties, Assorted 4", 7" and 11"	30	4.00

Black Nylon Wire Ties

Ultraviolet resistant for outdoor use.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTB05	Black Nylon Ties, 5"	35	4.00
WTB05C	Black Nylon Ties, 5"	100	8.32
WTB07	Black Nylon Ties, 7"	30	4.00
WTB07C	Black Nylon Ties, 7"	100	9.20
WTB11	Black Nylon Ties, 11"	15	4.00
WTB11C	Black Nylon Ties, 11"	100	21.00
WTB15	Black Nylon Ties, 15"	12	4.00
WTB15C	Black Nylon Ties, 15"	100	24.60
WTBA1	Wire Ties, Assorted 4", 7" and 11"	28	4.00

Wire Tie Mounts



WTM1



WTM2

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTM1	Wire Tie Mounts – Adhesive Back	4	4.00
WTM1C	Wire Tie Mounts – Adhesive Back	100	66.00
WTM2	Wire Tie Mounts – #8 Screw	7	4.00
WTM2C	Wire Tie Mounts – #8 Screw	100	35.40



White Nylon Ties w/Mounting Hole



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTM05	Wire Ties, 5" w/Mounting Hole	13	4.00
WTM05C	Wire Ties, 5" w/Mounting Hole	100	23.20
WTM07	Wire Ties, 7" w/Mounting Hole	11	4.00
WTM07C	Wire Ties, 7" w/Mounting Hole	100	29.80
WTM11	Wire Ties, 11" w/Mounting Hole	6	4.00
WTM11C	Wire Ties, 11" w/Mounting Hole	100	54.20
WTM14	Wire Ties, 14" w/Mounting Hole	5	4.00
WTM14C	Wire Ties, 14" w/Mounting Hole	100	64.60

Black Nylon Ties w/Mounting Hole



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WTMB05	Wire Ties, 5" w/Mounting Hole	12	4.00
WTMB05C	Wire Ties, 5" w/Mounting Hole	100	25.60
WTMB07	Wire Ties, 7" w/Mounting Hole	10	4.00
WTMB07C	Wire Ties, 7" w/Mounting Hole	100	30.80
WTMB11	Wire Ties, 11" w/Mounting Hole	6	4.00
WTMB11C	Wire Ties, 11" w/Mounting Hole	100	59.60
WTMB14	Wire Ties, 14" w/Mounting Hole	5	4.00
WTMB14C	Wire Ties, 14" w/Mounting Hole	100	66.20

Cable Ties Counter Top Assortment Display



Convenient, self-contained, point-of-purchase counter display. Prepackaged resealable bags also suitable for hanging on peg board. Available in 7" and 11", 150 piece bags or 5", 8" and 11", 450 piece bags, black or natural. Carton with header card 14" high.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BAG
7-711	CAT-PAK Display 7" and 11" Natural	25 Bags	18.40
7-711-B	CAT-PAK Display 7" and 11" Black	25 Bags	21.00
7-5811	CAT-PAK Display 5", 8" and 11" Natural	30 Bags	36.00
7-5811-B	CAT-PAK Display 5", 8" and 11" Black	30 Bags	40.00

Minimum Loop Tensile 50 lb. Sold as complete display only.

Compartmented Storage Boxes



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
MB21	21 Compartmented Metal Box	1	50.00
MB22	21 Compartmented Metal Box w/230 of the most popular items including hi-temp and compressor terminals, nylon ties and clamps	1	100.00

Transparent Plastic Boxes

Boxes are made of soft, pliable, durable K-resin with 18 compartments containing the most popular terminals, including hi-temp and compressor terminals.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PA10	180 Terminals (10 Each Kind)	1	60.00
PA25	450 Terminals (25 Each Kind)	1	104.00
PA25AP	Appliance Parts Technician Assortment – Mostly Hi-Temp	1	104.00
PA18	"K" Resin Plastic Box Only	1	20.00

High Temperature Wire, 400°F, 600 V.

7 strand tin coated copper wire with silicone rubber insulation protected by a braided fiberglass jacket. Should be used on the front of all gas furnaces with spark ignition because of flame roll-out on start up. Also on all power feeds to electric strip and duct heaters. Also used on all heat producing food preparation equipment.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
WHT20	14 gauge, 10 ft. black, 10 ft. white	1	24.00
WHTB14-50	14 gauge, black, 50 ft.	1	60.00
WHTR14-50	14 gauge, red, 50 ft.	1	60.00
WHTW14-50	14 gauge, white, 50 ft.	1	60.00
WHTB12-20	12 gauge, black, 20 ft.	1	30.00
WHTB12-50	12 gauge, black, 50 ft.	1	75.00
WHTB10-20	10 gauge, black, 20 ft.	1	46.00
WHTB10-50	10 gauge, black, 50 ft.	1	115.00

Upfront Crimping/Stripping Tool

Plier nose for pulling and looping wire. Strips 22-10 AWG wire. Crimps 22-10 AWG wire. Also has bolt cutter, scissors type cutter and wire terminal crimp stations. Made in the U.S.A. of high-carbon, heat treated steel with air-pocket cushion grips.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
450-1E	5 in 1 Crimper/Stripper	1	27.52

Upfront Stripper

Serrated plier nose for pulling and looping wire. Precision ground stripping stations for stripping 20-10 AWG wire. Features a scissors-type cutter, automatic spring return, handle lock, and air pocket cushion grips. Made in the U.S.A.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
450-15E	Stripper w/lock	1	20.16

Ergonomic Cutter

Snub nose, high leverage wire cutter. Features scissors action, spring return and air pocket cushion grips. Heat treated, precision ground blades. Made in the U.S.A.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
450-39E	Ergonomic Cutter	1	20.32



Plenum Rated Thermostat Wire

(SEE PAGE 50)



Wire Connectors



Wire Connectors – Contractor Packs

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
C222	Closed End Connectors 22-14 W	18	4.00
C222C	Closed End Connectors 22-14 W	100	22.00
C223	Closed End Connectors 18-10 W	15	4.00
C223C	Closed End Connectors 18-10 W	100	30.00
C241	Wire Connectors – Blue	20	4.00
C243	Wire Connectors – Orange	15	4.00
C245	Wire Connectors – Yellow	13	4.00
C247	Wire Connectors – Red	10	4.00
C312	Winged Wire Connectors – Yellow, 3 - #12	13	4.00
C312L	Winged Wire Connectors – Yellow, 3 - #12	50	13.80
C512	Winged Wire Connectors – Red, 5 - #12	10	4.00
C512L	Winged Wire Connectors – Red, 5 - #12	50	18.20

Wire Connectors – Screw-On

Color-coded wire connectors make quick, secure connections for positive continuity. Tough, high-dielectric thermoplastic shell resists chemical action from hydrocarbons, dilute acid or alkaline solutions and features deep skirt design to prevent exposure of bare wire.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
623-001	Gray, Size 71B, #22 to #16 AWG, 300V Max.	100/Box	8.80
623-002	Blue, Size 72B, #22 to #16 AWG, 300V Max.	100/Box	9.60
623-003	Orange, Size 73B, #22 to #14 AWG, 600V Max.	100/Box	11.96
623-004	Yellow, Size 74B, #18 to #10 AWG, 600V Max.	100/Box	12.80
623-005	Red, Size 76B, #18 to #10 AWG, 600V Max.	100/Box	18.80

U.L. Listed. CSA Approved.

Wire Connectors – Winged

Wings give surer grip and offset center design provides great twisting leverage. Expandable square-wire spring instantly adjusts to the shape and size to create a strong, vibration-resistant connection. Same superior shell as screw-on type.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
623-000	Lg. Gray, Size 78B, #14 to #8 AWG, 600V Max.	50/Box	18.00
623-006	Yellow, Size 84, #22 to #10 AWG, 600V Max.	100/Box	14.00
623-007	Red, Size 86, #18 to #10 AWG, 600V Max.	100/Box	21.00
623-008	Blue, Size 88, #10 to #6, 600V Max.	50/Box	22.00

U.L. Listed. C.S.A. Approved.

Porcelain Wire Connectors



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
CPN1	Small	15	4.00
CPN1C	Small	100	24.00
CPN2	Medium	12	4.00
CPN2C	Medium	100	28.00
CPN3	Large	10	4.00
CPN3C	Large	100	34.00

Thermometers



MT Series

Raytek® Infrared Thermometers

Diversitech is pleased to introduce the new ST Pro and ProPlus series of infrared thermometers. These instruments deliver across the board best in class performance and value for professional grade laser sighting IR thermometers. Significantly upgraded temperature range (up to 760°C/1400°F) and optical performance (up to 50:1 D:S), accuracy (1%), as well as new features including circular laser sighting, data-logging, and external contact probe capability.

Key Features	MT-4U	ST-20XX	ST-30XX	ST-60XX	ST-80XX
Temperature	-18 to 260°C	-32 to 400°C	-32 to 545°C	-32 to 600°C	-32 to 760°C
Range	0 to 500°F	-25 to 750°F	-25 to 950°F	-25 to 1100°F	-25 to 1400°F
Distance to Spot	6 : 1	12 : 1	12 : 1	30 : 1	50 : 1
Laser Sighting	Single Beam	Single Beam	Circular Beam	Circular Beam	Circular Beam
Display	Scan, Hold	Scan, Hold	Scan, Hold	Scan, Hold, Min, Max, Avg, Dif, Hi/Lo Alm, Recall	Scan, Hold, Min, Max, Avg, Dif, Hi/Lo Alm, Recall
Functions		Max	Max		
Data Logging	N/A	N/A	N/A	12 points	12 points
External Probe	N/A	N/A	N/A	RTD Probe	RTD Probe



ST Series

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
MT-4U	Basic, laser, no subzero, no case	1	283.00
ST-20XX	Basic, laser, hard case, -25 to 750°F	1	540.00
ST-30XX	Basic, circ. laser, hard case, -25 to 950°F	1	700.00
ST-60XX	Circ. laser, case, min, max, diff, avg, 30:1 DS	1	1,000.00
ST-80XX	Circ. laser, case, min, max, diff, avg, 50:1 DS	1	1,280.00

Digital Psychrometer – Precision Temperature & Humidity Instrument


- Electronic Capacitance Type Polymer Film Sensor
- Microprocessor-based Design
- F/C Switch Data Hold
- Low Battery Indicator
- Memory (Min/Max)
- Wet Bulb and Dry Bulb Temperature
- Dew Point Measurement
- Accuracy: Humidity +/-5% @25°C from 10% to 90% RH
Temperature +/- 1°C, 1°F (All temp. ranges)
- Ideal for setting up new equipment
- Batteries Included



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-SAM990DW	Digital Psychrometer	1	279.92

Temperature/Humidity Pen – Thermo/Hygrometer

- Reads Temperature and Humidity Simultaneously
- Memory (Min/Max)
- Pocket Size w/Clip
- F/C Switch
- Reset Switch and Hold Switch
- Humidity Range: 5 to 95 RH
- Accuracy: Humidity +/-3% from 10% to 90% RH
Temperature Range – 14°F to 122°F
- Batteries Included



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-PTH8708	TH Pen	1	140.00



Jumbo Display – Thermo/Hygrometer

- Displays Inside Humidity and Temperature
- Jumbo Display (3" x 1.5")
- 2 Key Operation: Min/Max and Reset
- Memory for High and Low Temp. and Hum.
- Wall or Desk Mount
- Low Battery Indicator (Battery Included)
- 14°F to 122°F

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DTH03	Jumbo Thermo/Hygrometer	1	93.60



CFM Master II Digital Airflow/Temperature Meter – One Piece

- One Piece instrument that can record up to 8 multi point readings
- Single Hand Air Flow Measurement
- Displays: FPM/MPH/KPH Knots/MPS/CFM
- 80 to 6900 FPM
- Multi Point and Single Point Average
- Data Hold, Min/Max
- Auto Power Off
- F and C Switchable (14°F to 122°F)
- Includes Hard Case

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DCFM8906	CFM Airflow Meter	1	473.20



Superheat Thermometer w/2 Probes and Hard Case

- Single "K" Type Thermocouple Input
- 2 "K" Type Probes
- C and F Readings
- T1, T2, or T1-T2 Readings
- -58°F to 2000°F
- MAX Reading Memory
- Low Battery Indicator (Battery Included)
- Auto Power Off
- Includes Hard Case

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-DT8803	Superheat Thermometer	1	260.00

Digital Folding Thermometer

- Min/Max
- Stainless Steel Folding Probe
- On/Off Closure
- Data Hold/Test Function
- Adjustable Probe Angle
- F/C Switch (-58° to 302°F, -50° to 150°C)
- Low Battery Indicator (Battery Included)



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-PT300M	Digital Folding Thermometer	1	75.40

Deluxe Digital Pocket Thermometer

- Water and Drop Resistant, Rugged Construction
- Data Hold
- F/C Switch
- On/Off Switch
- Auto Power Off
- 2.5" Probe
- Protective Cover w/Clip
- -40°F to 300°F, -40°C to 150°C



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-HDT303K	Deluxe Digital Thermometer	1	43.80



Pocket Thermometers

1" diameter dials with 5" stems (.145 dia.). Adjustable for recalibration. All stainless steel construction. Polycarbonate crystal. 1% accuracy full scale. Plastic pocket sheath included. Carded.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TD-1	Thermometer 0 +220°F	12	7.80
TD-2	Thermometer -40 +160°F	12	7.80

Digital Thermometer

Temperature range from -40° F to 230° F. Packaged on attractive display card.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
541-300	Digital Thermometer	1	32.00



Refrigeration/Freezer Thermometer

- Stainless Steel
- Hanging or Free Standing
- Round Dial
- -20°F to 80°F

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-FT80R	Refrigeration Thermometer	1	14.20

Refrigeration/Freezer Thermometer – Bulb Type

- Horizontal Reading
- Hanging or Free Standing
- -40°F to 80°F



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-FT80H	Horizontal Refrigeration Thermometer	1	10.00



Leak Test Gauge – 2" 30 psi Capacity

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TG-30	3/4 FPT. Conn.	1	17.60
TG-30-1	1" FPT. Conn.	1	19.60
TG-05	3/4" FPT., 5 psi	1	48.00

Audible/Visual Circuit Tester

- Contact and Non Contact Audible and Visual Indication
- Detects Hot Side
- 70 to 250 VAC
- Detects Break in Line
- Checks Fuses
- Detects the Presence of AC Voltage "Non Contact" Through Wires, Dry Wall & Wood
- 3 Position Sensitivity
- Batteries Included



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-CT500AV	Deluxe Circuit Tester	1	26.00

LED Screwdriver Continuity Tester

- A Screwdriver/Tester You Can See!
- Self Test
- AC Voltage Test 70 to 250BAC
- Continuity Test
- Polarity Check
- Checks Fuses
- Bright Red LED
- When the tip is in direct contact with the live (HOT) part of the AC Voltage, the red LED lights up.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
6-ST600LED	Red LED Screwdriver	1	11.00

Refrigerant Charging

Oil Transfer System by Gauge-Pro

A quick and easy way to change refrigerant oil with absolutely no spillage or mess. Our unique hand pump creates a powerful vacuum for the transfer of oil to or from the compressor crankcase at a faster rate than present methods. Oil is transferred back and forth between the compressor and waste oil tank by creating a vacuum. Oil never touches the pump, thus preventing cross contamination. Pump, durable waste oil container and all necessary hoses are included.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
GOTS-1	1-1/4 Gallon	1	230.00
GOTS-2	2-1/2 Gallon	1	260.00
GOTS-1P	Hand Pump for GOTS-1	1	110.00
GOTS-1T	Tank for GOTS-1	1	52.00
GOTS-2P	Hand Pump for GOTS-2	1	134.00
GOTS-2T	Tank for GOTS-2	1	66.00
GOTS-12C	Cap with Fitting	1	46.40
GOTS-12D	5/16" Poly Tube w/Plug	1	19.60
GOTS-12H	3/8" Vinyl Hose Connection	1	30.80
GOTS-12W	Cap Washer	1	3.20

Insta-Charge



Faster, safer and more economical method for charging LIQUID refrigerant through the low pressure side of an air conditioning or refrigeration system, without damaging the compressor. Insta-Charge's unique internal restrictor reduces liquid flow to a level below the capacity of the compressor. Converts liquid refrigerant to a saturated vapor for fast entry. Insta-Charge connects directly to the refrigerant can or cylinder valve. Adds liquid tracing dye faster. Eliminates heating of refrigerant cylinder. Made of light weight aluminum. Sold at a fraction of the cost of other fast charging devices.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
RC-1	Insta-Charge	1	15.80



COP-CAP™

COP-CAP™ is an effective way to discourage and prevent the removal of refrigerant. Simply thread COP-CAP™ assembly onto existing 1/4" flare connection on system and lock set screw in place with hex wrench provided.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VCC-4	COP-CAP™	2	8.60

Refrigerant Recovery Products

Refrigerant Recovery Cylinders

DOT Classified for recovery, recycling, service and reclaim. Liquid and vapor valves ("Y" valve or separate valve configurations) are installed in all cylinders. Painted yellow/gray per ARI guidelines. Float switches have 3-pin Brad Harrison connectors.



CATALOG NO.	DESCRIPTION	DOT CLASS	3/4" NPT PLUG	FLOAT SWITCH	WATER CAP.	TARE WT.	PRICE/EACH
02033	30 lb.	4BA350	YES	NO	26.2 lbs.	14 lbs.	187.20
02035	30 lb.	4BA350	NO	YES	26.2 lbs.	14 lbs.	355.40
02053	50 lb.	4BA350	YES	NO	47.7 lbs.	24 lbs.	202.52
02055	50 lb.	4BA350	NO	YES	47.7 lbs.	24 lbs.	371.40
02100	100 lb.	4BW302	YES	NO	95.3 lbs.	44 lbs.	460.20
02255	250 lb.	4BW260	YES	NO	239 lbs.	85 lbs.	785.40

Caution: Never overfill cylinders. Maximum refrigerant capacity is limited to 80% of the water capacity of the cylinder in lbs. (see table above). DOT requires cylinders to be retested every five years. Some recovery equipment uses weight scales to cut off refrigerant fill at 80% of capacity. Be sure cylinder tare weight is correct for this type of equipment.

DOT Classification Example: 4BA350: 350 psi working pressure; 700 psi test pressure (double the working pressure); 1,400 psi minimum burst pressure (double the test pressure). Pressure relief/safety valve is set to release at between 75-100% of the test pressure. For example, in the 4BA350 tanks which have a 700 psi test pressure, the relief valve opens at between 525 psi and 700 psi.

DiversiTech Refrigerant ID Labels

These 3" x 4" self-adhesive vinyl labels use a high-tack acrylic adhesive and UV cured screen printing. Color coded to conform to refrigerant labeling convention. Each label indicates the type of refrigerant (eg. R-11), the chemical name (eg. Trichloromonofluoromethane) and the UN No. (eg. UN 1078). Avoid costly mistakes by properly identifying the type of refrigerant contained in recovery cylinders and air conditioning and refrigeration equipment. Custom labels available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
04000	Assorted Labels (12,22,502) Package of 30	30	23.80
04010	R-408A (FX10) Refrigerant ID Labels	10	10.00
04011	R-11 Refrigerant ID Labels	10	10.00
04012	R-12 Refrigerant ID Labels	10	10.00
04013	R-13 Refrigerant ID Labels	10	10.00
04022	R-22 Refrigerant ID Labels	10	10.00
04023	R-23 Refrigerant ID Labels	10	10.00
04056	R-409A (FX56) Refrigerant ID Labels	10	10.00
04113	R-113 Refrigerant ID Labels	10	10.00
04114	R-114 Refrigerant ID Labels	10	10.00
04123	R-123 Refrigerant ID Labels	10	10.00
04134	R-134a Refrigerant ID Labels	10	10.00
04401	R-401A (MP39) Refrigerant ID Labels	10	10.00
04402	R-402A (HP80) Refrigerant ID Labels	10	10.00
04404	R-404A (HP62/FX70) Refrigerant ID Labels	10	10.00
04406	R-406A (GHG) Refrigerant ID Labels	10	10.00
04407	R-407C (SUVA 9000/KLEA 66) Refrigerant ID Labels	10	10.00
04410	R-410A (AZ20) Refrigerant ID Labels	10	10.00
04451	R-401B (MP66) Refrigerant ID Labels	10	10.00
04452	R-402B (HP81) Refrigerant ID Labels	10	10.00
04500	R-500 Refrigerant ID Labels	10	10.00
04502	R-502 Refrigerant ID Labels	10	10.00
04503	R-503 Refrigerant ID Labels	10	10.00
04507	R-507 (AZ50) Refrigerant ID Labels	10	10.00
04509	R-416A Refrigerant ID Labels	10	10.00
NON-FLAMMABLE GAS LABELS (4" x 4")			
04700	Non Flammable Gas Labels	10	10.00
EPA WARNING LABELS FOR REFRIGERANT (1" x 3")			
04800	EPA Fill-In Warning Labels	10	7.00
04801	EPA Warning Labels R-11 CFC	10	7.00
04802	EPA Warning Labels R-12 CFC	10	7.00
04803	EPA Warning Labels R-22 HCFC	10	7.00
SYSTEM REFRIGERANT/OIL LABELS (3" x 4")			
04850	Refrigerant Removed Labels	10	10.00
04852	System Refrigerant/Oil Labels	10	10.00
SYSTEM LUBRICANT IDENTIFICATION LABELS (2" x 3")			
04870	Polyol Ester Oil Labels	10	10.00
04871	Mineral Oil Labels	10	10.00
04872	Alkylbenzine Oil Labels	10	10.00
04873	Polyalkylene Glycol Oil Labels	10	10.00
ACTUAL SIZE COLOR POSTER DISPLAYING ALL LISTED LABELS			
04899	Full Color Label Poster, 22" x 28" - 3" x 25" Tube	1	20.00

Line Piercing Valves and Tools

Insta-Tap Refrigerant Recovery Tool

The fastest, easiest way to evacuate refrigerant before disposal of a unit. Snaps onto refrigerant line for full and immediate flow. Punctures super large hole for maximum full flow discharge to recovery unit. One tool fits all sizes from 3/16" to 7/8" O.D. hard tubing. Replaceable needle.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
QT-100	Insta-Tap Tool	1	72.00
QT-100N	Replaceable Hardened Steel Needle and Gasket	1	7.80
QT-100G	Replacement Gasket Only	3	0.68

Copper Saddle Valve

For copper-to-copper brazing. Penetrates line in one easy operation with no holes to drill. Steel pin with valve core pierces line and is locked into valve body by tightening cap. Teflon ring assures positive seal. Available in sizes from 1/4" to 1-1/8".



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VLC-4	1/4" O.D. Tube Size	6	5.20
VLC-5	5/16" O.D. Tube Size	6	5.20
VLC-6	3/8" O.D. Tube Size	6	5.20
VLC-8	1/2" O.D. Tube Size	4	5.60
VLC-10	5/8" O.D. Tube Size	3	6.20
VLC-12	3/4" O.D. Tube Size	2	7.00
VLC-14	7/8" O.D. Tube Size	2	7.00
VLC-18	1-1/8" O.D. Tube Size	2	7.00
VLC-25	Additional Teflon Rings	25	.40

Core Storer

All steel valve core remover and storage container. Completely knurled for easier grip, thus eliminating slippage when using with oily or greasy hands. Core Storer features a compartment for storing extra valve cores. Four replacement cores are included with each tool.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VCR-1	Core Remover and Storer	1	13.40

Core Removal Tool

Designed to remove and replace valve cores without losing the refrigerant charge. Connects to any 1/4" male flare fitting. Saves time, saves refrigerant.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VCRT-1	Core Removal Tool	1	75.80
VCRT-1R	Extractor Rod Assembly	1	20.00
VCRT-1RK	O-Ring Kit	1	2.40
VCRT-1S	Replacement Shut Off Stem	1	20.00



“MAC” – The Ultimate in Line Piercing Valves

Install valve. Connect charging hose. Service. That's all there is to it! MAC features uniport: 1 connection for piercing and servicing. Sealed with refrigerant resistant “O” rings. Needle automatically back seats after servicing, leaving line free of restriction. Connect to tubing with 2 socket-head screws. (Hex wrench is included with each valve.) Needle depressor is inserted into head of needle. Wing cap is turned down easily by hand until line is pierced. Wing cap is removed and system may be serviced with any charging hose with built-in depressor. When hose is removed, spring loaded needle back-seats forming a leak proof seal. Needle depressor is discarded and wing cap forms extra precautionary seal.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QTM-1	“Mac” 1/4”, 5/16”, 3/8” O.D. Tube Size	36	5.64
QTM-2	“Mac” 1/2”, 5/8” O.D. Tube Size	36	6.12
QTM-3	“Mac” 3/16”, 1/4” O.D. Tube Size	36	7.00



Tap-A-Line

Designed for economy. Connect with 2 socket-head screws. Hex wrench included. Needle is crimped in place and cannot accidentally be backed out or blown out under pressure. Sealed with “O” rings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QTL-1	Tap-A-Line 1/4”, 5/16”, 3/8” O.D. Tube Size	1	7.00
QTL-2	Tap-A-Line 1/2”, 5/8” O.D. Tube Size	1	7.80



Quick-Tap

Similar to Tap-A-Line but features a valve core in the 1/4” male port. Simply pierce the line and back seat the needle. Flow starts when depressor type charging hose is connected. Flow shuts off automatically when hose is removed. If valve core is not desired, it may be removed. Connect hose, pierce line and back seat needle. This method offers full unrestricted flow. Valve core can be removed or changed at any time without loss of refrigerant if needle is front seated.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QT-1	Quick-Tap 1/4”, 5/16”, 3/8” O.D. Tube Size	1	7.60
QT-2	Quick-Tap 1/2”, 5/8” O.D. Tube Size	1	8.20



Quick-Tap-2

Identical to Quick-Tap except that a nylon handle replaces the hex wrench. Phillips-head screws are used.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QTH-1	Quick-Tap-2 1/4”, 5/16”, 3/8” O.D. Tube Size	1	12.20
QTH-2	Quick-Tap-2 1/2”, 5/8” O.D. Tube Size	1	13.00

Capillary Tubing and Driers

Capillary Tubing

Made in the U.S.A., this high quality tubing is precision drawn so that the internal diameter is held to a tolerance of ± 0.02 . It is thoroughly dehydrated with the ends sealed. Each piece is individually packaged.



CATALOG NO.	I.D.	LENGTH	O.D.	STANDARD PACK	PRICE/PACK
CAP-26	.026	100 ft.	.072	1	60.00
CAP-26-12	.026	12 ft.	.072	1	11.20
CAP-31	.031	100 ft.	.083	1	60.00
CAP-31-10	.031	10 ft.	.083	1	9.20
CAP-36	.036	100 ft.	.087	1	63.80
CAP-36-10	.036	10 ft.	.087	1	9.80
CAP-42	.042	100 ft.	.093	1	68.00
CAP-42-10	.042	10 ft.	.093	1	10.40
CAP-44	.044	100 ft.	.109	1	71.00
CAP-44-10	.044	10 ft.	.109	1	11.20
CAP-49	.049	100 ft.	.099	1	71.80
CAP-49-10	.049	10 ft.	.099	1	11.20
CAP-50	.050	100 ft.	.114	1	74.80
CAP-50-10	.050	10 ft.	.114	1	12.40
CAP-54	.054	100 ft.	.106	1	75.60
CAP-54-10	.054	10 ft.	.106	1	11.20
CAP-55	.055	100 ft.	.125	1	84.00
CAP-55-10	.055	10 ft.	.125	1	14.40
CAP-59	.059	100 ft.	.112	1	89.20
CAP-59-10	.059	10 ft.	.112	1	13.60
CAP-64	.064	100 ft.	.125	1	84.00
CAP-64-10	.064	10 ft.	.125	1	14.80
CAP-70	.070	100 ft.	.125	1	75.60
CAP-70-10	.070	10 ft.	.125	1	14.80
CAP-75	.075	100 ft.	.125	1	75.60
CAP-75-10	.075	10 ft.	.125	1	14.80
CAP-80	.080	100 ft.	.145	1	96.00
CAP-80-10	.080	10 ft.	.145	1	18.00
CAP-85	.085	100 ft.	.145	1	96.00
CAP-85-10	.085	10 ft.	.145	1	18.00
CAP-90	.090	100 ft.	.145	1	96.00
CAP-90-10	.090	10 ft.	.145	1	18.00

FastRack Displays

The highest volume sellers for your market, packaged in small quantities to maximize high volume impulse sales. All made in USA and packaged in resealable zipper bags.

PB-14 FastRack

The 12 most popular items from the PB-16 on a compact, revolving countertop display.

PB-16 FastRack

The 77 most popular items for the HVACR wholesaler on a revolving floor display.


PB-18 FastRack

The 95 most popular items for Appliance Parts Distributors on a revolving floor display.

For details, call Customer Service today!

800-995-2222





Universal Spun Copper Driers

Our new Universal Spun Copper Driers are manufactured with the latest generation Grace Davison MS-594 Molecular Sieves compatible with more than 20 different types of refrigerants, including R-134A. They can be used in all hermetic and open refrigeration systems using CFC, HCFC and HFC gases and mixes such as commercial and domestic refrigerators, freezers and air conditioners ranging from 1/8 to 2.0 HP. Hermetically sealed with extended ends.

CATALOG NO.	OUTLET	INLET	DIAMETER	LENGTH	DESSICANT GRAMS	RECOMM. R12	TONNAGE R22	STANDARD PACK	PRICE EACH
DX-1	3/16"	1/4"	3/4"	6-5/8"	10	1/3	1/2	24	4.00
DX-2	3/16"	1/4"	3/4"	7-3/8"	10	1/3	1/2	24	4.00
DX-3	1/4"	1/4"	3/4"	7-11/16"	10	1/3	1/2	24	4.00
DX-4	Multiple	1/4"	1"	9"	18	3/4	1-1/2	1	8.20
DXA-5	1/4"	1/4"	1"	9-1/4"	20	3/4	1-1/2	1	12.80
DX-6	5/16"	5/16"	1"	10-7/16"	30	3/4	1-1/2	1	16.00
DX-7	3/16"	1/4"	5/8"	7-1/8"	7	1/3	1/2	24	3.80
DX-8	3/16"	3/8"	5/8"	4-1/2"	7	1/3	1/2	24	3.80
DX-9	3/16"	1/4"	5/8"	7-1/16"	7	1/3	1/2	24	3.60



Liquid Line Filter Driers

Our high quality, high capacity Universal Liquid Line Filter Driers are manufactured with the state of the art Grace Davison MS-594 Dessicant for use with more than 20 different types of refrigerants including R-410A. Developed as a result of OEM specifications, our Liquid Line Filter Driers maintain a stronger, more solid construction for greater durability, including a combination Copper, Lead and Steel reinforced ODF Sweat fittings and Nickel plated SAE Flare connections. For use with more than 20 different refrigerants, including R-410A. UL listed.

CATALOG NO.	TYPE	NOM. SIZE	OVERALL LENGTH	SHELL DIA.	STANDARD PACK	PRICE EACH
DD-032	Flare	1/4"	4-3/8"	1-5/8"	1	16.00
DD-032S	Sweat	1/4"	3-7/8"	1-5/8"	1	16.00
DD-052	Flare	1/4"	4-3/4"	2-5/16"	1	16.20
DD-052S	Sweat	1/4"	4-1/4"	2-5/16"	1	16.20
DD-053	Flare	3/8"	5-1/16"	2-5/16"	1	16.20
DD-053S	Sweat	3/8"	4-7/16"	2-5/16"	1	16.20
DD-082	Flare	1/4"	5-11/16"	2-5/16"	1	21.20
DD-082S	Sweat	1/4"	5-3/16"	2-5/16"	1	21.20
DD-083	Flare	3/8"	6"	2-5/16"	1	21.20
DD-083S	Sweat	3/8"	5-3/8"	2-5/16"	1	21.20
DD-162	Flare	1/4"	6-3/8"	2-7/8"	1	25.80
DD-163	Flare	3/8"	6-11/16"	2-7/8"	1	25.80
DD-163S	Sweat	3/8"	6-1/8"	2-7/8"	1	25.80
DD-164	Flare	1/2"	6-15/16"	2-7/8"	1	25.80
DD-164S	Sweat	1/2"	6-1/8"	2-7/8"	1	25.80
DD-165	Flare	5/8"	7-3/8"	2-7/8"	1	28.40
DD-165S	Sweat	5/8"	6-3/8"	2-7/8"	1	28.40
DD-303	Flare	3/8"	9-5/8"	3-1/16"	1	55.20
DD-303S	Sweat	3/8"	8-7/8"	3-1/16"	1	55.20
DD-304	Flare	1/2"	9-7/8"	3-1/16"	1	55.20
DD-304S	Sweat	1/2"	9-1/8"	3-1/16"	1	55.20
DD-305	Flare	5/8"	10-5/16"	3-1/16"	1	55.20
DD-305S	Sweat	5/8"	9-15/16"	3-1/16"	1	55.20
DD-414	Flare	1/2"	10"	3-9/16"	1	77.20
DD-414S	Sweat	1/2"	9-1/4"	3-9/16"	1	77.20
DD-415	Flare	5/8"	10-7/16"	3-9/16"	1	77.20
DD-415S	Sweat	5/8"	9-7/16"	3-9/16"	1	77.20
DD-417S	Sweat	7/8"	10"	3-9/16"	1	77.20

Access Fittings



VA-24 VA-3-346 VA-39



VAU-24 VAX-2 VE-2



VS-4 VST-4 VST-4X



VST-44 VST-44X VT-24



VT4 VTR-24 VTS-3-10



VTS-46 VU-4 VUR-4



VVC-1 VC-4 VC-4R



Part # MR-1. Mac Rack countertop display with the most popular access fittings and valves.

Access Fittings

A convenient low-cost port for refrigeration servicing. May be installed in any position on either high or low side for charging, purging, quick testing or pressure checking. DiversiTech's access fittings have 1/4" SAE male flare access ports and include a quick seal cap and a stainless and brass special refrigerant valve core.

CATALOG NO.	DESCRIPTION	CONNECTION	STANDARD PACK	PRICE/EACH
VA-3-346	3 Way Solder Type	For 3/16" O.D. tube or 1/4" and 3/8" solder fitting	6	2.16
VA-39	9 Way Solder Type	For 3/16", 1/4", 5/16", 3/8" or 1/2" tube. Also fits 3/16", 1/4" and 5/16" solder fitting or 1/8" hole may be drilled in larger size tube	6	3.20
VA-24	Straight Solder Type	1/8" O.D.S.	6	2.60
VA-34	Straight Solder Type	3/16" O.D.S. x 1/4" O.D.F.	6	2.60
VA-46	Straight Solder Type	1/4" O.D.S. x 3/8" O.D.F.	6	2.28
VA-58	Straight Solder Type	5/16" O.D.S. x 1/2" O.D.F.	6	2.88
VA-68	Straight Solder Type	3/8" O.D.S. x 1/2" O.D.F.	6	2.88
VAU-24	Half Union	1/8" MPT	6	2.44
VAU-45	Half Union	1/4" MPT	6	2.56
VAX-2	Extended Copper Tube	1/8" O.D. tube	6	2.36
VAX-3	Extended Copper Tube	3/16" O.D. x 1/8" I.D.	6	2.36
VAX-4	Extended Copper Tube	1/4" O.D. x 3/16" I.D.	6	2.60
VAX-5	Extended Copper Tube	5/16" O.D. x 1/4" I.D.	3	2.96
VAX-6	Extended Copper Tube	3/8" O.D. x 5/16" I.D.	3	3.16
VAX-8	Extended Copper Tube	1/2" O.D.	3	7.20
VE-2	Threaded Elbow	1/8" MPT	3	6.20
VS-4	Swivel Nut w/Depressor	1/4" female flare forged swivel nut	6	6.92
VST-4	Swivel Tee	1/4" Access on run x 1/4" female flare with w/Permanent Depressor	3	7.20
VST-44	Swivel Tee	1/4" Access on run x 1/4" access on "T" - w/Permanent Depressor	3	8.48
VST-4X	Swivel Tee	1/4" Access on run x 1/4" female flare with w/No Depressor	3	7.20
VST-44X	Swivel Tee	1/4" Access on run x 1/4" access on "T" - w/No Depressor	3	8.48
VT-4	Forged Brass Tee	1/4" Access all ends with 2 flare nuts, 1 core and cap	3	8.60
VT-24	Threaded Tee	1/8" MPT on branch, 1/4" flare x 1/4" flare access on run.	3	7.40
VTR-24	Threaded Tee	1/8" MPT x 1/4" male flare on run x access on branch	3	6.20
VTS-10	Solder Tee Type	5/8" O.D. tube	1	7.80
VTS-12	Solder Tee Type	3/4" O.D. tube	1	9.60
VTS-14	Solder Tee Type	7/8" O.D. tube	1	10.00
VTS-18	Solder Tee Type	1-1/8" O.D. tube	1	11.60
VTS-46	Solder Tee Type	1/4" O.D.S. x 5/16" O.D.F.	3	4.52
VTS-56	Solder Tee Type	5/16" O.D.S. x 3/8" O.D.F.	3	6.00
VTS-68	Solder Tee Type	3/8" O.D.S.	3	5.08
VTS-810	Solder Tee Type	1/2" O.D.S.	3	5.52
VTS3-10	Solder Tube Elbow	5/8" O.D.S.	1	19.20
VTS3-12	Solder Tube Elbow	3/4" O.D.S.	1	20.00
VTS3-14	Solder Tube Elbow	7/8" O.D.S.	1	22.00
VTS3-18	Solder Tube Elbow	1-1/8" O.D.S.	1	27.60
VU-4	Female Flare Union	1/4" female flare w/copper gasket	6	4.80
VUR-4	Full Union	1/4" O.D. flare tube w/forged flare nut	6	4.80
VC-4	Flare Cap	1/4"	12	.84
VC-4R	Flare Cap with Core Remover	1/4"	12	1.44
VVC-1	Valve Core		6	.68



VD-4A



VD-24

Control Disconnect

Ideal for use with controls in centrifugal systems. Use to quickly disconnect or connect all controls without refrigerant loss or system pumpdown. Installs easily before any high or low pressure control, oil failure control, water regulating valve. The Control Disconnect model VD-4A adapts to any Access Fitting with a 1/4" male flare connection, enabling a service engineer to build up a system in the field. All brass construction. Metal-to-metal seat. Will not leak.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
VD-4	1/4" Female Flare	4	10.40
VD-4A	1/4" Female Flare Adaptor	4	6.20
VD-24	1/8" MPT	4	9.40
VD-45	1/4" MPT	4	9.80

U.S. Patent No. 4,193,419.

Thermal Controls

Electric Heat Limit Switches

These switches open on temperature rise and feature a 3/4" open disc construction for fast temperature response. The mounting flange is 1-1/2" x 2" oval with 1-5/8" mounting holes, o.c. An adapter plate, 2-1/8" x 2-3/5" oval with 2-1/4" mounting holes o.c. is included in each kit.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HLE-130	Open Temp 130° – Close Temp 100°	1	10.40
HLE-140	Open Temp 140° – Close Temp 105°	1	10.40
HLE-150	Open Temp 150° – Close Temp 110°	1	10.40
HLE-160	Open Temp 160° – Close Temp 120°	1	10.40
HLE-170	Open Temp 170° – Close Temp 120°	1	10.40

High Limit Appliance Switches

These limit switches open on temperature rise and are used in a great variety of replacement appliance installations. They feature a 3/4" closed disc construction. The mounting flange is 1-1/2" x 2" oval with 1-5/8" mounting holes o.c. An adaptor plate, 2-1/8" x 2-3/4" oval with 2-1/4" mounting holes o.c. is included in each kit.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HLA-130	Open Temp 130° – Close Temp 120°	1	10.40
HLA-140	Open Temp 140° – Close Temp 130°	1	10.40
HLA-150	Open Temp 150° – Close Temp 140°	1	10.40
HLA-160	Open Temp 160° – Close Temp 140°	1	10.40
HLA-170	Open Temp 170° – Close Temp 150°	1	10.40
HLA-180	Open Temp 180° – Close Temp 140°	1	10.40
HLA-190	Open Temp 190° – Close Temp 150°	1	10.40
HLA-200	Open Temp 200° – Close Temp 160°	1	10.40
HLA-210	Open Temp 210° – Close Temp 170°	1	10.40
HLA-230	Open Temp 230° – Close Temp 190°	1	10.40
HLA-240	Open Temp 240° – Close Temp 200°	1	10.40
HLA-250	Open Temp 250° – Close Temp 210°	1	10.40
HLA-275	Open Temp 275° – Close Temp 235°	1	10.40
HLA-290	Open Temp 290° – Close Temp 240°	1	10.40
HLA-300	Open Temp 300° – Close Temp 260°	1	10.40

Fan Switches

Same as limit switches, but these close on temperature rise and open on temperature fall.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HFS-110	Close Temp 110° – Open Temp 95°	1	10.40
HFS-120	Close Temp 120° – Open Temp 100°	1	10.40
HFS-130	Close Temp 130° – Open Temp 100°	1	10.40
HFS-140	Close Temp 140° – Open Temp 120°	1	10.40
HFS-150	Close Temp 150° – Open Temp 130°	1	10.40
HFS-160	Close Temp 160° – Open Temp 140°	1	10.40

Outdoor Thermostats

Outdoor temperature-sensitive thermostats are used in heat pumps having second stage or supplementary electric heat. The thermostat opens on temperature rise, preventing the electric heater from operating in moderate weather. These thermostats flush mount to the sheet metal of the condensing unit and are of closed disc construction. They are 1-1/2" x 2" oval with 1-5/8" mounting holes o.c.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HOT-50	Open Temp 50° – Close Temp 35°	1	10.00
HOT-60	Open Temp 60° – Close Temp 45°	1	10.00

Manual Reset Fire Stat

This bi-metal switch is used as a manual reset. When temperature condition is met, the device opens. The manual reset can only be reset after proper cool-down of the switch. The HMR-130 is a popular "fire stat" in ducted air distribution systems. Should temperatures in the duct exceed 130°F, the switch opens, shutting down the whole system so no fire or smoke can be spread by the fan.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
HMR-130	Manual Reset Fire Stat	1	12.00

Fusible Links

Fusible Links are temperature-sensitive, one time devices. Engineered as safety links, they open the circuit if the designed limit temperature is reached.



CATALOG NO.	Fusible Temp °F	Type	Prong Type	STANDARD PACK	PRICE/EACH
HFL-4257	257°	In-Line		4	3.00
HFL-4300	300°	In-Line		4	3.00
HFL-4333	333°	In-Line		4	3.00
HFL-5257	257°	Face Plate	Straight	2	6.68
HFL-5258	257°	Face Plate	Right Angle	2	6.68
HFL-5300	300°	Face Plate	Straight	2	6.68
HFL-5301	300°	Face Plate	Right Angle	2	6.68
HFL-5333	333°	Face Plate	Straight	2	6.68

Sheet Metal Screws

Taper Point & Drill Point

Packaged in Resealable Plastic Cartons
(SEE PAGE 34)





Replacement Element Kits

Field repair damaged element sections of electric heaters. Each kit contains a specific KW replacement element, two ceramic terminal insulator sets, plated bolts, nuts and washers.

CATALOG NO.	Wattage at		In Place Length (Inches)		STANDARD PACK	PRICE/PACK
	240V	208V	Minimum	Maximum		
HEK-100	1000	750	14"	35"	1	15.60
HEK-200	2000	1500	26"	65"	1	16.60
HEK-400	4000	3000	45"	135"	1	17.80
HEK-500	5000	3750	54"	162"	1	18.80

Sequencers

Sequencers (Time Delay Relays) are used in electric heat systems to stage blower motors and heating elements. All are for 24V control.



CATALOG NO.	NO. CIRCUITS	KILXON NO.	SWITCH CONFIGURATION	DELAY ON TIME	DELAY OFF TIME	STANDARD PACK	PRICE/PACK
				MIN-MAX SECONDS	MIN-MAX SECONDS		
HDR-101	1 Main	60000A0211	SPST-NO	1-24	45-75	1	22.20
HDR-102	1 Main	60000A0147	SPST-NO	30-75	1-40	1	22.20
HDR-201	2 Main	60000E0110	DPST-NO	1-24	45-75	1	27.20
HDR-202	2 Main	60000E0109	DPST-NO	30-70	1-40	1	27.20
HDR-211	2 Main Staged	60200A0117	DPST-NO	30-110	1-40	1	28.40
HDR-212	2 Main Staged	60200A0127	DPST-NO	1-25	50-110	1	28.40
HDR-221	3 Main Staged	51172-131-1	DPST-NO SPST-NO	1-25	50-110	1	47.60
HDR-222	4 Main Staged	51172-131-2	2 DPST-NO	1-40	50-110	1	55.60

Time Delays/Monitors



Adjustable Delay on Break Timer

Adjusts from 6 seconds to 8 minutes. Spin-proof knob. Works with 24, 120 or 240 VAC control circuits. Supports up to 1.5 Amps. Two wire hookup for easy installation. Solid state with quick disconnect terminals. Mounts with one self-tapping screw. Conformal coated circuitry protects against moisture and shock. UR recognized for USA and Canada. Works with anticipator type thermostats.

HOW IT WORKS: Immediately upon application of power, the Delay on Break timer enables circuit operation. Once power is interrupted, the circuit opens for the time set on the dial. After the time period elapses, the circuit closes, allowing the protected motor or compressor to start. For typical HVAC applications, the operation of the timer is transparent and will go unnoticed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ADB-1	Adjustable Delay on Break	1	15.60
ADB-2	Adjustable Delay on Break w/Terminal Leads	1	15.60



Adjustable Delay on Make Timer

Ideal for random starting of multiple units. Adjusts from 6 seconds to 8 minutes. Spin proof knob. Works with 24, 120 or 240 VAC control circuits. Supports up to 1.5 Amps. Two wire hookup for easy installation. Solid state with quick-disconnect terminals. Mounts with one self-tapping screw. Conformal coated circuitry protects against moisture and shock. UR recognized for US and Canada. Works with anticipator type thermostats.

HOW IT WORKS: These timers delay circuit closure upon application of power. Only after the set time period elapses and power remains ON will the circuit close, allowing the protected motor or compressor to start. For typical HVAC installations, timers are adjusted to random times to prevent power circuit overloads. They are sometimes called random start timers.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ADM-1	Adjustable Delay on Make	1	15.60
ADM-2	Adjustable Delay on Make w/Terminal Leads	1	15.60



Digital Three Phase Line Voltage Monitor

Offers continuous protection against voltage anomalies which can damage compressors, motors and other sensitive electrically operated devices.

PROTECTION: Loss of Phase, Phase Reversal, Voltage Imbalance, Low Voltage, High Voltage

DISPLAY: Large custom LCD display indicates all operating conditions at a glance. Three large sets of digits provide easy system troubleshooting.

VOLTMETER: Three independent voltmeters read both line and contactor load (backside) voltages.

MONITORED VOLTAGE: 160 to 600 Volts 50-60 Hz.

POWER SUPPLY: Power for the WPC-500 is automatically derived from any active phase.

System operation is not dependent on the control voltage or a specific phase for power.

CONTROL VOLTAGE: 19-277 VAC. Anticipator load is provided for operation with 24 volt electronic and mechanical thermostats.

OPERATING VOLTAGE SET POINT: 175 to 650 VAC. Digitally adjustable in one volt increments.

VOLTAGE TRIP POINT: Adjustable in 1% increments between 6% and 18% of selected operating voltage. Restart voltage set point (hysteresis) fixed at cutout voltage + 3%.

VOLTAGE SYMMETRY: Adjustable imbalance trip point from 2% to 25% of selected operating voltage.

RESPONSE TIMES: Phase Loss/Reversal: 100 mS max.

Imbalance: Adjustable Response Timer

Over or Under Voltage: Adjustable Response Timer

LOCKOUT DELAY TIMER: Fully adjustable 0 to 720 Seconds (0 to 12 minutes). Digital display shows remaining time and user set points.

SEQUENTIAL START TIMER: 0 to 30 seconds in one second increments.

RESPONSE TIMER: 0.1 to 20 Seconds. Digital display shows remaining time and user set points.

MEMORY: Up to 25 past fault conditions are stored for later retrieval and analysis. The faults may be displayed or cleared by the front panel buttons.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DTP-3	Digital 3-Phase Motor Protector	1	280.00



Digital Single Phase Line Voltage Monitor

An automatic voltage monitor and control system. By continuously measuring the incoming line voltage, this monitor will detect any voltage outside the tolerances that you set. If these limits are exceeded, the response timer will begin counting. You may also set the response time – a short time may be desired for a quick response or a long time to avoid nuisance tripping. If the voltage remains outside the tolerance after the time has elapsed, the DSP-1 will turn off its output relay and protect your device. While the output is off, an additional delay timer is activated to avoid rapid restarts.

FEATURES: Digital voltmeter displays instantaneous line voltage
Automatic voltage tester adjusts from 90 to 300 volts
Adjustable response timer (0.1 to 10 sec.) prevents nuisance tripping
Adjustable delay timer (1 to 720 sec.) prevents rapid restarts
Digital display makes for easy viewing and operation

SPECIFICATIONS: Voltmeter: 70 to 325 Volts
Voltage Set Point: 90 to 300 Volts
Tolerance Limits: 6 to 18%
Response Timer: 0.1 to 10 seconds
Delay Timer: 1 to 720 seconds
Output Relay: 10 Amps, 250 VAC resistive, single-pole/double-throw
Control Input: 18 to 250 VAC with anticipator load for 24 volt thermostats

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DSP-1	Digital Single Phase Motor Protector	1	80.00

007 Control Checker



A lifetime tool for monitoring and checking all safety controls and operating controls. One unit for all voltages 24-460 VAC or DC without switching dials or meters. Compact, lightweight 4 oz, reliable. Saves hours of trouble shooting. For normally closed controls, 007 is connected in parallel with safety control. When the safety control opens in response to a problem in the system, 007 red LED turns on and remains on until reset manually. Even if the problem is intermittent, the LED will remain on indicating the control is open. For operating controls, 007 will verify the status of all types indicating if there is power to the holding coil, the NC contact is open or closed, the thermostat contacts are open or closed, there is power to the contactor or starting holding coil, the overloads are open or closed, or there is a bad connection either on the control side or the power side. NOTE: May be used with lockout relays. Features battery check and reset switch. A 9-volt battery is included. 007 may be used over and over for other jobs.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
TC-007	007 Control Checker	1	53.00

U.S. Pat. No. 4,092,625.

Wet Switch Flood Detector



A solid state control designed to help prevent flooding, damage to carpets, walls, furniture, ceilings, etc. Turns system off when detecting moisture due to condensate or drain leaks. As few as one or two drops will cause a Wet Switch to turn off a unit, thereby alerting a serviceman to a moisture problem. A lit LED indicates the Wet Switch is activated and has turned the unit off. Re-set simply by drying the absorbent pad with a paper towel and momentarily interrupting the power. Connects to 24 VAC. More than one unit may be connected to a system. 2 amp contact rating. Simple 3 wire installation. Sales displays available.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
WS-1	Wet Switch Flood Detector	1	101.20

U.S. Patent No. 4,787,212.

Tattle-Tale Control Monitor



Identifies open controls in seconds. Tattle-Tale is a single use monitoring device for determining which, if any, safety control has opened in response to a malfunction. Saves many wasted hours tracing a safety control shutdown, even if it is intermittent. Here is a quick, inexpensive way to visually spot exactly where the problem is. Simply install Tattle-Tale in parallel with each safety control. When a control opens, the Tattle-Tale's red indicator flag pops up. You will know immediately which area of the system is experiencing problems. Disposable, inexpensive, totally safe, simple to use, and pocket sized. Use for monitoring: safety controls, fuses, overload relays, motor protectors, freeze controls, limit controls, safety switches, fusible links, or steam control. CAUTION: Not to be used with lockout relays, use TC-007.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
TT-24	24 Volt AC or DC	3	11.40
TT-120	120 Volt AC or DC	3	11.40
TT-240	240 Volt AC or DC	3	11.40

Tolerance on all voltages shown is $\pm 20\%$.

U.S. Pat. No. 4,250,480.

Hard Start Kits



DST-5 Torque Plus, 300% Boost

Totally solid state, our DST-5 is just right for all permanent split capacitor (PSC) compressors from 1/2 to 10 H.P. It can be used on units that operate on 120 through 288 Volts.

DST-6 Torque Plus, 500% Boost

The DST-6 offers a larger capacitor for severely hard-to-start compressors. The DST-6 can be used on all PSC single phase compressors from 1-1/2 to 10 H.P.

DST-8, Super Boost 8, 690% Boost, Recycles Instantly

Offers the features of a potential relay and the benefits of easy two wire hookup. A unique combination of relay and safety timer. The capacitor is automatically disconnected in 0.5 seconds if the compressor fails to start. Use on all PSC single phase compressors from 1/2 to 10 H.P.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
DST-5	Torque Plus, 300% Torque Multiplier	1	20.72
DST-6	Torque Plus, 500% Torque Multiplier	1	31.56
DST-8	Super Boost 8, 690% Torque Multiplier	1	70.20

Heating Cables

Easy Heat Pipe Heating Cables

Each cable consists of tough PVC inner insulation, a continuous ground braid, and weather resistant PVC (high-low temperature) outer jacket. Ideal for use where codes require "grounded" heating cables. U.L. listed.



CATALOG NO.	HEATED SECTION LENGTH (FEET)	WATTS	AMPS 120 VOLTS ONLY	STANDARD PACK	PRICE/PACK
Automatic Cable with Thermostat 120 VAC					
AHB-013	3	21	0.2	1	60.00
AHB-016	6	42	0.4	1	63.43
AHB-019	9	63	0.5	1	66.86
AHB-112	12	84	0.7	1	72.00
AHB-115	15	105	0.9	1	75.43
AHB-118	18	126	1.1	1	80.57
AHB-124	24	168	1.4	1	85.71
AHB-130	30	210	1.8	1	92.57
AHB-140	40	280	2.4	1	106.29
AHB-160	60	420	3.5	1	133.71
AHB-180	80	560	4.7	1	173.14
Non-Automatic Cables without Thermostat 120 VAC					
HB-01	3.28	23	0.2	1	61.71
HB-02	6.56	46	0.4	1	65.14
HB-03	9.84	69	0.5	1	68.57
HB-04	13.12	92	0.7	1	73.71
HB-05	16.41	115	0.9	1	78.86
HB-06	19.69	138	1.1	1	82.29
HB-07	22.97	161	1.4	1	87.43
HB-09	29.53	207	1.8	1	94.29
Non-Automatic Cables without Thermostat 240 VAC					
HB-02-2	6.56	46	0.4	1	66.86
HB-04-2	13.12	92	0.7	1	73.71
HB-06-2	19.69	138	1.1	1	87.43
HB-08-2	26.25	184	1.4	1	109.71
HB-10-2	32.81	230	1.8	1	135.43


*AMPS for 240VAC cables are one half that shown for 120 VAC.

Easy Heat Cut-To-Length Cable


SR Trace is a water resistant, cut-to-length self regulating heating cable that automatically varies its heat output with changes in surrounding temperature. Because of the self regulating design, this cable can be cut-to-length in the field and can be installed overlapped, if necessary, without danger of shorting out. SR Trace is ideal for process pipe heating and freeze protection on industrial and commercial water pipes and sprinkler systems, as well as refrigeration drain lines and drain pans. Available in self-dispensing packaging and in accessory connector kits. U.L. listed for wet locations.



Typical Uses



Pipe Tracing Applications



Freeze Protection Applications

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
SR31J-50	3 watts/ft., 120 volt cable	50' reel	377.14
SR31J-100	3 watts/ft., 120 volt cable	100' reel	754.29
SR31J-250	3 watts/ft., 120 volt cable	250' reel	1885.71
SR32J-50	3 watts/ft., 240 volt cable	50' reel	394.29
SR32J-100	3 watts/ft., 240 volt cable	100' reel	788.57
SR32J-250	3 watts/ft., 240 volt cable	250' reel	1971.43
SR51J-50	5 watts/ft., 120 volt cable	50' reel	420.00
SR51J-100	5 watts/ft., 120 volt cable	100' reel	840.00
SR51J-250	5 watts/ft., 120 volt cable	250' reel	2100.00
SR52J-50	5 watts/ft., 240 volt cable	50' reel	488.57
SR52J-100	5 watts/ft., 240 volt cable	100' reel	977.14
SR52J-250	5 watts/ft., 240 volt cable	250' reel	2442.86
SR81J-50	8 watts/ft., 120 volt cable	50' reel	600.00
SR81J-100	8 watts/ft., 120 volt cable	100' reel	1200.00
SR81J-250	8 watts/ft., 120 volt cable	250' reel	3000.00
SR82J-50	8 watts/ft., 240 volt cable	50' reel	625.71
SR82J-100	8 watts/ft., 240 volt cable	100' reel	1251.43
SR82J-250	8 watts/ft., 240 volt cable	250' reel	3128.57
SRP-CRG	Power connection and end seal kit	1	49.71
SRP-CK	SRP-1 with pipe stand-off	1	49.71
SRS-T	In-line splice and "T" splice kit	1	123.43
SRE-S	5 end seals	1	46.29



EasyHeat Freeze Free

Self regulating pipe heating system. Easy Heat, the leader in residential pipe freeze protection, presents the Freeze Free pipe heating system. Using self-regulating technology, this cable actually produces only the heat that is needed, where and when it is needed, to prevent pipe freeze-up. Protects pipes to -60°F. Operating on 120 volts AC, this U.L. listed product is suitable for use on plastic and metal water pipes.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
2102	100' Reel	1	495.43
2302	300' Reel	1	1450.29
10702	Fused Plug Kit and End Cap	1	32.57
TMC-35	Pre-Set Thermostat	1	41.14



Tubing Insulation

Available in a wide variety of thicknesses and diameters.

(SEE PAGE 15)



Compressor Heaters

Extends the life of air conditioners and refrigeration compressors. Corrosion resistant exterior. High temperature silicone rubber element and insulated leads. Voltages through 600. Wattage for each model matches compressor requirements. Completely moisture proof. Installs quickly and easily. Nominal power consumption due to highly efficient heat transmission and low wattage. UL listed, CSA certified.



CATALOG NO.	Rated Volts	Rated Watts	Fits Compressor	Girth Dimensions			STANDARD PACK	PRICE/PACK
				Min.	Max	Shape		
CH-100	240	50	Bendix/Westinghouse: C, D	30-3/16"	37"	OVL	1	33.20
CH-100-3	480		Copeland: Y Hitachi: 753FH3-H, 1001FH4-H Tecumseh: B, C, CL, AG, AV Carlisle: W (70-88)					
CH-101	240	54	Aspera: H	27-7/16"	34-1/4"	OVL	1	33.20
CH-101-1	208		Bendix/Westinghouse: E				1	33.20
CH-101-2	120		Bristol/Sunstrand: H10A, H21A, H2EA, H22A				1	33.20
CH-101-3	480		Carrier: 6A25, 26, 28, 29, 6A35, 38, 45, 48 Tecumseh: AH Trane: D4350/689, D4359/690 Westinghouse: CD072, CD090 Copeland: CR				1	33.20
CH-102	240	60	Aspera: J	25-3/4"	32-9/16"	OVL	1	33.20
CH-102-2	120		Bristol/ Sunstrand: H10C, H20C, H21C, H22C				1	33.20
CH-102-3	480		Tecumseh: AJ Trane: D4340/7669				1	33.20
CH-196	240	40	Copeland	19-7/8"	26-5/8"	RND	1	34.20
CH-196-2	120		6" Scroll				1	34.20
CH-196-3	480						1	34.20
CH-196-6	575						1	34.20
CH-230	240	70	Copeland	21-5/8"	28-1/2"	RND	1	34.20
CH-230-3	480		7-1/2" Scroll				1	34.20
CH-230-6	575						1	34.20
CH-103	240	45	Bendix/Westinghouse: A	24-3/4"	31-9/16"	OVL	1	33.20
CH-103-2	120		Bristol/Sunstrand: H10B, H20B, H21B, H22B Copeland: RR, SR Hitachi: 305FH2-HE, 402FH2-HE, 505FH2-HE Tecumseh: AB, AW				1	33.20
CH-104	240	75	Bristol/Sunstrand: H10G, H20G, H21G, H22G, H2NG-144	41-1/2"	48-5/16"	RND	1	34.20
CH-104-3	480		Carrier: 6A88 Feders/Chrysler: 3009 Hitachi: 1500FH4-H Tecumseh: FE, FB				1	34.20
CH-105	240	50	Copeland: VR Trane: D4340/7670 Westinghouse: CD072, CD090	32-1/2"	39-5/16"	RND	1	33.20
CH-135	240	45	Copeland: JR	20-5/16"	27-1/8"	OVL	1	33.20
CH-135-2	120		Tecumseh: AK				1	33.20
CH-197	240	25	Fedders/Chrysler: 2870908 Sanyo: CR15F, CR20F, CR33F	13-3/4"	20-9/16"	RND	1	33.20
CH-202-3	480	70	Copeland: BR	33-3/4"	36-3/4"	RND	1	33.20

Copper Jacketed Flexible Heater



Rugged construction and higher wattage output. Flexibility permits wrapping or insertion into refrigeration drain lines. Internal tracing may be required if walls, floors or other objects prevent external tracing. 1/4" flexible heating element designed for applications requiring higher wattage and more resistance to abusive wear. Waterproof and safely grounded – suitable for a variety of immersion heating applications. Resists oil and chemicals which are not harmful to copper. Copper formability permits the flexible heater to adapt to a wide variety of end uses. 10 watts per linear foot – available in 120V and 240V. The 120V units are equipped with grounded plugs – 240V units are made for direct wiring. For air conditioning, freeze protect drain lines, liquid carrying pipes, compressors. For residential, freeze protect metal plumbing, gutters/downspouts, and drain lines. For food and chemical processing, heat liquids in vats, tanks, pipes. For manufacturing, heat pipes or freeze protect pipes, pumps, valves, sprinkler systems, oil lines.

CATALOG NO.	Heated Length (ft.)	Total Watts	Total Amps	Watts Per Linear Foot	STANDARD PACK	PRICE/PACK
120 VAC – 3 wire cord set with plug						
CU-05-1	5	50	.4	10	1	174.86
CU-10-1	10	100	.8	10	1	202.29
CU-15-1	15	150	1.3	10	1	229.71
CU-20-1	20	200	1.7	10	1	255.43
240 VAC – 3 wire cord set with no plug						
CTU-05-1	5	50	.2	10	1	186.86
CTU-10-1	10	100	.4	10	1	221.14
CTU-15-1	15	150	.6	10	1	253.71
CTU-20-1	20	200	.8	10	1	288.00

Fin Tools

Multi-Head Fin-Tool

The convenient way to straighten and clean condenser and evaporator fins. Each nylon head slides into the master handle and tightens in place. The heads are designed to fit units with fin spacing of 4 through 24 fins per inch. Each head is engraved with its own size and is color coded for fast identification. The heads are angled so that when inserted in the handle, the hand is a safe distance from the sharp fins. Fin-Tool heads may also be reversed in the handle, so that combing with an upward stroke (recommended method) may be done easily, with proper leverage. The master handle rests comfortably in a man-size grip, is rigid and long lasting.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-100	Kit (1 Handle and 6 Heads: 8, 9, 10, 11, 12,14)	12	14.60
T-1	Handle Only – Black	1	3.40
T-8	Head 8 FPI – Orange	3	2.60
T-9	Head 9 FPI – Yellow	3	2.60
T-10	Head 10 FPI – Natural	3	2.60
T-11	Head 11 FPI – Blue	3	2.60
T-12	Head 12 FPI – Green	3	2.60
T-14	Head 14 FPI – Lt. Green	3	2.60
T-101	Kit (1 Handle and 6 Heads:13, 15, 16, 17, 18, 20)	12	14.60
T-13	Head 13 FPI – Pink	3	2.60
T-15	Head 15 FPI – Aqua	3	2.60
T-16	Head 16 FPI – Brown	3	2.60
T-17	Head 17 FPI – Blue	3	2.60
T-18	Head 18 FPI – Red	3	2.60
T-20	Head 20 FPI – Purple	3	2.60
T-21	Head 21 & 22 FPI – Rose (for Carrier unit)	3	2.60
T-23	Head 23 & 24 FPI – Black (for Carrier unit)	3	2.60

U.S. Patent No. 4,018,076.



T-200



T-300



Fin-Tool

All metal long lasting fin straightener. Straightens and cleans condenser and evaporator fins. One tool for all units. The heavy duty spring wire bristles automatically adjust to ALL fin spacings. An exclusive tension adjustment band is featured to allow maximum rigidity and ease of operation. Straightens most severely damaged fins.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-200	Fin-Tool	1	15.00
T-300	Fin-Tool with heavy duty bicycle handle	12	19.80

Fin Whisk

A plastic handled whisk for cleaning condenser and evaporator fins.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-26	Fin Whisk Brush	12	2.48

SuperComb

Easier to grip, easier to use tool for straightening condenser and evaporator fins. Straightens 50% more fins in one stroke. Keeps hands a safe distance from fins. Easy to grip, strong, durable, heavy duty nylon. Color coded for easy identification. Sold individually or 6 per set. Sales display available.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
T-408	8 and 10 FPI – Orange	6	5.00
T-409	9 and 15 FPI – Yellow	6	5.00
T-411	11 and 13 FPI – Blue	6	5.00
T-412	12 and 14 FPI – Green	6	5.00
T-417	16 and 17 FPI – Lime	6	5.00
T-418	18 and 20 FPI – Red	6	5.00
T-400	Set of 6 – Includes 1 Each: T-408, T-409, T-411, T-410, T-417, T-418	1	26.00

Tools

Expando Adjustable Condenser Tube Cleaner

Fast, thorough, economical way to remove mineral scale and sludge from inside water-cooled condenser tubes. Saves time-consuming brushing or flushing. Expando attaches to a threaded rod which fits into an Expando handle or your electric drill. With a reaming action, the tough stainless steel blades scrape everywhere inside the tube, providing a free, unrestricted flow. Virtually clogproof, this tool may be expanded or reduced in diameter to fit scale deposits – not just the tube. Note: Use EC-810 couplings for connecting additional rods.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
E-5	5/16" to 3/8" I.D. Tubes	1	32.80
E-6	3/8" to 1/2" I.D. Tubes	1	32.80
E-8	1/2" to 5/8" I.D. Tubes	1	32.80
E-10	5/8" to 1" I.D. Tubes	1	32.80
EB-6	Blades for E-5 and E-6	1	6.40
EB-8	Blades for E-8	1	6.40
EB-10	Blades for E-10	1	6.40
EC-56	Couplings for E-5 and E-6	3	3.20
EC-810	Couplings for E-8 and E-10	3	3.20
EE-30	Rods – 30" 1/4-28	3	7.20
EE-48	Rods – 48" 1/4-28	3	8.80
EH-1	Handle	1	5.00



Compressor Tote

Makes light work of a heavy job. Electro plated, strong steel construction. Recommended for use with all compressors up to 5 tons. Compatible with high efficiency compressors. Pick up a compressor from its box. Carry a compressor up a ladder. Now with black protective finish.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ACT-6	Compressor Tote	6	67.00



Safe-T-Lift® Back Support System

Safe-T-Lift®, which has been approved by industrial physicians, is designed to increase abdominal lift, reduce pressure on the lower back, limit pelvic flexion, and help reduce curvature of the spine. Safe-T-Lift® may reduce your insurance premiums. Check with your agent. Black only.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
STL-0	X-SM – Fits waist 26" to 29", Hips 30" to 33"	1	96.00
STL-1	SM – Fits waist 30" to 33", Hips 34" to 37"	1	96.00
STL-2	MED – Fits waist 34" to 37", Hips 38" to 41"	1	96.00
STL-3	LG – Fits waist 38" to 41", Hips 42" to 45"	1	96.00
STL-4	X-LG – Fits waist 42" to 45", Hips 46" to 49"	1	96.00
STL-5	XX-LG – Fits waist 46" to 49", Hips 50" to 53"	1	96.00
STL-6	XXX-LG – Fits waist 50" to 53", Hips 55" to 57"	1	96.00



All Purpose Sprayers

All-purpose spray bottles. Gallon size bottle has a 28" flexible hose and easy-to-carry handle. Lightweight and versatile. Best for the really big jobs in hard-to-reach places. Adjustable nozzle will atomize any low viscosity liquid. Will adjust from a mist to a 12' jet stream or anything in between. The one pint container is imprinted with a measured ounce guide. Ideal for spraying water treatment chemicals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BS-64	Gallon Size Sprayer	6	14.00
BS-16	Pint Size Sprayer	12	4.80
BS-32	Quart Size Sprayer	12	6.40



Allen Wrenches

The finest quality wrenches available anywhere.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-8	3" handle, 8 bits, Standard Fold-Ups .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	1	10.20
AW-9	4" handle, 9 bits, Standard Fold-Ups 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	15.40
AWL-5	5-1/4" handle, 5 bits, Long Arm Fold-Ups 3/16", 7/32", 1/4", 5/16", 3/8"	1	21.20
AWL-9	6-1/4" handle, 9 bits, Long Arm Fold-Ups 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	20.20



Allen Duracast™ Fold Ups

Featuring unique “double foldout” design. This convenient pocket wrench set opens from both the top and bottom, for fast, easy access to each and every bit. Instead of unfolding the top wrenches to get at the wrenches underneath, all you do is turn the FOLD UP over. Specially contoured handle, so you’ll never cut your hands or snag your clothing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AWZ-2500	3-1/2" handle, 9 bits .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16"	1	26.60
AWZ-3000	4-1/4" handle, 9 bits 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1	28.80



Allen Wrenches – Short Arm

A complete set of Allen Wrenches packaged in a sturdy metal container.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-13	13 Keys, short arm series: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2"	1	51.00



Allen Wrenches – Long Arm

Most needed combination of Allen Wrenches packaged in clearly marked vinyl pouches.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-96	9 Keys, 6" long arm series: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	38.00
AW-712	7 Keys, 12" long arm series: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"	1	53.00



Allen Wrenches – Individual Sizes

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
AW-96-8	Allen Wrench 6" x 1/8"	25	2.20
AW-96-10	Allen Wrench 6" x 5/32"	25	2.40
AW-96-12	Allen Wrench 6" x 3/16"	25	2.60
AW-96-20	Allen Wrench 6" x 5/16"	25	5.00
AW-712-6	Allen Wrench 12" x 3/32"	25	7.20
AW-712-8	Allen Wrench 12" x 1/8"	25	7.20
AW-712-10	Allen Wrench 12" x 5/32"	25	7.20

Hose Clamps

Partial stainless, worm drive, adjustable. 300 series stainless steel 1/2" band with plated 5/16" slotted hex head screw and housing. Recommended for most applications. 100% interlock construction features one-piece housing which directly locks into the band. Spot weld free design.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-4H	No. 4, 7/32" – 5/8" diameter, 3/16" – 5/16" hose I.D.	10	1.08
B-6H	No. 6, 3/8" – 7/8" diameter, 1/4" – 3/8" hose I.D.	10	1.08
B-8H	No. 8, 7/16" – 1" diameter, 5/16" – 1/2" hose I.D.	10	1.08
B-10H	No. 10, 9/16" – 1-1/16" diameter, 3/8" – 5/8" hose I.D.	10	1.08
B-12H	No. 12, 9/16" – 1-1/4" diameter, 5/8" – 3/4" hose I.D.	10	1.20
B-16H	No. 16, 11/16" – 1-1/2" diameter, 3/4" – 1" hose I.D.	10	1.20
B-20H	No. 20, 3/4" – 1-3/4" diameter, 1" – 1-1/4" hose I.D.	10	1.20
B-24H	No. 24, 1-1/16" – 2" diameter, 1-1/4" – 1-1/2" hose I.D.	10	1.20
B-28H	No. 28, 1-5/16" – 2-1/4" diameter, 1-1/4" – 1-3/4" hose I.D.	10	1.20
B-32H	No. 32, 1-9/16" – 2-1/2" diameter, 1-1/2" – 2" hose I.D.	10	1.20
B-36H	No. 36, 1-13/16" – 2-3/4" diameter, 1-3/4" – 2-1/4" hose I.D.	10	1.20



4-Piece Hook and Pick Set

For separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers. Bright-dipped, anodized hex-shaped aluminum handles with powerful magnet on end. Handy screw-in hook, pick, point and scribe. High carbon polished needle steel. All in a compact zip-lock vinyl pouch that fits in your shirt pocket! Set includes four screw-in tips plus handle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
MHP-4	4-Piece Hook and Pick Set	1	14.60



ScrewGrab®

Helps remove or tighten screws even if they are stripped. One drop of ScrewGrab® on the screwdriver tip or hex wrench grabs the screw so it turns or tightens more easily. Stops tools from slipping off rounded or deformed fasteners. Torque is increased over 400%. Works instantly, wipes clean, non-staining, non-sticky, non-corrosive, non-irritating. Unlimited shelf life.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CSG-1	ScrewGrab® – 0.5 fl. oz.	12	9.60



Mechanical Screw Starter

A simple, easy way to end fumbling with hard to position screws. Just insert the screw on the prongs of the screw starter, and a simple twist will lock the screw ready for trouble free starting. Tool automatically releases and resets. Use with ferrous or non-ferrous screws. Nylon handle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
S-3	One End Slotted, Phillips on Other, 9-1/4"	1	17.20




Self Tapping Water Tap Valve

Installs on all copper tube lines from 3/8" O.D. to 1-1/8" O.D. Installs without shutting off water. No drilling required. Features 1/4" compression fitting. Stainless steel piercing needle. Special molded gasket seals on both tubing and valve. Will not slip or turn on tubing.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
QAV-2	Self Tapping Water Tap Valve	1	7.00

DUAL IMAGE



Actual gauge tipped at two different angles.

Gauge-Pro™

Dual image temperature scales for manifold gauges. Gauge-Pro's™ unique dual image design allows standard manifold gauges to display six different refrigerant temperature scales. Now, with one set of manifold gauges, you can read both high and low side temperatures for: R-12, R-134A, MP-39, R-502, R-404A, and R-22. Magnetic back or peel-off adhesive installs in seconds. Eliminates need for buying additional gauges. Convenient, easy to read, accurate.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
GP-1	Gauge-Pro™	1	31.80



Reach-It

Retracts to 5" long. Made of durable chrome plated brass. Match can be quickly inserted.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
R-1	Reach-It extends to 26-3/4"	12	8.20

Magnetic Retrieving Tool

Extra high flux magnet for greater pickup. Super adjustable telescoping action. Bright chrome plated brass handle. This magnet is powerful and it will outperform the standard Alinco V Magnet 4 to 1. With the adjustable telescoping handle, you can pick up ferrous objects where your hand cannot reach. When closed, it fits neatly in your pocket for easy accessibility on every job.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-601	Tool – Pocket Telescopic extends from 5-7/8" to 25-9/16" (Carded)	12	11.40

Telescopic Inspection Mirror – American Made

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Precision engineered links are made from tempered spring steel to withstand the stresses of constant repositioning. Moves freely, holds desired position.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
M-1	1-1/4" Circular – extends 6-1/4" to 18-1/4"	1	14.40
M-2	2-1/4" Circular – extends 10" to 14"	1	16.60
M-3	2-1/8" x 3-1/2" Rectangular – extends 11-1/4" to 15-1/4"	1	16.60
M-4	7/8" Circular – extends 6-1/2"	1	11.20
M-5	1" x 2" Oval – extends 8-1/2"	1	11.20
M-3G	Refill Mirrors Only 2-1/8" x 3-1/2"	12	2.80
M-5G	Refill Mirrors Only Oval 1" x 2"	12	2.00
M-1R	Replacement Head for M-1	1	6.20
M-2R	Replacement Head for M-2	1	7.20
M-3R	Replacement Head for M-3	1	7.20
M-4R	Replacement Head for M-4	1	5.40
M-5R	Replacement Head for M-5	1	6.20



Toggle Switches

Single pole-double pole – A.C. Underwriters' Listed CSA APP. No. 10016. All DiversiTech Toggle Switches furnished with screw terminals.

Rating A: 20A – 125VAC, 20A – 250VAC, 1 H.P. at 120-240V

Rating B: 15A – 125/250VAC, 3/4 H.P. at 240V

CATALOG NO.	DESCRIPTION	RATING	STANDARD PACK	PRICE/EACH
TS-1	SP-ST	A	1	5.60
TS-2	SP-DT	A	1	6.40
TS-3	SP-DT-CO	B	1	6.60
TS-4	DP-ST	A	1	8.00
TS-5	DP-DT	A	1	10.00
TS-6	DP-DT-CO	B	1	10.00





Icemaker Kit

Supplies water to most refrigerators with automatic icemakers, humidifiers and evaporative coolers. Contains self-tapping valve and all necessary fittings.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
750-400	Icemaker Kit – Copper – 16'	25	23.20
750-401	Icemaker Kit – Poly Tube – 25'	50	13.00

Fast Orange Hand Cleaner

Three out of five people already prefer Fast Orange over any other hand cleaner. Fast Orange is the first biodegradable, waterless hand cleaner with aloe, lanolin, and jojoba. Smooth lotion and extra-fine pumice available. USDA Approved.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HCO-7	7-1/2 fl. oz. Smooth Squeeze Bottle	12	5.40
HCO-15	15 oz. Smooth Squeeze Bottle	12	8.80
HCO-64	1/2 gal. Smooth w/Dispenser	6	29.00
HCO-128	1 gal. Smooth w/Dispenser	4	43.40
HCP-3	3 oz. Pumice Squeeze Tube	12	3.80
HCP-7	7-1/2 fl. oz. Pumice Squeeze Bottle	12	5.40
HCP-15	15 oz. Pumice Squeeze Bottle	12	8.80
HCP-64	1/2 gal. Pumice w/Dispenser	6	29.00
HCP-128	1 gal. Pumice w/Dispenser	4	43.40



Kimberly-Clark Waterless Hand Wipes

No sink? No problem. Kimberly-Clark's Waterless Hand Wipes go wherever hands go to get dirty. Full sized 12" x 12" wipes for full sized cleaning. Natural cleaning agent is tough on grease, grime, ink, and paint. Dual textured – smooth for wiping on one side and tough for scrubbing on the other. Now get 25% more wipes with our new 90 count bucket (compared with Scrubs in a Bucket 72 count towels).

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BUCKET
5-42272	Kimberly-Clark Waterless Hand Wipes	1 Bucket	35.00

Gallo Gun

Gallo Gun and SWOOSH CO₂ Cartridges

The Gallo Gun clears condensate drains with a SWOOSH! It is a lightweight (3 oz.) portable tool designed to blow out drain lines instantly. Simply insert a SWOOSH CO₂ cartridge into the Gallo Gun and with a press of the trigger, 800 PSI of oil free food grade air clears the line. Each unit comes equipped with a tapered fitting to work on 3/8" thru 3/4" drain openings. Flexible hose assembly enables you to maneuver through cabinets, coils and hard to reach drains. Cartridges are safe for the environment and recyclable. No need to carry air or nitrogen tanks. Saves time on service calls and reduces labor costs.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
GG-1	Gallo Gun for A/C Condensate Lines	1	92.00
GGC-12	SWOOSH CO ₂ Cartridges	12	48.00
GG-1-90	90° Fitting (for tight work space)	1	11.80
GG-10F	Oil Line Fitting (adapts gun to 3/8" flare)	1	11.80
GG-1P	Plumbing Adapter	1	11.80

Hang-N-Strap



Secure loose gear safely. Tie down ladders, tubing, cylinders or almost anything in seconds. Cannot snap back. Strong, durable 1" polypropylene webbing. Reinforced grommet lets you hang it up, tie it up, hook it up or attach it permanently. Spring loaded adjustable buckle. Easy to get firm tension with no slipping. May be used in conjunction with rubber tie downs. Strong, versatile, durable, easy-to-use. Make an endless length by connecting 2 or more together.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-30	Hang-N-Strap 31" long	24	7.60
HS-30-2	Hang-N-Strap 31" long, 2 straps/card	12	8.80
HS-60	Hang-N-Strap 60" long	24	9.80
HS-60-2	Hang-N-Strap 60" long, 2 straps/card	12	11.00

Lash-N-Strap



Quickly lashes and secures refrigerators, air conditioners, washers, driers, etc. Made of strong durable nylon webbing rated at 3000 lbs. and end hooks at 1200 lbs. tensile strength. Hand loop for easy tightening. Steel cam lever buckle is easy to adjust and releases quickly. Can secure a maximum load of 1000 pounds. 12 feet long.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-144	Lash-N-Strap 144" long	6	48.60

Ratch-It-Strap



Unique ratchet action permits tie-down of appliances securely, positively. Designed with an innovative latch and a fast release cam that reduces socket wear. This cadmium-plated steel buckle has a positive lock that eliminates release due to vibration. When closed, the handle locks the latch into the sprocket to prevent inadvertent release. Easy ratchet tensioning. 16' strong nylon webbing rated at 3000 PSI tensile. Strong vinyl coated end hooks rated at 1200 PSI tensile. Meets Mil. Spec. QQ-P-416.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
HS-192	Ratch-It-Strap 16' long	3	68.40

Rubber Tie Down Strap



Can stretch to double its length. Quickly ties down ladders, tubing, cylinders or almost anything. Extra heavy steel "S" hooks on each end. Resists cracking and deterioration.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
RS-9	9"	10	2.08
RS-15	15"	10	2.52
RS-20	20"	10	3.16
RS-31	31"	10	3.56
RS-41	41"	10	4.80

PRO-TREAT Tablets



PRO-TREAT 151 Premium Condensate Drain Pan Treatment

PRO-TREAT 151 premium tablets penetrate and help remove sludge that can plug drain pans and drain lines and foul humidifier pans. PRO-TREAT 151 tablets kill odors associated with slime and sludge, minimizing maintenance problems from overflow and water damage caused by fouled pans, plugged traps, or drain lines. PRO-TREAT 151 tablets are 100% soluble, easy to use, and do not form any deposits in the pan or drain line. Approved for use in computer rooms. Dosage: 1 tablet per 3 tons each month. PRO-TREAT 153 contains 6 PT-151 tablets per card.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-151	PRO-TREAT 151 – 100 Tablets per Jar	12	63.44
PT-153	PRO-TREAT 153 – 6 Tablets per Pack	24	8.12



PRO-TREAT 152 King-Size Premium Condensate Drain Pan Treatment

King-size premium tablets with the same formulation as PRO-TREAT 151. One PRO-TREAT 152 tablet lasts 3 times longer than the smaller PRO-TREAT 151 tablet. Dosage: 1 tablet per 3 tons every 3 months.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-152	PRO-TREAT 152 King-Size Tablets – 12 per Jar	6	84.24
PT-152B	PRO-TREAT 152 King-Size Tablets – 100 per Jar	1	640.00



PRO-TREAT 161 Condensate Drain Pan Treatment

PRO-TREAT 161 controls odors and eliminates condensate drain pan overflows and the resulting water damage. PRO-TREAT 161 pills are completely soluble, easy to use, non-corrosive, and non-toxic. Use regularly to assure season-long, trouble-free condensate drain pan performance. Approved for use in computer rooms. Dosage: 2 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-161	PRO-TREAT 161 – 100 Tablets per Jar	12	38.00



PRO-TREAT 200 Economy Condensate Drain Pan Treatment

PRO-TREAT 200 economy tablets are effective in eliminating condensate drain pan problems that result in odors, overflows and subsequent water damage. PRO-TREAT 200's long-lasting formula not only cleans sludge accumulations, but also assures season-long trouble-free performance eliminating costly nuisance callbacks. PRO-TREAT 200 is biodegradable, non-corrosive and non-toxic. Approved for use in computer rooms. Dosage: 3 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-200	PRO-TREAT 200 – 200 Tablets per Jar	12	34.12



PRO-TREAT 236 Stick Up Pack

The Stick Up Pack contains 36 PRO-TREAT 200 tablets and conveniently attaches to the air handler with Velcro strips (included). Also, a calendar is included for recording dosage dates. This package is extremely useful for both service technicians and equipment owners. Approved for use in computer rooms. Dosage: 3 tablets per 3 tons each month.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-236	PRO-TREAT 236 Stick Up Pack – 36 Tablets	6	16.00



PRO-TREAT 156 Humidifier Treatment

Effective in preventing odors and scale buildup in humidifier reservoirs. Regular treatment minimizes maintenance problems while extending the equipment life. Approved for use in computer rooms. Dosage: 2-4 tablets per 4-6 weeks. Treatment is dependent on water hardness.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-156	PRO-TREAT 156 for Humidifiers – 4 Tablets per Pack	24	6.88



PRO-TREAT 154 Evaporative Air Cooler Cleaner and Deodorizer

Regular use of PRO-TREAT 154 tablets extends equipment life, helps maintain unit efficiency (saving energy) and prevents musty swamp odors from forming. Approved for computer room use. Dosage is determined from the cubic feet per minute of air flow. Typically treatment is one tablet per 5300 CFM.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
PT-154	PRO-TREAT 154 – 1 Tablet per Pack	12	8.56
PT-154B	PRO-TREAT 154 – 12 Tablets per Jar	12	99.84



Super-Flow Condensate Pan Treatment

State of the art, water based, polymer formula maintains condensate flow and prevents drain pan overflow. 100% active with no residue, no waste. Long term condensate activated release. Non-toxic and non-corrosive with sizes to meet all tonnage requirements. Biodegradable and computer room safe.


CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SF-1	25 Tablets/Jar	24	52.40
SF-2	200 Tablets/Jar	4	67.20
SF-3	6 oz. Bags	48	44.80
SF-4	10 oz. Tubs	18	44.80
SF-5	1.25 lb Tubs	18	89.60

A/C Secondary Condensate Drain Pans



- Rolled edges for durability
- Ribbed bottoms for rigidity
- Reinforced corners for strength
- No seams – no rust – no leakage

(SEE PAGE 14)




Anti-Vibration Mounting Pads

Highest quality elastomeric oil resistant padding. Designed to withstand 50 lbs. per square inch. The rubber pads are corrugated on both sides. The cork is laminated between two corrugated pads. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
MP-2	2" x 2" x 3/8" Rubber	48	0.84
MP-2C	2" x 2" x 7/8" Rubber/Cork	48	1.08
MP-3	3" x 3" x 3/8" Rubber	36	1.76
MP-3C	3" x 3" x 7/8" Rubber/Cork	36	2.64
MP-4	4" x 4" x 3/8" Rubber	24	3.20
MP-4C	4" x 4" x 7/8" Rubber/Cork	24	4.00
MP-6	6" x 6" x 3/8" Rubber	24	4.60
MP-6C	6" x 6" x 7/8" Rubber/Cork	24	8.20
MP-8	8" x 8" x 3/8" Rubber	12	12.60
MP-8C	8" x 8" x 7/8" Rubber/Cork	12	19.40
MP-12	12" x 12" x 3/8" Rubber	12	26.60
MP-12C	12" x 12" x 7/8" Rubber/Cork	12	42.20
MP-18	18" x 18" x 3/8" Rubber	6	40.40
MP-18C	18" x 18" x 7/8" Rubber/Cork	6	66.00

Iso-Cubes

Natural rubber pads, designed to reduce vibration and noise emanating from refrigeration and air conditioning equipment. The circular design in each pad offers a suction cup effect, which eliminates the need to bolt the pads down. A standard 18" pad is divided into eighty-one 2" segments, each of which may be cut or torn to provide smaller pads. These 50 durometer pads will withstand a load of 180 psi with greater resiliency.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ISO-2	Iso-Cube Anti-Vibration Pad 2" x 2" x 3/4"	24	2.00
ISO-4	Iso-Cube Anti-Vibration Pad 4" x 4" x 3/4"	12	6.80
ISO-18	Iso-Cube Anti-Vibration Pad 18" x 18" x 3/4"	6	90.00

The E.V.A. Pad – Extreme Vibration Attenuation!

The latest generation in vibration dampening technology – the new EVA pad. The most effective vibration dampening pad available on the market today. We tested the EVA Pad against other pads at four different vibration settings. In the most severe vibration extremes, the new EVA Pad outperforms cork and rubber by a margin of greater than 3:1, and outperforms our competitor's "waffle" pad by a margin of greater than 8:1! This enhanced performance is due to the special composite foam center. The composite foam is much more structurally sound than cork. It is not affected by oils or chemicals that can sometimes break down cork, and is much more effective at vibration dampening than solid rubber. In essence, the EVA Pad gives you the best of both worlds, at a very competitive price.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
MP-2E	2" x 2" x 7/8" EVA Pad	48	1.32
MP-3E	3" x 3" x 7/8" EVA Pad	36	3.20
MP-4E	4" x 4" x 7/8" EVA Pad	24	4.80
MP-6E	6" x 6" x 7/8" EVA Pad	24	10.00
MP-12E	12" x 12" x 7/8" EVA Pad	12	50.60
MP-18E	18" x 18" x 7/8" EVA Pad	6	80.00



Pull-A-Spout Oiler

All purpose oiler with a 14" telescoping spout. Zooms out for long shots, and in for short shots, even zooms around corners. Squeeze bottle action. Perfect lubricant for general industrial use. Contains four ounces of finest quality carbon free, rust and oxidation inhibited lubricating oil. Plastic container won't short out around electrical connections. No leakage.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CO-1	Pull-A-Spout Oiler (4 oz.)	12 (Display)	2.28



Rust Breaker

Quickly loosens rusted bolts, screws, shafts, piping, and all types of "Frozen" connections and assemblies. The answer for rusty or corroded fastenings on cars, trucks, trailers, tractors, farm machinery, appliances, washing machines, plumbing, water pumps, fishing reels, power tools, gardening equipment, and hundreds of other mechanisms. Packaged in a handy telescoping spout applicator.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CR-1	Rust Breaker (4 oz.)	12 (Display)	2.44



All Purpose Lubricant

Compared to all the others, TKX by LPS is the best all-purpose lubricant. "Wicks" faster and penetrates quickly due to lower surface tension. Formulated to deliver greater clinging power and better protection. Safest to use on operating equipment. High 175°F flashpoint. Exclusive "invertavalve" permits spraying in all positions – even upside down.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-40	11 oz. All Purpose Lubricant	12	10.40



Greaseless Lubricant

Thin film lubrication. Water displacer dries out wet electrical/electronic components. Contains no chlorinated solvents. Ideal for delicate mechanisms. Fast penetrating and no oily mess. Safe on rubber, paint, plastic, fabrics. Won't attract dust or dirt.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-1	11 oz. Greaseless Lubricant	12	14.60
LPS-1G	Gallon Greaseless Lubricant	1	58.96



Industrial Strength Lubricant

Leaves light oily coating. Quick release for seized mechanisms. Reduces wear caused by friction corrosion. Contains no chlorinated solvents. Safe on rubber, paint, plastic, fabrics.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-2	11 oz. Industrial Strength Lubricant	12	15.60
LPS-2G	Gallon Industrial Strength Lubricant	1	66.40



Heavy Duty Rust Inhibitor

Forms heavy waxy coating. Effective corrosion inhibition under severe conditions and corrosive environments indoors and outdoors up to two years. Safe on rubber, paint, plastics, fabric. Excellent anti-seize compound. Superior chain lubricant.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-3	11 oz. Heavy Duty Rust Inhibitor	12	19.00
LPS-3G	Gallon Heavy Duty Rust Inhibitor	1	92.00



Cold Galvanize

95% zinc rich coating inhibits corrosion up to three years. Works as a primer or finish coat to repair damaged or worn hot-dipped galvanized coatings. Leaves a matte gray finish. Works on rusted surfaces and all metals. Won't crack, chalk, or peel.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-5	16 oz. Cold Galvanize	12	18.36



BrightCoat Cold Galvanize

This new product from LPS prevents rust and corrosion on all metals. Produces a shiny zinc coating that dries to the touch in 15 to 30 minutes. Heat resistant. Will not yellow, chalk, crack or peel. Meets ASTM A780-93A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-5BC	13 oz. BrightCoat Cold Galvanize	12	20.40



Heavy Duty Silicone Lubricant

Dry film lubricant. Water based and ideal for surfaces where petroleum based products are unsuitable. Contains no chlorinated solvents and is safe on metal, plastic, rubber, vinyl, leather and wood. Non-stain, anti-static, and approved by USDA for use in federally inspected meat and poultry plants. Approved for use in areas with incidental food contact.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-6	13 oz. Heavy Duty Silicone Lubricant	12	13.84



LST Penetrant

Specially formulated with low surface tension for fast penetrating action. Displaces moisture. Powerful foaming action provides complete surface coverage. Flash point of 175°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-8	11 oz. LST Penetrant	12	12.60



White Lithium w/Teflon

Pure white lubricant with Teflon additives. Provides maximum lubrication. Rust and oxidation inhibitors protect metal. Heat and water resistant. Rapidly forms into a pure white grease that won't melt or wash away.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-9	10 oz. White Lithium Lubricant	12	15.64



Thermaplex Multi-Purpose Grease

Specifically developed to outperform conventional bearing greases and extend relubrication periods, reducing maintenance requirements and grease use. Blue colored paste with excellent load carrying properties. Temperature range -22°F to 350°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-13	14.1 oz. Thermaplex Bearing Grease	30	10.00

Contact Cleaners



Electro 140° Contact Cleaner

Ideal for electrical/electronic parts. Flash point above 140°F. No rinsing or residue. Contains no CFCs or 1,1,1. Superior wetting and penetrating action.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4-140	11 oz. Electro 140° Contact Cleaner	12	20.20



CFC-Free Electro Contact Cleaner

A fast penetrating, quick evaporating, non-residue cleaner for precision parts. Ideal for electrical and electronic fine parts. Penetrates to remove light greases, oil, dirt and other contaminants. Contains no CFCs, NCFs, or 1,1,1 trichloroethane. No rinsing or wiping necessary. Will not stain fabric. Good solvency, low odor, low toxicity. Non conductive, safe on metals and plastics.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4CF	11 oz. CFC-Free Electro Contact Cleaner	12	24.64



NoFlash NU Precision Contact Cleaner

New patent-pending non-flammable formula. Fast evaporating, quick penetrating, no residue formula. Safe on most surfaces. Replaces HCFC 141b or other chlorinated solvents. No flash point.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4NU	15 oz. No-Flash NU Contact Cleaner	12	42.40



NoSpark Electrical Cleaner

New patent-pending non-flammable formula. Fast evaporating, quick penetrating, no residue formula that is safe on most surfaces, including plastics. Non-conductive. Replaces HCFC 141n or other HCFC cleaners.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-4NS	14 oz. NoSpark Electrical Cleaner	12	70.40

Degreasers



HDX Heavy Duty Degreaser

Quickly removes oil, grease, and dirt. Fast acting, non-flammable. Very fast evaporation. Does not contain CFCs. Does not require rinsing or wiping. Not flammable or conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7X	19 oz. HDX Heavy Duty Degreaser	12	20.12



PreSolve

Quickly removes oil, grease, and dirt. Natural based solvent. Moderate evaporation. Does not contain CFCs. Does not require rinsing or wiping. Flashpoint 104°. Not conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7PS	15 oz. PreSolve	12	23.00



ZeroTri

Quickly removes oil, grease, and dirt. Evaporates completely and very rapidly. Does not contain CFCs. Does not require rinsing or wiping. Flashpoint 0°F. Not conductive.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-7Z	15 oz. ZeroTri	12	23.24



Precision Clean

Quickly removes oil, grease, and dirt. Biodegradable. Super industrial strength. USDA approved, non-toxic. Slow evaporation. Does not contain CFCs. Does not require rinsing or wiping. Non flammable. Conductive. Now available in a foaming aerosol!

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
LPS-728	28 oz. Precision Clean	12	19.60
LPS-728A	18 oz. Aerosol Precision Clean	12	15.00

Flashlights by MAG-LITE®

DiversiTech now proudly offers the Mag-Lite Flashlight line. Each Mag-Lite Flashlight offers the following features: 1. Exclusive cam-driven beam that changes from spot to flood with a turn of the head. 2. Patented, self-cleaning switch. 3. Superior quality White Star Krypton bulb. A second bulb is included in the tail cap. 4. High grade rubber O-rings at each opening to insure water resistance and enhance ability to withstand shock. 5. Anodized finish both inside and out to offer optimum corrosion resistance. 6. Limited lifetime warranty. 7. Manufactured in the USA.



Mag-Lite C and D Cell Flashlights

Police, security, emergency, medical and fire professionals around the world have come to rely on Mag-Lite C and D Cell flashlights more than any other brand. They know that serious duty demands serious equipment. Quite simply, the finest flashlight in the world.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-S2C016	2 Cell C Mag-Lite Flashlight – Black	1	64.40
7-S3C016	3 Cell C Mag-Lite Flashlight – Black	1	67.00
7-S4C016	4 Cell C Mag-Lite Flashlight – Black	1	69.40
7-S2D016	2 Cell D Mag-Lite Flashlight – Black	1	70.56
7-S3D016	3 Cell D Mag-Lite Flashlight – Black	1	73.00
7-S4D016	4 Cell D Mag-Lite Flashlight – Black	1	74.00
7-S5D016	5 Cell D Mag-Lite Flashlight – Black	1	74.00
7-S6D016	6 Cell D Mag-Lite Flashlight – Black	1	83.80



Mini Mag-Lite

The flashlight that changed the industry forever. Until the Mini Mag-Lite was introduced, no one had ever dreamed a flashlight could be so small, yet so powerful. Named as one of the "products America makes best" by *Fortune* and *Money* magazines.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-M3A016	Mini Mag-Lite AAA – Black	1	34.00
7-M3A036	Mini Mag-Lite AAA – Red	1	34.00
7-M2A016	Mini Mag-Lite AA – Black	1	39.80
7-M2A036	Mini Mag-Lite AA – Red	1	39.80
7-M2A026	Mini Mag-Lite AA – Camouflage	1	41.20
7-AM2A056	Mini Mag-Lite AA Holster – Black	12	11.00



Solitaire AAA Single Cell Flashlights

Less than an ounce and about three inches in length. Using only a single AAA battery, its focusing beam is surprisingly bright. A spare bulb, battery, and a key lead are included.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-K3A016	Solitaire AAA Flashlight – Black	1	25.00
7-K3A036	Solitaire AAA Flashlight – Red	1	25.00
7-K3A116	Solitaire AAA Flashlight – Blue	1	25.00



Magna-Lite

Unbreakable pocket flashlite and magnifier. Ideal for checking small serial numbers and names on compressors or where poor light makes reading difficult to the naked eyes. Magna-Lite 2 is ideal for reading prints, maps, plans and all reading material with fine print. Powerful, optical-quality magnifying lens. Lightweight. Penlight batteries easily replaced.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
ML-100	Magna-Lite – 1-1/2 oz.	12	16.60
ML-200	Magna-Lite 2 – 7-1/2 oz.	1	46.40
ML-222	Replacement bulb with two batteries	1	9.40



Mag Charger System

Without question, the ultimate lighting tool. The rechargeable Mag Charger is the most powerful and durable hand-held flashlight of its size. Battery pack is rechargeable 1000 times. State-of-the-art, electro-formed reflector that emits an incredibly bright, high intensity light. System includes: Mag Charger Flashlight, charging unit, battery pack, two mounting brackets, 12V Cigarette Lighter Adapter, and 110V AC Converter.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-RX1019	Mag Charger System	1	374.60

Mag-Lite Replacement Bulbs

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CARD
7-LK3A001	Solitaire Replacement Bulb 2/cd	12	5.80
7-LM3A001	Mini Mag-Lite AAA Replacement Bulb 2/cd	12	5.80
7-LM2A001	Mini Mag-Lite AA Replacement Bulb 2/cd	12	5.80
7-LWSA201	2 Cell C or D Replacement Bulb 2/cd	12	5.80
7-LWSA301	3 Cell C or D Replacement Bulb 2/cd	12	5.80
7-LWSA401	4 Cell C or D Replacement Bulb 2/cd	12	5.80

Rayovac is the Industrial Product Leader!

Rayovac is the leader in the industrial battery market and has been for years, with an estimated 50% share of the traditional industrial distribution channel. Rayovac introduced the top-selling industrial flashlight to the market, and set the quality standard by which all other industrial flashlights are measured today. Whether your customer is searching for a toolbox-tough flashlight or high-performance batteries, Rayovac offers a broad range of products to meet your needs.



Rayovac Industrial Maximum Alkaline Batteries—Contractor Packs

- Contractor preferred, clear, re-sealable package
- Greater battery per pack quantities command higher battery sales
- Displays much more readily than other competitive batteries
- In a Rayovac HVAC test market, the Contractor Packs outsold the standard packs by a greater than 2 to 1 ratio!

CATALOG NO.	DESCRIPTION	STANDARD PACK	QTY/DISPLAY CASE	PRICE/EACH
7-ALAA-24	Alkaline AA Battery – Contractor Pack	24	288	1.96
7-ALAAA-18	Alkaline AAA Battery – Contractor Pack	18	216	1.96
7-ALC-12	Alkaline C Battery – Contractor Pack	12	96	3.24
7-ALD-12	Alkaline D Battery – Contractor Pack	12	96	3.68
7-AL9V-8	Alkaline 9V Battery – Contractor Pack	8	96	6.80

Rayovac Industrial Maximum Alkaline Batteries—Shrink Packed

- Same battery performance as the Contractor Packs at a lower cost
- Formulated specifically to exceed the everyday demands of industrial applications
- Outstanding dependability for “must work” applications



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ALAA	Alkaline AA Battery – Shrink Packed	8	1.88
7-ALAAA	Alkaline AAA Battery – Shrink Packed	8	1.88
7-ALC	Alkaline C Battery – Shrink Packed	6	3.12
7-ALD	Alkaline D Battery – Shrink Packed	6	3.52
7-AL9V	Alkaline 9V Battery – Shrink Packed	6	6.52

Rayovac Lantern Batteries

- Dependable performance—for “must work” applications
- Available in General Purpose, Heavy Duty, and the all new Alkaline Maximum



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-6VGP	6 Volt General Purpose – Spring Terminals	12	8.20
7-6VHD	6 Volt Heavy Duty – Spring Terminals	12	8.60
7-6VHDM	6 Volt Heavy Duty Maximum – Spring Terminals	12	10.00
7-806	6 Volt Alkaline Maximum – Spring Terminals	6	24.00
7-918	6 Volt General Purpose – Screw Terminals	6	25.00



Motor Run Capacitors

(SEE PAGES 18-20)





Rayovac Industrial Flashlights & Lanterns

- Toolbox tough polypropylene construction
- Scratch resistant, unbreakable lens
- Full lifetime warranty
- Made in USA



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-IN2	2 Cell D Size	6	12.24
7-IN2K	2 Cell D Size w/Krypton Bulb	6	13.52
7-IN2ML	2 Cell D Size w/Heavy Duty Magnet	6	17.20
7-IN2MS	2 Cell D Size Orange MSHA & UL Approved	6	17.00
7-I6V-B	6 Volt Industrial Lantern w/Battery	6	29.80
7-BR2AA-B	2 Cell AA Size w/Batteries—All Rubber	6	13.80
7-BR2D-B	2 Cell D Size w/Batteries—All Rubber	6	18.40
7-301K	Krypton Beam Lantern w/918 Battery	1	77.00

RAYOVAC
Industrial



Rayovac Industrial Swivel Lights

- 90° pivoting head shines light exactly where you're working
- Stand up base, non-roll design and built in hanging ring
- 200% brighter Krypton beam
- Rubber handle and end caps provide comfort and durability

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-ILJ2AA-B	2 Cell AA Size Swivel Lite w/Batteries	6	20.60
7-ISL2D-B	2 Cell D Size Swivel Lite w/Batteries	6	26.40

Rayovac Roughneck Flashlights

- Superior dependability and toughness
- Spot to flood focus
- Krypton bulb
- Chemical and solvent resistant



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-R2D	2 Cell D Size Roughneck	6	24.20
7-R2AA-B	2 Cell AA Size Roughneck w/Batteries	6	20.00
7-R3D	3 Cell D Size Roughneck	6	25.40

Rayovac 2-Sided Spinning Floor Display

- Next generation displays are designed to maximize product visibility and ease of merchandising
- Expandable tray system allows quick assembly
- Only requires 2' x 2' area of display space
- Free with qualifying Rayovac order



**Ask about other displays available
for Batteries and Flashlights.**

Call Customer Service: 800-995-2222

Spray Any Way Enamel by **plasti-kote**

Finally an aerosol paint that sprays in any direction without clogging. We guarantee it! Dries tack free in 10 to 20 minutes; fully dry in just one hour. Excellent corrosion and solvent resistance. Resists heat up to 250°F.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-020	Gloss Black	6	10.60
799-021	Flat Black	6	10.60
799-022	Gloss White	6	10.60
799-023	Machinery Dark Gray	6	10.60
799-024	Machinery Light Gray	6	10.60
799-025	Aluminum	6	10.60
799-026	OSHA Red	6	10.60

All Purpose Enamel by **plasti-kote**

An all purpose premium quality alkyd enamel formulated with an exclusive resin system that out performs ordinary enamels. Fights rust and is non fading. 15-49% more square foot coverage vs. other brands.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-031	Gray Primer	6	9.40
799-032	Gloss Black	6	9.40
799-033	Flat Black	6	9.40
799-034	Semi Gloss Black	6	9.40
799-035	Gloss White	6	9.40
799-036	Fire Red	6	9.40

General Purpose Spray Paint by **plasti-kote**

New, more complete line of professional quality fast drying spray paints. Color code compressors or refrigerant recovery cylinders to match standard refrigerant identifying colors. Touch up equipment housings.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-001	Gloss Black	6	6.20
799-002	Flat Black	6	6.20
799-003	Gloss White	6	6.20
799-004	Flat White	6	6.20
799-005	Dark Machinery Gray	6	6.20
799-006	Gray Primer	6	6.20
799-007	Red Primer	6	6.20
799-008	Bright Yellow	6	6.20
799-009	Astro Blue	6	6.20
799-010	Orange	6	6.20
799-011	Aluminum (Silver)	6	6.20
799-012	Brite Zinc Galvanizing Spray	6	16.00
799-013	Bright Red	6	6.20
799-014	Pink	6	6.20
799-015	Light Gray	6	6.20
799-016	Purple	6	6.20
799-017	Light Green	6	6.20
799-018	School Bus Yellow	6	6.20



High Temp Spray Paint by **plasti-kote**

An ultra high temperature coating formulated to resist temperatures up to 1500°F. Great for use on boilers, furnaces, steam pipes, chimney collars, compressors and engine manifolds.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/CAN
799-040	Aluminum	6	15.80
799-041	Black	6	15.80

Markers

Valve Action Marker

Large ink supply for increased marking mileage. Fast drying ink is smear resistant and water resistant. These markers utilize a patented valve-activated ink feed mechanism to supply ink as required, right down to the last drop. Replacement tips also available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-799	Red Valve Action Marker-Regular Tip	12	4.20
540-800	Black Valve Action Marker-Regular Tip	12	4.20

Valve Action Paint Marker

Make your mark stand out with bright, crisp, opaque colors. The oil-based paint is quick drying and permanent on most surfaces. These markers also feature the patented valve-operated feed mechanism and a medium point.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-805	Black Valve Action Paint Marker	12	6.40
540-806	Red Valve Action Paint Marker	12	6.40
540-807	White Valve Action Paint Marker	12	6.40
540-808	Yellow Valve Action Paint Marker	12	6.40
540-801	Replacement Tips for Paint Markers	12	3.36

Felt Tip Markers

DiversiTech's all-purpose, permanent felt tip markers boldly mark on metal, glass, paper, and plastic. 20% more ink than competitive markers. Durable metal body.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
540-811	Black, Metal Bodied Felt Tip Marker	12	6.00
540-812	Red, Metal Bodied Felt Tip Marker	12	6.00

DiversiTech proudly offers

Robertshaw Thermostats

(SEE PAGES 47-49)

Chip Brushes

100% pure bristle, wood handle. Poly sleeve over bristles. Inexpensive (use once and throw away). Excellent for applying duct adhesive.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-500	Chip Brush – 1/2"	36	0.84
B-501	Chip Brush – 1"	36	0.92
B-502	Chip Brush – 1-1/2"	36	1.12
B-503	Chip Brush – 2"	24	1.28
B-504	Chip Brush – 2-1/2"	24	1.80
B-505	Chip Brush – 3"	24	2.10

Tin Handle Acid Brushes

Our Acid Brushes are manufactured with electrolyte tin plate and filled with 100% pure stiff horsehair, tied with a steel staple. This combination gives lasting qualities when used with heat and acids or other cleaning agents.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/BOX
B-1	Acid Brush 3/8" Tin Handle 1/Gross	144	23.80
B-2	Acid Brush 1/2" Tin Handle 1/Gross	144	31.00

Welder's Brush

Stainless steel bristles used for cleaning all metals. Especially useful in cleaning aluminum prior to soldering.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-4	Welder's Brush	12	4.60

Power Fitting Brushes

Power fitting brush with hex shaft. Hex locks into all standard and quick lock type chucks for easy change over. Stainless steel wire.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-09746	1/2" ID (5/8" OD) Power Fitting Brush	12	4.80
542-09748	3/4" ID (7/8" OD) Power Fitting Brush	12	4.92

Refrigerator Coil Brush

Clean refrigerator coils, fan blades and areas under and behind appliances. 27-1/2" in length with 11-3/4" brush length. Bristles are 3/4" on the end tapering to 1-1/2" toward the handle.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-27	Refrigerator Coil Brush	1	8.80

Duct Cleaning Brush

Black fiber bristles twisted in wire. 2-1/8" dia. x 7" Brush x 48" overall length.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-76220	Duct Cleaning Brush	1	9.76

Copper Tube Fitting Brushes

Highest quality brushes to clean fittings faster, easier and more safely. Made with strong, resilient, rustproof stainless steel bristles secured in a 4-ply wire with easy-to-grip plastic handle. Economy models feature same quality stainless steel, but secured in 2-ply wire.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-924	1/4" O.D., 9/32" Brush Dia.	1	7.40
B-925	3/8" O.D., 13/32" Brush Dia.	1	7.40
B-926	1/2" O.D., 17/32" Brush Dia.	1	7.40
B-927	5/8" O.D., 11/16" Brush Dia.	1	7.40
B-928	3/4" O.D., 13/16" Brush Dia.	1	7.60
B-929	7/8" O.D., 15/16" Brush Dia.	1	7.60
B-930	1" O.D., 1-1/8" Brush Dia.	1	7.80
B-931	1-1/8" O.D., 1-1/4" Brush Dia.	1	7.80
B-932	1-3/8" O.D., 1-1/2" Brush Dia.	1	8.20
B-934	1-5/8" O.D., 1-3/4" Brush Dia.	1	8.20
B-935	2-1/8" O.D., 2-1/4" Brush Dia.	1	9.40
B-124	Economy 1/4" O.D., 9/32" Brush Dia.	6	3.40
B-125	Economy 3/8" O.D., 13/32" Brush Dia.	6	3.40
B-126	Economy 1/2" O.D., 17/32" Brush Dia.	6	3.60
B-127	Economy 5/8" O.D., 11/16" Brush Dia.	6	3.60
B-128	Economy 3/4" O.D., 13/16" Brush Dia.	6	3.80
B-129	Economy 7/8" O.D., 15/16" Brush Dia.	6	3.83
B-130	Economy 1" O.D., 1-1/8" Brush Dia.	6	4.20
B-131	Economy 1-1/8" O.D., 1-1/4" Brush Dia.	6	4.20
B-132	Economy 1-3/8" O.D., 1-1/2" Brush Dia.	6	4.60

Carbon Steel Curved Handle Scratch Brush

Used for general purpose cleaning.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-10	Carbon Steel Curved Handle Scratch Brush	1	6.60

Outside Tube Cleaning Brushes

Tough molded plastic holder with comfortable sure grip design and high carbon steel bristles. Packed 6 per box.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-00966	1/2" ID (5/8" OD) Outside Tube Cleaning Brush	6	6.20
542-00968	3/4" ID (7/8" OD) Outside Tube Cleaning Brush	6	6.92

2-in-1 Copper Tube Cleaning Brush

A combination tool that fits your hand comfortably and really works. One end cleans the fitting. The other cleans the tube.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-996	1/2" ID (5/8" OD) 2-in-1 Brush	1	11.80
B-998	3/4" ID (7/8" OD) 2-in-1 Brush	1	11.80

Other sizes and styles of brushes available upon request.

Condenser and Heat Exchanger Brushes for Commercial Tube Cleaning

Specially designed to work with all commercial power tube cleaning machines. 1/4" and 3/8" diameter brushes have 8-32 female threads. 7/16"-1" brushes have 1/4-28 male threads. 7/16"-1" brushes may be used for both CW and CCW rotation utilizing a 1/4-28 NF jam locknut.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-202	1/4" Brass 8-32 Female	1	9.60
B-302	1/4" Nylon 8-32 Female	1	5.80
B-402	1/4" Stainless 8-32 Female	1	10.60
B-204	3/8" Brass 8-32 Female	1	9.60
B-304	3/8" Nylon 8-32 Female	1	5.80
B-404	3/8" Stainless 8-32 Female	1	10.60
B-207	7/16" Brass 1/4-28 Male	1	9.60
B-307	7/16" Nylon 1/4-28 Male	1	5.80
B-407	7/16" Stainless 1/4-28 Male	1	10.60
B-210	1/2" Brass 1/4-28 Male	1	9.60
B-310	1/2" Nylon 1/4-28 Male	1	6.60
B-410	1/2" Stainless 1/4-28 Male	1	10.60
B-213	9/16" Brass 1/4-28 Male	1	9.60
B-313	9/16" Nylon 1/4-28 Male	1	6.60
B-413	9/16" Stainless 1/4-28 Male	1	10.60
B-216	5/8" Brass 1/4-28 Male	1	9.60
B-316	5/8" Nylon 1/4-28 Male	1	6.60
B-416	5/8" Stainless 1/4-28 Male	1	10.60
B-219	11/16" Brass 1/4-28 Male	1	10.20
B-319	11/16" Nylon 1/4-28 Male	1	6.60
B-419	11/16" Stainless 1/4-28 Male	1	11.20
B-222	3/4" Brass 1/4-28 Male	1	10.20
B-322	3/4" Nylon 1/4-28 Male	1	7.40
B-422	3/4" Stainless 1/4-28 Male	1	11.20
B-228	7/8" Brass 1/4-28 Male	1	10.20
B-328	7/8" Nylon 1/4-28 Male	1	7.40
B-428	7/8" Stainless 1/4-28 Male	1	11.20
B-233	1" Brass 1/4-28 Male	1	10.20
B-333	1" Nylon 1/4-28 Male	1	7.40
B-433	1" Stainless 1/4-28 Male	1	11.20

Wood Handle Dope Brush

Select horsehair bristles secured tightly in metal ferrule.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-10007	3/4" x 7" Wood Handle Dope Brush	36	1.44

Parts Cleaning Brush

Heavy duty black polypropylene bristles in strong plastic handle.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
542-25015	Parts Cleaning Brush	12	4.92

Other sizes and styles of brushes available upon request.

Condenser and Heat Exchanger Brushes

Ideal for cleaning mineral deposits from inside metal tubes. Especially recommended for use with power tools, although handle for manual use is available.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
B-602	1/4" Brass 8-32 Female	1	10.40
B-702	1/4" Nylon 8-32 Female	1	6.80
B-802	1/4" Stainless 8-32 Female	1	14.00
B-604	3/8" Brass 12-24 Female	1	11.20
B-704	3/8" Nylon 12-24 Female	1	7.00
B-804	3/8" Stainless 12-24 Female	1	16.00
B-607	7/16" Brass 12-24 Female	1	11.20
B-707	7/16" Nylon 12-24 Female	1	7.00
B-807	7/16" Stainless 12-24 Female	1	16.40
B-610	1/2" Brass 12-24 Female	1	11.40
B-710	1/2" Nylon 12-24 Female	1	7.00
B-810	1/2" Stainless 12-24 Female	1	16.60
B-613	9/16" Brass 12-24 Female	1	11.40
B-713	9/16" Nylon 12-24 Female	1	7.20
B-813	9/16" Stainless 12-24 Female	1	16.80
B-616	5/8" Brass 12-24 Female	1	11.40
B-716	5/8" Nylon 12-24 Female	1	7.20
B-816	5/8" Stainless 12-24 Female	1	17.00
B-619	11/16" Brass 12-24 Female	1	11.40
B-719	11/16" Nylon 12-24 Female	1	7.20
B-819	11/16" Stainless 12-24 Female	1	17.20
B-622	3/4" Brass 12-24 Female	1	12.00
B-722	3/4" Nylon 12-24 Female	1	7.40
B-822	3/4" Stainless 12-24 Female	1	17.60
B-628	7/8" Brass 12-24 Female	1	12.00
B-728	7/8" Nylon 12-24 Female	1	7.40
B-828	7/8" Stainless 12-24 Female	1	17.80
B-633	1" Brass 12-24 Female	1	12.40
B-733	1" Nylon 12-24 Female	1	7.60
B-833	1" Stainless 12-24 Female	1	18.00

Extension Rods for Condenser Tube Brushes

Aluminum rods thread into each other to make an endless length.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
BE-24	24" Rods with male thread one end, female other 12-24 Thread Size	3	14.40
BE-36	36" Rods with male thread one end, female other 12-24 Thread Size	3	16.40
BE-48	48" Rods for 1/4" brushes only 8-32 thread size	3	8.80
BH-1	Handgrip – 4" long threads into rods	1	7.60

The latest generation in vibration dampening technology:



The E.V.A. Pad

The E.V.A. Pad is the most effective vibration dampening pad available today!

(SEE PAGE 129)



Pro-2000 Leak Finder

A fluorescent yellow leak detector, in a non-clogging spray bottle, that reacts instantly to the smallest leak. This high viscosity, high visibility liquid flows evenly and clings to the applied surface allowing immediate detection, even in low light conditions. Does not leave any residue or film that will interfere with brazing or soldering. The applicator is specially designed to shoot a controlled stream of liquid to the suspected area. May be used with all refrigerants, oxygen, and compressed gases. Meets Mil spec. MIL-1-26567A.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CL-2016	Pro-2000 Leak Finder – Pint	12	7.80
CL-2032	Pro-2000 Leak Finder – Quart	12	12.40
CL-2128	Pro-2000 Leak Finder – Gallon	4	38.00



Radiant Leak-Finder

The radiant color of this viscous leak detector enables the user to more easily see even the slightest bubble. Radiant Leak-Finder will withstand temperatures down to zero degrees Fahrenheit before freezing. Below zero, it forms a gel and becomes liquid again in only a few minutes of room temperature. Now available in a pull-a-spout bottle.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CLR-4	4 fl. oz. Radiant Leak-Finder	12	3.60
CLR-8	8 fl. oz. Radiant Leak-Finder	12	6.60
CLR-64	1 gallon Radiant Leak-Finder	4	44.00



Leak-Finder with Brush-On Applicator

Specially formulated for refrigeration and air conditioning systems. Seeks and finds refrigerant and air leaks quickly and safely. Actually pinpoints the leak when applied to the suspected area. Leak-Finder has body and will never fail to bubble at even the slightest leak. Leak-Finder is non-toxic, will not stain and meets Mil Spec. MIL-L-25567A for oxygen and compressed gases. Ideal for automotive air conditioners where flame type detectors could be hazardous. Leak-Finder also makes the perfect companion to electronic leak detectors.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CL-8	8 fl. oz. Leak-Finder	12	6.40
CL-64	1 Gallon Leak-Finder	1	38.00



Loctite® Adhesive Sealant

For refrigerant sealing. The better way to eliminate fastener loosening, leakage, and corrosion. Cures between thread flanks to seal against leakage and to prevent thread corrosion. Loctite® offers sealing with maximum solvent resistance to the action of refrigerant (11, 12 and 22), ammonia and sulfur dioxide. In addition, Loctite® withstands corrosive liquids used in metal finishings and process industries. An ideal sealant for refrigeration, air conditioning, and process equipment using corrosive chemicals.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CAS-2712	Loctite® Adhesive Sealant, 0.34 fl. oz.	10	19.80



Loctite Thread Sealant with Teflon

A general purpose sealant with the added lubricity of Teflon for metal pipes. Won't shred like Teflon Tape and allows easy disassembly. Resists common shop fluids. -60° to 400°F temperature resistance. Pressure resistance of 5000 PSI.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
7-80632	Loctite® Thread Sealant – 1/4 Pint Brush Can	12	13.16
7-80633	Loctite® Thread Sealant – 1 Pint Brush Can	12	31.00



Epoxy-A-Leak All Purpose Epoxy Kit

Epoxy-A-Leak is formulated to repair leaks on aluminum evaporators and condensers. It is ideal for joining all metal to metal parts. Sets fast, cures fast, just 7 to 10 minutes. Epoxy-A-Leak will have shear strength in excess of 2000 PSI within 30 minutes. Bursting pressure 4000 PSI. Withstands temperatures from -40° to 212°F. Refrigeration systems can be recharged within one hour after repair. Packaged in economy-sized one ounce tubes. Kit includes two 1 oz. tubes (1 resin, 1 hardener), mixing spatulas, emery cloth, plus saturated cleaning swabs.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CP-2	Epoxy-A-Leak All Purpose Epoxy Kit	12	12.40

Abrasive Cloths



Abrasive Cloth

Aluminum oxide, high quality 120 grit, abrasive cloth to thoroughly clean copper and steel tubing. Works wet or dry. Exceeds industry standards for abrasive cloth.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SC-10	Abrasive Cloth 1-1/2" x 10 yds.	24	8.60
SC-25	Abrasive Cloth 1-1/2" x 25 yds.	12	17.40



Grip-Cut™

Open mesh sand screen cloth. Aluminum oxide grain resin bonded to synthetic nylon cloth. 100% waterproof, but can also be used dry for sanding by hand or with portable tools. Most effective where clogging is a problem, such as soft materials. 180 grit.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
SCM-5	Grip-Cut™ 1-1/2" x 5 yds.	12	12.40
SCM-10	Grip-Cut™ 1-1/2" x 10 yds.	24	20.80
SCM-25	Grip-Cut™ 1-1/2" x 25 yds.	12	50.00



All Purpose Cleaning Pads

For cleaning copper tubes and fittings. Nylon will not rust. Can be used wet or dry. Leaves no residue and is long lasting.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ACP-10	All Purpose Cleaning Pads	1 Box	13.00

Leak Lock®

Resin based thread sealant which remains permanently flexible, adheres to internal surfaces, and fills voids. Excellent for use on metals and plastics subject to extreme vibration. Service temperature -100°F to 400°F, full vacuum to 10,000 PSI. Leak Lock seals most chemicals including all refrigerants, petroleum products, gases, steam, etc. Alcohol is the solvent.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CLL-1	Leak Lock – 1-1/3 oz. tube	12	4.80
CLL-4	Leak Lock – 4 oz. brush top	12	12.20
CLL-16	Leak Lock – 16 oz. brush top	12	33.20
61028	Leak Lock – 1 gal. can	1	245.20

Thawzone®

Thawzone chemically “dries” all refrigerants (R-12, R-22, R-134a, etc.), methyl chloride and methylene chloride. Thawzone frees frozen systems due to moisture in 5 minutes. It prevents refreezing, does not leave any residue, does not contain any dissolved solids or methanol, and works with or without solid dryers.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CTZ-1	Thawzone – 1 oz. plastic jar	24	4.60
CTZ-4	Thawzone – 4 oz. plastic jar	12	13.20
CTZ-16	Thawzone – 16 oz. plastic jar	6	38.00

Low-Temp Gas Leak Detector

Non-freezing viscous fluorescent bubble type gas leak detector rated to -50°F (-80°C). Leaks appear as large strong bubbles and are fluorescent under a black light. For use on hot and cold piping and equipment containing most gases such as air, natural gas, all refrigerants, ammonia, SO₂, etc.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
62008	Gas Leak Detector, Low-Temp – 8 oz. plastic bottle	24	8.48
62032	Gas Leak Detector, Low-Temp – 32 oz. spray bottle	12	32.40
62128	Gas Leak Detector, Low-Temp – 1 gal. bottle	1	89.12

Mid-Temp Gas Leak Detector

Viscous fluorescent bubble type gas leak detector rated to 27°F. Leaks appear as large strong bubbles and are fluorescent under a black light. For use on hot and cold piping and equipment containing most gases such as air, natural gas, all refrigerants, ammonia, SO₂, etc.



CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
63008	Gas Leak Detector, Mid-Temp – 8 oz. plastic bottle	24	6.72
63032	Gas Leak Detector, Mid-Temp – 32 oz. spray bottle	12	15.20
63128	Gas Leak Detector, Mid-Temp – 1 gal. bottle	1	42.20

Trace®



A red dye internal tracer type leak detector for use with mineral oil base refrigerant lubricants and hydraulic systems. Leaks show as intense red stains. Trace is nonvolatile, will not sludge oil or deposit gum. Trace is soluble in the lubricant and liquid refrigerant and travels with the lubricant. Oil separators will remove Trace and should be bypassed. Trace passes through solid dryers, but the color intensity may be reduced.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
65004	Trace Red Dye Internal Leak Detector – 4 oz. bottle	12	12.60
65016	Trace Red Dye Internal Leak Detector – 16 oz. bottle	12	18.00

Trace2®



Trace2 is an internal red dye additive which pinpoints the exact leak location in refrigerant and hydraulic systems. Trace2 is compatible with and miscible with all refrigerants (CFC, HCFC, HFC), all lubricants (POE, PAO, PAG, AB, MO) and hydraulic fluids. Leaks show as red stains and remain until removed. Intense color shows through ice and frost. Trace2 is non-volatile and will not sludge oil or deposit gum. Trace2 is soluble in the lubricant and liquid refrigerant and travels with the lubricant. Oil separators will remove Trace2 and should be bypassed. Trace2 passes through solid dryers, but the color intensity may be slightly reduced.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CT-4	Trace2 – 4 oz. Plastic Bottle	12	17.00
CT-16	Trace2 – 16 oz. Plastic Bottle	12	53.60

Trax® – Liquid Leak Detector



Trax is a clear, non-toxic, non-residue, bubble type liquid leak detector formulated to produce long lasting bubbles under “job-site” conditions. Trax detects leaks as small as 1 micron, evaporates leaving no residue, requires no cleanup, does not pit surfaces and is environmentally friendly. Trax meets the performance requirements of Military Specifications: Mil 25567 Type 1 A, B and C. Temperature range +27°F to 200°F.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
64001	Trax Non-Residue Leak Detector – 1-1/3 oz. squeeze bottle	24	4.20
64010	Trax Non-Residue Leak Detector – 10 oz. squeeze bottle	12	8.60
64128	Trax Non-Residue Leak Detector – 1 gal. bottle	1	60.00

RedEpoxy® Aluminum Sealer – The Heat-Cure Epoxy



High performance 2-part heat cured epoxy repair kit for making repairs on metals. Red Epoxy is specifically designed to exhibit a distinct color change when heat cured. Recommended for aluminum and aluminum alloys, cast iron, copper and copper alloys, stainless and carbon steels, etc. Contains no VOC's.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
62001	Red Epoxy Aluminum Sealer – 1 oz. kit	24	25.00

Solderlene



Solderlene is a high quality, paste type, non-acid soldering flux with industrial strength wetting agents to promote solder flow. For use with all low and mid temperature soft solders, both lead and lead-free, on all metals except aluminum and magnesium.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CSF-4	4 oz. Brush Top Plastic Jar	12	8.00

Acid Test and Prevention



Acid Neutralizer

Keeps acid away and is compatible with all refrigerants and oils. Acid Neutralizer is designed to chemically neutralize and prevent acids that are formed in air conditioning and refrigeration systems due to refrigerant and refrigeration oil break down, moisture, and compressor burnout. Easy to use, no complicated charts. Works fast, circulates quickly, and leaves no solids or solid residuals. Will not harm system components. Can prevent system breakdown.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/EACH
CAN-4	4 oz. Plastic Bottle	12	49.00



Refrigeration Oil Acid Test Kits

Fast and easy one step kits designed to indicate the presence of destructive acid contamination in mineral, alkylbenzene and POE refrigeration oils. Now available in three versions. The original ATK-4 test kit effective on mineral and alkylbenzene oils, provides an economical 4 tests per kit. The ATK-1 is a single test version of the original ATK-4 kit. The ATK-1P is a newly designed single test kit for POE refrigeration oil.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
ATK-4	4 Tests/Kit for Mineral and Alkylbenzene Oil	1	27.40
ATK-1	1 Test/Kit for Mineral and Alkylbenzene Oil	1	15.20
ATK-1P	1 Test/Kit for POE Oil	1	15.20



Oil Tap

Oil Tap is installed on a semi-hermetic compressor for the changing of oil and testing procedures. The internal pressure helps discharge the oil from the crankcase and acid tests can be made while the compressor is running. Allows the addition by vacuum or removal by pressure of oil while compressor is running. And, you can detect hazardous refrigerant pooling in the crankcase before start-up and control the removal using a compound gauge. Oil Tap can be permanently installed.

CATALOG NO.	DESCRIPTION	STANDARD PACK	PRICE/PACK
OT-1808	Oil Tap	1	14.00



DiversiTech
Pull-Out Disconnect Switch
60A

DiversiTech's Disconnect Switches





- Fused models designed with fuses in pull-out handle for easy replacement
- Line, load, and ground terminals are aligned for ease of wiring
- Patent pending reversible door
- Side opening door opens more than 180 degrees for maximum access
- Fused models have indicator lights for blown fuses
- Folding pullout handle – low profile
- Full dead front
- Folding pivot locking tab
- Installs without removing internals

(SEE PAGE 56)

General Terms and Conditions

General Policy

WE ARE COMMITTED TO DO WHAT IT TAKES TO DELIVER WORLD CLASS SERVICE AND PRODUCTS

All items not ordered in multiples of standard package quantities will automatically be increased to the next standard package quantity. All purchase orders submitted by our customers are assumed as accepting our general terms and conditions as stated herein, any conflicting terms stated on the purchase order cannot supersede our terms.

We reserve the right to make changes in design, material or finish in an effort to improve our products without special notification.

DiversiTech Corporation has made a diligent effort to illustrate and describe the products in this catalog accurately; however, such illustrations and descriptions are for the sole purpose of identification, and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose. Diversitech reserves the right to substitute comparable products for those depicted in these illustrations as necessary.

Order Discrepancies:

All order discrepancies must be reported to us within 5 working days from the date of delivery. Any discrepancies reported after this period cannot be honored.

Terms:

1% 15 days. Net 30 days. Late charges of 1-1/2% per month will be charged following the due date of the invoice. Prices subject to change without notice.

Minimum Order:

\$100.00 minimum order on all original orders. \$15.00 Broken Pallet Charge will be added for each pad size less than the standard pallet quantities.

Freight Policy

CONTINENTAL U.S.

All orders in excess of \$1,500 will ship prepaid. This policy applies to any combination of DiversiTech and Wagner products.

Pick Up Allowance

3% of net invoice, 24-hour notice requested. Order must qualify for prepaid freight to receive pick up allowance.

Lost or Damaged Freight

Although we take special care to insure the safe arrival of your merchandise, our responsibility for damages cease when the customer accepts the shipment. To protect your interest, we suggest that you thoroughly inspect all items before accepting delivery. If your order was damaged in shipment or contains a shortage, report the loss or damage AT ONCE to DiversiTech. Any claims for lost or damaged freight must be noted on the Bill of Lading at the time of delivery. If damage is present, you MUST hold the original carton and merchandise for credit by your Sales Representative – otherwise, no claim can be honored.

Returns:

No merchandise will be accepted for return without prior authorization. Call our Customer Service Department to request permission to return goods. Instructions on method of return will be given to you at that time. All returns are subject to a 25% restocking charge.

Warranty Disclaimer

Diversitech has made a diligent effort to illustrate and describe the products in this catalog accurately; however, such illustrations and descriptions are for the sole purpose of identification, and do not express or imply a warranty that the products are merchantable or fit for a particular purpose, or that the products will necessarily conform to the illustrations or descriptions. Diversitech assumes no liability for typographical or photographic errors.

Diversitech reserves the right to make changes in design, material or finish in an effort to improve our products without special notification. If necessary, Diversitech reserves the right to replace any product shown in catalog with another comparable product without special notification.

Index

007 Control Checker	115	BigMouth Bag	45	Circuit Board Cleaner	29	Connectors, Set Screw	60
2-in-1 Copper Tube Cleaning Brush	140	Bi-Metal Reciprocating Saw Blades	43	Circuit Breakers	55	Connectors, Wire	99
Abrasive Cloth	144	Black Pipe Fittings	73	Circuit Interruptor, Ground Fault	53	Contact and Circuit Board Cleaner	29
AC Cable, BX Aluminum Armored	60	Black Steel Welded Nipples	74	Circuit/Continuity Tester	103	Contact Cleaners	132
AC Pull-out Disconnect Switches	56	Blades, Reciprocating	43	Cladlite Pads	12	Contacto Accessories	22
AC Voltage Detectors, Coil Tester	103	Blaze Barrier Cloth	35	Clamps, Dryer Hose	26	Contactors, Definite Purpose	21
Access Fittings	110	Block, Air Handler	15	Clamps, Hose	122	Control Checker	115
Acid Brushes, Tin Handle	139	Books	44	Clamps, Locking	39	Control Disconnect	111
Acid Neutralizer	147	Booster Fans	62	Cleaner, Contact and Circuit Board	29	Control Monitor, Tattle-Tale	115
Acid Test Kits	147	Box Cover Units	57	Cleaners, Coil	28	COP-CAP	104
Adapters, Fuse	58	Box Cover, Outlet	53	Cleaning Foam	29	Copper Driers	109
Adhesive Spray	29, 81	Boxes, Transparent Plastic	97	Cleaning Pads, All Purpose	144	Copper Fittings	75-77
Adhesive, Industrial Grade Spray	81	Boxes, Compartmented Metal	97	Cleaning Solvent	29	Copper Jacketed Flexible Heater	119
Adhesive, Loctite	143	Breakers, Circuit	55	Clear Vinyl Tubing	68	Copper Saddle Valve	106
Adjustable Delay on Break, Delay on Make Timers	113	Brushes	139-142	Clipboards and Form Holders	44	Copper THHN Wire, Stranded	86
Adjustable Wrenches	40	Bucket Bag, Drawstring	45	Clips, Alligator	93	Copper Tube Fitting Brush	140
Aerosols	29	Bucket Pockets Tool Bag	45	Cloth, Abrasive	144	Cord, Outdoor Extension	51
Air Filters, Permanent	16-17	Bulbs, Mag-Lite Replacement	134	Cloth, Blaze Barrier	35	Cord, Power Supply	51
Air Handler Base	25	Butt Connectors - Insulated	87	Cloth Duct Tape	65	Core Removal Tool	106
Air Handler Block	15	BX Aluminum Armored AC Cable	60	Coil Brush, Refrigerator	139	Core Storer	106
Air Return Diffusers	62	BX Set Screw Connectors	60	Coil Cleaners, Aerosol	29	Cork Insulation Tape	65
Airflow Meter	101	"C" Clamps	39	Coil Cleaners, Liquid	28	Cotton Canvas Gloves	31-32
Alkylbenzene Refrigeration Oil	27	Cable Clamps, Nylon Wire and	96	Coil Guard	28	CPVC Pipe and Fittings	72
All Purpose Cleaning Pads	144	Cable, Non-Metallic Sheathed	61	Cold Galvanize	131	Crimper	38
All Purpose Clear Cement	78-79	Cable Staples	61	Collars, Tab	63	Crimping/Stripping Tool	98
All Purpose Enamel by plasti-kote	137	Cable Tie Tensioning Tool	64	Comb, Super	120	Cubes, Iso-	129
All Purpose Epoxy Kit	144	Cable Ties	64, 96-97	Compartmented Storage Boxes	97	Cutter, Ergonomic	98
All Purpose Lubricant	130	Cable Ties Counter Top Display	97	Compression Sprayers	31	Cutter, Tube	42
All Purpose Sprayers	121	Cable, Cut-To-Length	117	Compressor Heaters	118	Cylinders, Refrigerant Recovery	104
All Weather PVC Cement	78-79	Cable, Sheathed Non-Metallic	61	Compressor Leads, Replacement	87	Definite Purpose Contactors	21
Allen Wrenches	121-122	Cables, Pipe Heating	116	Compressor Terminals	93	Degreaser, Heavy Duty	133
Alligator Clips	93	Canopus 68 Vacuum Pump Oil by TEXACO	27	Compressor Tote	121	Degreasers	133
Aluminum Armored MC Cable	60	Capacitors, Motor Run	18-20	Concrete Pads	11, 12	Delays, Adjustable	113
Aluminum Dryer Vents	25	Capacitors, Motor Start	20-21	Condensate Drain Pans	14	Deluxe Hi-Tension Hacksaw	43
Aluminum Duct, Semi-Rigid	26	Capella WF Refrigeration Mineral Oil	27	Condensate Drain Pan Treatments	127-128	Deodorant, Fuel Spill Spray / Powder	30
Aluminum Foil Tape	66	Capillary Tubing	108	Condensate Float Switch	14	Digital Thermostats	47-49
Aluminum Sealer	145	Caps, Flue and Hot Stack	63	Condensate Pipe, PVC	68	Digital Single Phase Line Voltage Monitor	114
Anchor Kit	43	Carton Sealing Tape / Dispenser	65	Condensate Pumps	13	Digital Thermometers	100-102
Anti-Vibration Mounting Pads	129	Cartridges, Smoke	62	Condensate Tablets	127-128	Digital 3 Phase Line Voltage Monitor	114
Aviation Snips	38	Caulk, Acrylic Latex	80	Condenser and Heat Exchanger Brushes	141	Disconnect Switches, AC Pull-out	56
Back Support System	121	Caulkers	79	Condenser pads	9-13	Dispenser, Carton Tape	65
Bags, Tool	45	Caulking Sealant, Geocel	81	Conduit, Liquid Tight	60	Display, Rayovac	136
Barrels of DiversiWhips	59	Cement - PVC, ABS, CPVC	78-79	Connection Kit, Periscope	26	Displays, Cable Ties	97
Base, Air Handler	25	Cement, Furnace	30	Connectors, Butt	87	DiversiGum Sealing Compound	79
Batteries, Rayovac	135	Centurion Safety Goggles by Aearo	32	Connectors, Gas	24	DiversiWhips	59
Belt Dressing	29	CHANNEL LOCK Products	40	Connectors, Liquid Tight	60	Drain Pan Fittings	14
Big Helper - All Purpose Cutter	42	Chip Brushes	139	Connectors, Romex	61	Drain Pan Treatments	127-128

Index

Drain Pans	14	Fans, Booster	62	Garden Hose	31	Hornet Killer	29,81
Driers, Extended End	109	Fast Orange Hand Cleaner	125	Gas Ball Valve	25	Hose Clamps – Dryer	26
Driers, Steel	109	FastRack Displays	108	Gas Connectors, Indoor/Outdoor	24	Hose Clamps – Worm Drive	122
Dryer Hose Clamps	26	Felt Tip Markers	138	Gas, MAPP and Propane	35	Hose Cutters	42
Dryer Receptacle	53	Filter Driers	109	Gauge, Leak Test	102	Hose, Dryer Vent	26
Dryer Vent Hoods	25	Filters, Permanent Air	17	Gauge-Pro	123	Hoses	31
Dryer Vent Hose	26	Fin-Tools	119-120	General Purpose Relays	22	Hot Seat – High Temperature Furnace Cement	30
Dryer Vent Kits	25	Fin-Whisk	120	Geocel Caulking Sealant	81	Hot Stack Caps	63
Dual Element Fuses – 250V	57	Fire Ant Injector Spray	29	Glass Cloth Tapes	67	Hot Water Hose	31
Duct Cleaning Brush	139	Fire Extinguisher	29	Glasses, Safety	32	Humidifier Tablets	128
Duct Sealant, Pro-Air	79	Fire Stat, Manual Reset	112	Gloves	31-32	Hygrometers	100-101
Duct Strap	64	Firestop Products	81	Goggles, Safety	32	Icemaker Kit	125
Duct Tape, Cloth	65	Fittings, Access	110	Grease	132	Infrared Thermometers	100
Duct Tape, Flex	66	Fittings, Copper	75-77	Grip-Cut	144	In-Line Fuse Holder	57
Duct, Aluminum	26	Fittings, CPVC	72	Grommets	89	Inspection Mirror, Telescopic	124
Duct, Metallic	26	Fittings, Drain Pan	14	Ground Fault Circuit Interruptor	53	Insta-Charge	104
Duct, SUPurr-FLEX	26	Fittings, Dryer Vent Hoods	25	Guards, Thermostat	84	Insta-Tap Refrigerant Recovery Tool	106
Duplex Receptacles, Electric	53	Fittings, DWV	72	Hacksaw	43	Insulation Tape, Cork & Foam	65
Dust Masks	32	Fittings, EMT (Thinwall)	61	Hand Cleaner, Fast Orange	125	Insulation, Tubing	15
DWV Fittings, PVC	72	Fittings, Liquid Tight	60	Hand Torch	35	Iron Fittings	73
Earplugs	32	Fittings, Nylon	67	Hand Wipes	125	Iso-Cubes	129
Easy Heat Products	116-117	Fittings, PVC	68-71	Handy Boxes	54	J Hooks	72
Egg Crate Louvers	62	Flag Disconnects	88	Hanger Iron	64	Jersey Gloves	31-32
Electric Duplex Receptacles	53	Flag Rings	89	Hanger Strap	64	Kimtex Towels	33
Electric Heat Limit Switches	111	Flashing, Roof	62	Hanging Scale	46	Kit, Acid Test	147
Electrical Outlet Boxes, Extensions & Covers	54	Flashlights	133-134, 136	Hanging Wire	64	Kit, All Purpose Epoxy	144
Electrical Tape	66, 67	Flexible Conduit, Liquid Tight	60	Hang-N-Strap	126	Kit, Anchor	43
Electrical Toggle Switches	52, 124	Float Switch, Condensate	14	Hard Start Kits	116	Kit, Dryer Vent Hoods	25
Electronic Utility Scales	46	Flood Detector, Wet Switch	115	HDX Degreaser	133	Kit, Hard Start	116
Elements, Replacement Kits	113	Flue and Hot Stack Caps	63	Heat Exchanger Brushes	141	Kit, Icemaker	125
E-lite Plastic Pads	13	Foam Insulation Tape	65	Heat Limit Switches	111	Kit, Periscope Connection	26
EMT (Thinwall) Fittings	61	Foam Sealant	80	Heat Pump Risers	11	Kit, Replacement Elements	113
EMT Drive Straps	61	Foam, Coil Cleaning	29	Heat Shrink Tubing	89	Knife Sharpeners	41
End Driers, Extended	109	Foil Scrim Kraft Tape	66	Heater, Copper Jacketed Flexible	119	Knife, Self-Retracting	41
Environmentally Friendly Coil Cleaner	28	Foil Tape, Aluminum	66	Heaters, Compressor	118	Knives, Utility	41
Epox-A-Leak All Purpose Epoxy Kit	144	Foil Tape, UL Listed	66	Heating Cables, Pipe	116-117	Kut-All Tube Cutter	42
Ergonomic Cutter	98	Form Holders	44	Heating Products	30	Labels, Refrigerant ID	105
EVA Pads	129	Freeze Free	117	High Limit Appliance Switches	111	Lanterns, Rayovac	136
Evaporative Air Cooler Cleaner and Deodorizer	128	Fuel Oil Treatment, Sure Burn	30	High Temp Red Silicone Sealant	80	Lash-N-Strap	126
Expando Adjustable Condenser Tube Cleaner	120	Fuel Spill Deodorant and Absorbent	30	High Temp Spray Paint by plasti-kote	138	Leads, Compressor	87
Extended End Driers	109	Furnace Cement, High Temperature	30	High Temp Terminals	95	Leads, Test	87
Extension Cords	51	Fuse Adapters	58	High Temperature Furnace Cement	30	Leak Detector, TRUE-BLUE	28
Extension Rods for Condenser Tube Brushes	142	Fuse Holder, In-Line	57	High Temperature Wire	98	Leak Detectors, Gas	143, 145-146
Fan Switches	112	Fuse Pullers	58	Highside Chemicals	145	Leak Finders	143
		Fuseblocks	58	Hoods, Dryer Vent	25	Leak Lock	145
		Fuses	57	Hook and Pick Set	123	Leather Work Gloves	31-32
		Fusible Links	112	Hook Terminals	89	Leslie Locke Products	63
		Gallo Gun	125	Hooks, J	72		

Index

Light Bulbs	52	Offset Snips	38	Pro-Treat Pan Tablets.....	127-128	Risers	11
Lights, Trouble	51	Oil Tap	147	Programmable Thermostats	47-49	Robertshaw Thermostats	47-49
Limit Switches	111	Oil Transfer System	103	Propane Gas	35	Romex Connectors	61
Line Tap Valves.....	107	Oil, Refrigeration	27	Psychrometer.....	100	Romex Wire	61
Line Voltage Monitors	114	Oil, Vacuum Pump.....	27	Pull-A-Spout Oiler	130	Roof Flashing.....	62
Links, Fusible	112	Oiler, Pull-A-Spout.....	130	Pull-out Disconnect Switches	56	Roof Louvers	63
Liquid Line Filter Driers.....	109	Outlet Box Covers	53	Pump Oil, Vacuum.....	27	Rough Service Bulbs.....	52
Liquid Tight Connectors	60	Outlet Boxes.....	54	Pumps, Condensate.....	13	RTV Silicone	29
Liquid Tight Flexible Conduit.....	60	P Traps	71	Purple Primer for PVC Pipe & Fittings (Black Label).....	78	Rubatex Tubing Insulation	15
Little Giant Condensate Pumps.....	13	Pads – Ultralite, Cladlite, E-Lite	11-13	PVC Coated Gloves	31	Rubber Tie Down Strap	126
Little Helper – All Purpose Cutter	42	Pads, Plastic.....	13	PVC Cement.....	78-79	Run Capacitors.....	18-20
Lo V.O.C. PVC Cement.....	78-79	Paint	137-138	PVC Fittings.....	68-72	Running Traps	71
Load Centers	55	Pan Pills	127-128	PVC Pipe	68	Rust Breaker.....	130
Loctite Adhesive Sealant.....	143	Pan Tablets	127-128	PVC Pipe Cutter	42	Rust Inhibitor, Heavy Duty.....	131
Loctite Thread Sealant.....	144	Pans, Condensate Drain.....	14	Quick-Tap	107	Saddle Valve, Copper	106
Louver, Roof.....	63	Pans, Water Heater	24	Quick-Tap-2.....	107	Safe-T-Lift Back Support System	121
Louvered Dryer Vent Hoods	25	Peghooks.....	94	R Traps	71	Safety Glasses/Goggles	32
Louvers, Egg Crate.....	62	Periscope Connection Kit.....	26	Radiant Leak-Finder	143	Sand Screen Cloth.....	144
Low-Temp Gas Leak Detector.....	145	Permanent Air Filters.....	16-17	Rags, Manufactured.....	33	Scales.....	46
LPS Products.....	130-133	Pigtails.....	52	Ratch-Cut Tube Cutters	42	Screw Starter, Mechanical	123
Lubricants	130-132	Pinch-Off Tool	39	Ratchet Driver	37	Screwdrivers	40-41
MAC Line Piercing Valves	107	Pipe Fittings – PVC.....	68-73	Ratch-It-Strap.....	126	ScrewGrab	123
Magic Soot Stick – Catalyzed Soot Destroyer.....	30	Pipe Fittings, Black.....	73	Rayovac Products	135-136	Screws, Sheet Metal.....	34, 35
Mag-Lites	133-134	Pipe Heating Cables	116	Raytek Infrared Thermometers.....	100	Scrubs in a Bucket replacement.....	125
Magna-Lite.....	134	Pipe Nipples	74	Reach-It.....	124	Sealant, Duct	79
Magnetic Nut Drivers	36-37	Pipe, Condensate	68	Receptacle, Electrical.....	53	Sealant, Foam.....	80
Magnetic Retrieving Tool.....	124	Pipe, CPVC.....	72	Reciprocating Saw Blades	43	Sealant, Geocel	81
Malleable Iron Fittings	73	Pipe, Insulation.....	15	Recovery Cylinders, Refrigerant	104	Sealant, Loctite	144
Manual Reset Fire Stat.....	112	Pipe, PVC.....	68	Recovery Tool, Refrigerant	106	Sealant, Silicone.....	80
MAPP Gas	35	Plastic Boxes, Transparent	97	RedEpoxy Aluminum Sealer	146	Sealant, Thread	144
Markers.....	138	Plastic Hanger Strap	64	Refrigerant ID Labels	105	Sealing Compound, DiversiGum.....	79
Masks, Dust.....	32	Plastic Pads	13	Refrigerant Recovery Cylinders	104	Seamer	38
Measuring Tapes.....	43	Plenum Thermostat Wire	50	Refrigerant Recovery Tool.....	106	Sequencers	113
Midwest Snips	38	Plier Staple Gun	36	Refrigerant Scale.....	46	Set Screw Connectors.....	60
Mineral Oil, Refrigeration	27	Pliers	39-40	Refrigeration Oils.....	27	Set, Hook and Pick.....	123
Mini Mag-Lite.....	134	Plug Fuses	57-58	Refrigeration Oil Acid Test Kits.....	147	Sharpeners, Knife.....	41
Mirror, Telescopic Inspection	124	POE Refrigeration Oil.....	27	Refrigerator Thermometer	102	Sheathed Cable, Non-Metallic	61
Moisture Sealing Tapes.....	67	POE Refrigeratoin Oil Acid Test Kit.....	147	Relays, General Purpose.....	22	Sheet Metal Screws	34, 35
Monitors, Digital	114	Polyethylene Tubing	68	Removal Tool, Core.....	106	Sheet Metal Tool.....	39
Motor Run Capacitors	18-20	Porcelain Wire Connectors	99	Remover, Soot.....	30	Shop Towels.....	33
Motor Start Capacitors.....	20-21	Power Blocks	51	Re-Order Tags, Generic.....	94	Silicone Lubricant.....	131
Mounting Pads, Anti-Vibration.....	129	Power Supply Cord (Pigtails)	52	Replacement Bulbs	134	Silicone Sealant	79, 80
Nipples, Pipe.....	74	Power Vents.....	63	Replacement Compressor Leads.....	87	Smokeys.....	62
Notcher	39	PreSolve.....	133	Replacement Elements Kits.....	113	Snips	38
Nut Drivers	36-37	Precision Clean.....	133	Retrieving Tool, Magnetic.....	124	Solderlene.....	146
Nut Setters.....	36-37	Primer	137	Rigger’s Bag	45	Soot Destroyer	30
Nylon Fittings.....	67	Pro-2000 Leak Finder	143	Ring Terminals	90-91	Soot Kill	30
		Pro-Air Duct Sealant.....	79				

Index

Soot Remover	30	Tapes.....	65-67	Tubing, Capillary.....	108
Spade Terminals	92-93	Tattle Tale Control Monitor.....	115	Tubing, Clear Vinyl	68
Spill Kill	30	Technical Books	44	Tubing, Heat Shrink	89
Spray Adhesive	29, 81	Teflon Tape.....	65	Tubing, Polyethylene	68
Spray Any Way Enamel by plasti-kote	137	Telescopic Inspection Mirror	124	TurboLite Welding Torch.....	35
Spray Paint.....	137	Tensioning Tool for Cable Ties.....	64	Ultralite pads.....	10-11
Sprayers, All Purpose	121	Teri Towels	33	Utility Knives.....	41
Sprayers, Compression.....	31	Terminals.....	88-95	Utility Scales.....	46
Staple Guns	36	Test Gauge, Leak	102	Vacuum Pump Oil	27
Staples, Cable.....	61	Test Kit, Acid.....	147	Valve Action Marker	138
Staples, Staple Guns	36	Test Leads, Superflex	87	Valve, Gas Ball	25
Start Capacitors.....	20-21	Texaco Mineral Oil	27	Valve, Saddle Valve.....	106
Steel Fittings.....	73	Texaco Vacuum Pump Oil.....	27	Valves, Line Tap.....	107
Stick-E-Tape	66	Thawzone.....	145	Vent Hoods, Dryer.....	25
Storage Boxes, Compartmented	97	Thermo Hygrometer	100-101	Vent Hose, Dryer.....	26
Storer, Core.....	106	Thermometers.....	100-102	Vents, Power	63
Stranded Copper THHN Wire.....	86	Thermostat Guards.....	84-85	Versa Caps.....	63
Strap, Duct	64	Thermostat Wire	50	WISE-GRIP Products.....	39
Strap, Hang-N	126	Thermostats.....	47-49	Vinyl Tubing, Clear.....	68
Strap, Lash-N.....	126	Thermostats, Outdoor	112	Voltage Detectors	103
Strap, Ratch-It.....	126	THHN Wire, Copper Stranded.....	86	Wall Plates.....	52
Strap, Rubber Tie Down.....	126	Thinwall, EMT Fittings.....	61	Washing Machine Pan.....	24
String Knit Gloves	32	Thread Sealant with Teflon	144	Wasp & Hornet Killer.....	29, 81
Stripper, Upfront.....	98	Three Phase Disconnects.....	56	Water Heater Safety Pans	24
Super Comb	120	Tie Down Strap, Rubber.....	126	Water Hose, Garden	31
Super Flow Pan Treatment.....	128	Ties, Cable	64, 96	Water Tap Valve, Self Tapping	123
Super Sharp Knife Sharpener	41	Ties, Nylon Wire.....	96	WD-40.....	28
Superflex Test Leads	87	Time Delay Plug Fuses	57	Welder's Brush	139
Superheat Thermometer	101	Time Delays	113	Welding Torches	35
Super-Tap.....	107	Tinner Snips.....	38	Wet Switch Flood Detector.....	115
SUppurr-FLEX 5 Ply Duct.....	26	Toggle Switches.....	52, 124	Whips	59
Sure Burn	30	Tool Bags.....	45	White Lithium with Teflon.....	132
Switch Plates	52	Torches	35	Wipes.....	125
Switch/Plug Combo	53	Torque Plus Hard Starts	116	Wire Connectors	99
Switch, Float	14	Tote, Compressor.....	121	Wire Cutters.....	39, 40
Switches, Fan.....	112	Towels, Industrial.....	33	Wire, High Temperature.....	98
Switches, Heat Limit	111	Trace	146	Wire Tie Mounts	96
Switches, High Limit Appliance.....	111	Trace2	146	Wire Ties, Nylon.....	96
Switches, Toggle.....	52, 124	Transfer System, Oil.....	103	Wire, Hanging	64
SWOOSH CO ₂ Cartridges	125	Transformers.....	23	Wire, Stranded Copper THHN	86
Tab Collars	63	Traps, Condensate	71	Wire, Thermostat	50
Tablets, Pan	127-128	Trax Liquid Leak Detector.....	146	Work Belt	45
Tags, Generic Re-Order.....	94	Trouble Lights.....	51	Work Gloves.....	31-32
Tap Valve, Water.....	123	TRUE-BLUE Leak Detector.....	28	Workhorse Manufactured Rags.....	33
Tap-A-Line	107	Tube Brushes.....	140-142	Wrenches, Adjustable	40
Tape Dispenser, Carton.....	65	Tube Cleaner	120	Wrenches, Allen	121-122
Tape Measures.....	43	Tube Cutters.....	42	WypAll Plus	33
		Tubing Insulation by RUBATEX.....	15	ZeroTri.....	133