

1945 - 2004

59

YEARS OF  
EXCELLENCE

**ADAMS**

**ADAMS**

PRICE SHEET


**EFFECTIVE JULY 2004**

LIST PRICE

Literature at: [www.adamsmanufacturing.com](http://www.adamsmanufacturing.com)

## HU UPSHOT BURNER PERFORMS LIKE AN UPSHOT BURNER— MOUNTS LIKE AN INSHOT

Rugged cast iron adjustable venturi — places the flame in optimum location for oil furnaces.



Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas Constant Burning Pilot</b>			
HU-300	290,000	50,000	<b>\$718.00</b>
<b>Propane Gas</b>			
HU-250LP	250,000	50,000	<b>\$830.00</b>
<b>Intermittent Pilot</b>			
<b>Gas Saver — Natural Gas — 24 Volt — Cycling Pilot</b>			
HU-300PS	290,000	50,000	<b>\$1,028.00</b>


Shipping Wt. — 16#

### STANDARD EQUIPMENT

- Combination Valve
- Push Button Spark Pilot Lighter
- Flame Spreader
- Orifice Drilled for Minimum Rate

## HA ADJUSTABLE INSHOT BURNER

Adjustable venturi — places the flame in optimum location for oil furnaces and boilers. Inshot flexibility and performance.



Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas Constant Burning Pilot</b>			
HA-300	290,000	50,000	<b>\$718.00</b>
<b>Intermittent Pilot</b>			
<b>Gas Saver — Natural Gas — 24 Volt — Cycling Pilot</b>			
HA-300PS	290,000	50,000	<b>\$1,028.00</b>

Shipping Wt. — 16#

### OPTIONAL EQUIPMENT — ADD:

- |   |                   |
|---|-------------------|
| Adjustable Orifice (Excepts LP)                 | <b>List Price</b> |
| Extra Length Riser adjusts 13" to 19" (HU Only) | <b>\$ 15.00</b>   |
| Automatic Pilot Relight                         | <b>100.00</b>     |
| Collar Reduces Tube Length                      | <b>110.00</b>     |
| Self-Powered Controls                           | <b>56.00</b>      |
|   | <b>98.00</b>      |



## SPT ECONOMY UPSHOT BURNER

Adjustable venturi length and height — places the flame in optimum location for virtually all coal furnaces and boilers.

Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas Constant Burning Pilot</b>			
SPT-300	290,000	50,000	<b>\$ 942.00</b>
SPT-350	350,000	50,000	<b>\$1,088.00</b>
<b>Propane Gas</b>			
SPT-400LP	400,000	50,000	<b>\$1,160.00</b>
<b>Intermittent Pilot</b>			
<b>Gas Saver — Natural Gas — 24 Volt — Cycling Pilot</b>			
SPT-300PS	290,000	50,000	<b>\$1,368.00</b>

Shipping Wt. — 19#

### STANDARD EQUIPMENT

- Combination Valve
- Push Button Spark Pilot Lighter
- Flame Spreader
- Orifice Drilled for Minimum Rate

### OPTIONAL EQUIPMENT — ADD:

- |                                       |                   |
|---------------------------------------|-------------------|
| Adjustable Orifice                    | <b>List Price</b> |
| Adjustable Orifice                    | <b>\$ 15.00</b>   |
| Brick Skirt                           | <b>70.00</b>      |
| Automatic Pilot Relight               | <b>110.00</b>     |
| Extra Length Riser adjusts 21" to 29" | <b>136.00</b>     |
| Self-Powered Controls                 | <b>98.00</b>      |

## HP-SPACESAVER POWER BURNER CONSTANT PILOT

Push button spark  
pilot lighter.



## HP-GAS SAVER POWER BURNER INTERMITTENT SPARK PILOT

Pilot light is on only  
during heating cycle.



Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas Constant Burning Pilot</b>			
HP-225B	225,000	50,000	<b>\$ 940.00</b>
HP-400B	400,000	100,000	<b>1,575.00</b>
<b>Liquefied Petroleum (LP) Gas</b>			
HP-225BLP	225,000	50,000	<b>\$1,037.00</b>
HP-400BLP	400,000	100,000	<b>1,725.00</b>

Shipping Wt.: HP-225 - 28#; HP-400 - 31#

### STANDARD EQUIPMENT

Adjustable Orifice (Except HP-400B and LP)  
Combination Valve  
Adjustable Pedestal  
8" Tube Length  
Relay and Transformer for Low Voltage Operation  
Pre-Wired Control Panel

Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas Constant Burning Pilot</b>			
HP-225BPS	225,000	50,000	<b>\$1,229.00</b>
HP-400BPS	400,000	100,000	<b>1,876.00</b>
<b>Liquefied Petroleum (LP) Gas</b>			
HP-225BLPPS	225,000	50,000	<b>\$1,340.00</b>
HP-400BLPPS	400,000	100,000	<b>1,986.00</b>

Shipping Wt.: HP-225 - 28#; HP-400 - 31#

### OPTIONAL EQUIPMENT — ADD:

	List Price
Mounting Flange	<b>\$ 38.00</b>
5" Extension Sleeve	<b>60.00</b>
8" Stainless Steel Extension Sleeve	<b>104.00</b>
Automatic Pilot Relight	<b>110.00</b>

## HP SERIES FORCED DRAFT GAS BURNERS

For widest range of applications


### STANDARD EQUIPMENT

Combination Gas Valve  
Spark Ignited Pilot  
Electronic Relay  
Pilot and Main Shutoff Valves  
90-Second Prepurge  
Air Proving Pressure Switch  
Pre-Wired Controls  
10" Tube Length  
Mounting Flange and Pedestal



1/3 HP — 3450 RPM Motor to HP-1000  
1/2 HP — 3450 RPM Motor to HP-1500  
3/4 HP — 3450 RPM Motor to HP-2500  
and HP-3500

OPTIONAL EQUIPMENT	List Price
Bottom Mounted Blower	\$190.00
16" Tube Length (Except HP-2500 and HP-3500)	295.00



Model	BTU/Hr. Input		List Price	Shipping Wt.
	Maximum	Minimum		
<b>Natural Gas — U.L. Listed — Primary Control</b>				
HP-800	800,000	300,000	<b>\$ 4,660.00</b>	86#
HP-1000	1,000,000	300,000	<b>5,544.00</b>	86#
HP-1500	1,700,000	500,000	<b>6,307.00</b>	92#
HP-2500	2,500,000	1,000,000	<b>8,321.00</b>	155#
<b>Natural Gas — U.L. Listed — FM Requirements</b>				
HP-3500	3,000,000	1,000,000	<b>\$10,185.00</b>	190#
<b>Liquefied Petroleum (LP) Gas — U.L. Listed</b>				
HP-1000LP	1,000,000	300,000	<b>5,290.00</b>	82#
HP-1500LP	1,700,000	500,000	<b>5,460.00</b>	95#
HP-2500LP	2,500,000	1,000,000	<b>6,725.00</b>	120#

Full Mod, High-Lo-Off, IRI, Local Code and other special control systems available.  
For additional information, telephone 216-587-6801



## MODEL G-2T

Shipping Wt. 35#

List Price  
**\$1,546.00**

Usable Length	Burner Head and Firing Rate BTU/HR. (x 1000)			
	GT2, 50-110 Part No.	GT4, 110-180 Part No.	GT6, 180-210 Part No.	GT8, 210-240 Part No.
5-1/4"	BGT 101	BGT 102	BGT 103	BGT 104
8"	BGT 105	BGT 106	BGT 107	BGT 108
11"	BGT 109	BGT 110	BGT 111	BGT 112

## MODEL G-2SD

Shipping Wt. 34#

List Price  
**\$1,546.00**



Usable Length	Burner Head and Firing Rate BTU/HR. (x 1000)					
	G0, 70-110 Part No.	G2, 80-180 Part No.	G3, 120-200 Part No.	G4, 150-240 Part No.	G5, 170-250 Part No.	G6, 190-255 Part No.
5-1/4"	BG 101	BG 102	BG 103	BG 104	BG 105	BG 106
8"	BG 107	BG 108	BG 109	BG 110	BG 111	BG 112
11"	BG 113	BG 114	BG 115	BG 116	BG 117	BG 118

## MODEL G2T

### 4" DIAMETER BLAST TUBE — DIRECT SPARK

Capacity 50,000 to 850,000 BTU/HR

Model	BTU/Hr. Input		List Price
	Maximum	Minimum	
<b>Natural Gas</b>			
G2T-300*	300,000	50,000	<b>\$1,531.00</b>
G2T-600	600,000	50,000	<b>2,076.00</b>
G2T-850	850,000	200,000	<b>2,542.00</b>
<b>Propane Gas</b>			
G2T-400LP*	400,000	50,000	<b>\$1,758.00</b>
G2T-850LP	850,000	200,000	<b>2,754.00</b>

\*Air spoiler installed




## MODEL G-1 MOBILE HOME GAS CONVERSION BURNER

Designed to convert Intertherm Model MSH, RSH, and MAC oil furnaces.

Model	BTU/Hr. Input	Shipping Wt.	List Price
G1	80,000	35#	<b>\$925.00</b>

# ADAMS INTERburner<sup>®</sup> Oil Burner

0.4 - 2.5 GPH Complete oil burner assembled including cad cell, junction box and air tube.



Model	Description	List Price
MARK 10-**	Single Stage Less Primary Control	<b>\$528.00</b>
MARK 10-**A	Single Stage With Intermittent (Constant) Ignition Primary	<b>606.00</b>
MARK 10-**B	Single Stage With Interrupted Ignition	<b>648.00</b>

\*\*Available in 3", 6", 9", 13" and 16" tube length. Please specify tube length desired and include it in the model number.

Shipping Wt. - 40#

### OPTIONAL EQUIPMENT

		List Price
S	Solenoid Valve	<b>\$63.00</b>
T	Two Stage Pump	<b>63.00</b>
M	Mounting Flange and Gasket	<b>38.00</b>
P	Pedestal (Used with Mounting Flange)	<b>24.00</b>



### MODEL EPI ELECTRONIC PILOT IGNITION

#### Retrofit (Model EPI) Gas Saver Eliminates Constantly Burning Pilot

Specially designed and engineered to fit most gas heating systems — cycling pilot saves energy and money year-round! The Gas Saver Retrofit package makes the gas ignition system on your furnace or boiler comparable to the one on a new furnace.

Model	Max Capacity M. B. T. U./Hr.	Type Gas	Pipe Size	List Price
EPI-300	300,000	Nat.	1/2" x 3/4"	\$266.00
EPI-100/300	300,000	Nat. or LP	1/2" x 3/4"	304.00
EPI-400	400,000	Nat.	3/4"	\$304.00
EPI-100/400	400,000	Nat. or LP	3/4"	336.00

#### Sequence of Operation

1. Thermostat calls for heat
2. Pilot automatically lights
3. Pilot is proven and burner lights
4. When thermostat is satisfied, all gas is shut off.

SKIN-PACKED  
FOR DISPLAY



### MODEL APR ELIMINATES PILOT OUTAGE.

#### Automatic Pilot Relighter

The automatic pilot relight system is activated the instant the gas pilot flame is extinguished. It generates a continuous stream of ignition sparks through the spark gap until pilot is re-ignited.

SKIN-PACKED  
FOR DISPLAY

Model	List Price
APR	\$122.00



### MODEL MPR Manual Pilot Relighter

With push button ease and convenience, the Adams manual "Sparklite" creates its own spark for instant lighting of any flammable gas.

SKIN-PACKED  
FOR DISPLAY

Model	List Price
MPR	\$43.00

### MODEL GFI Hand-Held Relighter

The Adams hand-held relighter lights any gas appliance using natural gas, propane or butane. It can be used to light burners or pilot lights on stoves, heaters, barbecues or any other gas appliance. Gas Flame Igniter uses cigarette lighter gas refills to produce an adjustable flame.

SKIN-PACKED  
FOR DISPLAY

Model	List Price
GFI	\$15.35
Refill for GFI	12.00



### 24 VOLT CENTRAL SYSTEM ELECTRONIC AIR CLEANER

#### Installs Easier

- Connects with 24 volt wires from the existing transformer on the heating and/or air conditioning unit to the air cleaner directly. Cheaper, Faster and easier to install.
- Eliminates the need for a sail switch or pressure switch with a built-in solid state airflow sensing device.
- Uses 40VA transformer already on the furnace and/or air conditioner. Power supply boosts the 24 volt input to proper high voltage to the collector cells.

#### Cleans Air Better

- Maintains constant output voltage to the cells for maximum efficiency. No other air cleaner does this. With other cleaners, the voltage to the cells drops as they collect and efficiency decreases.

#### Reduces Operating Cost


- Uses only 15 watts compared to 35-45 watts required by other electronic air cleaners.
- Requires less energy than pleated media filters or washable electrostatic filters. These restrict airflow as they collect and increase the load on the heating and air conditioning motor.

#### Eliminates Guess Work in Service with a Special Monitor Circuit

- Checks air cleaner performance continuously.
- Eliminates nuisance service calls.
- Monitor light pinpoints any problem in just a few minutes by telephone. Ends wasted service calls.

#### 100% Tested

- Each air cleaner is individually tested and operated.



CA-1400 CA-1620  
CA-2000 CA-2020

CA-1000



PATENT #4559594

Model	Capacity CFM	Wt.	List Price
CA-1000	1,000	29#	\$650.00
CA-1620	1,200	34#	\$683.00
CA-1400	1,400	38#	\$710.00
CA-2020	1,400	38#	\$710.00
CA-2000	2,000	43#	\$778.00

OPTIONAL EQUIPMENT	List Price
Charcoal Filter (each) (2 Required, CA-1400 and CA-2000)	\$36.00
Plug-In Line Cord	\$23.90




RG-1000

PATENT #4559594

### RETURN GRILL ELECTRONIC AIR CLEANER

For homes, condominiums, apartments, mobile homes and applications where there is a common return grill rather than separate return air ducts from each room, the RG-1000 fits the bill. Larger homes with more than one return grill may require an additional return grill air cleaner, but will find that this improves the air quality even more.

Model	Capacity CFM	Wt.	List Price
RG-1000	1,000	35#	\$790.00



CA-200

#### DIMENSIONS

H = 13-1/2"  
W = 22-7/8"  
D = 7-1/8"

### PORTABLE ELECTRONIC AIR CLEANER

This Cleanaire® electronic air cleaner cleans the air in enclosed spaces such as homes or offices. A built-in fan draws air through an electronic cell and activated carbon filter to remove dust, lint, pollen, tobacco smoke, cooking smoke, and household odors. Removes up to 95% of the dust, dirt, smoke and pollen from the air you breathe. For room sizes up to 250 sq. ft., with an 8 ft. ceiling.

Model	Capacity CFM	Wt.	List Price
CA-200	200	32#	\$742.00


**NO OTHER AIR CLEANER OFFERS ALL THESE ADVANTAGES**



**FITS T-BAR  
DROPPED  
CEILING**

### MODEL CA-1000T SELF CONTAINED ELECTRONIC AIR CLEANER

The CA-1000T is a self-contained electronic air cleaner for use in commercial and light industrial applications. The air cleaner is mounted in the room or area where the air is to be cleaned. A three-speed fan circulates air through a metal mesh prefilter, an electronic cell and an activated carbon filter. It removes airborne particles such as dust, soot, pollen, and tobacco & cooking smoke from the air circulated through it.



Model	Capacity CFM	Wt.	List Price
CA-1000T	1,000	75#	\$1,795.00
Replacement Charcoal Filter	X	1#	\$ 44.00

## THE ECONOMICAL ALTERNATIVE TO ELECTRONIC AIR CLEANING. HOME-GARD MEDIA-TYPE CENTRAL SYSTEM MODEL

### FEATURES:

**Completely Disposable Filter** — Factory assembled replacement filter makes changing the filter clean, quick and easy. Throw the old one away and replace with a new one in seconds. No messy disassembly of the old media and re-assembly of parts on the new.

**Convertible** — Can be easily upgraded to full electronic air cleaner at an affordable price. The electronic filter fits in the same cabinet. Except CA-2000MF, BM-1400 and BM-2000.


**Standard Pre-Filter** — Comes with washable, permanent lint screen to remove large particles.

Model	Capacity CFM	Wt.	List Price
CA-1625MF	1,400	16#	\$216.00
CA-2025MF	2,000	18#	\$236.00
CA-2000MF	2,000	16#	\$199.00
BM-1400	1,400	14#	\$ 99.00
BM-2000	2,000	16#	\$105.00
RG-1400MF	1,400	16#	\$270.00
RG-2000MF	2,000	18#	\$290.00

Replacement Media Carton Quantity 5	List Price
MF-16 (Adams CA-1625MF) (Honeywell FC100A1029 or 203719)	\$36.00
MF-20 (Adams CA-2025MF or CA-2000MF) (Honeywell FC100A1037 or 203720)	\$39.00

Replacement Media Carton Quantity 6	List Price
AMF-201 (Aprilaire 201)	\$46.00
AMF-401 (Aprilaire 401)	\$44.00

# ADAMS HOME-GARD



RG-1400MF  
RG-2000MF



CA-1625MF  
CA-2025MF



BM-1400  
BM-2000

### MODEL FH-214H

21.4 GPD Capacity



- Drain type humidifier with fan for installation on warm air plenum.
- Built-in relay and transformer for control of fan motor and solenoid valve by the standard wall/duct humidistat that is included.
- 120 Volt power cord.
- 15 feet of drain hose and saddle valve included.

Model	List Price
FH-214H 21.4 GPD	<b>\$359.00</b>

### MODEL FH-400 SERIES

Up To 32 GPD Capacity



- Patented Bronze Humid-Disc
- Maintain Capacity
- Heavy Duty Motor & Transmission
- Illuminated Front Observation Port
- Tilt in/tilt out Mounting Frame
- GE Lexan Housing
- High Capacity
- 115 Volt with Cord & Plug

**AUTOMATIC FLUSHING FEATURE**

Model	List Price
FH-400A 13 GPD	<b>\$442.00</b>
FH-400B 24 GPD	<b>\$464.00</b>
FH-400C 32 GPD	<b>\$499.00</b>
Adder for Auto Flush	<b>\$288.00</b>

### MODEL FH-1000 SERIES

Up To 24 GPD Capacity



- Heavy duty motor for extended life and quiet operation.
- Uses the see-through Handi-Hose for easy draining and checking water level.
- Durable Lexan® Reservoir.
- External water level adjustment without removing unit from its installation.
- Exclusive tilt in/tilt out mounting frame allows quick access for servicing.

Model	List Price
FH-1000L10 10 GPD	<b>\$322.00</b>
FH-1000L20 20 GPD	<b>\$362.00</b>
FH-1000L24 24 GPD	<b>\$382.00</b>

### MODEL FH-10/16/20 SERIES

Up To 20 GPD Capacity



- Uses the exclusive all Bronze Humid-Disc Screens.
- Durable Lexan® water reservoir.
- Uses the see-through Handi-Hose for easy draining and checking water level.
- Permanently lubricated motor for maintenance free operation.
- Separate float compartment
- Available with 110V or 24V motor.

Model	List Price
FH-10 10 GPD	<b>\$238.00</b>
FH-16 16 GPD	<b>\$269.00</b>
FH-20 20 GPD	<b>\$279.00</b>

### MODEL FH-300 SERIES

Up To 24 GPD Capacity



*Designed to take the high heat output of solid-fuel furnaces, when installed under the duct.*

- All stainless steel reservoir.
- Heavy duty long life motor and transmission assembly.
- Exclusive bronze Humid-Disc evaporator screens.
- See through observation port.

Model	List Price
FH-300A 13 GPD	<b>\$625.00</b>
FH-300B 24 GPD	<b>\$689.00</b>

## Quality, Performance, Reliability



### MODEL FH-182



19.4 GPD Capacity

- Flow-Through By-Pass
- Built-In Manual Damper
- Rugged Fiberglass Housing
- Reversible Right or Left Hand Air
- Built-In Leveling Bubble
- Fully Assembled

Model	List Price
FH-182 110 V	\$208.00
FH-182H 110 V	\$260.00
FH-182 24 V	\$206.00
FH-182H 24 V	\$212.00

### MODEL FH-200



20.0 GPD Capacity

- Drum-Type Bypass
- Plastic Cabinet
- Reversible Right or Left Hand Air
- Powerful 3 watt 24V Motor

Model	List Price
FH-200 24 V	\$206.00
FH-200H 24 V	\$212.00

### MODEL FH-212



21.2 GPD Capacity

- Drum-Type Bypass
- Stainless Steel Cabinet
- Reversible Right or Left Hand Air
- Powerful 3 watt 24V Motor

Model	List Price
FH-212 24 V	\$234.00
FH-212H 24 V	\$248.00

### MODEL MA-115P/230P

14.4 GPD Capacity



- Steam Vapor for Heat Pumps, Electric Furnaces and other Low Plenum Temperature Systems.
- MA115P Plenum Mount fits in a 6-1/2" x 7-1/2" cutout with duct as small as 10" x 12".
- All parts exposed to moisture made of Stainless Steel.
- Consistent Output regardless of Plenum temperature.

Model	List Price
MA-115PH 110 V	\$630.00
MA-230PH 230 V	\$660.00
	UN
MA-115H 110 V	\$630.00
MA-230H 230 V	\$660.00
Adder for Auto Flush	\$102.00

### MODEL MA-315

14.4 GPD Capacity



- Self-Contained Hydronic unit
- Installs in closet, Utility room or basement
- Comes complete with Air Flow of 210 CFM

Model	List Price
MA-315H	\$1,070.00

H = Humidstat Included with Humidifier



## LOW INTENSITY INFRA-RED HEATERS


- Hot surface ignition and electronic safety — No Pilot
- 60,000, 80,000, 100,000, 125,000, 150,000, 175,000, 200,000 Btu/hr input sizes (natural or propane gas)
- Combustion Air inlet collar
- Sight glass for monitoring burner operation
- Combustion air proving differential switch
- Electrical & gas controls separated from combustion air stream
- Burner Housing 18 GA. galvanized steel
- Electrical — 120 volt/60/1 ph
- CSA listed for Vented or Unvented applications

## SIZES TO FIT YOUR NEEDS 20 TO 70 FEET LONG TUBE SYSTEM

- Combustion chamber — 10' x 4" OD, 16 gauge aluminized steel with flared burner mounting flange.
- Heat exchanger — as required, remaining system comes in 10' or 5' 16 gauge aluminized steel.
- Flared fitting pipe connector with draw bolts at each joint for solid compression type fitting — no gaskets or draw bands.
- 20' to 70' systems — Straight systems or optional "L" or "U" shaped systems using 90 degree elbows. (See schedule for tube lengths available).

Model No. & MBTU/HR Input Nat.-LP	Tube Length Ft.	List Price	Shipping Weight
ASH60	20	\$1,586.00	170
ASH60, 80	30	\$1,817.00	200
ASH80, 100, 125	40	\$2,075.00	230
ASH100, 125, 150	50	\$2,294.00	260
ASH150	60	\$2,548.00	290
ASH175	50	\$2,367.00	260
ASH175, 200	60	\$2,621.00	290
ASH175, 200	70	\$2,894.00	330

## PRE-ASSEMBLED U TUBE RADIANT TUBE HEATING SYSTEMS... TWO MODELS TO CHOOSE FROM...8 OR 16 FEET LONG




Model No. & MBTU/HR Input Nat.-LP	Heater Length Ft.	List Price	Shipping Weight
UASH-30, 45, 60	8	\$1,398.00	160
UASH-60, 80, 100	16	\$1,726.00	200



## K-SERIES GAS INFRA-RED HEATERS 31 MODELS FROM 30 TO 200M BTU/HR

Model No. & MBTU/Input Nat.	LP	Millivolt* Constant Pilot		Direct Sparks		Shipping Weight
		Nat.	LP	115 V. Nat.-LP	24 V. Nat.-LP	
K-30	K-30	\$ 878.00	—	\$ 750.00	\$ 735.00	30
K-35, K-40, K-45	K-50	\$ 930.00	\$ 955.00	\$ 794.00	\$ 815.00	30
K-50, K-55, K-60						
K-70, K-75, K-80	K-70, K-75	\$1,091.00	\$1,118.00	\$ 961.00	\$ 948.00	36
K-85, K-90, K-95	K-80, K-85					
K-100	K-90					
K-110, K-120, K-125	K-120	\$1,536.00	\$1,588.00	\$1,385.00	\$1,366.00	49
K-130, K-135, K-150						
K-160, K-175, K-200	K-160	\$1,974.00	\$2,007.00	\$1,778.00	\$1,778.00	62



## GH SERIES — THE CLASSIC COMPACT UNIT HEATER

Model	BTU/Hr.		Shipping Weight	List Price
	Input	Output		
GH-30	30,000	24,000	55#	\$ 977.00
GH-45	45,000	36,000	60#	\$1,025.00
GH-60	60,000	48,000	80#	\$1,076.00
GH-75	75,000	60,000	85#	\$1,130.00
GH-105	105,000	84,000	105#	<b>GH-105 COMING SOON</b>

### STANDARD EQUIPMENT

- Certified for residential and commercial applications.
- Designed for natural or LP gases.
- Attractive low-profile design will blend inconspicuously into any garage decor.
- Quiet vibration-free operations.
- Standard power exhaust simplifies side-wall or roof venting with small-diameter vent pipe.
- Lightweight, easily installs from the ceiling with only 2 angle brackets (included).
- Versatile design allows for right or left-hand piping and installation. Gas, electrical and flue connections can be changed from one side to the other by simply flipping the unit over.
- Sealed, permanently-lubricated motor for trouble-free dependability.
- 10-year warranty on heat exchanger.
- Manufactured in the United States.
- Electronic ignition — no pilot light.

## GAS FIRED UNIT HEATERS TEN-YEAR WARRANTY ALUMINIZED STEEL HEAT EXCHANGER



## KAS SERIES

Model	BTU/Hr.		Shipping Weight	List Price
	Input	Output		
KAS-65	65,000	53,000	110#	\$1,086.00
KAS-80	80,000	64,000	130#	\$1,141.00
KAS-100	100,000	80,000	150#	\$1,167.00
KAS-130	130,000	104,000	190#	\$1,389.00
KAS-160	160,000	128,000	230#	\$1,556.00
KAS-200	200,000	160,000	290#	\$1,687.00

OPTIONAL EQUIPMENT — ADD:	List Price
Natural to Propane Gas Conversion Kit	\$ 75.00
Electronic Spark Ignition	\$200.00

1. Top mounted fan increases overall efficiency of unit by pulling warm air from ceiling.
2. Fan motor is permanently lubricated and has thermal overload protection.

**NEW!** "WORLD'S MOST EFFICIENT UNIT HEATER"



## AUHEO SERIES — CONDENSING OIL FIRED UNIT HEATER

Model	BTU/Hr.		G.P.H. Firing Rate	List Price	Ship Wt.
	Input	Output			
AUHEO-50	50,000	49,000	.40	\$5,650.00	290
AUHEO-75	75,000	73,500	.50	\$5,650.00	290
AUHEO-100	100,000	97,000	.60	\$5,650.00	290
AUHEO-125	125,000	121,250	.65	\$5,650.00	290

All models can be vertically or horizontally vented with 3" PVC or ABS pipe. 1212 blower and 3/4 H.P. motor supply plenty of power and 4-way adjustable louvers put the heat where it is needed!

**ADP**



**AMR-24**



**AMR-4011**




**ASV**



**AWP**



**AWV**



**AH850**



**A-50**

**A-51**



Part No.	Description	Replacement For	List Price
ADP	Drum Pad	Humidaire FH-212 FH-200 General 81 Skuttle 90SH & 190	<b>\$11.25</b>
AMR-24	Motor 24V.	Humidaire FH-212 FH-200 General 65 & 81 Skuttle 90SH & 190	<b>\$28.35</b>
AMR-4011	Motor 110V.	Aprilaire 110 & 112 #4011 Motor	<b>\$65.00</b>
ASV	Saddle Valve	Self-Piercing	<b>\$ 8.50</b>
AG-206	Water Pad	Trion, Herrmidifier Fedders G206/G200	<b>\$19.20</b>
AG-116	Water Pad	Trion, Herrmidifier Fedders G116/G100	<b>\$21.00</b>
A990-113	Water Pad	General 990-13 1137, 709, 1040, 1042	<b>\$13.50</b>
A1099-20	Water Pad	General 1099-20	<b>\$19.20</b>
AWP-1	Water Pad	Aprilaire #10 110, 220, 550, 558 Honeywell HE220, HE225	<b>\$11.90</b>
AWP-2	Water Pad	Aprilaire #12 112, 224, 225, 440, 445, 448	<b>\$14.40</b>
AWP-3	Water Pad	Humidaire FH-182	<b>\$19.20</b>
AWP-4	Water Pad	Aprilaire #35 350, 360, 560, 568, 600, 760 Honeywell HE260/360	<b>\$14.90</b>
AWV-24	Water Valve 24V	Humidaire FH-182 Aprilaire #4040 General 1040, 1042, 1099, 709 Honeywell, Autoflo	<b>\$60.20</b>
AWV-110	Water Valve 110V	Same as above 110V Aprilaire #4005	<b>\$63.10</b>
AH850-24	Humidistat	24V. Humidistat	<b>\$34.00</b>
AH850-110	Humidistat	110V. Humidistat	<b>\$42.00</b>
A-50	Current Sensing Relay 24V	Aprilaire Model #50	<b>\$37.00</b>
A-51	Current Sensing Relay 110V	Aprilaire Model #51	<b>\$48.00</b>

# ADAMS SPEEDY

## SKIN PACKAGED THERMOCOUPLE

36" Lead Length  
30" Lead Length



## PILOT GENERATOR (MILLIVOLT)

PG-35G Replacement for PG-9 Pilot  
PG-35H Replacement for Q313A-G01A  
35" Snap-In Type




Model	List Price
PG-35G	\$46.00
PG-35H	46.00
TC-30 — 30" Thermocouple	18.75
TC-36 — 36" Thermocouple	20.00

## AUTOMATIC FLUSH — WITH TIMER FLUSHES RESERVOIR AND DRUM TYPE HUMIDIFIERS

The Model AF-1 Automatic Flush with timer flushes twice a day for six (6) minutes, uses minimal electricity, uses a fraction of water when compared to conventional flow-thru units and helps to maintain the evaporating efficiency of the humidifier.

The automatic flusher is easily installed, provides flow-thru technology for either reservoir or drum-type humidifiers, and is adaptable to any makes or models of reservoir or drum-type humidifiers.



Model	List Price
AF-1	\$102.00

## 1" POCKET THERMOMETER BLISTER PACKAGED

Model	Temp. Range	List Price
T-160	-40°F to 160°F	\$7.00



## ALUMINUM TUBING

Finest quality seamless aluminum. Quick and easy to use. Handy 78" coils. 1/4" O.D. x 78" length. 18 coils per carton.

Model	List Price
ALT78	\$264.00




## THERMO-HYGROMETER FAST RESPONSE • ACCURATE

Reads Temperature and Humidity Simultaneously.

Model	List Price
PTH 8708	\$118.00

## MAIN GAS AND PILOT SHUT-OFF VALVES

These valves are designed for furnaces, boilers, water heaters, and other general heating and appliance applications. All shut-off valves from Adams have low resistance to flow and therefore have greater capacity with lower pressure drop.



The Pilot Valves have 1/8" pipe male or female inlets and 1/4" tubing outlet.

Model	NPT Inch Size	Capacity BTU/hr. @ 1.0" Pressure Drop for gases of 1,000 BTU per Cu. Ft. or more	List Price
SV300*	3/8 x 3/8	536,000	\$ 24.00
SV300*	1/2 x 1/2	687,000	27.00
SV400	3/4 x 3/4	1,400,000	34.00
SV500	1 x 1	1,920,000	56.00
SV600	1-1/4 x 1-1/4	2,800,000	79.00
SV800	1-1/2 x 1-1/2	4,000,000	187.00
SV1000	2 x 2	6,000,000	229.00
P-2R	—	—	22.00
P-2S	—	—	22.00
P-2L	—	—	22.00

\*Specify pipe size required

# ADAMS SPEEDY



## OIL BURNER MOTORS

- U.L. Recognized
- U.L. Approved Manual Overload Protection
- NEMA Flange

Model	NEMA Flange	RPM.	List Price
AMR3450	M	3450	\$ 84.00
AMR1725	N	1725	\$122.00

**LOWER PRICES!**

**NEW!**



## HIGH EFFICIENCY SPIN-OFF OIL FILTERS 10 MICRON FILTRATION

Contains more filter media than the competitive filters so filters last longer.

**Spin-on AF-1 Filter** makes replacement faster, easier, and more trouble free; lowers service time & cost. The removable **Dirt Shield** protects a new element from contamination, stores on the bottom end in service, and covers the top of a used element to prevent spillage of contained fuel oil.

Replacing the spin-on AF-1 each year eliminates the problem of eventual rusting-out of canister-type filters and oil spilling into a basement.


AF-1 has been hydrostatic pressure tested to 160 psi!

Model	Description	List Price
AF-1	Filter Only	\$18.00
AF-2	Filter & Head Assy.	\$32.00
AF-3	Mounting Bracket	\$ 5.00

## FUEL OIL FILTERS

### 1D-25A AND 2D-700A OIL FILTERS

- **Model 1D-25A** — fuel filter for oil fired heating appliances.
- Working pressure = 50 PSI.
- Firing rate = 15GPH.
- UL listed. 3/8" NPT.
- **Model 2D-700A** — Same as above.
- Firing rate = 30 GPH.
- UL listed. 3/8" NPT.



Model	Std. Pkg.	Shipping Weight	List Price
1D-25A	6	13#	\$26.90
2D-700A	6	20#	\$44.90

## REPLACEMENT CARTRIDGES

- **Model 1D-30** — 10 micron wool felt
- **Model 2D-710** — 10 micron wool felt
- **Model DRF-1** — Continuous spun fiber



Model	Std. Pkg.	Shipping Weight	List Price
1D-30	24	3#	\$2.99
2D-710	24	5#	\$6.20
DRF-1	36	7#	\$2.85

REPLACEMENT CARTRIDGES — CROSS REFERENCE CHART	
Adams Cartridge	Will Fit
1D-30	General 1A-30, 1A25A, Unifilter 77, Sears 8D 55, Sid Harvey XT-25/264, 264F, Autoflo F-300, Eddington S-254, Federal A-77, Mitco 264 & 264F
2D-710	General 2A700A, 2A-710, Unifilter 99, Sid Harvey XF-1/265, 265F, Autoflo F-400, Eddington S-252, Mitco 265 & 265F

**NEW!**



AHEO SERIES UPFLOW

**NEW!**



ASHEO SERIES HORIZONTAL

**NEW!**



ACHEO SERIES COUNTERFLOW

**NEW!**



ALHEO SERIES LOWBOY

### 95%+ A.F.U.E. OIL FIRED CONDENSING FURNACE

Model No.	BTU Input	BTU Output	Nozzle	CFM @ .5 Esp	Motor H.P.	Approx. Ship Wt.	List Price
<b>AHEO SERIES UPFLOW — AIR CONDITIONING READY</b>							
AHEO 50-2.5	50,000	49,000	.40	1000	1/3	220#	\$ 4,875.00
AHEO 75-2.5	75,000	73,500	.50	1000	1/3	220#	4,875.00
AHEO 100-2.5	100,000	96,000	.60	1000	1/3	220#	4,875.00
AHEO 75-5	75,000	73,500	.50	2000	3/4	235#	\$ 5,090.00
AHEO 100-5	100,000	96,000	.60	2000	3/4	235#	5,090.00
AHEO 125-5	125,000	115,625	.65	2000	3/4	235#	5,090.00
AHEO 150-5	150,000	147,000	(2) .50	2000	(2) 1/3	440#	\$ 9,860.00
AHEO 200-5	200,000	192,000	(2) .60	2000	(2) 1/3	440#	9,860.00
AHEO 200-10	200,000	192,000	(2) .60	4000	(2) 3/4	470#	\$10,282.00
AHEO 250-10	250,000	231,500	(2) .65	4000	(2) 3/4	470#	10,282.00
<b>ASHEO SERIES HORIZONTAL — AIR CONDITIONING READY</b>							
ASHEO 50-2.5	50,000	49,000	.40	1000	1/3	220#	\$ 5,030.00
ASHEO 75-2.5	75,000	73,500	.50	1000	1/3	220#	5,030.00
ASHEO 100-2.5	100,000	96,000	.60	1000	1/3	220#	5,030.00
ASHEO 75-5	75,000	73,500	.50	2000	3/4	235#	\$ 5,250.00
ASHEO 100-5	100,000	96,000	.60	2000	3/4	235#	5,250.00
ASHEO 125-5	125,000	115,625	.65	2000	3/4	235#	5,250.00
ASHEO 150-5	150,000	147,000	(2) .50	2000	(2) 1/3	440#	\$10,165.00
ASHEO 200-5	200,000	192,000	(2) .60	2000	(2) 1/3	440#	10,165.00
ASHEO 200-10	200,000	192,000	(2) .60	4000	(2) 3/4	470#	\$10,595.00
ASHEO 250-10	250,000	231,500	(2) .65	4000	(2) 3/4	470#	10,595.00
<b>ACHEO SERIES COUNTERFLOW — AIR CONDITIONING READY</b>							
ACHEO 50-2.5	50,000	49,000	.40	1000	1/3	220#	\$ 5,030.00
ACHEO 75-2.5	75,000	73,500	.50	1000	1/3	220#	5,030.00
ACHEO 100-2.5	100,000	96,000	.60	1000	1/3	220#	5,030.00
ACHEO 75-5	75,000	73,500	.50	2000	3/4	235#	\$ 5,250.00
ACHEO 100-5	100,000	96,000	.60	2000	3/4	235#	5,250.00
ACHEO 125-5	125,000	115,625	.65	2000	3/4	235#	5,250.00
ACHEO 150-5	150,000	147,000	(2) .50	2000	(2) 1/3	440#	\$10,165.00
ACHEO 200-5	200,000	192,000	(2) .60	2000	(2) 1/3	440#	10,165.00
ACHEO 200-10	200,000	192,000	(2) .60	4000	(2) 3/4	470#	\$10,595.00
ACHEO 250-10	250,000	231,500	(2) .65	4000	(2) 3/4	470#	10,595.00
<b>ALHEO SERIES LOWBOY — AIR CONDITIONING READY</b>							
ALHEO 50-2.5	50,000	49,000	.40	1000	1/3	220#	\$ 5,030.00
ALHEO 75-2.5	75,000	73,500	.50	1000	1/3	220#	5,030.00
ALHEO 100-2.5	100,000	96,000	.60	1000	1/3	220#	5,030.00
ALHEO 75-5	75,000	73,500	.50	2000	3/4	235#	\$ 5,250.00
ALHEO 100-5	100,000	96,000	.60	2000	3/4	235#	5,250.00
ALHEO 125-5	125,000	115,625	.65	2000	3/4	235#	5,250.00
ALHEO 150-5	150,000	147,000	(2) .50	2000	(2) 1/3	440#	\$10,165.00
ALHEO 200-5	200,000	192,000	(2) .60	2000	(2) 1/3	440#	10,165.00
ALHEO 200-10	200,000	192,000	(2) .60	4000	(2) 3/4	470#	\$10,595.00
ALHEO 250-10	250,000	231,500	(2) .65	4000	(2) 3/4	470#	10,595.00

OPTIONAL EQUIPMENT — ADD:	List Price
Beckett oil burner in lieu of INTERburner	\$200.00
Replacement fuel oil filter (supplied at no charge on above furnaces)	20.00



**AUFO SERIES  
UPFLOW  
HIGHBOY  
OIL FIRED  
FURNACE**

**AACO SERIES  
UPFLOW  
LOWBOY  
OIL FIRED  
FURNACE**



**AOCF SERIES  
DOWNFLOW  
OIL FIRED  
FURNACE**



**ASO SERIES  
HORIZONTAL OIL FIRED FURNACE**



## 80+ A.F.U.E. OIL FIRED FURNACES—Heating Only Models

Highboy, Lowboy, Downflow & Horizontal series featuring: 3 speed high cfm direct drive blower with psc motor, (Beckett, Wayne, or Interburner), barometric draft control, fan and limit control, less thermostat.

Model No.	BTU Input	Heating Capacity	CFM @ .2 Esp	AFUE ICS	Weight	List Price
<b>UPFLOW-HIGHBOY SERIES — HEATING ONLY MODELS</b>						
AUFO-70	70,000	57,820	800	80.6	210#	\$2,175.00
AUFO-90	90,000	75,600	1000	82.0	240#	2,195.00
AUFO-105	105,000	87,570	1000	81.4	240#	2,235.00
AUFO-120	120,000	101,400	1200	80.5	250#	2,310.00
AUFO-140	140,000	117,460	1400	81.9	260#	2,555.00

<b>UPFLOW-LOWBOY SERIES — HEATING ONLY MODELS</b>						
AACO-90X	90,000	75,690	800	82.1	240#	\$2,455.00
AACO-105X	105,000	87,360	1000	81.2	240#	2,475.00
AACO-120X	120,000	99,440	1200	80.2	250#	2,515.00
AACO-140X	140,000	115,640	1400	81.7	260#	2,695.00

<b>DOWNFLOW SERIES** — HEATING ONLY MODELS</b>						
AOCF-90	90,000	75,230	800	82.5	235#	\$2,210.00
AOCF-105	105,000	88,515	1000	82.0	245#	2,325.00
AOCF-120	120,000	100,000	1200	81.4	245#	2,450.00
AOCF-140	140,000	117,180	1400	81.9	315#	2,685.00

<b>HORIZONTAL SERIES** — HEATING ONLY MODELS</b>						
ASO-90	90,000	76,230	800	82.5	235#	\$2,210.00
ASO-105	105,000	88,305	1000	82.3	245#	2,325.00
ASO-120	120,000	100,000	1200	82.0	245#	2,450.00
ASO-140	140,000	116,060	1400	81.9	315#	2,685.00

\*\*Packaged in 2 cartons — Furnace Carton and Burner Box Carton

## AIR CONDITIONING READY MODELS

Highboy, Lowboy, Downflow & Horizontal series featuring: 3 speed high cfm direct drive blower with psc motor, Turbo-reversed Air, A.C. Fan center relay for future air conditioning, barometric draft control, fan and limit control, less thermostat. 10 Year Heat Exchanger Warranty.

Model No.	BTU Input	Heating Capacity	CFM @ .5 Esp	AFUE ICS	Weight	List Price
<b>UPFLOW-HIGHBOY SERIES — AIR CONDITIONING READY MODELS</b>						
AUFO-70-2.5	70,000	57,820	1000	80.6	213#	\$2,285.00
AUFO-90-3	90,000	75,600	1200	82.0	240#	2,315.00
AUFO-105-3	105,000	87,570	1200	81.4	250#	2,345.00
AUFO-120-3.5	120,000	101,400	1400	80.5	250#	2,425.00
AUFO-140-4	140,000	117,460	1600	81.9	250#	2,825.00

<b>UPFLOW-LOWBOY SERIES — AIR CONDITIONING READY MODELS</b>						
AACO-90X-3	90,000	75,690	1200	82.1	240#	\$2,555.00
AACO-105X-3	105,000	87,360	1200	81.2	240#	2,575.00
AACO-120X-3.5	120,000	99,440	1400	80.2	250#	2,685.00
AACO-140X-4	140,000	115,640	1600	81.7	260#	2,795.00

<b>DOWNFLOW SERIES** — AIR CONDITIONING READY MODELS</b>						
AOCF-90-2.5	90,000	76,230	1000	82.5	235#	\$2,350.00
AOCF-105-3	105,000	88,305	1200	82.0	245#	2,460.00
AOCF-120-3.5	120,000	100,000	1400	81.4	245#	2,590.00
AOCF-140-4	140,000	116,060	1600	80.9	315#	2,795.00

<b>HORIZONTAL SERIES** — AIR CONDITIONING READY MODELS</b>						
ASO-90-3	90,000	76,230	1200	82.5	235#	\$2,350.00
ASO-105-3	105,000	88,515	1200	82.3	235#	2,460.00
ASO-120-3.5	120,000	100,800	1400	82.0	245#	2,590.00
ASO-140-4	140,000	117,180	1600	81.7	315#	2,795.00

\*\*Packaged in 2 cartons — Furnace Carton and Burner Box Carton

### OPTIONAL EQUIPMENT — ADD:

NCB 90/120 Non-Combustible Floor Base for AOCF 90/120  
NCB 140/175 Non-Combustible Floor Base for AOCF 140/175

List Price

\$110.00  
110.00





AACOV SERIES HIGHBOY  
OIL OR GAS FIRED FURNACE



AOCF SERIES COUNTERFLOW  
OIL OR GAS FIRED FURNACE



AACO SERIES LOWBOY  
OIL OR GAS FIRED FURNACE



ASO SERIES HORIZONTAL  
OIL OR GAS FIRED FURNACE

## LARGE RESIDENTIAL & COMMERCIAL OIL & GAS FIRED FURNACES

Input MBTU Model No.	BTU Output	CFM @ .2 Esp	Shipping Weight	List Price
<b>AACOV HIGHBOY SERIES — HEATING ONLY MODELS</b>				
AACOV175	140,000	1400	366	\$ 2,889.00
AACOV230	184,000	1800	470	3,324.00
AACOV350	280,000	2600	670	5,197.00
AACOV500	400,000	4000	1000	9,865.00
AACOV700	560,000	5200	1340	12,294.00
AACOV1000	800,000	8000	2000	20,730.00

Input MBTU Model No.	BTU Output	CFM @ .2 Esp	Shipping Weight	List Price
<b>AOCF COUNTERFLOW SERIES — HEATING ONLY MODELS</b>				
AOCF175	140,000	1400	366	\$ 3,092.00
AOCF230	180,000	1800	470	3,445.00
AOCF350	280,000	2600	670	5,590.00
AOCF500	400,000	4000	1000	9,965.00
AOCF700	560,000	5200	1340	13,997.00
AOCF1000	800,000	8000	2000	21,870.00

Input MBTU Model No.	BTU Output	CFM @ .2 Esp	Shipping Weight	List Price
<b>AACO LOWBOY SERIES — HEATING ONLY MODELS</b>				
AACO175	140,000	1400	420	\$ 3,324.00
AACO230	180,000	1800	530	3,563.00
AACO350	280,000	2600	712	5,586.00
AACO500	400,000	4000	1000	9,965.00
AACO700	560,000	5200	1340	13,997.00
AACO1000	800,000	800.0	2000	21,870.00

Input MBTU Model No.	BTU Output	CFM @ .2 Esp	Shipping Weight	List Price
<b>ASO HORIZONTAL SERIES — HEATING ONLY MODELS</b>				
ASO175	140,000	1400	366	\$ 3,092.00
ASO230	180,000	1800	470	3,445.00
ASO350	280,000	2600	670	5,590.00
ASO500	400,000	4000	1000	9,965.00
ASO700	560,000	5200	1340	13,997.00
ASO1000	800,000	8000	2000	21,870.00

## AIR CONDITIONING READY MODELS

Input MBTU Model No.	Will Handle Tons Cooling	CFM @ .5 Esp	Shipping Weight	List Price
<b>AACOV HIGHBOY SERIES — AIR CONDITIONING READY MODELS</b>				
AACOV175-5	5	2000	366	\$ 3,324.00
AACOV230-5	5	2100	480	3,687.00
AACOV350-7.5	7.5	3000	680	5,706.00
AACOV500-10	10	4000	1000	10,200.00
AACOV700-15	15	6000	1340	13,412.00
AACOV1000-20	20	8000	2000	21,400.00

Input MBTU Model No.	Will Handle Tons Cooling	CFM @ .5 Esp	Shipping Weight	List Price
<b>AOCF COUNTERFLOW SERIES — AIR CONDITIONING READY MODELS</b>				
AOCF175-5	5	2000	376	\$ 3,445.00
AOCF230-5	5	2100	480	3,800.00
AOCF350-7.5	7.5	3000	680	5,945.00
AOCF500-10	10	4000	1010	11,300.00
AOCF700-15	15	6000	1340	14,515.00
AOCF1000-20	20	8000	2000	22,500.00

Input MBTU Model No.	Will Handle Tons Cooling	CFM @ .5 Esp	Shipping Weight	List Price
<b>AACO LOWBOY SERIES — AIR CONDITIONING READY MODELS</b>				
AACO175-5	5	2000	430	\$ 3,687.00
AACO230-5	5	2100	540	3,925.00
AACO350-7.5	7.5	3000	722	5,945.00
AACO500-10	10	4000	1020	11,300.00
AACO700-15	15	6000	1340	14,515.00
AACO1000-20	20	800.0	2000	22,500.00

Input MBTU Model No.	Will Handle Tons Cooling	CFM @ .5 Esp	Shipping Weight	List Price
<b>ASO HORIZONTAL SERIES — AIR CONDITIONING READY MODELS</b>				
ASO175-5	5	2000	376	\$ 3,445.00
ASO230-5	5	2100	480	3,800.00
ASO350-7.5	7.5	3000	680	5,945.00
ASO500-10	10	4000	1010	11,300.00
ASO700-15	15	6000	1340	14,515.00
ASO1000-20	20	8000	2000	22,500.00

### OPTIONAL EQUIPMENT — ADD:

HC-SO	Hanging Channels for (ASO) Horizontal Units	\$ 52.00
NCB	Non-Combustible Floor Base All AOCF Models	150.00
2SOP	Two Stage Pump	109.00
3PH	220V 3 Phase Blower	475.00
1PH	220V 1 Phase Blower	420.00
L4064B	Fan & Limit (5" or 11" Insertion)	75.00

### TO USE ABOVE FURNACE FOR NAT. OR LP GAS — ADD:

175,000 and 230,000 Models	\$ 846.00
350,000 and 500,000 Models	1,395.00
700,000 and 1,000,000 Models	2,790.00



MNT UPFLOW/DOWNFLOW  
CONDENSING GAS FURNACE



MT/DT MULTI-POSITION  
GAS FURNACE



ASG GAS FIRED  
GRAVITY HEATER

## 92 A.F.U.E. GAS HIGHBOY FURNACES MNT SERIES HEATING/AIR CONDITIONING MODEL UPFLOW DOWNFLOW CONDENSING GAS FURNACE

Completely assembled, factory tested furnace for heating or combination heating/cooling application. For utility room, closet or basement application.

Model No.	Rated Heating Input (BTHU)*	Rated Heating Output (BTUH)	Available Cooling @ 0.5" ESP (tons)	Shipping Weight	List Price
MNT040-3	40,000	37,000	1.5 - 3.0	170#	\$1,599.00
MNT060-3	60,000	55,000	1.5 - 3.0	180#	\$1,652.00
MNT080-4	80,000	73,500	2.5 - 4.0	205#	\$1,795.00
MNT100-4	100,000	92,000	2.5 - 4.0	225#	\$2,005.00
MNT120-5	120,000	110,000	3.5 - 5.0	265#	\$2,443.00

## 80 A.F.U.E. MUTLI-POSITION GAS FURNACES MT/DT SERIES — HEATING/AIR CONDITIONING MODELS

- Completely assembled, factory tested furnace for heating or combination heating/cooling application.
- For utility room, closet, alcove, basement or attic application

Model No.	Rated Heating Input (BTHU)*	Rated Heating Output (BTUH)	Available Cooling @ 0.5" ESP (tons)	Shipping Weight	List Price
<b>UPFLOW/HORIZONTAL</b>					
MT045-3	45,000	36,000	1.5 - 3.0	120#	\$1,038.00
MT070-3	70,000	56,000	1.5 - 3.0	130#	\$1,108.00
MT070-4	70,000	56,000	2.5 - 4.0	143#	\$1,135.00
MT090-3	90,000	72,000	1.5 - 3.0	153#	\$1,180.00
MT090-4	90,000	72,000	2.5 - 4.0	153#	\$1,231.00
MT090-5	90,000	72,000	3.0 - 5.0	163#	\$1,285.00
MT115-5	115,000	92,000	3.0 - 5.0	163#	\$1,373.00
MT140-5	140,000	112,000	3.0 - 5.0	183#	\$1,584.00
<b>DEDICATED DOWNFLOW</b>					
DT045-3	45,000	36,000	1.5 - 3.0	120#	\$1,039.00
DT070-3	70,000	56,000	1.5 - 3.0	130#	\$1,108.00
DT090-4	90,000	72,000	2.5 - 4.0	153#	\$1,231.00
DT115-5	115,000	92,000	3.0 - 5.0	175#	\$1,373.00

## ASG SERIES GAS FIRED GRAVITY HEATER MILLIVOLT CONTROLS — 10 YEAR HEAT EXCHANGER WARRANTY

Model No.	BTU Input	BTU Bonnet	Shipping Weight	List Price
ASG-90NS	86,000	64,000	180#	\$1,820.00
ASG-105R	105,000	78,000	220#	\$1,925.00
ASG-120R	120,000	90,000	220#	\$2,035.00

### OPTIONS: PLENUMS & THERMOSTATS LPG KITS


	List Price
WAP-SG Warm Air Plenum	\$114.00
TS86A Millivolt Thermostat	88.00
LPG-SG Additional Cost for LPG Model	93.00



MODEL KL CONDENSING UNIT  
10 SEER  
SPLIT SYSTEM 1-1/2 TO 10 TON



MODEL LJ CONDENSING UNIT  
HIGH EFFICIENCY 12 SEER  
SPLIT SYSTEM 1-1/2 TO 5 TON



MODEL AUC  
UPFLOW & DOWNFLOW  
EVAPORATOR COILS (UNCASED)

## 10.0 SEER CENTRAL AIR CONDITIONING PACKAGE UNITS (SWEAT FITTINGS)

### CP-A SERIES

Packaged Units, everything you need for complete installation

Consists of:

- Condensing Unit (230/208/1 Phase)
- Heat/Cool Thermostat & Sub-base CM65 & SB65A
- Sweat Fitting Tubing Set 20 Ft.
- "A" Coil (Uncased)
- 5 Year compressor warranty

Condensing unit is precharged to handle up to 25' Line set.  
Coils have holding charge only.

### CENTRAL AIR CONDITIONING PACKAGE UNITS

AFUE Model	Size (Tons)	List Price
CP 151A	1-1/2	\$1,775.00
CP 201A	2	1,896.00
CP 251A	2-1/2	2,125.00
CP 301A	3	2,347.00
CP 351A	3-1/2	2,776.00
CP 401A	4	3,046.00
CP 501A	5	3,644.00

## 10.0 SEER SPLIT SYSTEM AIR CONDITIONERS HIGH EFFICIENCY CONDENSING UNIT (SWEAT FITTINGS)

Model NO.	BTUH	Weight	List Price
KL18-1	18,000	125#	\$ 985.00
KL24-1	24,000	127#	1,036.00
KL30-1	29,000	130#	1,138.00
KL36-1	35,000	142#	1,224.00
KL42-1	41,000	160#	1,534.00
KL49-1	47,000	176#	1,614.00
KL60-1	57,000	208#	1,892.00
KL62-1	62,000	258#	2,124.00
KL90-3	88,000	370#	4,874.00
KL120-3	114,000	420#	5,495.00

## 12.0 SEER SPLIT SYSTEM AIR CONDITIONERS

Model NO.	BTUH	Weight	List Price
LJ18-1	18,400	135#	\$1,261.00
LJ24-1	23,400	160#	1,445.00
LJ30-1	18,400	173#	1,589.00
LJ36-1	30,000	174#	1,771.00
LJ42-1	36,000	175#	1,999.00
LJ48-1	42,000	208#	2,169.00
LJ60-1	60,000	270#	2,495.00
LJ64-1	64,000	300#	3,765.00

## STANDARD "A" COILS (SWEAT FITTINGS)

Model NO.	Nominal Tons	Weight	List Price
AUC-18 "A" COIL (Slant Coil)	1-1/2	28#	\$ 211.00
AUC-24 "A" COIL	2	37#	251.00
AUC-30 "A" COIL	2-1/2	37#	310.00
AUC-36 "A" COIL	3	44#	318.00
AUC-42 "A" COIL	3-1/2	53#	369.00
AUC-48 "A" COIL	4	56#	438.00
AUC-60 "A" COIL	5	59#	518.00
AVX-7.5 "A" COIL	7-1/2	76#	1,599.00
AVX-10 "A" COIL	10	103#	2,199.00


OPTIONS:	List Price
#24 x 36 Clad Cladlite Precast Pad for Condensing Units	\$ 62.00
#36 x 40 Clad Cladlite Precast Pad for Condensing Units	\$108.00

# ADAMS DRAFT-O-STAT




## BAROMETRIC DRAFT CONTROL...FOR EVERY REQUIREMENT! RESIDENTIAL, COMMERCIAL AND INDUSTRIAL APPLICATIONS

**MODEL "A" DRAFT-O-STAT** Exceptionally Large Effective Area Self-Aligning, Self-Cleaning Rocker Bearings Maximum Flexibility Precision Adjustment Feather-Light Sensitivity Rugged and Durable Polished Chrome Fittings Die-Stamped Welded Galvanized Steel Construction for all Flue sizes from 4" to 10". Cast aluminum outer ring and heavy gauge steel flutter on 14 through 36 inch models.



Size	Models without Thimble	List Price	Models with Thimble	List Price
4"	A4B	\$ 33.40	A4-BT	\$ 45.90
	A4B-G		A4-BT-G	
6"	A6B	\$ 33.40	A6-BT	\$ 45.90
	A6B-G		A6-BT-G	
7"	A7B	\$ 35.20	A7-BT	\$ 49.30
	A7B-G		A7-BT-G	
8"	A8B	\$ 38.38	A8-BT	\$ 53.22
	A8B-G		A8-BT-G	
9"	A9B	\$ 42.38	A9-BT	\$ 59.04
	A9B-G		A9-BT-G	
10"	A10B	\$ 72.50	A10-BT	\$ 86.50
	A10B-G		A10-BT-G	
14"	A14-A	\$ 190.00	A14-AT	\$ 225.00
16"	A16-A	\$ 299.00	A16-AT	\$ 332.00
18"	A18-A	\$ 382.00	A18-AT	\$ 432.00
20"	A20-A	\$ 452.00	A20-AT	\$ 536.00
24"	A24-A	\$ 570.00	A24-AT	\$ 672.00
30"	A30-A	\$1,198.00	A30-AT	\$1,290.00
36"	A36-A	\$1,270.00	A36-AT	\$1,620.00



Thimble Kit



### RETURNED GOODS:

No material may be returned to us without first receiving **written approval**. We require full information with respect to any goods claimed defective for which authority to return is desired, including our invoice number which covers the original shipment and reason for return. If **authorized**, written instructions will be given by us and a return material tag will be provided for proper identification. Handling and transportation charges must be prepaid on all shipments of returned goods.

Our receiving department will not accept goods which are shipped "Collect." Where returns are accepted, a deduction of 25% will be made for rehandling, unless the equipment is found to be defective by our inspection.

### LOSS OR DAMAGED IN TRANSIT:

The liability of **ADAMS MANUFACTURING CO.** ceases upon delivery to pick-up carrier at our factory. Claims for damaged or lost in transit goods to be made by consignee against the delivering carrier.

### GENERAL INFORMATION

TERMS: 1% 10 days/net 30 days. Price F.O.B. plant, Cleveland, Ohio. All billing will be based on price in effect at time of shipment.

A 1-1/2% service charge will be assessed for any account beyond 30 days from invoice date.

Prices and specifications subject to change without notice. Minimum billing \$25.00 net.



**ADAMS**  
Manufacturing Company

Form No. 704

E-mail: adamsx@att.net  
9790 Midwest Ave., Cleveland, OH 44125  
Telephone: (216) 587-6801  
Fax: (216) 587-6807