



Pipe



- **Lead Free Fittings**
see pages 166-175
- **For Bronze & Larger Sizes**
see pages 208-215
- **For BSPT/ BSPP**
see pages 116-117

Pipe Size	1/16	1/8	1/4	3/8	1/2	3/4	1
Thread Size	1/16-27	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	1-11^{1/2}
Working Pressure	1200	1200	1200	1200	1200	1000	1000
Thread OD	1/4	3/8	1/2	5/8	3/4	1	1-1/4

•Typical Application

Grease, fuels, LP and Natural gas (available on special order), refrigeration, instrumentation and hydraulic systems.

•Pressure

Operating pressure up to 1200 PSI.

•Vibration

Fair resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C).

•Material

CA360 Brass for Barstock fittings.
CA377 Brass for forged fittings.

•Used With

Brass, bronze, copper, steel, aluminum and iron pipe.

• Tolerance

+/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.

•Conformance

Meets specifications and standards of ASA, ASME and SAE.

•“L” at the end of a Part# means Light Pattern

- these fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.


•Assembly Instructions

1- Tighten approximately 2-1/2 turns past hand tight.


2- Fittings with Everseal tighten two turns past hand tight. Brittle materials require special cautions.

- for larger sizes see bronze fittings on page 208
- see page 271 for plastic pipe fittings. - Many new sizes

Actual outside diameters of pipe threads




Actual Male Thread Profiles



90° FEMALE ELBOW

SAE# 130238


2200P
3500
302
200



Part #	Thread Size NPTF	A	B	Approx. Wt. Lbs.	List Price
28-001	1/8"	0.55	0.56	0.09	2.99
28-002	1/4"	0.78	0.68	0.13	4.55
28-003	3/8"	0.84	0.81	0.16	5.95
28-004	1/2"	1.09	1.00	0.34	8.56
28-005	3/4"	1.16	1.25	0.60	17.69

90° FORGED FEMALE ELBOW


1200P
E7
100AF
100B



Part #	Thread size NPTF	A	Body Width	Approx. Wt. Lbs.	List Price
28-009	1/8"	0.57	0.50	0.04	3.20
28-010	1/4"	0.70	0.68	0.10	4.34
28-011	3/8"	0.81	0.81	0.12	6.21
28-012	1/2"	1.00	1.00	0.23	10.38
28-013	3/4"	1.13	1.25	0.42	22.31
28-014	1/4" x 1/8"	0.72	0.69	0.12	6.84
28-015	3/8" x 1/4"	0.81	0.81	0.15	5.45
28-016	1/2" x 3/8"	1.00	1.00	0.28	14.97
28-017	1"	1.42	1.50	0.75	25.71

45° FEMALE ELBOW

129
2201P
205
23355
45EZ
105
100-45A




Part #	Thread size NPTF	A	B	Approx. Wt. Lbs.	List Price
28-018	1/8"	0.45	0.56	0.06	4.69
28-019	1/4"	0.66	0.68	0.12	6.13
28-020	3/8"	0.69	0.81	0.16	9.07

UNION TEE

SAE# 130438


311
101A
322
2203P
3700
203



Part #	Thread size NPTF	A	B	C	Approx. Wt. Lbs.	List Price
28-024	1/8"	0.55	0.55	0.56	0.08	3.38
28-025	1/4"	0.78	0.78	0.68	0.17	4.99
28-026	3/8"	0.84	0.84	0.81	0.22	7.89
28-027	1/2"	1.09	1.09	1.00	0.43	12.67
28-028	3/4"	1.16	1.16	1.25	0.64	23.81

UNION FORGED TEE


1203P
LT7
101AF
101B



Part #	Thread size NPTF	A & B	Body Width	Approx. Wt. Lbs.	List Price
28-032	1/8"	0.56	0.50	0.06	3.18
28-033	1/4"	0.71	0.68	0.13	5.12
28-034	3/8"	0.81	0.81	0.16	6.06
28-035	1/2"	1.00	1.00	0.27	12.06
28-036	3/4"	1.16	1.25	0.53	18.46
28-023	1"	1.42	1.50	.924	37.15


Some product stocked in Houston and Atlanta.

REDUCING FORGED TEES



Part #	1 NPT	2 NPT	3 NPT	A & B	Body Width	Approx. Wt. Lbs.	List Price
28-029	1/8"	1/8"	1/4"	0.72	0.69	0.16	8.61
28-030	1/4"	1/4"	1/8"	0.72	0.69	0.14	6.99
28-031	1/4"	1/4"	3/8"	0.81	0.81	0.21	14.12
28-037	3/8"	3/8"	1/8"	0.81	0.81	0.19	13.74
28-038	3/8"	1/4"	3/8"	0.81	0.81	0.18	12.48
28-039	3/8"	3/8"	1/4"	0.81	0.81	0.18	13.17
28-046	1/2"	1/2"	3/8"	1.00	1.00	0.30	11.10
28-048	3/4"	3/4"	1/2"	1.16	1.25	0.59	34.71


CROSS



2205P
3950
228
102A
102BE

Part #	Thread size NPTF	A	B	Approx. Wt. Lbs.	List Price
28-041	1/8"	0.50	0.50	0.10	7.62
28-042	1/4"	0.78	0.68	0.21	7.59
28-043	3/8"	0.84	0.81	0.25	9.19
28-044	1/2"	1.09	1.00	0.51	18.10
28-045	3/4"	1.16	1.25	0.75	26.72

FORGED CROSS




C7
105
102AF
102B

Part #	Thread size NPTF	A	Body Width	Approx. Wt. Lbs.	List Price
28-049	1/8"	0.56	0.50	0.06	6.40
28-050	1/4"	0.72	0.69	0.15	8.06
28-051	3/8"	0.81	0.81	0.18	11.54
28-052	1/2"	1.00	1.00	0.34	18.37

COUPLING

SAE# 130138



207P
371
3300
103AH
103B

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-058L	1/8"	0.75	0.50	0.02	0.88
28-058	1/8"	0.75	0.56	0.03	1.88
28-059L	1/4"	0.88	0.63	0.03	1.32
28-059	1/4"	1.12	0.75	0.09	3.03
28-060L	3/8"	1.00	0.81	0.06	2.22
28-060	3/8"	1.12	0.87	0.10	3.97
28-061L	1/2"	1.19	0.93	0.09	4.00
28-061	1/2"	1.50	1.06	0.19	6.30
28-062L	3/4"	1.19	1.25	0.18	6.25
28-062	3/4"	1.53	1.25	0.24	15.87
28-063	1"	1.89	1.50	.357	18.54

• 1/16" available (28-057) - POR


* For larger sizes, see bronze couplings on pg. 208

Dimension data can change without notice.
Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.

REDUCING COUPLING

SAE# 130138




- 377
- 3300
- 208P
- 108
- 119B
- 119AH

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-181L	1/4" x 1/8"	0.83	0.62	0.04	1.93
28-181	1/4" x 1/8"	0.97	0.75	0.08	2.71
28-182	3/8" x 1/8"	0.94	0.87	0.10	5.68
28-183L	3/8" x 1/4"	1.00	0.81	0.06	2.76
28-183	3/8" x 1/4"	1.16	0.87	0.12	4.03
28-180*	1/2" x 1/8"	1.19	0.93	0.15	14.52
28-184L	1/2" x 1/4"	1.11	1.00	0.10	5.86
28-184	1/2" x 1/4"	1.28	1.06	0.20	7.87
28-185L	1/2" x 3/8"	1.19	0.93	0.10	5.26
28-185	1/2" x 3/8"	1.38	1.06	0.20	9.86
28-188*	3/4" x 3/8"	1.32	1.37	0.20	24.45
28-189*	3/4" x 1/2"	1.19	1.18	0.14	10.04

*Not to SAE specs


UNION



- 3250
- 212P
- 104A
- 104B

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-067	1/8"	1.19	0.94	0.13	21.89
28-068	1/4"	1.31	1.06	0.18	20.82
28-069	3/8"	1.75	1.25	0.33	44.46
28-070	1/2"	1.79	1.56	0.50	30.35

CAP




- 3129
- 213P
- 23129
- 108A
- 108B

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-075	1/8"	0.47	0.56	0.03	0.88
28-076	1/4"	0.60	0.68	0.04	1.83
28-077	3/8"	0.69	0.81	0.06	2.50
28-078	1/2"	0.78	0.93	0.08	4.00
28-079	3/4"	0.94	1.25	0.16	8.63
28-080	1"	1.13	1.50	0.23	12.22

90° STREET ELBOW

SAE# 130239




- 2202P
- 304
- 115
- 202
- 3400
- 116A

Part #	Thread size NPTF	A	B	C	Approx. Wt. Lbs.	List Price
28-156	1/8"	0.48	0.66	0.56	0.05	2.20
28-156S	1/8" short	0.34	0.57	0.50	0.03	1.46
28-157	1/4"	0.72	0.91	0.68	0.09	3.58
28-157S	1/4" short	0.45	0.78	0.68	0.07	2.57
28-158	3/8"	0.78	0.97	0.81	0.16	5.30
28-159	1/2"	1.03	1.25	1.00	0.33	9.17
28-160	3/4"	1.12	1.38	1.25	0.52	17.58


Some product stocked in Houston and Atlanta.

FORGED 90° STREET ELBOW



Part #	Thread size NPTF	A	B	Wrench Flats	Approx. Wt. Lbs.	List Price
28-165	1/8"	0.61	0.85	0.62	0.06	3.50
28-166	1/4"	0.50	0.86	0.72	0.08	3.30
28-167	3/8"	0.70	1.00	0.88	0.10	5.09
28-168	1/2"	0.96	1.43	1.00	0.20	7.63
28-169	3/4"	0.90	1.40	1.25	0.25	12.11


FORGED REDUCING 90° STREET ELBOW



Part #	Thread size NPTF FxM	A	B	Wrench flats	Approx. Wt. Lbs.	List Price
28-260	1/8" x 1/4"	0.50	0.87	0.71	0.08	4.90
28-261B*	1/4" x 1/8"	0.53	0.72	0.69	0.07	3.44
28-261	1/4" x 1/8"	0.50	0.81	0.72	0.06	4.92
28-262	1/4" x 3/8"	0.93	1.06	0.59	0.12	6.16
28-263	3/8" x 1/4"	0.58	0.94	0.81	0.07	8.11
28-264	3/8" x 1/2"	0.97	1.36	1.00	0.28	12.94
28-265	1/2" x 3/8"	0.96	1.37	1.00	0.22	14.27

*Barstock


PIPE SWIVEL 90° STREET ELBOW



Part #	Thread size NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
28-430	1/4"	1.18	1.25	.625	0.22	33.92

HEX BUSHING

SAE# 130140



Part #	Thread size NPTF MxF	A	Hex	Approx. Wt. Lbs.	List Price
28-102L	1/4" x 1/8"	0.62	0.56	0.02	0.70
28-102	1/4" x 1/8"	0.75	0.56	0.04	1.12
28-103	3/8" x 1/8"	0.75	0.68	0.05	1.83
28-104L	3/8" x 1/4"	0.69	0.68	0.03	1.25
28-104	3/8" x 1/4"	0.75	0.75	0.05	1.98
28-105L	1/2" x 1/8"	0.81	0.81	0.08	4.20
28-105	1/2" x 1/8"	1.00	0.87	0.10	3.71
28-106L	1/2" x 1/4"	0.81	0.81	0.08	2.42
28-106	1/2" x 1/4"	1.00	0.87	0.11	3.44
28-107L	1/2" x 3/8"	0.81	0.81	0.05	1.75
28-107	1/2" x 3/8"	1.00	0.87	0.10	2.60
28-108	3/4" x 1/8"	0.94	1.06	0.20	10.66
28-109L	3/4" x 1/4"	0.94	1.06	0.18	4.33
28-110L	3/4" x 3/8"	0.94	1.06	0.15	5.10
28-111L	3/4" x 1/2"	0.94	1.06	0.11	3.71
28-111	3/4" x 1/2"	1.00	1.12	0.14	4.98
28-112	1" x 1/4"	1.15	1.37	0.32	8.87
28-113	1" x 3/8"	1.12	1.37	0.30	9.64
28-114	1" x 1/2"	1.31	1.44	0.29	9.48
28-115	1" x 3/4"	1.31	1.37	0.20	7.44

373
3220
209P
110A
110B


FACE BUSHING



Part #	Thread size NPTF MxF	A	Approx. Wt. Lbs.	List Price
28-121	1/4" x 1/8"	0.45	0.01	1.64
28-122	3/8" x 1/8"	0.50	0.03	2.58
28-116	3/8" x 1/4"	0.50	0.02	2.68
28-090	1/2" x 1/8"	0.56	0.06	5.23
28-128	1/2" x 1/4"	0.56	0.05	3.75
28-117	1/2" x 3/8"	0.56	0.03	2.26
28-129	3/4" x 1/4"	0.62	0.11	6.56
28-130	3/4" x 3/8"	0.62	0.08	6.55
28-118	3/4" x 1/2"	0.64	0.03	5.92

SQUARE HEAD PLUG

1/8-1/2 Solid/ 3/4-1 Cored




3151
211P
109A
109B

Part #	Thread size NPTF	A	B	Approx. Wt. Lbs.	List Price
28-084	1/8"	0.58	0.27	0.02	0.82
28-085	1/4"	0.80	0.37	0.03	1.15
28-086	3/8"	0.80	0.43	0.06	2.03
28-087	1/2"	1.07	0.55	0.13	3.13
28-088*	3/4"	1.11	0.61	0.20	4.77
28-089*	1"	1.24	0.81	0.35	11.06

* not solid

COUNTERSUNK HEX PLUG

3/4" taper thread




3153
219P
109CS
118

SAE J531

Part #	Thread size NPTF	A	Socket size	Approx. Wt. Lbs.	List Price
28-092	1/16"	0.30	0.12	0.01	1.16
28-093	1/8"	0.30	0.18	0.01	0.93
28-094	1/4"	0.45	0.26	0.02	1.01
28-095	3/8"	0.45	0.31	0.03	1.23
28-096	1/2"	0.61	0.39	0.05	2.39
28-097	3/4"	0.62	0.56	0.10	4.20

See lead free section for flush and square countersunk plugs


SLOTTED-HEAD PLUG



220P
3150
117A
117B

Part #	Thread size NPTF	A	Approx. Wt. Lbs.	List Price
28-174	1/8"	0.31	0.01	0.99
28-175	1/4"	0.42	0.02	1.22
28-176	3/8"	0.45	0.05	2.38

CORED HEX PLUGS




218P
3152
121A
103
121B
PPH
218P

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-201	1/8"	0.55	0.43	0.01	0.65
28-202	1/4"	0.62	0.56	0.02	1.10
28-203	3/8"	0.72	0.68	0.06	1.52
28-204	1/2"	0.81	0.87	0.09	2.85
28-205	3/4"	0.94	1.06	0.16	4.08
28-206	1"	1.16	1.37	0.28	13.67

See our lead free section for more sizes!

SOLID HEX HEAD PLUGS




121AS

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-201S	1/8"	0.55	0.43	0.02	1.60
28-202S	1/4"	0.75	0.56	0.05	1.73
28-203S	3/8"	0.66	0.68	0.07	3.13
28-204S	1/2"	0.81	0.87	0.12	3.31
28-205S	3/4"	0.92	1.06	0.24	6.82
28-206S	1"	1.00	1.31	0.38	19.01

LOCKNUT

- Jam Nuts
- Straight pipe thread


210P
21102
111A
111B



Part #	Thread size NPSL	Hex	Thickness	Approx. Wt. Lbs.	List Price
28-123	1/8"	0.68	0.19	0.02	0.97
28-124	1/4"	0.87	0.25	0.04	1.33
28-125	3/8"	1.00	0.31	0.04	1.62
28-126	1/2"	1.125	0.25	0.04	2.07


CLOSE NIPPLE

165
215PN
3326
112A
112B



Part #	Thread size NPTF	A	Approx. Wt. Lbs.	List Price
28-131	1/8"	0.75	0.01	0.57
28-132	1/4"	0.88	0.02	1.07
28-133	3/8"	1.00	0.05	1.90
28-134	1/2"	1.12	0.06	2.20
28-135	3/4"	1.31	0.11	4.10

LONG NIPPLE



113B
113A
166
3327, 3328, 3329, 3330
3331
215PNL

Part #	Thread size NPTF	A Length	Approx. Wt. Lbs.	List Price
28-140	1/8"	1.50	0.03	1.42
28-141	1/8"	2.00	0.04	1.52
28-142	1/8"	2.50	0.06	2.69
28-143	1/8"	3.00	0.06	2.94
28-475	1/8"	3.50	0.07	6.31
28-144	1/4"	1.50	0.03	1.97
28-145	1/4"	2.00	0.05	2.18
28-146	1/4"	2.50	0.08	3.80
28-147	1/4"	3.00	0.10	5.00
28-481	1/4"	3.50	0.12	8.79
28-148	3/8"	1.50	0.06	2.53
28-149	3/8"	2.00	0.10	3.56
28-150	3/8"	2.50	0.10	4.95
28-151	3/8"	3.00	0.13	4.98
28-487	3/8"	3.50	0.17	10.96
28-152	1/2"	1.50	0.08	2.71
28-153	1/2"	2.00	0.12	4.19
28-154	1/2"	2.50	0.16	5.91
28-155	1/2"	3.00	0.20	7.66
28-493	1/2"	3.50	0.24	8.79
28-136	3/4"	1.50	0.12	8.64
28-497	3/4"	2.00	0.18	12.68
28-498	3/4"	2.50	0.23	16.21
28-499	3/4"	3.00	0.28	21.37


• NOTE: For longer lengths and larger diameters, see our red brass nipples section, pg. 205-207

See page 168 for other sizes of lead free long nipples.

Some product stocked in Houston and Atlanta.

HEX NIPPLE

SAE# 130137




- 216P
- 3325
- 379
- 122AH
- 122B

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-211L	1/8"	0.91	0.43	0.02	0.99
28-211	1/8"	0.97	0.43	0.03	0.99
28-212L	1/4"	1.12	0.56	0.04	1.27
28-212	1/4"	1.38	0.56	0.06	1.69
28-213L	3/8"	1.25	0.68	0.07	1.95
28-213	3/8"	1.41	0.68	0.07	2.67
28-214L	1/2"	1.50	0.87	0.11	3.38
28-214	1/2"	1.81	0.87	0.17	4.11
28-215	3/4"	1.96	1.13	0.23	7.69
28-216	1"	2.30	1.37	0.43	12.93

REDUCING HEX NIPPLE

SAE# 130137




- 216P
- 3325
- 379
- 122AH
- 122B

Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-220L	1/4" x 1/8"	1.00	0.56	0.04	1.31
28-220	1/4" x 1/8"	1.19	0.56	0.04	1.69
28-221L	3/8" x 1/8"	1.11	0.68	0.06	3.11
28-221	3/8" x 1/8"	1.22	0.68	0.07	2.99
28-222L	3/8" x 1/4"	1.19	0.68	0.06	1.80
28-222	3/8" x 1/4"	1.41	0.68	0.07	2.50
28-223L	1/2" x 1/4"	1.34	0.87	0.09	3.22
28-223	1/2" x 1/4"	1.62	0.87	0.12	3.50
28-224L	1/2" x 3/8"	1.41	0.87	0.11	3.78
28-224	1/2" x 3/8"	1.62	0.87	0.12	4.15
28-225	3/4" x 1/2"	1.50	1.06	0.15	5.83

• 1/8" x 1/16" available (28-218) - POR

45° STREET ELBOW

SAE# 130339




- 306
- 3350
- 2214P
- 224

Part #	Thread size NPTF	B	A	C	Approx. Wt. Lbs.	List Price
28-230	1/8"	0.38	0.50	0.56	0.03	2.58
28-231	1/4"	0.56	0.72	0.68	0.09	3.43
28-232	3/8"	0.56	0.78	0.81	0.12	5.95
28-233	1/2"	0.75	1.00	1.00	0.20	9.09
28-234	3/4"	0.75	1.06	1.25	0.34	29.77

45° FORGED STREET ELBOW

- 45E8
- 124B




Part #	Thread size NPTF	A	B	Wrench flats	Approx. Wt. Lbs.	List Price
28-238	1/8"	0.63	0.81	0.56	0.05	5.13
28-239	1/4"	0.63	1.06	0.81	0.11	6.52
28-240	3/8"	0.72	1.06	0.93	0.17	9.29

Some product stocked in Houston and Atlanta.


STREET TEE/ SERVICE TEE/ MALE RUN TEE

SAE# 130424



Part #	Thread size NPTF	A	B	C	Approx. Wt. Lbs.	List Price
28-245	1/8"	0.55	0.66	0.56	0.08	3.23
28-246	1/4"	0.78	0.91	0.68	0.17	6.12
28-247	3/8"	0.84	0.97	0.81	0.22	6.79
28-248	1/2"	1.09	1.25	1.00	0.40	12.46
28-249	3/4"	1.16	1.39	1.25	0.60	20.03


FORGED STREET TEE



Part #	Thread size NPTF	A	B	Body Width	Approx. Wt. Lbs.	List Price
28-253	1/8"	0.56	0.75	0.50	0.05	4.96
28-254	1/4"	1.03	1.00	0.46	0.13	5.51
28-255	3/8"	1.19	1.09	0.68	0.24	10.33
28-256	1/2"	1.52	1.40	0.88	0.45	21.51
28-257	3/4"	1.34	1.73	1.25	0.65	51.66


EXTENDER ADAPTER

SAE# 130139



Part #	Thread size NPTF FxM	A	Hex	Approx. Wt. Lbs.	List Price
28-190L	1/8" x 1/8"	0.83	0.50	0.03	1.63
28-190	1/8" x 1/8"	0.88	0.56	0.04	1.27
28-191L	1/4" x 1/8"	0.94	0.62	0.04	1.31
28-191	1/4" x 1/8"	1.06	0.75	0.07	3.07
28-192L	1/4" x 1/4"	1.00	0.62	0.04	1.45
28-192	1/4" x 1/4"	1.25	0.75	0.07	2.99
28-198	3/8" x 1/8"	1.00	0.81	0.06	5.00
28-193L	3/8" x 1/4"	1.12	0.81	0.08	2.44
28-193	3/8" x 1/4"	1.25	0.87	0.09	3.96
28-194L	3/8" x 3/8"	1.24	0.81	0.10	3.25
28-194	3/8" x 3/8"	1.25	0.87	0.11	3.62
28-199	1/2" x 1/4"	1.46	1.06	0.08	4.86
28-195L	1/2" x 3/8"	1.19	0.93	0.09	4.53
28-195	1/2" x 3/8"	1.47	1.06	0.18	6.99
28-196	1/2" x 1/2"	1.66	1.06	0.12	6.49
28-207	3/4" x 3/8"	1.59	1.25	0.26	29.35
28-208	3/4" x 1/2"	1.69	1.37	0.14	14.76
28-209	3/4" x 3/4"	1.69	1.37	0.34	20.14

PIPE SWIVEL ADAPTER



344R
3183
*300 PSI
all sizes

Part #	Thread size NPTF FxM	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
28-424	1/8"	1.10	0.43	0.50	0.05	9.58
28-425	1/4"	1.34	0.56	0.62	0.06	12.29
28-426	3/8"	1.36	0.68	0.75	0.08	35.50
28-427	1/2"	1.87	0.87	0.95	0.10	43.85

SWIVEL FITTING

- 360° Turning
- Swivels




Male NPT x Female NPT

Part #	Size	List Price
320-061	1/4	10.99

Some product stocked in Houston and Atlanta.


FORGED 90° MALE ELBOW

LE5
3455
116AMF



Part #	Thread size NPTF	A	Body Width	Approx. Wt. Lbs.	List Price
28-266	1/8"	0.79	0.38	0.04	3.23
28-267	1/4"	0.87	0.45	0.06	3.24
28-268	3/8"	1.00	0.59	0.12	6.22
28-269	1/2"	1.38	0.78	0.21	8.65

FORGED 90° MALE REDUCING ELBOW




Part #	Thread size NPTF	A	B	Body Width	Approx. Wt. Lbs.	List Price
28-274	1/4" x 1/8"	0.88	0.78	0.47	0.06	4.65
28-275	3/8" x 1/4"	0.90	0.90	0.46	0.06	4.78
28-276	1/2" x 3/8"	1.12	1.00	0.59	0.12	8.57

MALE BRANCH TEE


SAE# 130425

T9
X106
23601
3600
2224P
226
329
128



Part #	Thread size NPTF	A	B	C	Approx. Wt. Lbs.	List Price
28-281	1/8"	0.66	0.55	0.56	0.08	3.33
28-282	1/4"	0.91	0.78	0.68	0.15	6.06
28-283	3/8"	0.97	0.84	0.81	0.22	7.99
28-284	1/2"	1.25	1.09	1.00	0.40	17.21
28-285	3/4"	1.38	1.16	1.25	0.62	23.47

FORGED MALE BRANCH TEE



Part #	Thread size NPTF	A	B	Body Width	Approx. Wt. Lbs.	List Price
28-281F	1/8"	0.75	0.56	0.50	0.06	4.50
28-282F	1/4"	1.00	1.03	0.46	0.12	7.36


T9



**BIN LABELS
ON DEMAND**

**SEE INTRO PAGE
4**

FORGED ALL MALE TEE




Part #	Thread size NPTF	A	B	Body Width	Approx. Wt. Lbs.	List Price
28-290	1/8"	0.75	0.75	0.43	0.06	4.99
28-291	1/4"	0.86	0.86	0.43	0.08	4.89
28-292	3/8"	1.09	1.09	0.60	0.16	9.92
28-293	1/2"	1.22	1.22	0.68	0.22	9.76
28-294	3/4"	1.43	1.43	0.87	0.38	31.18

T12
M101

LONG STREET ELLS


D.O.T. Approved



Part #	Thread size NPTF	A	B	Approx. Wt. Lbs.	List Price
28-440	1/8"	1-3/16"	0.50	0.06	10.30
28-441	1/8"	1-7/16"	0.50	0.06	5.12
28-442	1/8"	1-11/16"	0.50	0.06	8.51
28-443	1/8"	1-7/8"	0.50	0.16	14.95
28-328	1/4"	1-3/16"	0.75	0.12	17.29
28-329	1/4"	1-7/16"	0.75	0.14	14.08
28-330	1/4"	1-11/16"	0.75	0.15	14.05
28-331	1/4"	1-7/8"	0.62	0.09	13.30
28-332	1/4"	2-1/4"	0.75	0.17	19.15
28-333	3/8"	1-3/4"	0.87	0.22	21.93


LONG EXTENSION ADAPTERS

D.O.T. Approved



Part #	Thread size NPTF	A	Hex	Approx. Wt. Lbs.	List Price
28-335	1/8"	1-1/4"	0.50	0.04	11.33
28-336	1/8"	1-3/4"	0.50	0.05	12.33
28-337	1/8"	3"	0.50	0.09	22.22
28-338	1/4"	1-9/16"	0.62	0.07	6.80
28-339	1/4"	1-13/16"	0.62	0.08	8.66
28-340	1/4"	2-1/16"	0.62	0.10	8.04

PIPE WYE FIP x MIP



Part #	Thread Size NPT	A	Approx. Wt. Lbs.	List Price
28-295	1/4"	1.56	.15	7.00


Lead Free fittings available on
pgs. 166-175

Some product stocked in Houston and Atlanta.

BULKHEAD / ANCHOR / FRAME COUPLINGS


BRASS

FEMALE PIPE X FEMALE PIPE




Part #	Terminal Bolts/ Frame			Length (in.)	List Price
	A	B	C		
28-300	1/8-27 NPTF	5/8-18 UNS	----	1-1/2	7.36
28-301	1/4-18 NPTF	3/4-16 UNS	----	15/16	6.85
28-302	1/4-18 NPTF	3/4-16 UNS	----	1-1/2	7.92
28-315*	1/4-18 NPTF	3/4-16 UNS	----	1-1/2	9.80
28-303	3/8-18 NPTF	1-14 UNS	----	1-5/16	10.40
28-304	1/2-14 NPTF	1-1/8-14 UNS	----	1-1/2	13.04
28-311	3/4-14 NPTF	1-5/16-12	----	1-1/2	215.74

* Same as 28-302 except with a larger mounting nut.



FEMALE PIPE X MALE PIPE


28-317	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2-1/8	26.46
28-318	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-11/16	15.44
28-319	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-29/32	15.39



FEMALE PIPE X MALE PIPE


28-325	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	1-11/16	22.45
--------	-------------	--------------	-------------	---------	-------

S612




FEMALE PIPE X MALE PIPE

28-313	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2-7/8	29.14
--------	-------------	----------	-------------	-------	-------



28-346	3/8-18 NPTF	1-14 UNS	1/2-14 NPTF	1-7/8	19.26
28-347	1/2-14 NPTF	1-14 UNS	1/2-14 NPTF	2-3/8	26.86



TUBE X FEMALE PIPE

28-321	1/2-O.D. Tube	7/8-20 UNCF	3/8-18 NPTF	1-5/16	13.34
28-322	3/8-O.D. Tube	7/8-20 UNCF	3/8-18 NPTF	1-3/8	12.70

S608

S609



28-348	3/8-18 NPTF	7/8-20 UNCF	3/8-18 NPTF	2-5/16	20.02
--------	-------------	-------------	-------------	--------	-------

CROSSOVER NUMBERS

28-300: 207x2 207ACBH-2 ACBH207-2 129A-A 392A-1&1/2 50004 55207

28-301: 114-44 1345 207x4 392C-94 ACBHS 207-4 382-44S 129AS-B 55611 S611

28-302: 392C-1&1/2 114B-44 1344 207x4 382-44L 50005 ACBH 207-4 207ACBH-4 129A-B 035081 55661

28-303: 129A-C 392E-1&5/16 114-66 1346 035087 207x6 ACBH 207-6 382-66

S661 207ACBH-6 50006 55607 S607

28-304: 114-88 207x8 129A-D 1351 ACBH 207-8 207ACBH-8 50007 392F-1&1/2 55807 5807

28-317: 117-84 55615 5615

28-318: 381-86S 55620 5620

28-319: 115-86 035079 1496-DC 381-86L 50001 55646 5646

28-312: 115-88 1342 035021 005730 1342 380-84M 50010 55600

28-346: 50013 55613 5613

28-347: 035029 50012 55629 5629


BRASS FITTINGS

BULKHEAD/ ANCHOR/ FRAME COUPLINGS


Terminal Bolts/ Frame

Part # A B C Length (in.) List

STEEL BULKHEAD FITTINGS




28-306	1/4-18 NPTF	3/4 - 16 UNS		0.94	12.08
28-307	1/4-18 NPTF	3/4 - 16 UNS		1.50	13.01
28-308	3/8-18 NPTF	1 - 14 UNS		1.31	12.54



28-309	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2.16	19.98
--------	-------------	--------------	-------------	------	-------


Crossover #: 005498 381-84S 50003 1340 390FC5 55689

28-310	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2.53	35.92
--------	-------------	--------------	-------------	------	-------



28-345*	1/4-18 NPTF	3/4 - 16 UNS	1/2-14 NPTF	2-5/32	20.78
---------	-------------	--------------	-------------	--------	-------

* Steel



28-312	1/4-18 NPTF	1-14 UNS	1/2-14 NPTF	2.94	31.47	5664
--------	-------------	----------	-------------	------	-------	------

MARINE BULKHEAD FITTINGS



46-540	5/16 Hose ID	----	----	2.37	12.97
46-541	3/8 Hose ID	----	----	2.37	17.54

BULKHEAD JAM NUTS




Part #	Size	Material	QTY	Weight	List Price
28-301J	3/4-16UNEF	Brass	10	0.05 ea.	2.40
28-321J	7/8-20UNEF	Brass	10	0.04 ea.	2.93
28-317J	1-14UNS	Brass	10	0.07 ea.	3.91
28-304J	1-1/8-14UNS	Brass	10	0.07 ea.	4.99

BULKHEAD LOCK WASHERS



Part #	Size	Material	QTY	Weight	List Price
28-301W	3/4"	Steel	25	0.70 per 100	0.46
28-321W	7/8"	Steel	25	0.90 per 100	0.74
28-317W	1"	Steel	25	1.4 per 100	1.13
28-304W	1-1/8"	Steel	25	1.7 per 100	1.35

Hose Barb Fittings



• For Lead Free AB1953 Compliant Fittings
see pages 166-175

• Temperature and Working Pressure Ranges
From -40°F to + 160°F at 150 PSI maximum.

• Tolerance
+/- .02 on all dimensions. Dimension Data can change without notice. Please call us when dimensions are critical.


• Material
CA360 Brass for Barstock fittings.
CA377 Brass for Forged fittings.

Note: These fittings are intended for use with hose clamp, similar type clamp or a crimped ferrule.

• Assembly Instructions
1- Cut hose cleanly and squarely to length.

2- Slide clamp on hose.
3- Lubricate hose. Push hose on fitting until hose bottoms against stop ring or hex.
4- Position hose clamp as shown below and secure with a screwdriver or wrench. Maintain "A" dimension noted below for proper clamp positioning.


See page 301 for hose ferrules
See page 287-300 for hose clamps
See page 273-275 for plastic hose barb fittings
See page 26 for stainless steel hose barbs
See page 280-281 for Barb Fittings for plastic pipe



Hose Size	A
3/16"	1/4"
1/4"	1/4"
5/16"	1/4"
3/8"	1/8"
1/2"	1/8"
5/8"	1/8"
3/4"	1/8"


Stainless Steel hose barbs for beverage service available -
See beverage fitting section, pg. 324-325

Actual Profile of Hose Barbs



RIGID MALE ADAPTER

- These are not Lead Free



PGH
101
102
201A
125HBL
105B-1
KF-PS
MPB

Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-300	1/8" x 1/16"	1.13	0.60	0.31	0.02	12.27
32-001 *	1/8" x 1/8"	1.19	0.69	0.43	0.02	0.99
32-027	1/8" x 1/4"	1.16	0.46	0.56	0.02	1.36
32-002 *	3/16" x 1/8"	1.19	0.75	0.43	0.02	0.94
32-003 *	3/16" x 1/4"	1.37	0.69	0.56	0.04	1.62
32-301	1/4" x 1/16"	1.44	0.88	0.43	0.02	5.15
32-004 *	1/4" x 1/8"	1.47	0.97	0.43	0.02	1.19
32-005 *	1/4" x 1/4"	1.72	0.97	0.56	0.04	1.33
32-006 *	1/4" x 3/8"	1.72	0.97	0.68	0.05	1.98
32-007	1/4" x 1/2"	1.72	0.81	0.87	0.10	3.49
32-008 *	5/16" x 1/8"	1.47	0.97	0.43	0.02	1.12
32-009 *	5/16" x 1/4"	1.72	0.97	0.56	0.04	1.55
32-010 *	5/16" x 3/8"	1.76	0.97	0.68	0.06	2.07
32-390	5/16" x 1/2"	1.88	0.95	0.87	0.10	3.90
32-011 *	3/8" x 1/8"	1.53	0.97	0.56	0.03	1.45
32-012 *	3/8" x 1/4"	1.75	0.97	0.56	0.05	1.35
32-013 *	3/8" x 3/8"	1.72	0.96	0.68	0.06	1.88
32-014 *	3/8" x 1/2"	1.97	0.97	0.87	0.09	3.40
32-026 *	3/8" x 3/4"	1.97	0.97	1.06	0.16	4.55
32-302	1/2" x 1/8"	1.57	0.95	0.56	0.06	3.76
32-015 *	1/2" x 1/4"	1.72	0.97	0.56	0.04	1.94
32-016 *	1/2" x 3/8"	1.76	0.97	0.68	0.07	2.25
32-017 *	1/2" x 1/2"	1.87	0.96	0.87	0.11	2.99
32-018 *	1/2" x 3/4"	1.94	0.97	1.06	0.16	4.54
32-303	1/2" x 1"	2.31	0.99	1.37	0.33	14.05
32-304	5/8" x 1/4"	1.67	0.92	0.68	0.06	4.60
32-019 *	5/8" x 3/8"	1.76	0.97	0.68	0.08	2.59
32-020 *	5/8" x 1/2"	1.87	0.96	0.87	0.11	3.22
32-021 *	5/8" x 3/4"	1.87	0.96	1.06	0.14	4.47
32-305	5/8" x 1"	2.31	0.96	1.37	0.36	17.26
32-306	3/4" x 3/8"	1.65	0.87	0.81	0.12	5.65
32-022 *	3/4" x 1/2"	1.87	0.96	0.87	0.14	4.10
32-023 *	3/4" x 3/4"	1.87	0.96	1.06	0.15	5.39
32-316	3/4" x 1"	2.55	1.15	1.37	0.38	12.44
32-307	1" x 1/2"	1.80	0.87	1.06	0.24	7.52
32-024 *	1" x 3/4"	2.19	1.19	1.06	0.32	6.71
32-025 *	1" x 1"	2.48	1.19	1.37	0.39	10.18
32-029	1-1/4" x 3/4"	2.37	1.19	1.37	0.35	15.77
32-028	1-1/4" x 1"	2.55	1.19	1.37	0.46	14.99

See Bronze insert fittings on pages 280 for larger sizes.

* See page 26 for stainless.

Dimension data can change without notice.
Please call us when dimensions are critical.

Save 5% by ordering online at
www.midlandindustrial.com


Some product stocked in Houston and Atlanta.

BRASS RIGID MALE BSPT BARB ADAPTER




Part #	Hose I.D. x MALE BSPT	List Price
32-450	1/4" x 1/8"	1.40
32-451	1/4" x 1/4"	2.04
32-452	3/8" x 1/4"	2.23
32-453	3/8" x 3/8"	5.63
32-454	3/8" x 1/2"	4.12
32-455	1/2" x 3/8"	2.79
32-456	1/2" x 1/2"	4.57
32-457	3/4" x 3/4"	7.11
32-458	1" x 1"	14.66

SWIVEL MALE ADAPTER




SMS Rotation 360°
103
-68

Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-329	3/16" x 1/8"	1.95	0.78	0.56	0.06	5.44
32-331	3/16" x 1/4"	1.90	0.78	0.56	0.06	5.54
32-332	1/4" x 1/8"	2.19	0.97	0.56	0.06	5.09
32-349	1/4" x 1/4"	2.12	0.97	0.56	0.06	4.73
32-351	3/8" x 1/8"	2.12	0.97	0.56	0.07	5.26
32-201	3/8" x 1/4"	2.12	0.97	0.56	0.07	4.06
32-360	3/8" x 3/8"	2.12	0.97	0.69	0.08	5.58
32-355	1/2" x 3/8"	2.12	0.97	0.68	0.10	6.00
32-356	1/2" x 1/2"	2.33	0.97	0.87	0.14	6.99
32-357	3/4" x 3/4"	2.33	0.97	1.06	0.20	10.58
32-386	1" x 1"	3.43	1.19	1.38	0.40	72.18



Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-200	1/4" x 1/4"	1.65	.89	0.56	0.04	3.96
32-202	3/8" x 3/8"	1.75	1.00	0.68	0.08	4.99

MENDER/ SPLICER




MSB
122HBL
HM
129
178
73
108

Part #	Hose I.D. x Hose I.D.	A	B	O.D.	Approx. Wt. Lbs.	List Price
32-091 *	1/8"	0.98	0.45	0.31	0.01	1.30
32-092	3/16"	1.62	0.77	0.36	0.02	1.73
32-093 *	1/4"	2.00	0.96	0.37	0.02	1.44
32-079 *	1/4" x 1/8"	1.55	0.97	0.56	0.02	3.31
32-094 *	5/16"	2.00	0.96	0.39	0.02	1.37
32-090 *	5/16" x 1/4"	2.00	0.97	0.39	0.03	2.41
32-095 *	3/8"	2.00	0.94	0.51	0.04	1.46
32-080 *	3/8" x 1/4"	2.06	0.97	0.56	0.03	3.98
32-375 *	3/8" x 5/16"	2.00	0.97	0.56	0.03	2.34
32-096 *	1/2"	2.00	0.96	0.62	0.06	2.11
32-087 *	1/2" x 3/8"	2.06	0.97	0.71	0.06	6.01
32-097	5/8"	2.05	0.96	0.75	0.08	2.85
32-088	5/8" x 3/8"	2.06	0.97	0.75	0.06	6.60
32-376	5/8" x 1/2"	2.06	0.97	0.75	0.07	6.78
32-098 *	3/4"	2.50	1.15	0.87	0.10	4.84
32-089	3/4" x 1/2"	2.28	1.19	0.87	0.10	9.40
32-379	3/4" x 5/8"	2.50	1.19	0.87	0.10	5.44
32-380	1" x 3/4"	2.58	1.19	1.12	0.18	5.94
32-099	1"	3.00	1.44	1.02	0.23	12.79

* Add SS to the end of the part number for Stainless.

RIGID FEMALE ADAPTER



209A FPB
 128 105B-2
 29A KF-RS
 29F 104
 126HB 144
 126

Part #	Hose I.D. x Female NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-050	1/8" x 1/8"	0.96	0.46	0.50	0.02	1.54
32-317	1/8" x 1/4"	1.15	0.46	0.62	0.04	5.14
32-051	3/16" x 1/8"	1.10	0.68	0.50	0.02	1.39
32-062	3/16" x 1/4"	1.44	0.75	0.62	0.04	5.56
32-052	1/4" x 1/8"	1.35	0.93	0.50	0.02	1.69
32-053	1/4" x 1/4"	1.60	0.97	0.62	0.06	1.79
32-054	1/4" x 3/8"	1.65	1.03	0.75	0.04	2.53
32-441	1/4" x 1/2"	1.66	0.97	0.93	0.08	8.17
32-055	5/16" x 1/8"	1.47	0.97	0.56	0.04	4.42
32-056	5/16" x 1/4"	1.66	0.97	0.62	0.04	2.36
32-318	5/16" x 3/8"	1.66	0.97	0.75	0.06	5.47
32-320	5/16" x 1/2"	1.67	0.96	0.93	0.08	6.50
32-057	3/8" x 1/8"	1.47	0.97	0.56	0.04	2.37
32-058	3/8" x 1/4"	1.61	0.97	0.62	0.06	2.10
32-059	3/8" x 3/8"	1.63	1.00	0.81	0.08	2.30
32-063	3/8" x 1/2"	1.72	0.94	0.93	0.12	4.35
32-442	3/8" x 3/4"	1.97	0.97	1.18	0.20	14.65
32-064	1/2" x 1/4"	1.66	0.69	0.62	0.08	2.61
32-060	1/2" x 3/8"	1.66	0.97	0.75	0.08	5.25
32-061	1/2" x 1/2"	1.76	0.96	0.93	0.12	4.18
32-443	1/2" x 3/4"	1.97	0.97	1.18	0.26	14.91
32-444	5/8" x 3/8"	1.66	0.97	0.75	0.08	6.18
32-445	5/8" x 1/2"	1.66	0.97	0.93	0.10	8.27
32-446	5/8" x 3/4"	1.97	0.97	1.18	0.21	14.80
32-447	3/4" x 1/2"	1.88	1.19	0.93	0.13	9.25
32-065	3/4" x 3/4"	2.19	1.21	1.18	0.22	7.14
32-049	1" x 3/4"	2.19	1.19	1.18	0.26	18.83
32-321	1" x 1"	2.32	1.19	1.18	0.35	25.29
32-448	1-1/4" x 1"	2.32	1.19	1.43	0.44	24.67

SWIVEL FEMALE ADAPTER NPTF

-68



Part #	Hose I.D. x Female NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-470	1/4" x 1/4"	1.80	0.97	0.62	0.06	10.20
32-472	3/8" x 1/4"	1.80	0.97	0.62	0.06	10.50
32-473	3/8" x 3/8"	1.82	0.97	0.75	0.09	10.89
32-475	1/2" x 3/8"	1.82	0.97	0.75	0.09	11.31
32-476	1/2" x 1/2"	1.86	0.97	0.93	0.14	12.30




**MIDLAND METAL
APP**

**SEE INSIDE FRONT
COVER**

SWIVEL FEMALE ADAPTER - With Gasket

• NPSM Thread


National Pipe Straight Gasket Seal Swivel



130
126
29FSG
KF-RN
NPSM Gasket

Part #	Hose I.D. x Female NPSM	A	B	Hex	Approx. Wt. Lbs.	List Price
32-131	1/8" x 1/8"	0.90	0.46	0.50	0.02	6.40
32-132	3/16" x 1/8"	1.19	0.75	0.50	0.03	6.29
32-133	3/16" x 1/4"	1.28	0.75	0.62	0.04	6.93
32-120	1/4" x 1/8"	1.41	0.97	0.50	0.02	7.81
32-121	1/4" x 1/4"	1.50	0.97	0.62	0.02	3.00
32-129	1/4" x 3/8"	1.63	0.97	0.75	0.04	7.93
32-130	5/16" x 1/4"	1.50	0.97	0.62	0.04	9.21
32-122	3/8" x 1/4"	1.54	1.00	0.62	0.06	4.95
32-123	3/8" x 3/8"	1.60	0.97	0.75	0.06	8.35
32-354	3/8" x 1/2"	1.66	0.97	0.93	0.10	10.52
32-124	1/2" x 3/8"	1.60	0.97	0.75	0.08	9.76
32-125	1/2" x 1/2"	1.66	0.97	0.93	0.12	8.07
32-117	1/2" x 3/4"	1.82	1.19	1.18	0.16	11.98
32-118	5/8" x 3/4"	1.82	1.19	1.18	0.18	12.76
32-119	3/4" x 3/4"	1.82	1.19	1.18	0.14	8.29

FORGED HOSE BARB 90° ELBOW



Grooved End Barb



Square Body

129
HBE1
KF-PS90
HE-1
29E
146

Part #	Hose I.D. x Male NPTF	A	B	C	Body Size	Approx. Wt. Lbs.	List Price
32-308	3/16" x 1/8"	0.95	0.70	0.66	0.37	0.02	2.80
32-391	3/16" x 1/4"	1.00	0.84	0.63	0.46	0.10	3.59
32-038 *	1/4" x 1/8"	1.01	0.81	0.71	0.47	0.06	2.40
32-039 *	1/4" x 1/4"	1.01	0.87	0.63	0.47	0.06	3.31
32-309 ***	1/4" x 3/8"	1.08	0.97	0.73	0.69	0.12	4.11
32-036	5/16" x 1/8"	1.01	0.81	0.63	0.47	0.04	2.93
32-040	5/16" x 1/4"	1.01	0.87	0.63	0.47	0.06	3.53
32-310	5/16" x 3/8"	1.06	0.94	0.63	0.50	0.06	6.31
32-046 *	3/8" x 1/8"	1.01	0.81	0.63	0.47	0.06	2.61
32-041 *	3/8" x 1/4"	1.02	0.88	0.65	0.47	0.06	3.33
32-042 *	3/8" x 3/8"	1.09	0.93	0.68	0.50	0.08	4.00
32-047 *	3/8" x 1/2"	1.11	1.09	0.63	0.59	0.10	4.28
32-048	1/2" x 1/4"	1.06	1.00	0.68	0.59	0.10	4.08
32-043 *	1/2" x 3/8"	1.06	1.09	0.69	0.59	0.10	4.70
32-311 *	1/2" x 1/2"	1.31	1.19	0.87	0.56	0.22	6.16
32-044**	5/8" x 3/8"	1.12	1.06	0.61	0.56	0.12	6.69
32-045**	5/8" x 1/2"	1.12	1.12	0.66	0.59	0.14	6.39
32-312	5/8" x 3/4"	1.46	1.26	0.93	1.06	0.32	10.90
32-313	3/4" x 1/2"	1.31	1.28	0.87	0.85	0.22	8.33
32-314 *	3/4" x 3/4"	1.46	1.26	0.91	1.06	0.32	13.36
32-330***	3/4" x 1"	1.57	1.64	0.90	1.34	0.64	25.04
32-315	1" x 3/4"	1.60	1.40	0.95	1.06	0.32	12.29
32-319	1" x 1"	1.69	1.64	0.98	1.34	0.43	50.26

* * Add SS to the end of the part number for Stainless.

** Grooved End Barbs


*** Square Body

Dimension data can change without notice.

Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.


BARSTOCK HOSE BARB 90° ELBOW



129HB

Part #	Hose I.D. x Male NPTF	A	B	C	Body Size	Approx. Wt. Lbs.	List Price
32-308B	3/16" X 1/8"	0.97	0.72	0.75	0.43	0.04	7.24
32-038B	1/4" X 1/8"	1.00	0.75	0.75	0.50	0.02	5.25
32-039B	1/4" X 1/4"	1.02	0.91	0.74	0.56	0.04	6.00
32-041B	3/8" X 1/4"	1.32	0.89	0.97	0.58	0.08	8.33
32-042B	3/8" X 3/8"	1.50	1.06	0.97	0.75	0.14	14.20
32-043B	1/2" X 3/8"	1.53	1.07	0.97	0.72	0.16	11.91


HOSE BARB TEES



Part #	Hose Barb Size 1 x 2 x 3	A	B	Body Size	Approx. Wt. Lbs.	List Price
32-367 *	1/8"	0.84	0.83	0.25	0.02	3.81
32-368	3/16"	1.02	1.02	0.37	0.03	7.38
32-365 *	1/4"	1.00	1.00	0.44	0.06	3.21
32-350 *	1/4" x 1/8"	0.94	0.94	0.44	0.04	8.09
32-366	5/16"	1.00	1.00	0.44	0.06	3.99
32-126 *	3/8"	1.01	1.01	0.43	0.06	4.02
32-400 *	1/2"	1.02	1.00	0.43	0.08	4.88
32-352 *	1/2" x 3/8"	1.26	1.26	0.43	0.10	13.81
32-361	5/8"	1.26	1.26	0.75	0.16	18.62
32-363	3/4"	1.26	1.26	0.88	0.18	25.62
32-353	3/4" x 1/2"	1.41	1.41	0.88	0.23	27.07
32-128 *	3/8" HB x 1/4" MIP	1.00	0.94	0.43	0.06	11.27

* Add SS to the end of the part number for Stainless.

90° HOSE BARB ELBOW




Part #	Hose I.D. x Hose I.D.	A	B	Body Size	Approx. Wt. Lbs.	List Price
32-429	1/8" x 1/8"	0.55	0.55	0.37	0.03	7.02
32-433	3/16" x 3/16"	0.90	0.90	0.37	0.03	5.90
32-412	1/4" x 1/8"	1.02	1.02	0.44	0.04	3.00
32-413 *	1/4" x 1/4"	1.01	1.01	0.44	0.04	3.69
32-425	5/16" x 5/16"	1.15	1.15	0.48	0.05	9.03
32-414	3/8" x 1/8"	1.01	1.01	0.44	0.04	5.05
32-415	3/8" x 1/4"	1.00	1.00	0.44	0.04	4.20
32-416 *	3/8" x 3/8"	1.02	1.02	0.44	0.04	6.63
32-417	3/8" x 1/2"	1.24	1.10	0.50	0.06	5.55
32-418	1/2" x 1/4"	1.24	1.08	0.50	0.06	5.31
32-419	1/2" x 3/8"	1.22	1.09	0.50	0.06	5.08
32-420 *	1/2" x 1/2"	1.24	1.24	0.50	0.06	5.56
32-434	5/8" x 5/8"	1.20	1.20	0.75	0.16	20.27
32-435	3/4" x 1/2"	1.41	1.41	0.88	0.21	21.07
32-436	3/4" x 3/4"	1.41	1.41	0.88	0.21	25.22

* Add SS to the end of the part number for Stainless.

Some product stocked in Houston and Atlanta.


90° FEMALE HOSE BARB ELBOW



Part #	Hose I.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
32-401	1/4" x 1/8"	1.01	0.82	0.47	0.06	4.88
32-402	1/4" x 1/4"	1.13	0.91	0.56	0.10	5.95
32-403	3/8" x 1/8"	1.01	0.82	0.47	0.06	4.69
32-404	3/8" x 1/4"	1.15	0.91	0.56	0.10	6.29
32-405	3/8" x 3/8"	1.15	1.11	0.68	0.14	14.02
32-406	3/8" x 1/2"	1.26	1.39	0.75	0.20	10.82
32-407	1/2" x 1/4"	1.26	0.91	0.56	0.10	6.89
32-410	1/2" x 3/8"	1.24	1.11	0.68	0.14	10.15
32-411	1/2" x 1/2"	1.37	1.39	0.75	0.20	10.67
32-409	3/4" x 3/4"	1.52	1.75	0.81	0.50	15.43

45° ELBOW

- 140
- HE145
- 139HB
- KF-PS45
- 13945



Part #	Hose I.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
32-110	1/4" x 1/8"	0.91	0.62	0.53	0.04	6.72
32-109*	1/4" x 1/4"	1.00	0.62	0.57	0.06	13.57
32-111	3/8" x 1/8"	0.83	0.66	0.53	0.04	5.23
32-112	3/8" x 1/4"	0.82	0.84	0.53	0.06	4.69
32-113	3/8" x 3/8"	0.93	0.87	0.59	0.08	6.00
32-346	1/2" x 1/4"	1.00	0.84	0.59	0.08	9.49
32-114	1/2" x 3/8"	1.00	0.88	0.59	0.08	7.87
32-116	1/2" x 1/2"	1.15	0.94	0.59	0.12	13.61
32-115**	5/8" x 3/8"	0.97	0.88	0.59	0.10	8.37
32-345	3/4" x 1/2"	1.15	0.94	0.81	0.13	24.16




* Barstock

** Flat Barbs

Some product stocked in Houston and Atlanta.

BALL END SWIVEL

NPSM - Ball seat type




- 128HBLSV
- 29FS
- 209AS
- 124
- 131

Part #	Hose I.D. x NPSM	A	B	Hex	Approx. Wt. Lbs.	List Price
32-066	1/8" x 1/8"	0.46	0.44	0.50	0.03	5.19
32-067	3/16" x 1/8"	0.75	0.44	0.50	0.03	4.45
32-068	3/16" x 1/4"	0.75	0.52	0.62	0.04	4.90
32-069	1/4" x 1/8"	0.97	0.44	0.50	0.04	4.31
32-070	1/4" x 1/4"	0.97	0.53	0.62	0.06	2.63
32-078	1/4" x 3/8"	0.97	0.63	0.75	0.06	6.21
32-071	5/16" x 1/4"	0.97	0.52	0.62	0.05	3.33
32-389	5/16" x 3/8"	0.97	0.63	0.75	0.07	6.16
32-072	3/8" x 1/4"	0.97	0.53	0.62	0.06	2.49
32-073	3/8" x 3/8"	0.97	0.59	0.75	0.08	2.99
32-074	3/8" x 1/2"	0.97	0.69	0.94	0.14	9.32
32-075	1/2" x 3/8"	0.97	0.59	0.75	0.08	2.97
32-076	1/2" x 1/2"	0.97	0.69	0.94	0.10	3.99
32-077	3/4" x 3/4"	0.97	0.70	1.12	0.14	6.73

BALLSEAT MALE ADAPTER

Beveled seat




- 172
- 134
- 127HB
- 122AS

30° Seat

Part #	NPSM x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
32-359	1/8" x 1/8"	0.94	0.43	0.03	4.78
32-034	1/4" x 1/8"	1.06	0.56	0.04	3.76
32-030	1/4" x 1/4"	1.25	0.56	0.06	3.51
32-362	3/8" x 1/4"	1.28	0.68	0.08	4.72
32-031	3/8" x 3/8"	1.30	0.68	0.08	4.90
32-392	3/8" x 1/2"	1.47	0.88	0.13	8.84
32-364	1/2" x 3/8"	1.35	0.87	0.10	8.50
32-032	1/2" x 1/2"	1.53	0.87	0.14	6.54
32-033	3/4" x 3/4"	1.53	1.06	0.20	10.44


BALLSEAT UNION



30° Seat

Part #	NPSM x NPSM	A	Hex	Approx. Wt. Lbs.	List Price
32-460	1/8"	0.79	0.43	0.02	4.15
32-461	1/4"	1.09	0.56	0.04	5.06
32-462	3/8"	1.19	0.68	0.07	6.68
32-463	1/2"	1.31	0.87	0.10	8.71


FEMALE BALLSEAT ADAPTER



30° Seat

Part #	NPSM x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
32-465	1/4" x 1/4"	1.12	0.62	0.05	6.96
32-466	3/8" x 3/8"	1.15	0.75	0.07	6.91
32-467	1/2" x 1/2"	1.22	0.94	0.10	9.35

45° FLARE ADAPTER



- 142
- 201BF
- KF-MS
- KDS


Part #	Hose I.D. x 45° Flare	Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-322	3/16" x 1/4"	7/16-20	1.5	0.75	0.43	0.03	5.93
32-081 *	1/4" x 1/4"	7/16-20	1.72	0.97	0.43	0.03	3.51
32-082 *	1/4" x 3/8"	5/8-18	1.82	0.97	0.62	0.07	4.62
32-083	5/16" x 5/16"	1/2-20	1.75	0.97	0.50	0.08	6.06
32-084 *	3/8" x 3/8"	5/8-18	1.82	0.97	0.62	0.08	5.00
32-085	3/8" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	7.23
32-086	1/2" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	6.99

* Add SS to the end of the part number for Stainless.

HOSE BARB

BRASS FITTINGS

FEMALE 45° FLARE SWIVEL



29SAE FSS
209ASF 146
146HBLFSV 144
KF-NS
128




CRIMP STYLE

Part #	Hose I.D. x Female 45° Flare	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-326	3/16" x 3/16"	3/8-24	1.19	0.75	0.43	0.04	6.56
30-295**	3/16" x 3/8"	5/8-18	1.82	0.90	0.75	0.04	4.26
32-101	1/4" x 1/4"	7/16-20	1.57	0.97	0.56	0.04	2.16
32-103	1/4" x 3/8"	5/8-18	1.64	0.97	0.75	0.08	2.60
32-104	5/16" x 5/16"	1/2-20	1.58	0.97	0.62	0.05	4.90
32-327	5/16" x 3/8"	5/8-18	1.64	0.97	0.75	0.08	3.61
32-105*	3/8" x 3/8"	5/8-18	1.64	0.97	0.75	0.08	3.22
32-105C**	3/8" x 3/8"	5/8-18	1.71	0.97	0.75	0.07	4.28
32-106	3/8" x 1/2"	3/4-16	1.81	0.97	0.87	0.10	8.85
32-100	1/2" x 1/2"	3/4-16	1.68	0.97	0.87	0.12	4.14
32-328	3/4" x 3/4"	1-1/16-14	2.00	0.97	1.25	0.20	17.64

** Swivel crimp style

DUAL 45° / 37° FLARE SWIVEL



KDS




CRIMP STYLE

Part #	Hose ID x Dual Seat	Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-107*	3/16" x 1/4"	7/16-20	1.34	0.75	0.56	0.04	3.35
32-107C**	3/16 X 1/4	7/16-20	1.42	0.78	0.56	0.04	3.18
32-337*	1/4" x 1/4"	7/16-20	1.56	0.97	0.56	0.04	2.73
32-337C**	1/4" X 1/4"	7/16-20	1.60	0.97	0.56	0.04	2.66
32-102	1/4" x 5/16"	1/2-20	1.53	0.97	0.62	0.06	2.82
32-339	5/16" x 5/16"	1/2-20	1.60	0.97	0.62	0.06	3.49
32-340	3/8" x 1/2"	3/4-16	1.68	0.97	0.87	0.10	5.52
32-341*	1/2" x 1/2"	3/4-16	1.68	0.97	0.87	0.10	4.69
32-341C**	1/2" X 1/2"	3/4-16	1.75	0.97	0.87	0.09	5.21
32-342	1/2" x 5/8"	7/8-14	1.76	0.97	1.00	0.12	7.07
32-394*	5/8" x 5/8"	7/8-14	1.76	0.97	1.00	0.14	7.57

*Available in swivel crimp style

** Swivel crimp style

FEMALE 37° J.I.C. FLARE SWIVEL



KJS




CRIMP STYLE

Part #	Hose ID x Female 37° Flare	Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-334	1/4" x 3/8"	9/16-18	1.60	0.97	0.68	0.06	3.62
32-335	5/16" x 3/8"	9/16-18	1.60	0.97	0.68	0.06	3.75
32-336*	3/8" x 3/8"	9/16-18	1.60	0.97	0.68	0.10	3.26
32-336C**	3/8" X 3/8"	9/16-18	1.66	0.97	0.68	0.06	3.39
32-338*	3/4" x 3/4"	1-1/16-12	2.00	0.97	1.25	0.20	19.56
32-397*	1" x 1"	1-5/16-12	2.54	1.19	1.50	0.33	18.14

*Available in swivel crimp style

** Swivel crimp style


INVERTED FLARE SWIVEL



Part #	Hose ID x Inverted Flare	Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-369	1/4" x 1/4"	7/16-24	1.56	0.95	0.43	0.04	10.07
32-371	3/8" x 3/8"	5/8-18	1.70	0.96	0.62	0.06	15.01
32-372	1/2" x 1/2"	3/4-18	1.80	0.96	0.75	0.08	10.52
32-373	5/8" x 5/8"	7/8-18	2.05	1.17	0.87	0.15	21.58

Some product stocked in Houston and Atlanta.


HIGH PRESURE MALE SWIVEL



Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
32-781	3/8" x 1/4"	1.83	0.87	0.62	0.07	17.80

HOSE ID x MALE BALL SWIVEL

300 PSI. Max. Working Pressure




Part #	Hose I.D. x Male ball swivel	A	B	Hex	Approx. Wt. Lbs.	List Price
28-415	1/4" x 1/4"	1.30	0.94	0.81	0.14	35.18
28-417	3/8" x 1/4"	1.30	1.00	0.81	0.14	32.49

1/4" MALE THREAD ID x OD

Reusable Hose Couplings

183



Part #	1/4" Male Thread ID x OD	Length	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
32-725	3/8" x 3/4"(23/32)	1.97	0.87	0.56	0.14	9.08
32-726	1/4" x 5/8"	1.86	0.81	0.56	0.13	8.41
32-727	1/4" x 1/2"	1.86	0.69	0.56	0.11	7.42
32-728	1/4" x 9/16"	1.86	0.75	0.56	0.12	12.27
32-741	5/16" x 5/8"	1.97	0.81	0.56	0.13	9.72
32-742	3/8" x 5/8"	1.97	0.81	0.56	0.14	13.16


Many more sizes and shapes available...just ask!

"Give me 6 hours to chop a tree, I will spend the first 4 sharpening my axe."

- Abraham Lincoln

Dimension data can change without notice.
Please call us when dimensions are critical.

STEM ONLY - WELDING HOSE CONNECTOR




201RWA
WRS
WLS

Part #	Hose I.D.	A	Approx. Wt. Lbs.	List Price
30-410	3/16"	1.43	0.02	1.77
30-411	1/4"	1.43	0.02	1.71
30-412	5/16"	1.43	0.03	2.16
30-413	3/8"	1.43	0.04	2.20

Assemble with nuts below.

RIGHT HAND 9/16 - 18 FOR OXYGEN LINE - WELDING HOSE NUT




201RWA
WRS
KF-PE
152

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
30-420	R.H. Nut only	0.63	0.68	0.04	2.04

Assemble with stem above.

LEFT HAND 9/16 - 18 FOR ACETYLENE LINE - WELDING HOSE NUT




209LWA
WLS
154
KF-RE

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
30-421	L.H. Nut only	0.63	0.68	0.04	1.90

Assemble with stem above.

RIGHT HAND 9/16 - 18 #122RWA - WELDING HOSE CONNECTOR




156

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
30-401	1/4"-18	1.30	0.62	0.06	5.16
32-437	3/8"-18	1.30	0.68	0.09	5.94
32-438*	9/16"-18	1.25	0.68	0.07	5.65

* Right UNF thread

LEFT HAND 9/16 - 18 #122LWA - WELDING HOSE CONNECTOR



158


Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
30-406	1/4"-18	1.30	0.62	0.06	5.21
32-439	3/8"-18	1.30	0.68	0.09	6.48
32-440*	9/16"-18	1.25	0.68	0.07	6.11

* Left UNF thread

BRASS FITTINGS

BRASS BARBS FOR POLYETHYLENE TUBING

- Quick connecting fittings that do not require tube preparations for hand assembly. Inexpensive with excellent resistance to vibration.
- All sizes are tube O.D. (I.D.)



UNION



TUBE O.D. (TUBE I.D.) X TUBE O.D. (TUBE I.D.)

Part #	Size	List Price
21-003	1/4(1/8) x 1/4(1/8)	7.00
21-007	3/8(1/4) x 1/4(1/8)	6.69
21-009	3/8(1/4) x 3/8(1/4)	3.11

MALE ADAPTER



TUBE O.D. (TUBE I.D.) X MALE PIPE

Part #	Size	List Price
21-021	1/4(1/8) x 1/16	5.45
21-023	1/4(1/8) x 1/8	4.26
21-025	1/4(1/8) x 1/4	5.91
21-027	3/8(1/4) x 1/8	4.71

FEMALE ADAPTER



TUBE O.D. (TUBE I.D.) X FEMALE PIPE

Part #	Size	List Price
21-043	1/4(1/8) x 1/8	13.37

BULKHEAD UNION



TUBE O.D. (TUBE I.D.)

Part #	Size	List Price
21-082	1/4(1/8)	18.61
21-083	3/8(1/4)	28.68

UNION ELBOW



TUBE O.D (I.D.)

Part #	Size	List Price
21-095	1/4(1/8)	9.71
21-097	3/8(1/4)	10.05
21-099	1/2(3/8)	18.78

MALE 90° ELBOW



TUBE O.D. (I.D.) X MALE PIPE

Part #	Size	List Price
21-111	1/4(1/8) x 1/16	18.55
21-113	1/4(1/8) x 1/8	3.60
21-115	1/4(1/8) x 1/4	6.20
21-117	3/8(1/4) x 1/8	8.29
21-119	3/8(1/4) x 1/4	4.96
21-121	1/2(3/8) x 3/8	32.64

FEMALE 90° ELBOW



TUBE O.D. (I.D.) X FEMALE PIPE

Part #	Size	List Price
21-133	1/4(1/8) x 1/8	12.64

UNION TEE



O.D. (I.D.) X O.D. (I.D.) X O.D. (I.D.)

Part #	Size	List Price
21-151	1/4(1/8)	7.15
21-153	3/8(1/4) X 3/8(1/4) X 1/4(1/8)	9.07
21-155	3/8(1/4)	1.70
21-159	1/2(3/8) X 1/2(3/8) X 3/8(1/4)	66.38
21-161	1/2(3/8)	14.67

HOSE BARB


MALE BRANCH TEE



O.D. (I.D.) X O.D. (I.D.) X MALE PIPE

Part #	Size	List Price
21-193	1/4(1/8) x 1/4(1/8) x 1/8	5.60
21-195	3/8(1/4) x 3/8(1/4) x 1/8	10.50
21-197	3/8(1/4) x 3/8(1/4) x 1/4	12.64

FEMALE BRANCH TEE




O.D. (I.D.) X O.D. (I.D.) X FEMALE PIPE

Part #	Size	List Price
21-207	1/4(1/8) x 1/4(1/8) x 1/8	13.60

TWO BARB FITTINGS

More Sizes Available - Please Ask!



MALE ADAPTER PIPE



TUBE O.D. (I.D.) X MALE PIPE

Part #	Size	List Price
32-150	1/4(1/8) x 1/8	4.08
32-151	1/4(1/8) x 1/4	8.70
32-153	3/8(1/4) x 1/4	8.08

UNION TEE



Part #	Tube O.D. (I.D.)	List Price
32-159	1/4(1/8 ID)	6.90
32-160	3/8(1/4 ID)	11.94

90° ELBOW



Part #	Tube O.D. (I.D.)	List Price
32-170	1/4(1/8 ID)	7.20
32-171	3/8(1/4 ID)	13.26

HOSE BARB

BRASS FITTINGS

STAINLESS STEEL HOSE BARBS



• Cast

304 STAINLESS STEEL
HOSE NIPPLES

Part #	Hose I.D. x Male Pipe	List Price
73-951	1/4"	6.38
73-952	3/8"	9.94
73-953	1/2"	11.92
73-954	3/4"	14.33
73-955	1"	17.01
73-956	1-1/4"	27.73
73-957	1-1/2"	31.31
73-958	2"	44.31
73-959	2-1/2"	104.00
73-960	3"	119.24

304 STAINLESS STEEL
REDUCING HOSE NIPPLES

Part #	Hose I.D. x Male Pipe	List Price
73-970	1/4" X 1/8"	6.50
73-971	3/8" X 1/4"	7.51
73-972	1/2" X 3/8"	11.22
73-973	1/2" X 1/4"	11.59
73-974	3/4" X 1/2"	14.81
73-975	1" X 3/4"	16.72
73-976	1" X 1/2"	27.23
73-977	1-1/4" X 1"	26.93
73-979	1-1/2" X 1-1/4"	42.33
73-980	1-1/2" X 1"	32.47
73-981	2" X 1-1/2"	56.00
73-982	2" X 1-1/4"	44.78

316 STAINLESS STEEL
HOSE NIPPLES


Part #	Hose I.D. x Male Pipe	List Price
973-951	1/4"	7.14
973-952	3/8"	10.16
973-953	1/2"	16.35
973-954	3/4"	18.89
973-955	1"	20.58
973-956	1-1/4"	27.96
973-957	1-1/2"	48.61
973-958	2"	51.79
973-959	2-1/2"	133.67
973-990	3"	164.69
973-991	4"	204.55

Dimension data can change without notice. Please call us when dimensions are critical.

• NOTE: See Stainless Steel Hose Barbs for beverage on pg. 324-325

316 STAINLESS STEEL MACHINED
RIGID MALE ADAPTER

Part #	Hose I.D. x NPT	List Price
32-001SS	1/8" x 1/8"	6.86
32-002SS	3/16" x 1/8"	7.39
32-003SS	3/16" x 1/4"	9.83
32-004SS	1/4" x 1/8"	8.91
32-005SS	1/4" x 1/4"	9.90
32-006SS	1/4" x 3/8"	18.46
32-008SS	5/16" x 1/8"	8.00
32-009SS	5/16" x 1/4"	10.89
32-010SS	5/16" x 3/8"	15.15
32-011SS	3/8" x 1/8"	8.92
32-012SS	3/8" x 1/4"	10.97
32-013SS	3/8" x 3/8"	14.06
32-014SS	3/8" x 1/2"	23.52
32-015SS	1/2" x 1/4"	12.21
32-016SS	1/2" x 3/8"	19.07
32-017SS	1/2" x 1/2"	18.47
32-018SS	1/2" x 3/4"	25.08
32-019SS	5/8" x 3/8"	13.68
32-020SS	5/8" x 1/2"	22.11
32-021SS	5/8" x 3/4"	29.04
32-022SS	3/4" x 1/2"	19.56
32-023SS	3/4" x 3/4"	27.90
32-024SS	1" x 3/4"	28.12



316 STAINLESS STEEL SPLICER


Part #	Hose I.D. x Hose I.D.	A	B	List Price
32-093SS	1/4"	2.03	0.97	5.13
32-095SS	3/8"	2.06	0.97	6.30
32-096SS	1/2"	2.06	0.97	10.23
32-098SS	3/4"	2.50	1.19	15.13




316 STAINLESS STEEL BARB ELBOW

Part #	Size	List Price
32-038SS	1/4 x 1/8	14.92
32-039SS	1/4 x 1/4	14.92
32-041SS	3/8 x 1/4	14.92
32-042SS	3/8 x 3/8	14.92
32-043SS	1/2" x 3/8"	28.85
32-311SS	1/2 x 1/2	17.89
32-314SS	3/4" x 3/4"	80.70

BAND TYPE NIPPLES



STEEL



#304 STAINLESS STEEL

General Specifications


- Dimensions to ANSI 16.3 Pressure to ANSI 16.5 Class 150LB
- Standard Steel Material Specification – C1215 and C12L14 - ASTM A108, ASTM A29
- Steel Parts – Bright Trivalent Plated • ROHS Compliant
ASTM B633 Service Condition I, Type II - (Yellow) Type III – (Clear)
- Stainless Steel Parts – (Clean and Dry, No Passivation or Electropolish)
- Aluminum Fittings – Clear Conventional Type II Sulfuric Anodize – Colors Available
- Fittings for use with Air, Water, and Oil
- Maximum Pressure: Fittings - 150PSI @72°F
- Hose to Pipe Temperature Range: -40°F to +350°F (See hose mfg. specifications)
- Hose to Pipe Vacuum Range: 29" Hg @ 72°F (See hose mfg. specifications)

Steel Part #	List Price	Description Hose x Male NPT	Length A	Length B	Dia. C	Stock size	Bore size	Stainless 304 Part #	List Price
34-204	6.23	1/4" x 1/8"	1-11/16"	1.050	.30	9/16" H	.16"	34-204SS	25.16
34-205	6.87	1/4" x 1/4"	1-7/8"	1.050	.30	9/16" H	.16"	34-205SS	27.35
34-206	7.39	1/4" x 3/8"	1-7/8"	1.050	.30	11/16" H	.16"	34-206SS	30.06
34-211	6.35	3/8" x 1/8"	1-11/16"	1.050	.425	9/16" H	.25"	34-211SS	20.71
34-212	6.87	3/8" x 1/4"	1-7/8"	1.050	.425	9/16" H	.25"	34-212SS	21.46
34-213	7.39	3/8" x 3/8"	1-7/8"	1.050	.425	11/16" H	.25"	34-213SS	24.00
34-214	9.29	3/8" x 1/2"	2-1/8"	1.050	.425	7/8" H	.25"	34-214SS	38.49
34-215	6.87	1/2" x 1/4"	1-7/8"	1.050	.550	9/16" H	.38"	34-215SS	21.46
34-216	7.39	1/2" x 3/8"	1-7/8"	1.050	.550	11/16" H	.38"	34-216SS	24.00
34-217	9.41	1/2" x 1/2"	2-1/8"	1.050	.550	7/8" H	.38"	34-217SS	32.02
34-218	11.71	1/2" x 3/4"	2-3/16"	1.050	.550	1-1/8" H	.38"	34-218SS	49.80
34-222	10.67	3/4" x 1/2"	2-5/8"	1.550	.800	1-1/8" H	.56"	34-222SS	36.87
34-223	13.44	3/4" x 3/4"	2-11/16"	1.550	.800	7/8" H	.56"	34-223SS	49.22
34-224	13.44	1" x 3/4"	2-11/16"	1.550	1.050	1-1/8" H	.69"	34-224SS	49.22
34-225	18.35	1" x 1"	2-15/16"	1.550	1.050	1-3/8" H	.75"	34-225SS	72.24

Life is a tragedy when seen in close-up, but a comedy in a long-shot.

- Charlie Chaplin

Push On Barb Fittings



Typical Application: Low Pressure Air, Fuel, Lube, and Oil Lines

Material: CA360 Brass

- Pressure determined by tube material and hardness. Midland Parts have been tested to max 150 PSI.

Advantages: Easy assembly. No clamps needed!!

• Assembly Instructions

- 1- Lubricate insert.
- 2- Hold hose at angle as shown & push on and up over first barb.
- 3- Continue to push straight on until hose is seated under protective plastic cap. Keep hands back from hose end area so that hose can expand.

• Disassembling Instructions

- 1- Split hose as shown above. Do not cut completely through hose. Sealing edge of barb could be damaged.
- 2- Bend hose and remove with a quick pull.


THE WORLD IS A COMEDY TO THOSE THAT THINK; A TRAGEDY TO THOSE THAT FEEL

- HORACE WALPOLE

Actual Profile of Push On Barbs



MALE ADAPTER




- 301
- P990A
- HLM
- 100B-1
- KA-MB
- 272
- 29PO
- 725
- 625
- BPN
- 941
- 30182

Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
30-200 *	1/4" x 1/8"	1.43	0.87	0.50	0.04	1.36
30-201 *	1/4" x 1/4"	1.66	0.87	0.56	0.06	1.93
30-211	1/4" x 3/8"	1.66	0.87	0.68	0.06	2.80
30-212	5/16" x 1/8"	1.42	0.77	0.43	0.04	5.72
30-213	5/16" x 1/4"	1.66	0.87	0.56	0.06	2.98
30-202	3/8" x 1/8"	1.53	0.97	0.50	0.04	2.08
30-203 *	3/8" x 1/4"	1.69	0.89	0.56	0.07	2.20
30-204 *	3/8" x 3/8"	1.76	0.97	0.68	0.08	2.67
30-205	3/8" x 1/2"	1.97	0.97	0.87	0.10	4.80
30-392	3/8" x 3/4"	1.97	0.92	1.06	0.16	13.26
30-216	1/2" x 1/4"	1.76	0.97	0.68	0.08	2.83
30-206 *	1/2" x 3/8"	1.76	0.97	0.68	0.09	2.79
30-207 *	1/2" x 1/2"	1.97	0.97	0.87	0.14	4.63
30-217	1/2" x 3/4"	1.97	0.97	1.06	0.16	6.25
30-219	5/8" x 3/8"	2.34	1.50	0.75	0.12	10.12
30-209	5/8" x 1/2"	2.45	1.45	0.87	0.16	6.39
30-214	5/8" x 3/4"	2.45	1.45	1.06	0.18	7.60
30-215 *	3/4" x 1/2"	2.45	1.45	0.87	0.21	7.85
30-210 *	3/4" x 3/4"	2.45	1.45	1.06	0.20	7.77
30-238	1" x 3/4"	2.93	1.50	1.25	0.43	27.29
30-239	1" x 1"	3.11	1.50	1.37	0.49	29.94

* See page 34 for stainless


MALE SWIVEL



- 921
- HMS
- 285
- 31382

Part #	Hose I.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
30-422	1/4" x 1/8"	2.07	0.87	0.56	0.06	5.35
30-385	1/4" x 1/4"	2.02	0.87	0.56	0.06	5.28
30-423	3/8" x 1/8"	2.12	0.97	0.56	0.07	5.00
30-386	3/8" x 1/4"	2.12	0.97	0.56	0.08	6.08
30-387	3/8" x 3/8"	2.12	0.97	0.68	0.08	6.81
30-388	1/2" x 3/8"	2.12	0.97	0.68	0.10	6.70
30-389	1/2" x 1/2"	2.33	0.97	0.87	0.14	7.96
30-424	5/8" x 1/2"	2.80	1.45	0.88	0.18	11.06
30-390	3/4" x 3/4"	2.80	1.45	1.06	0.24	11.13

FEMALE GASKET SEAL SWIVEL - NPSM



- 280

Part #	Hose I.D. x Gasket Swivel (NPSM)	A	B	Hex	Approx. Wt. Lbs.	List Price
30-359	1/4" x 1/8"	1.39	0.77	0.50	0.03	11.28
30-358	1/4" x 1/4"	1.47	0.82	0.68	0.06	6.17
30-360	3/8" x 1/4"	1.61	1.00	0.68	0.06	6.97
30-361	3/8" x 3/8"	1.77	0.97	0.81	0.08	9.79
30-362	3/8" x 1/2"	1.80	0.92	0.93	0.09	15.12
30-363	1/2" x 1/2"	1.88	1.02	0.93	0.11	12.64
30-366	3/4" x 3/4"	2.36	1.55	1.18	0.32	25.27


Some product stocked in Houston and Atlanta.

Dimension data can change without notice. Please call us when dimensions are critical.

PUSH ON HOSE BARB

BRASS FITTINGS

HOSE SPLICER




BPM	915	38282
696	100B-Y	
29SPO	KA-RM	
296	MHL	
729	296	

Part #	Hose I.D.	A	Approx. Wt. Lbs.	List Price
30-300 *	1/4"	1.87	0.04	1.69
30-305	5/16"	1.80	0.04	2.80
30-301 *	3/8"	2.00	0.06	2.10
30-302 *	1/2"	2.01	0.08	3.20
30-303	5/8"	3.03	0.14	7.34
30-304	3/4"	3.03	0.14	7.69
30-306	1"	3.21	0.28	21.22

* See page 34 for stainless


RIGID FEMALE ADAPTER



30282	274
29FPO	726
HLF	940
626	

Part #	Hose I.D. x Female NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
30-220	1/4" x 1/8"	1.35	0.87	0.50	0.02	2.44
30-221	1/4" x 1/4"	1.51	0.87	0.62	0.06	2.03
30-384	1/4" x 3/8"	1.51	0.77	0.75	0.06	7.15
30-391	5/16" x 1/8"	1.32	0.77	0.50	0.03	5.63
30-222	5/16" x 1/4"	1.51	0.87	0.62	0.06	3.51
30-393	3/8" x 1/8"	1.47	0.92	0.56	0.06	6.54
30-224	3/8" x 1/4"	1.61	0.97	0.62	0.06	2.42
30-225	3/8" x 3/8"	1.63	0.97	0.75	0.06	3.45
30-394	3/8" x 1/2"	1.66	0.92	0.93	0.12	8.29
30-397	3/8" x 3/4"	1.97	0.97	1.18	0.20	17.57
30-223	1/2" x 1/4"	1.76	1.02	0.68	0.08	12.16
30-226	1/2" x 3/8"	1.63	0.97	0.75	0.08	3.92
30-227	1/2" x 1/2"	1.77	0.97	0.93	0.14	6.72
30-396	1/2" x 3/4"	2.07	1.02	1.18	0.20	17.62
30-398	5/8" x 3/8"	2.24	1.55	0.75	0.10	9.15
30-229	5/8" x 1/2"	2.24	1.48	0.93	0.11	8.48
30-399	3/4" x 1/2"	2.24	1.50	0.93	0.14	11.28
30-395	3/4" x 3/4"	2.55	1.50	1.18	0.24	16.68
30-400	1" x 3/4"	2.55	1.55	1.18	0.25	23.06
30-402	1" x 1"	2.68	1.55	1.43	0.37	30.49

MALE ELBOW




100-C
29EPO
273

Part #	Hose I.D. x Male NPTF	A	B	Body Width	Approx. Wt. Lbs.	List Price
30-372	1/4" x 1/8"	0.98	0.75	0.50	0.04	7.77
30-373	1/4" x 1/4"	1.04	0.95	0.56	0.06	7.50
30-374	5/16" x 1/8"	1.02	0.94	0.50	0.06	18.11
30-375	5/16" x 1/4"	1.09	0.94	0.56	0.08	20.02
30-370	3/8" x 1/8"	1.11	0.75	0.50	0.10	8.88
30-371	3/8" x 1/4"	1.13	0.90	0.56	0.10	5.02
30-376	3/8" x 3/8"	1.21	0.92	0.70	0.12	5.40
30-377	3/8" x 1/2"	1.30	1.19	0.87	0.22	20.13
30-382	1/2" x 3/8"	1.54			0.13	13.35
30-378	1/2" x 1/2"	1.50	1.19	0.87	0.22	12.00
30-379	5/8" x 1/2"	1.98	1.19	0.87	0.26	27.70
30-380	5/8" x 3/4"	2.07	1.28	1.06	0.32	33.47
30-383	3/4" x 1/2"	2.15			0.25	35.33
30-381	3/4" x 3/4"	2.07	1.28	1.06	0.34	17.25

Some product stocked in Houston and Atlanta.


RIGID TUBE ADAPTER



294 303
100B-X 732
KA-RL 694

Part #	Hose I.D. x O.D Tube	A	B	Approx. Wt. Lbs.	List Price
30-290	1/4" x 3/16"	1.68	0.77	0.04	6.15
30-291	1/4" x 1/4"	1.88	0.77	0.04	1.95
30-292	1/4" x 5/16"	1.88	0.77	0.04	6.35
30-293	5/16" x 5/16"	1.91	0.79	0.04	4.37
30-294	3/8" x 3/8"	2.03	0.92	0.06	3.38
30-426	3/8" x 1/2"	1.81	0.97	0.04	4.90
30-297	1/2" x 1/2"	2.13	1.02	0.06	7.51
30-298	5/8" x 5/8"	2.61	1.50	0.10	10.18
30-299	3/4" x 3/4"	2.61	1.50	0.25	13.84


MALE SAE FLARE ADAPTER



945
100B-3 682
KA-MS 302
727 282


Part #	Hose I.D. x 45° Male Flare	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
30-240	1/4" x 1/4"	7/16-20	1.45	0.84	0.43	0.04	7.23
30-241	1/4" x 5/16"	1/2-20	1.59	0.84	0.50	0.04	4.85
30-249	5/16" x 5/16"	1/2-20	1.60	0.80	0.50	0.06	3.64
30-271	3/8" x 5/16"	1/2-20	1.64	0.86	0.50	0.08	3.96
30-243	3/8" x 3/8"	5/8-18	1.83	0.92	0.62	0.08	7.07
30-245	1/2" x 1/2"	3/4-16	2.04	1.05	0.75	0.10	10.86
30-246	5/8" x 5/8"	7/8-14	2.73	1.50	0.87	0.19	13.29
30-247	3/4" x 3/4"	1-1/16-14	2.98	1.50	1.06	0.32	19.69

37° MALE JIC FLARE ADAPTER



Part #	Hose I.D. x Male JIC	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
32-900	1/4" x 1/4"	7/16-20	1.57	0.84	0.50	0.04	5.26
32-901	1/4" x 5/16"	1/2-20	1.60	0.83	0.56	0.04	6.18
32-906	1/4" x 3/8"	9/16-18	1.63	0.77	0.62	0.05	7.84
32-902	3/8" x 3/8"	9/16-18	1.78	0.97	0.62	0.06	8.27
32-903	1/2" x 1/2"	3/4-16	1.97	0.97	0.75	0.10	10.27
32-907	5/8" x 5/8"	7/8-14	2.62	1.50	0.93	0.19	10.86
32-905	3/4" x 3/4"	1-1/16-12	2.79	1.50	1.12	0.29	19.79

SAE/JIC DUAL 45°/37° FEMALE SWIVEL



29FDS
287
HDF
309
735
690
P990-K
305
935/ 934


Part #	Hose I.D. x Dual Seat	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
30-230 *	1/4" x 1/4"	7/16-20	1.53	0.87	0.56	0.06	2.32
30-231	1/4" x 5/16"	1/2-20	1.57	0.87	0.62	0.04	3.37
30-232	5/16" x 5/16"	1/2-20	1.56	0.87	0.62	0.04	3.50
30-427	3/8" x 5/16"	1/2-20		0.87	0.62	0.06	8.66
30-233	3/8" x 1/2"	3/4-16	1.79	0.97	0.87	0.10	4.99
30-234 *	1/2" x 1/2"	3/4-16	1.77	0.97	0.87	0.10	4.57
30-235	1/2" x 5/8"	7/8-14	1.84	0.97	1.00	0.12	7.55
30-236	5/8" x 1/2"	3/4-16	2.27	1.45	0.87	0.18	8.62
30-237	5/8" x 5/8"	7/8-14	2.33	1.45	1.00	0.14	7.85
30-428	3/4" x 5/8"	7/8-14		1.45	1.00	0.20	9.86

* See page 34 for stainless

Some product stocked in Houston and Atlanta.

Dimension data can change without notice.
Please call us when dimensions are critical.


45° SAE FLARE FEMALE SWIVEL



Part #	Hose I.D. x 45° Female Flare	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
30-250	1/4" x 1/4"	7/16-20	1.54	0.87	0.56	0.04	2.45
30-251	1/4" x 5/16"	1/2-20	1.57	0.87	0.62	0.04	3.79
30-253	1/4" x 3/8"	5/8-20	1.63	0.87	0.75	0.06	4.74
30-254	5/16" x 5/16"	1/2-20	1.58	0.87	0.68	0.06	11.04
30-260	5/16" x 3/8"	5/8-18	1.63	0.87	0.75	0.08	5.20
30-252	3/8" x 3/8"	5/8-18	1.73	0.97	0.75	0.10	3.72
30-257	3/8" x 1/2"	3/4-16	1.85	0.87	0.87	0.10	17.96
30-261	1/2" x 3/8"	5/8-18	1.92	1.05	0.75	0.10	13.18
30-255	1/2" x 1/2"	3/4-16	1.77	0.97	0.87	0.12	6.12
30-258	5/8" x 5/8"	7/8-14	2.35	1.45	1.00	0.14	10.30
30-259	3/4" x 3/4"	1-1/16-14	2.42	1.45	1.25	0.22	10.01

30882
728 100S-4
P990-H KA-NS
29AEP0 HSF
307 684
284 934

FEMALE 37° JIC FLARE SWIVEL




Part #	Hose I.D. x Female JIC	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
30-265	1/4" x 1/4"	7/16-20	1.54	0.87	0.56	0.04	2.20
30-264	1/4" x 3/8"	9/16-18	1.60	0.87	0.68	0.06	3.96
30-270	5/16" x 3/8"	9/16-18	1.60	0.82	0.68	0.06	3.56
30-266 *	3/8" x 3/8"	9/16-18	1.70	0.97	0.68	0.08	3.47
30-267	1/2" x 1/2"	3/4-16	1.78	0.97	0.87	0.10	5.36
30-268	5/8" x 5/8"	7/8-14	2.33	1.45	1.00	0.14	7.32
30-269 *	3/4" x 3/4"	1-1/16-12	2.40	1.45	1.25	0.22	9.61
30-429	1" x 1"	1-5/16-12		1.45	1.50	0.39	27.59

JF 288
944/934 100B-6
29J1CPO 308
HJF P990-F
688 30682
738 KA-NJ

* See page 34 for stainless
• More sizes available

INVERTED FLARE MALE SWIVEL



Part #	Hose I.D. x Male INV Flare	UNF Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
30-275	1/4" x 3/16"	3/8-24	1.52	0.87	0.37	0.04	8.47
30-276	1/4" x 1/4"	7/16-24	1.56	0.87	0.43	0.04	4.11
30-277	1/4" x 5/16"	1/2-20	1.62	0.87	0.50	0.04	4.49
30-278	5/16" x 1/4"	7/16-24	1.56	0.87	0.43	0.06	6.31
30-280	5/16" x 5/16"	1/2-20	1.62	0.87	0.50	0.06	5.84
30-283	5/16" x 3/8"	5/8-18	1.63	0.87	0.62	0.06	8.83
30-284	3/8" x 5/16"	1/2-20	1.72	0.97	0.50	0.06	5.45
30-279	3/8" x 3/8"	5/8-18	1.76	0.97	0.62	0.06	5.18
30-281	1/2" x 3/8"	5/8-18	1.86	1.06	0.62	0.08	16.12
30-282	1/2" x 1/2"	3/4-18	1.84	0.97	0.75	0.10	9.01
30-286	5/8" x 5/8"	7/8-18	2.50	1.57	0.87	0.14	18.28

290
100B-B
KA-MF
1MS
947




MIDLAND METAL APP

SEE INSIDE FRONT COVER

Some product stocked in Houston and Atlanta.




INVERTED FLARE FEMALE ADAPTER



306 P990-J
 100B-A 736
 KA-NG 692
 292 946

Part #	Hose I.D. x Female INV Flare	A	B	Hex	Approx. Wt. Lbs.	List Price
30-310	1/4" x 3/16"	1.12	0.84	0.50	0.02	5.66
30-311	1/4" x 1/4"	1.14	0.84	0.56	0.02	5.45
30-312	1/4" x 5/16"	1.18	0.84	0.62	0.02	8.80
30-316	5/16" x 5/16"	1.25	0.81	0.62	0.04	11.74
30-313	3/8" x 5/16"	1.32	0.87	0.62	0.04	8.38
30-314	3/8" x 3/8"	1.35	0.95	0.75	0.06	7.55
30-315	1/2" x 1/2"	1.73	1.04	0.87	0.12	20.90


FEMALE BALLSEAT SWIVEL



628 731
 278 NPSM
 29SPO

Part #	Hose I.D. x Female NPSM	A	B	Hex	Approx. Wt. Lbs.	List Price
30-340	1/4" X 1/8"	1.39	0.85	0.50	0.06	10.30
30-341	1/4" X 1/4"	1.47	0.80	0.68	0.06	7.98
30-342	1/4" x 3/8"	1.40	0.77	0.68	0.09	8.44
30-343	3/8" X 1/4"	1.61	0.97	0.68	0.08	11.51
30-344	3/8" X 3/8"	1.75	0.95	0.81	0.10	10.85
30-430	3/8" x 1/2"	1.79	0.97	0.93	0.11	11.24
30-346	1/2" X 1/2"	1.88	1.09	0.93	0.12	15.54
30-345	1/2" x 3/4"	2.36	1.02	1.18	0.18	18.03
30-349	3/4" X 3/4"	2.36	1.55	1.18	0.22	22.83

SAE/ JIC 37° / 45° FEMALE SWIVEL 90° ZINC PLATED STEEL



289


Part #	Hose I.D. x Female 37°/45°	UNF Thread	A	B	Approx. Wt. Lbs.	List Price
30-480	1/4"	7/16-20	1.55	0.83	.064	31.57
30-482	3/8"	9/16-18	1.85	0.91	.095	30.21
30-483*	3/8"	5/8-18	1.98	0.85	.095	39.21
30-484	1/2"	3/4-16	2.33	1.09	.171	43.22
30-486	3/4"	1-1/16-12	3.26	1.81	.281	115.97

* SAE

SOMETIMES YOU NEVER REALIZE THE VALUE OF A MOMENT UNTIL IT BECOMES A MEMORY


- DR. SEUSS

STAINLESS STEEL MALE ADAPTERS




Part #	Hose I.D. x NPT	A	B	Hex	Approx. Wt. Lbs.	List Price
30-200SS	1/4" x 1/8"	1.42	0.77	0.44	0.027	9.99
30-201SS	1/4" x 1/4"	1.61	0.77	0.56	0.043	10.00
30-203SS	3/8" x 1/4"	1.76	0.92	0.56	0.053	11.20
30-204SS	3/8" x 3/8"	1.76	0.92	0.69	0.067	12.25
30-206SS	1/2" x 3/8"	1.86	1.02	0.69	0.071	12.41
30-207SS	1/2" x 1/2"	2.07	1.02	0.88	0.119	27.38
30-215SS	3/4" x 1/2"	2.55	1.50	0.88	0.20	31.30
30-210SS	3/4" x 3/4"	2.55	1.50	1.06	0.194	30.41

STAINLESS STEEL SAE/ JIC 45° / 37° FEMALE SWIVEL




Part #	Hose I.D. x Female 45°/37°	A	B	Hex	Approx. Wt. Lbs.	List Price
30-230SS	1/4" x 1/4"	2.03	0.97	0.56	0.023	27.14
30-234SS	1/2" x 1/2"	2.06	0.97	0.88	0.04	50.50

STAINLESS STEEL FEMALE 37° JIC FLARE SWIVEL



Part #	Hose I.D. x Female 37°	A	B	Hex	Approx. Wt. Lbs.	List Price
30-266SS	3/8" x 3/8"	1.75	.92	1.06	0.065	35.90
30-269SS	3/4" x 3/4"	2.53	1.50	1.25	0.259	80.20

STAINLESS STEEL HOSE SPLICER




Part #	Hose I.D. x Tube O.D.	A	Approx. Wt. Lbs.	List Price
30-300SS	1/4"	1.73	0.025	46.49
30-301SS	3/8"	2.05	0.051	53.41
30-302SS	1/2"	2.25	0.073	58.92



BIN LABELS ON DEMAND

SEE INTRO PAGE 4

Garden Hose Fittings



Dimension data can change without notice.
Please call us when dimensions are critical.



See page 275 for
Plastic Garden Hose Fittings

- For AB1953 Compliant Fitting (Lead Free)
see pages 166-175
- Temperature and Working Pressure Ranges

From +35°F to +100°F at 75 PSI maximum or
the recommended working pressure of the garden
hose. (Not to exceed 150 PSI.)

Note: All female connector ends should
have a rubber washer inserted prior to
usage.

FGH = Female Garden Hose threads

MGH = Male Garden Hose threads


Male garden hose threads are all 3/4" with an



Male Garden Hose Profile


outside diameter of 1.0625 and 11-1/2" threads
per inch.

Actual Profile of Garden Hose Barbs



SWIVEL - MGH X FGH

•WASHER INCLUDED




Part #	MGH X FGH	A	Hex	Approx. Wt. Lbs.	List Price
30-000**	3/4" x 3/4"	1.03	0.50*	0.26	5.33

* Internal Hex
 * Not a live swivel
 ** available in swivel crimp style

SWIVEL - FGH X FGH

•WASHER INCLUDED



Part #	FGH X FGH	A	Hex	Approx. Wt. Lbs.	List Price
30-011	3/4" x 3/4"	1.03	1.18 O.D.	0.24	4.99
30-012	No Swivel	1.08	1.19	0.24	9.06

HUS 91 203W
 GSU 101GHSV 22AS
 506 FS66

SWIVEL - FGH X FEMALE PIPE

•WASHER INCLUDED



Part #	FGH x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-001	3/4" x 1/2"	1.20	1.00	0.11	5.61
30-006	3/4" x 3/4"	1.11	1.12	0.11	5.23

S1 91Z 197S 98GHSV
 5AS 21517 502 FS65

RIGID - FGH X FEMALE PIPE

•WASHER INCLUDED



Part #	FGH x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-016	3/4" x 1/8"	1.02	1.18	0.08	11.41
30-017	3/4" x 1/4"	0.65	1.12	0.07	4.60
30-018	3/4" x 3/8"	1.19	1.18	0.11	11.72

95GH 501


" IT IS THE MARK OF AN EDUCATED MIND, TO ENTERTAIN A THOUGHT WITHOUT ACCEPTING IT"
 - ARISTOTLE

Some product stocked in Houston and Atlanta.



RIGID - FGH X FEMALE PIPE

FS67
198
HU11
21507
501
99GH




5A
H15PP

Part #	FGH x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-078	3/4" x 1/2"	1.06	1.18	0.10	4.10
30-083	3/4" x 3/4"	1.06	1.18	0.12	5.36

SWIVEL - FGH X MALE PIPE

•WASHER INCLUDED


504
89GH
W1
62H4
88GH
W1



Part #	FGH x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-047	3/4" x 1/4"	2.04	0.75	0.13	6.00
30-048	3/4" x 3/8"	2.06	0.75	0.14	5.10
30-049	3/4" x 1/2"	2.06	0.87	0.18	6.81

SWIVEL - FGH X MALE PIPE

•WASHER INCLUDED



Part #	FGH x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-181	3/4" x 1/4"	1.43	1.18	0.13	5.40
30-184	3/4" x 3/8"	1.43	1.18	0.15	5.02
30-183	3/4" x 1/2"	1.32	0.81	0.11	7.27
30-182*	3/4" x 3/4"	1.43	1.18	0.14	15.35

* available in swivel crimp style

RIGID - FGH X MALE PIPE

21505
503
83GH
20A
HU21
199
H7




Part #	FGH x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-087	3/4" x 3/8"	1.37	1.18	0.11	4.76
30-088	3/4" x 1/2"(1/2"SWT)**	1.06	1.18	0.09	6.45
30-093	3/4" x 3/4"	1.06	1.18	0.11	4.62
30-094	3/4" x 3/4"(1/2" FIP)	1.17	1.18	0.11	5.75
30-093L*	3/4" x 3/4"	1.22	1.18	0.14	14.59

* Long pattern

** 1/2 Swt = 5/8 O.D.

Some product stocked in Houston and Atlanta.


RIGID - MGH X FEMALE PIPE



- 197
- 18R
- HU12
- H11PP
- 18A
- 507
- 18H
- 81GH
- 21503
- MF67

Part #	MGH X Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-066	3/4" x 1/4"	1.10	1.06	0.09	5.39
30-067	3/4" x 3/8"	1.09	1.06	0.12	6.60
30-068	3/4" x 1/2"	0.81	1.06	0.10	3.40
30-073	3/4" x 3/4"	1.12	1.18	0.10	4.20

RIGID - MGH X MALE PIPE




- 19R
- 196
- H530
- 21501
- 508
- HU22
- 514
- 71GH
- 19A

Part #	MGH X Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
30-053	3/4" x 3/8"	1.25	1.06	0.10	3.73
30-058*	3/4" x 1/2"	1.31	1.06	0.12	3.92
30-063**	3/4" x 3/4" x 1/2"	1.31	1.06	0.13	4.46
30-063BE***	3/4" x 3/4"	1.31	1.06	0.15	6.72
30-063S	3/4" x 3/4" Short	1.10	1.06	0.10	3.56
30-064	3/4" x 1"	1.62	1.37	0.35	11.93

No Tap
 * (1/2 Swt = 5/8 O.D.)
 ** (Tapped 1/2 FIP)
 *** (Tapped 1/2 FIP Both ends)

RIGID - MGH X MGH




- 21500
- 509
- 75GH
- 23A
- H8
- 19R

Part #	MGH X MGH	A	Hex	Approx. Wt. Lbs.	List Price
30-098	3/4" x 3/4" (1/2" FIP)	1.22	1.06	0.13	4.88
30-100*	1" x 3/4"	1.31	1.37	0.21	7.30

* 1-11-1/2

GARDEN HOSE NUT




- 94GH
- GHN1
- HNR
- 21514

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
30-021	Knurled	0.61	1.37 O.D.	0.08	2.91
30-022	Hex Nut	0.51	1.12	0.08	3.90

Dimension data can change without notice.
 Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.

GARDEN HOSE WASHERS




Part #	Size	A	B	Thickness	Approx. Wt. Lbs.	List Price
30-149	recessed washer	1.02	0.49	0.18	0.01	0.37
30-150	black*	0.98	0.68	0.13	0.01	0.21
30-150R	red	1.00	0.68	0.13	0.01	0.19
30-150B	black rubber	1.00	0.68	0.13	0.01	0.28
30-151	1"	1.27	0.86	0.16	0.01	0.53

NEW

GHW
901GH

* plasticized rubber

GARDEN HOSE FILTER WASHER




• 300 Series Stainless Steel Screen

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-180	30 Mesh	0.52	1.00	0.02	1.01
30-180F	60 Mesh	0.52	1.00	0.02	1.12

LA662


GARDEN HOSE CAP - Die Cast Brass



513
96GH
GHN5
HC1 21518
LA215 200-W

Part #	Size	A	Approx. Wt. Lbs.	List Price
30-103	3/4" Die Cast	0.58	0.04	1.62
30-103B	3/4" Barstock	0.60	0.048	5.04


GARDEN HOSE CAP WITH CHAIN



Part #	Size	A	Approx. Wt. Lbs.	List Price
30-142	3/4" w/ 8" Chain	0.58	0.06	8.17

* Zinc die cast

GARDEN HOSE PLUG



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-026	3/4"	0.69	0.61	0.12	9.05


Some product stocked in Houston and Atlanta.

GARDEN HOSE

BRASS FITTINGS

CAST BRASS HOSE - "Y" CONNECTOR

•WASHER INCLUDED




Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-140	3/4"	1.40	0.67	0.22	6.79

• See more Garden Hose "Y"'s on page 45

QUICK DISCONNECT GARDEN HOSE COUPLERS

•WASHER INCLUDED


•No Shutoff



Part #	Size	A	Approx. Wt. Lbs.	List Price
30-450	Complete	-----	0.24	15.69
30-451	Female end	1.14	0.12	8.98
30-452	Male end	1.26	0.12	3.87

LA73C


MALE FLARE X FGH RIGID

190
46WH
HFU21

Part #	Male Flare x FGH	A	Hex	Approx. Wt. Lbs.	List Price
30-123	3/8" x 3/4"	1.31	1.18	0.10	8.16
30-128	1/2" x 3/4"	1.38	1.18	0.12	7.37
30-133	5/8" x 3/4"	1.53	1.18	0.14	10.64

MALE FLARE x FGH SWIVEL

•WASHER INCLUDED


50GHSV
51GHSV 68H
W1 191

Part #	Male Flare x FGH	A	Hex	Approx. Wt. Lbs.	List Price
30-052	1/4" x 3/4"	1.24	0.75	0.10	4.87
30-138	3/8" x 3/4"	1.25	0.25*	0.12	13.16
30-139	1/2" x 3/4"	1.49	0.81	0.14	5.34

* Internal Hex

COMPRESSION X FGH

•WASHER INCLUDED



Part #	Compression x FGH	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
30-050	1/4" x 3/4"	1.02	0.50	0.75	0.09	8.38
30-051	3/8" x 3/4"	1.04	0.62	0.75	0.12	7.72


Some product stocked in Houston and Atlanta.

BARSTOCK BRASS GARDEN HOSE COUPLINGS

BRASS

FEMALE SWIVEL ONLY

•WASHER INCLUDED



22RF KF-RY
591 HU126
GHF 195


BRASS

Part #	Hose Barb x FGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-031	3/8" x 3/4"	1.82	1.19	1.18	0.11	4.64
30-032	1/2" x 3/4"	1.82	1.19	1.18	0.12	4.60
30-033	5/8" x 3/4"	1.82	1.19	1.18	0.13	4.91
30-034	3/4" x 3/4"	1.82	1.19	1.18	0.15	5.16
30-044	1" x 3/4"	2.10	1.19	1.18	0.18	7.63
30-035	1" x 1"	2.28	1.47	1.50	0.18	14.92

STAINLESS STEEL 316

30-032SS	1/2" x 3/4"	1.82	1.19	1.18	0.12	27.41
30-033SS	5/8" x 3/4"	1.82	1.19	1.18	0.13	27.41
30-034SS	3/4" x 3/4"	1.82	1.19	1.18	0.15	27.99

MALE END ONLY



22RM
590 201GH
GHM 193
KF-PY HU125

BRASS

Part #	Hose Barb x MGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-039	3/8" x 3/4"	1.88	1.19	1.06	0.12	4.21
30-040	1/2" x 3/4"	1.88	1.19	1.06	0.12	3.78
30-041	5/8" x 3/4"	1.88	1.19	1.06	0.12	4.17
30-042	3/4" x 3/4"	1.88	1.19	1.06	0.13	4.09
30-045	1" x 3/4"	1.94	1.19	1.06	0.21	6.22
30-043	1" x 1"	2.34	1.47	1.37	0.26	14.29

STAINLESS STEEL 316

30-040SS	1/2" x 3/4"	1.88	1.19	1.06	0.12	22.91
30-041SS	5/8" x 3/4"	1.88	1.19	1.06	0.12	22.91
30-042SS	3/4" x 3/4"	1.88	1.19	1.06	0.13	23.10

GARDEN HOSE COUPLING

•WASHER INCLUDED



GHS 22R
92GH 592
936H
202GHS

See page 16 for Menders

BRASS

Part #	Hose Barb	List Price
30-025	3/8"	8.90
30-027	1/2"	9.86
30-028	5/8"	10.24
30-029	3/4"	9.44
30-046	1"(3/4" threads)	30.04
30-030	1"	29.03

STAINLESS STEEL 316

30-027SS	1/2"	55.34
30-028SS	5/8"	55.34
30-029SS	3/4"	59.21

Some product stocked in Houston and Atlanta.

These are NOT Lead Free

See pages 166-175 for Lead Free products

Dimension data can change without notice.


Please call us when dimensions are critical.



GARDEN HOSE

BRASS FITTINGS

FEMALE SWIVEL ONLY - Short Shank Knurled Nut




Part #	Hose Barb x FGH	A	B	Approx. Wt. Lbs.	List Price
30-466	1/2" x 3/4"	1.50	0.88	0.08	5.41
30-467	5/8" x 3/4"	1.50	0.88	0.09	4.46
30-468	3/4" x 3/4"	1.47	0.88	0.10	4.80

FEMALE END ONLY - Short Shank w/ hex



Part #	Hose x FGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-453	1/2" x 3/4"	1.63	1.00	1.18	0.11	4.19
30-454	5/8" x 3/4"	1.63	1.00	1.18	0.11	4.38
30-455	3/4" x 3/4"	1.63	1.00	1.18	0.13	4.83

MALE END ONLY - Short Shank



Part #	Hose Barb x MGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-471	1/2" x 3/4"	1.55	0.88	1.06	0.11	5.65
30-472	5/8" x 3/4"	1.56	0.88	1.06	0.12	4.68
30-473	3/4" x 3/4"	1.56	0.88	1.06	0.13	5.56

GARDEN HOSE COUPLING SETS - Short Shank with Knurled Nut



Part #	Hose Barb	List Price
30-461	1/2"	10.68
30-462	5/8"	10.68
30-463	3/4"	10.89


GARDEN HOSE COUPLING SETS - Short Shank w/ hex nut



Part #	Hose Barb	List Price
30-457	1/2"	9.26
30-458	5/8"	9.26
30-459	3/4"	9.90


FEMALE SWIVEL ONLY - 2" SHANK

•WASHER INCLUDED

GHFL
594

Part #	Hose Barb x FGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-505	1/2" x 3/4"	2.55	2.04	1.18	0.13	6.58
30-506	5/8" x 3/4"	2.56	2.04	1.18	0.16	6.34
30-507	3/4" x 3/4"	2.56	2.04	1.18	0.17	9.50
30-508	1" x 1"	2.84	2.03	1.43	0.29	9.90

MALE END ONLY - 2" SHANK

GHML
593


Part #	Hose Barb x MGH	A	B	Hex	Approx. Wt. Lbs.	List Price
30-510	1/2" x 3/4"	2.72	2.04	1.06	0.16	7.22
30-511	5/8" x 3/4"	2.72	2.04	1.06	0.17	6.30
30-512	3/4" x 3/4"	2.72	2.04	1.06	0.20	6.82
30-513	1" x 1"	2.90	2.03	1.37	0.28	10.79

GARDEN HOSE COUPLING SETS - 2" SHANK




Part #	Hose x FGH	List Price
30-516	1/2"	13.64
30-517	5/8"	13.64
30-518	3/4"	17.01
30-519	1"	49.62

NPSM FEMALE SHORT SHANK



Part #	Hose ID	NPSM Thread	A	B	Hex	List Price
30-545	1/2	3/4"	1.45	0.88	1.18	4.62
30-546	5/8	3/4"	1.47	0.88	1.18	4.69
30-547	3/4	3/4"	1.47	0.88	1.18	5.67
30-548	1	1"	1.50	1.00	1.50	9.90

NPSM MALE SHORT SHANK




Part #	Hose ID	NPSM Thread	A	B	Hex	List Price
30-550	1/2	3/4"	1.56	0.88	1.06	4.88
30-551	5/8	3/4"	1.56	0.88	1.06	4.55
30-552	3/4	3/4"	1.56	0.88	1.06	4.69
30-553	1	1"	1.77	0.98	1.30	9.64

NPSM SHORT SHANK SETS




Part #	Size	List Price
30-540	1/2"	9.11
30-541	5/8"	9.31
30-542	3/4"	9.50
30-543	1"	19.60

NPSM FEMALE LONG SHANK



Part #	Hose ID	NPSM Thread	A	B	Hex	List Price
30-565	1/2	1/2"	2.09	1.50	0.94	3.97
30-566	5/8	3/4"	2.09	1.50	1.18	6.67
30-567	3/4	3/4"	2.09	1.50	1.18	6.11
30-568	1	1"	2.12	1.53	1.50	15.38

NPSM MALE LONG SHANK



Part #	Hose ID	NPSM Thread	A	B	Hex	List Price
30-570	1/2	1/2"	2.18	1.50	0.87	4.42
30-571	5/8	3/4"	2.18	1.50	1.06	5.94
30-572	3/4	3/4"	2.18	1.50	1.06	6.34
30-573	1	1"	2.28	1.53	1.30	13.66

NPSM LONG SHANK SETS



Part #	Size	List Price
30-560	1/2"	8.58
30-561	5/8"	12.61
30-562	3/4"	12.74
30-563	1"	29.04


GARDEN HOSE VALVES

BRASS FITTINGS

WROUGHT BRASS

WROUGHT BRASS - Female end only


•WASHER INCLUDED



85L

Part #	Hose Barb x FGH	A	B	Approx. Wt. Lbs.	List Price
30-526	5/8" x 3/4"	1.58	0.91	0.05	4.66
30-527	3/4" x 3/4"	1.50	0.84	0.06	4.68

WROUGHT BRASS COUPLINGS - Male end only




85M

Part #	Hose Barb x MGH	A	B	Approx. Wt. Lbs.	List Price
30-530	1/2" x 3/4"	1.50	0.88	0.02	4.49
30-531	5/8" x 3/4"	1.50	0.88	0.02	2.82


GARDEN HOSE VALVES

ONE WAY BRASS BALL VALVE - FGH x MGH




Part #	FGH x MGH	A	B	C	Hex	Approx. Wt. Lbs.	List Price
30-161	3/4" x 3/4"	1.55	1.89	1.31	1.06	0.42	53.63

ONE WAY BRASS BALL VALVE - Female x Pipe MGH



Part #	Female NPTF x MGH	A	B	C	Hex	Approx. Wt. Lbs.	List Price
30-162	3/4" x 3/4"	1.55	1.89	1.31	1.06	0.42	56.52


ZINC ALLOY HOSE SHUT-OFF W/ ONE LEVER



Part #	FGH x MGH	A	Approx. Wt. Lbs.	List Price
30-631	3/4" x 3/4"	1.67	0.08	4.47

Save 5% by ordering online at
www.midlandindustrial.com


PLASTIC GARDEN HOSE VALVE • CYCOLAC BODY & BALL



LA450C


Part #	FGH x MGH	A	Hex	Approx. Wt. Lbs.	List Price
30-163	3/4" x 3/4"	1.75	1.25	0.04	4.80

PLASTIC, NON-CORROSIVE, 2-WAY HOSE SHUT-OFF "Y"




Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-160	3/4"	0.74	1.87	0.08	3.48

"Y" SHAPE ZINC ALLOY CONNECTOR W/ TWO LEVERS



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-626	3/4"	0.60	1.66	0.10	8.34

ZINC ALLOY SWIVEL HOSE CONNECTOR



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
30-629	3/4"	1.31	1.50	0.08	4.68


"Y" SHAPE BRASS CONNECTOR W/ 2-WAY SHUT OFF



Part #	Size	Description	Approx. Wt. Lbs.	List Price
30-627	3/4"	3/4 Double Y valve, swivel inlet	0.56	54.07


Dimension data can change without notice. Please call us when dimensions are critical.

BRASS NOZZLE




Part #	Size	A	Approx. Wt. Lbs.	List Price
30-637	3/4"	1.87	0.14	6.67

3" CROSSED PATTERN BRASS NOZZLE



Part #	Size	A	Approx. Wt. Lbs.	List Price
30-640	3/4"	2.89	0.25	9.68

4" CROSSED PATTERN BRASS NOZZLE



Part #	Size	A	Approx. Wt. Lbs.	List Price
30-638	3/4"	3.80	0.50	12.74



5-1/2"

Lead Free
Adjustable Spray

Part #	Size	Zinc Alloy spray nozzle with insulated handle soft grip and front thread protector	List Price
30-600	5-1/2"		17.27



4-1/4"

Lead Free

Part #	Size	Zinc Alloy spray nozzle	List Price
30-620	4-1/4"		6.69



5-1/4"

Lead Free
Adjustable Spray


Part #	Size	Zinc Alloy spray nozzle with easily adjustable brass head and plastic grip	List Price
30-609	5-1/4"		17.71



4-1/2"

Part #	Size	Plastic spray nozzle	List Price
30-630	4-1/2"		3.31

SAE 45° Flare



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4
Thread Size-B	5/16-24	3/8-24	7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1-1/16-14

•Typical Application

LP and natural gas, flammable liquids, instrumentation, refrigeration, power steering, hydraulic and pneumatic systems.

•Working Pressure Ranges

Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection. Temperature 73°F with copper tubing:

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035
450	7/8	.035

•Vibration

Good resistance - use long nut when greater vibration resistance is required.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.

•Material

CA360 Brass for Barstock fittings.
CA377 Brass for forged fittings.

•Used With

Copper, brass, aluminum and steel hydraulic tubing that can be flared.

•Tolerance

+/- .03 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

•Conformance

Meets specifications and standards of ASA, ASME, SAE and MS (Military standards).

Assembly Instructions

- 1- Cut tubing to desired length. Make sure all burrs are removed and ends are cut square.
- 2- Slide nut on tube. Threaded end "A" of nut must face out.
- 3- Flare end of tube with a 45° flaring tool.
 - a- Measure flare diameter.
 - b- Examine flare for excessive thin out.
- 4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.
- 5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.


Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.

Actual O.D. of Flare Fittings



SHORT ROD NUT


SAE# 010110



20910
41FS
1110
N1
41FX
441S
'L'

Part #	Thread Size UNF	Thread	A	Hex	Approx. Wt. Lbs.	List Price
10-013	1/8"	5/16-24	0.50	0.37	0.01	2.09
10-014	3/16"	3/8-24	0.62	0.43	0.02	1.56
10-015	1/4"	7/16-20	0.75	0.56	0.03	1.40
10-015L	1/4"	7/16-20	0.75	0.50	0.03	1.16
10-016	5/16"	1/2-20	0.88	0.62	0.04	2.30
10-017L	3/8"	5/8-18	0.88	0.75	0.05	1.65
10-017	3/8"	5/8-18	1.00	0.75	0.04	2.30
10-018	7/16"	11/16-16	1.06	0.81	0.06	9.27
10-019L	1/2"	3/4-16	0.93	0.87	0.06	3.27
10-019	1/2"	3/4-16	1.12	0.87	0.09	2.95
10-020L	5/8"	7/8-14	1.08	1.00	0.10	4.59
10-020	5/8"	7/8-14	1.31	1.06	0.15	8.42
10-021	3/4"	1-1/16-14	1.50	1.25	0.24	7.79
10-022	7/8"	1-1/4-12	1.62	1.50	0.36	15.52
10-026	1"	1-3/8-12	1.81	1.62	0.44	21.76


REDUCING SHORT ROD NUT



Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-023	3/8" x 1/4"	0.74	0.81	0.06	7.81
10-024	1/2" x 3/8"	0.86	0.94	0.10	11.94
10-025	5/8" x 1/2"	0.99	1.06	0.12	16.49

LONG ROD NUT

SAE# 010111



41FL
N2
241
441
41

Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-001	1/8"	0.75	0.37	0.01	6.30
10-002	3/16"	0.81	0.43	0.02	1.96
10-003	1/4"	0.94	0.56	0.03	2.29
10-004	5/16"	1.12	0.62	0.04	4.08
10-005	3/8"	1.31	0.75	0.06	4.09
10-006	1/2"	1.62	0.87	0.12	8.33
10-007	5/8"	1.88	1.06	0.20	10.29
10-008	3/4"	2.19	1.25	0.34	39.29



"L" means light pattern.


-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

Lead Free fittings available on
pgs. 166-175

LONG FORGED NUT

SAE# 010167

41FF
39
N4
14FL
641




Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-028	1/4"	0.94	0.62	0.05	4.18
10-030	3/8"	1.06	0.81	0.08	6.34
10-031	1/2"	1.19	0.94	0.12	6.74
10-032	5/8"	1.44	1.06	0.26	11.88
10-033	3/4"	1.75	1.31	0.35	15.75

SHORT FORGED NUT

SAE# 010166


14FS
41FFS
40
641-S
1116
NS4



Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-038	3/16"	0.56	0.50	0.02	5.27
10-039	1/4"	0.60	0.62	0.04	1.70
10-040	5/16"	0.66	0.69	0.04	3.23
10-041	3/8"	0.70	0.81	0.06	2.27
10-042	1/2"	0.82	0.94	0.08	3.20
10-043	5/8"	0.95	1.06	0.12	5.15
10-044	3/4"	1.16	1.31	0.22	10.71
10-045	7/8"	1.18	1.38	0.30	13.84

EXTRA HEAVY SHORT FORGED NUT

NSA



Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-046	1/4"	0.63	0.75	0.04	3.28
10-047	3/8"	0.72	0.88	0.06	3.63
10-048	1/2"	0.88	1.00	0.08	4.43
10-049	5/8"	0.98	1.12	0.12	6.76


FORGED REDUCING NUT

NSR4
14FS
41FRS
40R
662-S



Part #	Female Flare x OD	A	Hex	Approx. Wt. Lbs.	List Price
10-051	5/16" x 1/4"	0.66	0.75	0.06	11.59
10-052	3/8" x 1/4"	0.72	0.81	0.06	4.98
10-053	3/8" x 5/16"	0.72	0.81	0.08	4.70
10-054	1/2" x 3/8"	0.81	0.94	0.08	4.19
10-055	5/8" x 3/8"	0.96	1.12	0.15	12.15
10-056	5/8" x 1/2"	0.97	1.06	0.12	7.20
10-058	3/4" x 5/8"	1.17	1.31	0.30	16.65

FLARED PLUG




58 57 439
639F P2
PF 2229

Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-063	3/16"	0.59	0.50	0.02	4.95
10-064 *	1/4"	0.69	0.43	0.02	1.81
10-065 *	5/16"	0.78	0.50	0.04	5.00
10-066 *	3/8"	0.88	0.62	0.06	2.22
10-067	1/2"	1.06	0.75	0.10	3.72
10-068	5/8"	1.19	0.87	0.14	4.01
10-069	3/4"				28.80

* Available in Stainless Steel. Add SS to the part#

FLARED CAP




640F N5 440
41FC 2129
56 54

Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-074	3/16"	0.47	0.50	0.02	3.52
10-075 *	1/4"	0.48	0.50	0.02	0.77
10-076	5/16"	0.62	0.62	0.04	2.68
10-077 *	3/8"	0.58	0.75	0.03	1.92
10-078	1/2"	0.69	0.81	0.14	1.97
10-079	5/8"	0.81	0.94	0.20	2.94
10-080	3/4"	1.17	1.37	0.30	15.48

* Available in Stainless Steel. Add SS to the part#

FINGER TIGHTENING CAP

• O-Ring Included




NFT5

Part #	Thread Size UNF	A	Approx. Wt. Lbs.	List Price
10-081	1/4"	0.62	0.02	1.52

COPPER GASKET

SAE# 010113




B2
2GF
6251
FG
157
59
463

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
10-084	3/16"	0.31	0.12	0.01	1.27
10-085	1/4"	0.36	0.19	0.01	0.63
10-086	5/16"	0.42	0.22	0.01	0.98
10-087	3/8"	0.55	0.28	0.01	0.75
10-088	1/2"	0.66	0.41	0.01	1.02
10-089	5/8"	0.77	0.50	0.01	1.33
10-090	3/4"	0.95	0.62	0.01	1.56

Some product stocked in Houston and Atlanta.

COPPER BONNET


SAE# 010114




B1 156
3GF FB
64C 695
57 464

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
10-094	3/16"	0.16	0.31	0.01	2.46
10-095	1/4"	0.22	0.36	0.01	2.10
10-097	3/8"	0.34	0.55	0.01	2.22
10-098	1/2"	0.41	0.66	0.01	2.89
10-099	5/8"	0.44	0.77	0.01	2.71
10-100	3/4"	0.56	0.95	0.01	6.30

MALE BALL CHECK CONNECTOR



43A




Part #	Male UNF x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
10256WC	1/4" x 1/4"	1.24	0.6	0.04	2.94
10-133	3/8" x 1/4"	1.31	0.62	0.08	27.26

Note: Ball & Spring position may be reversed to change flow/check position. Min working pressure 3 PSI.

UNION

SAE# 010101



42F
U2


Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-104	1/8"	0.91	0.31	0.02	7.10
10-105	3/16"	1.06	0.37	0.02	4.47
10-106L	1/4"	1.19	0.43	0.03	1.33
10-106 *	1/4"	1.19	0.43	0.03	2.47
10-107	5/16"	1.34	0.50	0.05	4.37
10-108L	3/8"	1.50	0.62	0.09	4.43
10-108 *	3/8"	1.50	0.62	0.09	3.11
10-109L	1/2"	1.67	0.75	0.12	5.60
10-109	1/2"	1.81	0.75	0.14	6.20
10-110L	5/8"	2.00	0.87	0.20	6.36
10-110	5/8"	2.12	0.87	0.20	10.90
10-111	3/4"	2.44	1.06	0.35	19.44
10-112	7/8"	2.72	1.25	0.52	37.80

* Available in Stainless Steel. Add SS to the part#

"L" means light pattern.

-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.


REDUCING UNION




656F
UR2
42-R

Part #	Thread Size UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-117	5/16" x 1/4"	1.28	0.50	0.04	6.04
10-118	3/8" x 1/4"	1.38	0.62	0.06	4.51
10-119	3/8" x 5/16"	1.44	0.62	0.08	8.28
10-120	1/2" x 1/4"	1.53	0.75	0.10	7.26
10-121	1/2" x 3/8"	1.69	0.75	0.10	6.62
10-122	5/8" x 3/8"	1.88	0.87	0.17	12.00
10-123	5/8" x 1/2"	1.87	0.87	0.14	5.89

UNION TEE



Forged Tee



Barstock Tee

244F
T2
144F


SAE# 010401

Part #	Thread Size UNF	A	Body Size	Approx. Wt. Lbs.	List Price
10-157	1/8"	0.67	0.36	0.04	7.65
10-158	3/16"	0.75	0.36	0.06	4.41
10-159 **	1/4"	0.78	0.36	0.06	4.88
10-159B*	1/4"	0.88	0.50	0.08	9.64
10-160 **	5/16"	0.91	0.44	0.10	6.55
10-161 **	3/8"	1.00	0.44	0.12	6.64
10-162	1/2"	1.16	0.59	0.19	6.84
10-163	5/8"	1.41	0.69	0.30	12.55
10-164	3/4"	1.64	0.88	0.53	26.68
10-165	7/8"	1.75	1.25	0.93	54.22

* Barstock

** Available in Stainless Steel. Add SS to the part#

REDUCING TEE 1 x 2 x 3



144F
TR2
659F
684F
44R

Part #	Thread Size UNF 1x2x3	A	C	Body Size	Approx. Wt. Lbs.	List Price
10-170	1/4" x 1/4" x 3/8"	0.91	1.00	0.44	0.10	7.22
10-171	5/16" x 5/16" x 1/4"	0.94	0.94	0.44	0.12	10.80
10-172	3/8" x 1/4" x 1/4"	0.91	1.00	0.44	0.10	8.63
10-173	3/8" x 1/4" x 3/8"	1.00	0.91	0.44	0.12	10.76
10-174	3/8" x 3/8" x 1/4"	1.00	0.88	0.44	0.11	7.75
10-175	3/8" x 3/8" x 1/2"	1.00	1.19	0.59	0.14	10.80
10-176	3/8" x 3/8" x 5/8"	1.16	1.44	0.69	0.16	20.85
10-178	1/2" x 3/8" x 3/8"	1.16	1.12	0.59	0.18	8.36
10-179	1/2" x 3/8" x 1/2"	1.16	1.09	0.59	0.18	10.01
10-180	1/2" x 1/2" x 1/4"	1.16	0.97	0.59	0.18	13.85
10-181	1/2" x 1/2" x 3/8"	1.16	1.12	0.59	0.19	9.07
10-182	1/2" x 1/2" x 5/8"	1.28	1.41	0.69	0.28	13.20
10-187	5/8" x 1/2" x 5/8"	1.44	1.33	0.69	0.27	20.46
10-188	5/8" x 5/8" x 3/8"	1.38	1.16	0.69	0.30	17.82
10-189	5/8" x 5/8" x 1/2"	1.38	1.28	0.69	0.28	25.43
10-197	3/4" x 3/4" x 5/8"	1.66	1.50	0.88	0.36	44.43


Some product stocked in Houston and Atlanta.

Save 5% by ordering online at www.midlandindustrial.com




MALE BRANCH TEE

SAE# 010425



Forged Tee



Barstock Tee

T1
145F
45

Part #	Male Flare x Male NPT (1&2)x3	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-203	3/16" x 1/8"	0.75	0.75	0.36	0.10	5.21
10-204	1/4" x 1/8"	0.78	0.75	0.36	0.05	5.21
10-204B*	1/4" x 1/8"	0.82	0.81	0.47	0.08	31.79
10-205	1/4" x 1/4"	0.88	0.88	0.44	0.08	5.52
10-206	1/4" x 3/8"	0.92	1.00	0.47	0.10	8.94
10-207	5/16" x 1/8"	0.89	0.78	0.44	0.08	6.36
10-208	5/16" x 1/4"	0.94	0.94	0.44	0.08	7.31
10-209	3/8" x 1/8"	1.00	0.91	0.44	0.14	10.63
10-210	3/8" x 1/4"	1.00	0.94	0.44	0.12	7.02
10-211 **	3/8" x 3/8"	1.00	1.00	0.47	0.13	8.49
10-212 **	3/8" x 1/2"	1.12	1.22	0.69	0.22	12.70
10-213	1/2" x 1/4"	1.16	1.00	0.59	0.20	18.71
10-214	1/2" x 3/8"	1.16	1.14	0.59	0.19	13.23
10-215	1/2" x 1/2"	1.22	1.22	0.69	0.24	12.52
10-216	1/2" x 3/4"	1.38	1.41	0.88	0.22	24.95
10-217	5/8" x 3/8"	1.38	1.25	0.69	0.24	21.25
10-218	5/8" x 1/2"	1.41	1.31	0.69	0.29	16.65
10-219	5/8" x 3/4"	1.41	1.41	0.88	0.36	25.10
10-220	3/4" x 1/2"	1.63	1.59	0.88	0.49	31.46
10-221	3/4" x 3/4"	1.63	1.44	0.88	0.48	32.35

* Barstock

** Available in Stainless Steel. Add SS to the part#

* Available in Stainless Steel. Add SS to the part#

THE TEST OF A FIRST RATE INTELLIGENCE IS THE ABILITY TO HOLD TWO OP-POSED IDEAS IN THE MIND AT THE SAME TIME, AND STILL RETAIN THE ABILITY TO FUNCTION.

- F. SCOTT FITZGERALD




Dimension data can change without notice.
Please call us when dimensions are critical.



FEMALE ADAPTER

SAE# 010103

BRASS



46
U3

Part #	Male Flare x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
10-227	3/16" x 1/8"	0.97	0.56	0.03	4.60
10-228L	1/4" x 1/8"	1.03	0.56	0.03	1.44
10-228	1/4" x 1/8"	1.03	0.56	0.04	2.98
10-229L	1/4" x 1/4"	1.06	0.68	0.06	3.61
10-229	1/4" x 1/4"	1.23	0.68	0.07	4.61
10-230	1/4" x 3/8"	1.18	0.81	0.08	6.61
10-231	1/4" x 1/2"	1.31	0.94	0.06	9.48
10-232	5/16" x 1/8"	1.06	0.56	0.05	16.77
10-233	5/16" x 1/4"	1.28	0.68	0.08	6.07
10-234	3/8" x 1/8"	1.09	0.62	0.08	4.17
10-235L	3/8" x 1/4"	1.25	0.68	0.08	3.08
10-235	3/8" x 1/4"	1.31	0.81	0.08	4.71
10-236L	3/8" x 3/8"	1.25	0.81	0.08	4.03
10-236	3/8" x 3/8"	1.25	0.81	0.10	10.83
10-237L	3/8" x 1/2"	1.31	0.94	0.08	3.51
10-237	3/8" x 1/2"	1.60	1.00	0.16	9.87
10-238	3/8" x 3/4"	1.41	1.18	0.11	9.49
10-239	1/2" x 1/4"	1.37	0.75	0.10	4.75
10-240L	1/2" x 3/8"	1.38	0.81	0.12	4.22
10-240	1/2" x 3/8"	1.50	0.81	0.14	8.30
10-241L	1/2" x 1/2"	1.42	0.87	0.10	6.02
10-241	1/2" x 1/2"	1.75	1.00	0.12	11.10
10-242	1/2" x 3/4"	1.60	1.12	0.16	5.83
10-243	5/8" x 3/8"	1.24	0.87	0.12	9.58
10-244	5/8" x 1/2"	1.62	0.94	0.12	5.74
10-245	5/8" x 3/4"	1.65	1.12	0.17	7.50
10-246	3/4" x 1/2"	1.74	1.18	0.32	19.86
10-247	3/4" x 3/4"	1.75	1.18	0.22	20.42
10-248	7/8" x 3/4"	1.94	1.31	0.26	20.08

 **"L" means light pattern.**

Dimension data can change without notice.
Please call us when dimensions are critical.


-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

A SHIP IN HARBOR IS SAFE, BUT THAT'S NOT WHY SHIPS ARE BUILT.
- JOHN AUGUSTUS SHEDD



MALE ADAPTER

SAE# 010102

U1
48

Part #	Male Flare x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
10-253	1/8" x 1/8"	0.92	0.43	0.02	5.48
10-254	3/16" x 1/8"	1.00	0.43	0.03	1.96
10-255L	1/4" x 1/8"	1.06	0.43	0.03	1.33
10-255 *	1/4" x 1/8"	1.06	0.43	0.04	1.22
10-256L	1/4" x 1/4"	1.15	0.56	0.03	1.59
10-256 *	1/4" x 1/4"	1.25	0.56	0.04	1.60
10-257 *	1/4" x 3/8"	1.31	0.68	0.06	2.44
10-258	1/4" x 1/2"	1.44	0.87	0.11	5.73
10-259L	5/16" x 1/8"	1.15	0.50	0.04	3.18
10-259	5/16" x 1/8"	1.16	0.50	0.04	2.59
10-260L	5/16" x 1/4"	1.31	0.56	0.06	3.99
10-260	5/16" x 1/4"	1.34	0.56	0.06	3.04
10-261 *	5/16" x 3/8"	1.38	0.68	0.08	5.77
10-262	3/8" x 1/8"	1.25	0.62	0.07	2.13
10-263L	3/8" x 1/4"	1.31	0.62	0.06	2.42
10-263 *	3/8" x 1/4"	1.44	0.62	0.08	2.29
10-264L	3/8" x 3/8"	1.37	0.68	0.09	2.89
10-264 *	3/8" x 3/8"	1.44	0.68	0.09	2.70
10-265L	3/8" x 1/2"	1.44	0.89	0.12	3.19
10-265 *	3/8" x 1/2"	1.69	0.87	0.14	5.83
10-266	3/8" x 3/4"	1.81	1.06	0.18	7.39
10-267	1/2" x 1/4"	1.60	0.75	0.11	3.55
10-268L	1/2" x 3/8"	1.46	0.75	0.10	3.26
10-268	1/2" x 3/8"	1.62	0.75	0.12	3.65
10-269L	1/2" x 1/2"	1.62	0.87	0.13	3.47
10-269	1/2" x 1/2"	1.79	0.87	0.15	5.12
10-270	1/2" x 3/4"	1.75	1.06	0.22	6.86
10-271	5/8" x 1/4"	1.81	0.87	0.14	10.33
10-272L	5/8" x 3/8"	1.67	0.87	0.14	4.80
10-272	5/8" x 3/8"	1.81	0.87	0.18	7.87
10-273L	5/8" x 1/2"	1.80	0.87	0.11	4.92
10-273	5/8" x 1/2"	2.00	0.87	0.20	8.05
10-274	5/8" x 3/4"	1.85	1.06	0.21	5.70
10-275	3/4" x 1/2"	2.19	1.06	0.28	13.01
10-276	3/4" x 3/4"	2.08	1.06	0.28	8.46
10-277	7/8" x 1/2"	2.22	1.25	0.52	33.69
10-278	7/8" x 3/4"	2.35	1.25	0.41	22.35
10-279	1" x 3/4"	2.44	1.43	0.53	25.42
10-280	1" x 1"	2.44	1.43	0.53	31.21

* Available in Stainless Steel. Add SS to the part#

Some product stocked in Houston and Atlanta.


**"L" means light pattern.**

-These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.


90° MALE ELBOW

SAE# 010202

BRASS



Forged Elbow



Barstock Elbow

249F
49
E1
149F

Part #	Male Flare x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-283	1/8" x 1/8"	0.63	0.73	0.37	0.04	9.40
10-283B*	1/8" x 1/8"	0.62	0.69	0.43	0.04	25.06
10-284	3/16" x 1/8"	0.75	0.75	0.44	0.04	7.98
10-284B*	3/16" x 1/8"	0.75	0.75	0.43	0.06	5.28
10-285	3/16" x 1/4"	0.81	0.88	0.44	0.08	6.04
10-286	1/4" x 1/8"	0.84	0.78	0.38	0.04	3.30
10-286B*	1/4" x 1/8"	0.81	0.78	0.47	0.05	2.36
10-287 **	1/4" x 1/4"	0.81	0.88	0.44	0.05	3.00
10-287B*	1/4" x 1/4"	0.91	0.93	0.59	0.08	3.81
10-288 **	1/4" x 3/8"	0.91	0.91	0.47	0.08	5.24
10-289	1/4" x 1/2"	1.03	1.09	0.59	0.10	6.59
10-290	5/16" x 1/8"	0.91	0.88	0.44	0.06	5.26
10-290B*	5/16" x 1/8"	0.91	0.78	0.52	0.06	8.11
10-291	5/16" x 1/4"	0.98	0.96	0.44	0.08	5.36
10-291B*	5/16" x 1/4"	0.95	0.92	0.62	0.08	12.33
10-292	5/16" x 3/8"	1.06	1.09	0.59	0.08	6.01
10-293	3/8" x 1/8"	1.00	0.91	0.53	0.08	6.07
10-293B*	3/8" x 1/8"	1.03	0.91	0.65	0.08	8.30
10-294	3/8" x 1/4"	1.01	0.89	0.48	0.08	3.52
10-294B*	3/8" x 1/4"	0.97	1.04	0.68	0.11	6.00
10-295 **	3/8" x 3/8"	1.00	0.88	0.47	0.10	3.66
10-295B*	3/8" x 3/8"	1.06	1.09	0.69	0.12	7.38
10-296 **	3/8" x 1/2"	1.10	1.09	0.59	0.12	5.23
10-297	3/8" x 3/4"	1.25	1.31	0.81	0.12	13.64
10-298	1/2" x 1/4"	1.19	1.00	0.59	0.12	5.06
10-298B*	1/2" x 1/4"	1.22	1.19	0.81	0.12	13.44
10-299	1/2" x 3/8"	1.10	1.00	0.59	0.13	5.02
10-299B*	1/2" x 3/8"	1.22	1.12	0.77	0.18	9.67
10-300	1/2" x 1/2"	1.16	1.13	0.59	0.14	5.80
10-300B*	1/2" x 1/2"	1.26	1.36	0.94	0.26	12.00
10-301	1/2" x 3/4"	1.42	1.25	0.81	0.24	10.52
10-311	5/8" x 1/4"	1.34	1.13	0.72	0.28	10.98
10-302	5/8" x 3/8"	1.35	1.22	0.72	0.20	9.50
10-302B*	5/8" x 3/8"	1.41	1.25	0.94	0.20	24.76
10-303	5/8" x 1/2"	1.35	1.22	0.72	0.20	7.81
10-303B*	5/8" x 1/2"	1.41	1.38	0.94	0.20	16.43
10-304	5/8" x 3/4"	1.44	1.31	0.81	0.25	13.19
10-305	3/4" x 1/2"	1.67	1.50	0.88	0.34	16.27
10-306	3/4" x 3/4"	1.67	1.63	0.88	0.30	14.77
10-306B*	3/4" x 3/4"	1.60	1.62	0.91	0.32	27.88
10-307	7/8" x 3/4"	1.75	1.68	1.00	0.44	43.22
10-308	1" x 3/4"	1.94	1.69	1.31	0.75	50.02
10-309	1" x 1"	1.94	1.75	1.25	0.78	44.48

* Barstock

** Available in Stainless Steel. Add SS to the part#


Dimension data can change without notice.
Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.




90° FEMALE ELBOW

SAE# 010203



Forged Elbow




Barstock Elbow

E3
50
150F

Part #	Male Flare x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-312	3/16" x 1/8"	0.81	0.44	0.56	0.05	6.80
10-313	1/4" x 1/8"	0.90	0.46	0.56	0.06	4.13
10-313B*	1/4" x 1/8"	0.88	0.47	0.56	0.06	5.47
10-314	1/4" x 1/4"	0.97	0.59	0.75	0.08	5.81
10-315	1/4" x 3/8"	1.03	0.57	0.81	0.09	8.11
10-333	1/4" x 1/2"	1.08	0.66	1.00	0.12	10.39
10-316	5/16" x 1/8"	0.94	0.88	0.45	0.08	7.16
10-317	5/16" x 1/4"	1.03	0.58	0.75	0.06	11.64
10-318	3/8" x 1/8"	1.00	0.88	0.47	0.10	7.57
10-319	3/8" x 1/4"	1.06	0.59	0.75	0.09	3.53
10-319B*	3/8" x 1/4"	1.09	0.69	0.75	0.10	25.27
10-320	3/8" x 3/8"	1.06	0.57	0.81	0.10	5.33
10-321	3/8" x 1/2"	1.16	0.66	1.00	0.14	6.68
10-322	3/8" x 3/4"	1.28	0.72	1.25	0.12	11.58
10-323	1/2" x 1/4"	1.25	0.70	0.88	0.13	10.10
10-324	1/2" x 3/8"	1.25	0.70	0.88	0.12	7.51
10-325	1/2" x 1/2"	1.29	0.72	1.00	0.18	7.91
10-326	1/2" x 3/4"	1.41	0.72	1.25	0.20	10.78
10-327	5/8" x 3/8"	1.35	1.22	0.72	0.22	13.46
10-328	5/8" x 1/2"	1.38	0.75	1.00	0.20	11.79
10-329	5/8" x 3/4"	1.50	0.76	1.25	0.28	11.92
10-330	3/4" x 1/2"	1.63	1.06	1.06	0.42	22.52
10-331	3/4" x 3/4"	1.88	1.06	1.31	0.40	35.30

* Barstock

FORGED MALE RUN TEE



T3
151F
51

Part #	Male Flare x Male NPTF (1&3) x 2	A	B	C	Body Size	Approx. Wt. Lbs.	List Price
10-361	3/16" x 5/16" x 1/8"	0.87	0.78	0.97	0.44	0.08	5.57
10-343	3/16" x 1/8"	0.75	0.75	0.75	0.37	0.05	6.71
10-344	1/4" x 1/8"	0.78	0.75	0.78	0.37	0.06	5.78
10-345	1/4" x 1/4"	0.88	0.88	0.88	0.44	0.08	7.09
10-347	5/16" x 1/8"	0.88	0.80	0.88	0.44	0.08	6.18
10-348	5/16" x 1/4"	0.94	0.94	0.94	0.44	0.08	9.07
10-350	3/8" x 1/4"	1.00	0.94	1.00	0.44	0.12	9.07
10-351	3/8" x 3/8"	1.00	1.00	1.00	0.47	0.10	12.57
10-340	3/8" x 1/2" x 3/8"	1.09	1.09	1.16	0.59	0.18	11.65
10-352	3/8" x 1/2"	1.12	1.22	1.12	0.69	0.12	17.65
10-353	1/2" x 3/8" x 1/2"	1.22	1.22	1.15	0.69	0.22	13.82
10-354	1/2" x 3/8"	1.16	1.09	1.16	0.59	0.18	15.27
10-355	1/2" x 1/2"	1.22	1.22	1.22	0.69	0.22	14.27
10-357	5/8" x 1/2"	1.41	1.31	1.41	0.69	0.28	18.93
10-359	3/4" x 1/2"	1.63	1.59	1.63	0.88	0.48	37.27
10-360	3/4" x 3/4"	1.62	1.44	1.62	0.88	0.48	32.92


Dimension data can change without notice.
Please call us when dimensions are critical.

Save 5% by ordering online at
www.midlandindustrial.com



FORGED FLARE CROSS


SAE# 010501



455
C1
147F
52

Part #	Thread Size UNF	A	Body Size	Approx. Wt. Lbs.	List Price
10-373	1/4"	0.88	0.44	0.10	13.64
10-374	5/16"	0.92	0.44	0.10	13.36
10-375	3/8"	1.00	0.44	0.16	12.75
10-376	1/2"	1.16	0.59	0.24	15.02


FORGED ADAPTER TEE / SERVICE TEE



T17
53

Part #	Size 1 x 2 x 3	A	B	C	Body Size	Approx. Wt. Lbs.	List Price
10-382	1/8" x 1/8" x 1/4"	0.72	0.53	0.80	0.47	0.08	7.02
10-383	1/4" x 1/4" x 1/4"	0.88	1.00	0.91	0.47	0.11	8.88


FORGED 90° FLARE ELBOW



E2
155F

Part #	Thread Size UNF	A	Approx. Wt. Lbs.	List Price
10-404	1/8"	0.64	0.04	16.39
10-405	3/16"	0.75	0.06	10.91
10-406	1/4"	0.81	0.08	3.95
10-407	5/16"	0.91	0.10	5.96
10-408	3/8"	1.00	0.10	5.01
10-409	1/2"	1.16	0.14	7.57
10-410	5/8"	1.41	0.22	12.29
10-411	3/4"	1.66	0.68	24.66
10-412	7/8"	1.81	0.82	45.16

FORGED REDUCING ELBOW




ER2
657F
55R

Part #	Male Flare x Male Flare	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-416	3/8" x 1/4"	1.00	0.88	0.47	0.08	6.07
10-419	1/2" x 3/8"	1.19	1.02	0.59	0.14	7.71
10-421	5/8" x 1/2"	1.34	1.23	0.72	0.21	12.33

Save 5% by ordering online at www.midlandindustrial.com




FORGED FEMALE BRANCH TEE



Part #	Male Flare x Female NPTF (1&2) x 3	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-429	1/4" x 1/4"	0.97	0.75	0.69	0.12	10.38
10-430	3/8" x 1/4"	1.00	1.03	0.47	0.14	9.69
10-431	3/8" x 3/8"	1.17	0.69	1.05	0.22	14.99
10-432	3/8" x 1/2"	1.16	0.69	1.05	0.19	13.47
10-434	1/2" x 1/2"	1.31	0.69	1.06	0.22	22.52

45° ELBOW

SAE# 010302




E145 654F 47
54 59FF 4945
159F 254

Part #	Male Flare x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-448	1/4" x 1/8"	0.67	0.64	0.41	0.04	3.14
10-448B*	1/4" x 1/8"	0.67	0.64	0.44	0.04	10.71
10-449	1/4" x 1/4"	0.75	0.86	0.53	0.07	6.35
10-450	5/16" x 1/8"	0.78	0.64	0.53	0.06	6.32
10-451	5/16" x 1/4"	0.81	0.86	0.53	0.07	6.68
10-452	3/8" x 1/4"	0.91	0.86	0.53	0.09	5.95
10-452B*	3/8" x 1/4"	0.89	0.86	0.64	0.12	14.48
10-453	3/8" x 3/8"	0.93	0.94	0.59	0.11	6.16
10-454	3/8" x 1/2"	0.99	1.17	0.75	0.19	8.94
10-455	1/2" x 3/8"	1.07	0.88	0.59	0.12	7.01
10-455B*	1/2" x 3/8"	1.06	0.94	0.76	0.18	21.37
10-456	1/2" x 1/2"	1.12	1.18	0.75	0.20	10.18
10-460	5/8" x 3/8"	1.13	0.95	0.81	0.22	14.78
10-457	5/8" x 1/2"	1.12	1.17	0.78	0.18	11.09
10-458	3/4" x 1/2"	1.28	1.16	0.88	0.26	17.72
10-459	3/4" x 3/4"	1.41	1.20	0.88	0.31	18.16

* Barstock

BRASS GAS RANGE FITTINGS


BRASS MALE ADAPTERS



Part #	Male Flare x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
35-132	1/2" x 1/2" (3/8" FIP TAP)	1.88	0.87	0.16	6.60
35-134	15/16" x 1/2"	1.90	0.94	0.14	6.33

DRUM ADAPTERS

SAE# 010165



Part #	Male Flare x FIP	A	Hex	Approx. Wt. Lbs.	List Price
50-011	1/4" x 1/2"	1.12	1.12	0.12	28.35
50-001	1/4" x 3/4"	1.16	1.25	0.14	13.73


Some product stocked in Houston and Atlanta.

FEMALE 45° FLARE FITTINGS

• Use with Copper Gasket

UNION

SAE# 010107




2310
U4
660HD
32

Part #	Female Flare x Female Flare	A	Hex	Approx. Wt. Lbs.	List Price
10-135	1/4"	1.00	0.62	0.06	11.14
10-136	3/8"	1.25	0.81	0.14	19.52
10-137	1/2"	1.43	0.94	0.18	24.93

FEMALE FLARE ADAPTER

SAE# 010106




U5
664FHD
33
48-FF

Part #	Female Flare x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
10-440	1/4" x 1/8"	0.91	0.62	0.05	6.56
10-441	1/4" x 1/4"	1.01	0.62	0.06	6.91
10-442	3/8" x 1/4"	1.28	0.81	0.10	10.42
10-443	1/2" x 3/8"	1.36	0.94	0.14	25.04
10-444	1/2" x 1/2"	1.46	0.94	0.14	11.64

FLARE REDUCER

SAE# 010105




UR3
661FHD
227
46-FF

Part #	Male Flare x Female Flare	A	Hex	Approx. Wt. Lbs.	List Price
10-462	1/4" x 3/8"	1.22	0.81	0.10	6.80
10-461	1/4" x 1/2"	1.36	0.94	0.14	21.80
10-463 *	3/8" x 1/4"	1.12	0.62	0.06	8.07
10-464	3/8" x 1/2"	1.44	0.94	0.14	7.71
10-473	3/8" x 5/8"	1.63	1.12	0.16	16.95
10-467	1/2" x 3/8"	1.41	0.81	0.13	6.78
10-468	1/2" x 5/8"	1.68	1.06	0.20	33.83
10-469	5/8" x 1/2"	1.63	1.00	0.17	19.92
10-470	5/8" x 3/4"	1.97	1.31	0.31	20.34
10-471	3/4" x 5/8"	1.75	1.18	0.32	22.20

* Available in Stainless Steel. Add SS to the part#

90° ELBOW

• Use with Copper Gasket



E4
669F

Part #	Male Flare x Female Flare	A	B	Body Size	Approx. Wt. Lbs.	List Price
10-500	1/4" x 1/4"	0.97	0.69	0.75	0.56	8.13
10-495	1/2" x 1/2"	1.41	1.12	0.81	0.72	19.21

Save 5% by ordering online at www.midlandindustrial.com

Dimension data can change without notice. Please call us when dimensions are critical.


BRASS FLARE SWIVEL FITTINGS

BRASS

FORGED SWIVEL

SAE# 010108


1350
US4
14FSV
34



Part #	Female Flare UNF	A	Hex	Approx. Wt. Lbs.	List Price
10-481	1/4"	0.59	0.62	0.04	6.14
10-482	5/16"	0.62	0.68	0.06	8.79
10-483	3/8"	0.69	0.81	0.10	6.54
10-484	1/2"	0.81	0.94	0.16	8.98
10-485	5/8"	0.94	1.06	0.24	11.05
10-486	3/4"	1.12	1.31	0.34	35.52

REDUCING SWIVELS


Hex 1



Part #	Female Flare UNF	A	B	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
10-487	3/8" x 1/4"	0.72	0.60	0.81	0.62	0.08	13.37
10-488	1/2" x 3/8"	0.84	0.70	0.94	0.81	0.12	16.33
10-489	5/8" x 1/2"	0.98	0.82	1.03	0.94	0.22	19.96

FORGED SWIVEL ELBOWS

ES4



Part #	Male Flare x Female Flare	A	B	Hex	Approx. Wt. Lbs.	List Price
10-493	1/4"	0.81	1.15	0.62	0.12	10.21


* Steel

BRASS SOLDER FITTINGS

FLARE TO SWT UNION

SAE# 010104

4085 46FS
US3 277
672FS



Part #	Male Flare x SWT	A	Hex	Approx. Wt. Lbs.	List Price
10-602	1/4" x 3/8"	1.00	0.50	0.06	5.88
10-611	1/2" x 5/8"	1.56	0.75	0.12	20.90
10-615	3/4" x 3/4"	2.06	1.06	0.32	20.24

Lead Free fittings available on
pgs. 166-175



JIC 37° FLARE

Thread Chart	
Size	JIC Thread
1/8	5/16-24
3/16	3/8-24
1/4	7/16-20
5/16	1/2-20
3/8	9/16-18
1/2	3/4-16
5/8	7/8-14
3/4	1-1/16-12
1	1-5/16-12

STRAIGHT

FTXB



Part #	JIC Thread	Pipe Size	List Price
28-701	7/16-20	1/8	2.98
28-702	7/16-20	1/4	6.03
28-703	7/16-20	3/8	15.90
28-704	1/2-20	1/8	46.20
28-705	1/2-20	1/4	20.91
28-706	9/16-18	1/8	6.98
28-707	9/16-18	1/4	6.21
28-708	9/16-18	3/8	4.98
28-709	9/16-18	1/2	9.90
28-710	3/4-16	1/4	12.35
28-711	3/4-16	3/8	9.73
28-712	3/4-16	1/2	13.32
28-713	3/4-16	3/4	28.86
28-714	7/8-14	3/8	21.78
28-715	7/8-14	1/2	20.19
28-716	7/8-14	3/4	22.28
28-717	1-1/16-12	3/4	21.58
28-748	1-1/16-1/2		28.64
28-749	1-1/16-1		45.84
28-718	1-5/16-12	1	40.56

**NEW
NEW**

45° FORGED ELBOW

VTXB



Part #	JIC Thread	Pipe Size	List Price
28-722F	7/16-20	1/8	8.52
28-724F	7/16-20	1/4	11.41
28-728F	1/2-20	1/4	4.65
28-729F	9/16-18	1/8	28.62
28-731F	9/16-18	1/4	8.84
28-733F	9/16-18	3/8	8.01
28-734F	9/16-18	1/2	17.23
28-736F	3/4-16	3/8	11.96
28-738F	3/4-16	1/2	37.05
28-740F	7/8-14	1/2	19.53
28-742F	1-1/16-12	3/4	64.52

BULKHEAD TUBE UNION



Part #	JIC Thread	List Price
28-797	9/16-18	56.60
28-955	1-1/16-12	60.32

90° FORGED ELBOW

CITXB



Part #	JIC Thread	Pipe Size	List Price
28-760F	7/16-20	1/8	7.74
28-762F	7/16-20	1/4	7.00
28-766F	1/2-20	1/4	12.65
28-768F	9/16-18	1/8	20.00
28-770F	9/16-18	1/4	7.10
28-772F	9/16-18	3/8	13.66
28-773F	9/16-18	1/2	23.10
28-774F	3/4-16	3/8	19.92
28-777F	3/4-16	1/2	17.02
28-778F	3/4-16	3/4	34.33
28-780F	7/8-14	1/2	28.15
28-781F	1-1/16-12	1/2	57.38
28-783F	1-1/16-12	3/4	31.13
28-784F	1-5/16-12	3/4	43.78
28-786F	1-5/16-12	1	48.38

**Use Steel Nuts & Sleeves
on page**

**Have Midland quote all of
your fitting needs.**

**For Steel 37° Flare JIC fittings
see page 332**

BRASS FITTINGS

STRAIGHT SWIVEL ADAPTER



Part #	JIC Thread	Pipe Size	List Price
28-753	9/16-18	1/4	12.77
28-754	9/16-18	3/8	19.44
28-756	3/4-16	1/2	20.33

FEMALE STRAIGHT ADAPTER

GTXB



Part #	JIC Thread	Pipe Size	List Price
28-957	7/16-20	1/8	8.04
28-958	7/16-20	1/4	10.19
28-959	9/16-18	1/4	22.98
28-960	9/16-18	3/8	16.75
28-961	3/4-16	3/8	8.94
28-962	3/4-16	1/2	25.27
28-963	7/8-14	1/2	18.61
28-964	1-1/16-12	3/4	44.20

STRAIGHT TUBE UNION

HTXB



Part #	JIC Thread	List Price
28-966	7/16-20	8.37
28-969	9/16-18	10.59
28-970	3/4-16	12.85
28-971	1-1/16-12	63.05
28-972	1-5/16-12	38.42

TUBE TEE

JTXB



Part #	JIC Thread	List Price
28-981	7/16-20	61.93
28-982	9/16-18	68.99

FEMALE ELBOW (FORGED BODY)


DTXB



Part #	JIC Thread	Pipe Size	List Price
28-973	7/16-20	1/8	14.33
28-974	7/16-20	1/4	21.86
28-975	9/16-18	1/4	20.83



Inverted Flare



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1
Thread Size-B	5/16-24	3/8-24	7/16-24	1/2-20	5/8-18	1 1/16-18	3/4-18	7/8-18	1-1/16-16	1-3/16-16	1-5/16-16

•Typical Application

Hydraulic brake, power steering, fuel lines and transmission cooler lines, LP and natural gas.

•Working Pressure Ranges

Temperature and type of tubing used are important factors. However, the following table is a good guide for proper selection. Temperature 73°F with copper tubing:

PSI	Tube O.D. (in.)	Tube Wall (in.)
2800	1/8	.030
1900	3/16	.030
1400	1/4	.030
1200	5/16	.032
1000	3/8	.032
750	1/2	.032
650	5/8	.035
550	3/4	.035

•Vibration

Excellent resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.

•Material

CA360 Brass.

•Used With

Copper, brass, aluminum and steel hydraulic tubing that can be flared.

•Advantages

Very low cost and reusable. Seats and threads are internal and protected. Compact, excellent vibration life. Short nut affords very close tube bends. Steel or brass tube nut.

•Tolerance

+/- .03 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical

•Conformance

Meets specifications and standards of ASA, ASME, SAE and MS (Military Standards).

•Assembly Instructions

- 1-Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
- 2- Slide nut on tube. Threaded end "A" of nut must face out.
- 3- Flare end of tube with a 45° flaring tool.
 - a- Measure flare diameter.
 - b- Examine flare for excessive thin out.
 - c- On thin wall, welded or brazed tubing, use double flare to prevent pinch-off and cracked flares.
- 4- Lubricate threads and assemble to fitting body. Nut should be turned hand tight.
- 5- Tighten assembly with wrench until a solid feeling is encountered. From that point, apply a one-sixth turn.

Note: Do not over-torque as it may damage the fitting or split the tubing at the flare.

Actual O.D. of male inverted flare threads

5/16"-24	3/8"-24	7/16"-24	1/2"-20	5/8"-18	3/4"-18	7/8"-18	1-1/16"-16
2800 PSI	1900 PSI	1400 PSI	1200 PSI	1000 PSI	750 PSI	650 PSI	550 PSI

1/8"

3/16"

1/4"

5/16"

3/8"


1/2"

5/8"

3/4"

ZINC CHROMATE STEEL NUT


SAE# 040110



2105
411FS
105
41W

Part #	Size	Thread	A	Hex	Approx. Wt. Lbs.	List Price
12-001	1/8"	5/16-24	0.52	0.31	0.01	1.44
12-002	3/16"	3/8-24	0.56	0.37	0.02	0.41
12-003	1/4"	7/16-24	0.56	0.43	0.02	0.46
12-004	5/16"	1/2-20	0.62	0.50	0.02	0.53
12-005	3/8"	5/8-18	0.66	0.62	0.03	0.89
12-000	7/16"	11/16-18	0.68	0.68	0.04	3.00
12-011	3/8"	11/16-18	0.66	0.68	0.05	6.06
12-006	1/2"	3/4-18	0.74	0.75	0.08	2.94
12-007	5/8"	7/8-18	0.80	0.87	0.10	3.19
12-008	3/4"	1-1/16-16	0.88	1.06	0.10	5.62

LONG STEEL NUT




7896

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
12-009	3/16"	0.84	0.37	0.02	1.43
12-010	1/4"	0.81	0.43	0.02	1.64

INVERTED FLARE BRASS NUT

SAE# 040110



2100
411F
100
411B


Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
12-012	1/8"	0.52	0.31	0.01	2.90
12-013	3/16"	0.56	0.37	0.01	1.78
12-014	1/4"	0.56	0.43	0.02	0.62
12-015	5/16"	0.62	0.50	0.03	1.25
12-016	3/8"	0.66	0.62	0.04	1.63
12-017	1/2"	0.74	0.75	0.05	4.41

EVERYONE WANTS TO SAVE THE WORLD, BUT NO ONE WANTS TO HELP MOM DO THE DISHES.

- P.J. O'ROURKE

UNION INTERNAL

SAE# 040101




302
2300
42IFHD

Part #	Inv. Flare X Inv. Flare	A	Hex	Approx. Wt. Lbs.	List Price
12-022	1/8"	0.59	0.40	0.02	5.66
12-023	3/16"	0.62	0.47	0.02	0.80
12-024	1/4"	0.62	0.50	0.03	2.71
12-025	5/16"	0.70	0.56	0.04	2.50
12-026	3/8"	0.80	0.75	0.08	3.02
12-027	1/2"	0.91	0.90	0.10	8.18

FEMALE ADAPTER

SAE# 040103




46IFHD
252
46W

Part #	Inv. Flare X Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
12-032	3/16" x 1/8"	0.75	0.50	0.02	3.37
12-033	1/4" x 1/8"	0.75	0.53	0.02	1.89
12-034	5/16" x 1/8"	0.78	0.59	0.04	12.36
12-035	3/8" x 1/4"	1.03	0.75	0.08	9.60
12-036	1/2" x 3/8"	1.10	0.90	0.12	12.29

MALE ADAPTER

SAE# 040102



2200
48IFHD
202
48W
200


Part #	Inv. Flare X Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
12-041	1/8" x 1/8"	0.63	0.40	0.02	4.59
12-042	3/16" x 1/8"	0.70	0.43	0.02	1.25
12-043	1/4" x 1/8"	0.74	0.50	0.03	1.25
12-044	1/4" x 1/4"	0.89	0.56	0.04	1.50
12-045	5/16" x 1/8"	0.79	0.56	0.03	3.00
12-046	5/16" x 1/4"	0.98	0.56	0.05	2.05
12-047	3/8" x 1/8"	0.88	0.72	0.05	4.43
12-048	3/8" x 1/4"	1.02	0.75	0.06	2.27
12-049	3/8" x 3/8"	1.02	0.75	0.08	4.58
12-038	1/2" x 1/4"	0.97	0.87	0.10	9.13
12-050	1/2" x 3/8"	1.06	0.87	0.08	6.24
12-051	1/2" x 1/2"	1.06	0.87	0.11	9.88
12-052	5/8" x 1/2"	1.32	1.06	0.15	5.25
12-040	3/4" x 3/4"	1.39	1.25	0.24	23.08

Dimension data can change without notice.
Please call us when dimensions are critical.

A MAN WHO WANTS TO LEAD THE ORCHESTRA MUST TURN HIS BACK ON THE CROWD.
- MAX LUCADO

ELBOW

SAE# 040202




Part #	Inv. Flare X Male NPTF	A	B	Approx. Wt. Lbs.	List Price
12-057	1/8" x 1/8"	0.26	0.59	0.03	18.02
12-058	3/16" x 1/8"	0.26	0.61	0.03	2.81
12-059	1/4" x 1/8"	0.33	0.65	0.04	1.60
12-054*	1/4" x 1/8"	0.33	0.65	0.04	22.90
12-060	1/4" x 1/4"	0.28	0.82	0.06	3.20
12-061	5/16" x 1/8"	0.47	0.68	0.05	2.20
12-062	5/16" x 1/4"	0.45	0.85	0.08	3.20
12-063	3/8" x 1/8"	0.54	0.76	0.14	7.51
12-064	3/8" x 1/4"	0.53	0.92	0.14	7.54
12-065	3/8" x 3/8"	0.50	0.94	0.12	13.24
12-066	1/2" x 3/8"	0.59	1.03	0.16	11.83
12-067	1/2" x 1/2"	0.66	1.22	0.25	15.33
12-056	5/8" x 3/8"	0.67	1.09	0.20	34.25
12-068	5/8" x 1/2"	0.67	1.29	0.18	16.21
12-069	3/4" x 1/2"	0.80	1.39	0.42	51.34
12-080	7/8" x 3/4"	0.94	1.43	0.48	71.86
12-081	1" x 1"	1.02	1.69	0.60	83.14

400
2400
249IFHD 249IF
402 49W

* Restricted pipe end .062

45° ELBOW

SAE# 040302




Part #	Inv. Flare X Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
12-072	3/16" x 1/8"	0.25	0.55	0.53	0.02	18.25
12-073	1/4" x 1/8"	0.27	0.58	0.56	0.04	4.99
12-074	5/16" x 1/8"	0.36	0.56	0.62	0.06	6.03
12-075	5/16" x 1/4"	0.23	0.83	0.62	0.06	30.35
12-076	3/8" x 1/4"	0.51	0.84	0.78	0.09	12.67
12-077	1/2" x 3/8"	0.38	0.91	0.84	0.11	13.14
12-079	5/8" x 1/2"	0.44	1.00	1.06	0.21	23.77

154
2352
259IFHD
352 94W

UNION TEE

SAE# 040401




Part #	Size	A	B	Approx. Wt. Lbs.	List Price
12-085	1/8"	0.33	0.47	0.04	14.87
12-086	3/16"	0.39	0.55	0.04	4.12
12-087	1/4"	0.42	0.56	0.08	6.63
12-088	5/16"	0.45	0.63	0.09	9.01
12-089	3/8"	0.56	0.74	0.17	17.04
12-090	1/2"	0.67	0.88	0.24	28.86

244IFHD
702
44I

STEEL PLUG

• cored

SAE# 040109




106
41IP
131
2131

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
12-091	3/16"	0.53	0.37	0.01	0.83
12-092	1/4"	0.54	0.43	0.02	1.04
12-093	5/16"	0.59	0.50	0.03	1.15
12-094	3/8"	0.66	0.62	0.04	3.60

MALE BRANCH TEE

SAE# 040425




145
245IFHD
602
2600
600

Part #	Inv. Flare x Male NPTF (1&2)x3	A	B	Approx. Wt. Lbs.	List Price
12-100	3/16" x 1/8"	0.41	0.60	0.04	8.16
12-101	1/4" x 1/8"	0.42	0.64	0.06	6.56
12-102	5/16" x 1/8"	0.47	0.68	0.07	10.38
12-103	3/8" x 1/4"	0.58	0.93	0.15	34.17

FEMALE ELBOW

SAE# 040203




450

Part #	Inv. Flare x Female NPTF	A	Approx. Wt. Lbs.	List Price
12-110	1/4" x 1/8"	0.55	0.07	20.19
12-111	5/16" x 1/8"	0.51	0.08	19.03
12-112	3/8" x 1/4"	0.68	0.10	12.12

MALE RUN TEE

SAE# 040424




251IFHD
752
550
151

Part #	Inv. Flare x Male NPTF (1&3)x2	A	B	C	Approx. Wt. Lbs.	List Price
12-118	3/16" x 1/8"	0.53	0.72	0.39	0.06	36.97
12-119	1/4" x 1/8"	0.56	0.75	0.42	0.08	35.38
12-120	5/16" x 1/8"	0.62	0.85	0.45	0.10	19.50
12-121	3/8" x 1/4"	0.75	1.08	0.56	0.14	21.65

Save 5% by ordering online at www.midlandindustrial.com


FEMALE BRANCH TEE

SAE# 040427



Part #	Inv. Flare x Female NPTF (1&2)x3	A	B	Approx. Wt. Lbs.	List Price
12-127	3/16" x 1/8"	0.39	0.55	0.06	20.61
12-129	5/16" x 1/8"	0.45	0.63	0.12	20.03
12-130	3/8" x 1/4"	0.56	0.74	0.17	25.25


TOWED TRAILER BRAKE TEE



Part #	A	B	C	Reference #	Approx. Wt. Lbs.	List Price
12-147	3/16" 0.57	3/16" 0.76	3/16" 0.42	7900	0.08	12.09
12-145	3/16" (1/2-20) 0.68	3/16" (3/8-24) 0.94	3/16" (1/2-20) 0.47	7906	0.17	29.18
12-148	3/16" (9/16-18)	3/16" (3/8-24)	3/16" (9/16/18)	7933	0.10	11.71
12-144	3/16" (9/16-20) 0.82	3/16" (3/8-24) 0.94	3/16" (9/16-20) 0.47	7905	0.18	30.00
12-146	3/16" (7/16-24) 0.54	3/16" (3/8-24) 0.78	1/4" (7/16-24) 0.42	7914	0.08	24.54
12-150	1/4" 0.56	3/16" 0.77	1/4" 0.43	7901	0.10	15.39
12-149	1/4" (9/16-18) 0.81	3/16" (3/8-24) 0.93	1/4" (9/16-18) 0.50	7904	0.10	44.20
12-151	1/4" 0.56	1/4" 0.77	1/4" 0.43	7898	0.12	15.97

INVERTED FLARE AUTO FITTINGS

DUAL MASTER CYLINDER ADAPTER




Part #	Male Flare x Female Inv.	A	Hex	Reference #	Approx. Wt. Lbs.	List Price
12-200	3/16" x 3/16"	1.00	0.50	1441	0.03	3.89
12-202	5/16" x 3/16"	0.96	0.68	7897	0.07	6.00

I THOROUGHLY DISAPPROVE OF DUELS. IF A MAN SHOULD CHALLENGE ME, I WOULD TAKE HIM KINDLY AND FORGIVINGLY BY THE HAND AND LEAD HIM TO A QUIET PLACE AND KILL HIM

- MARK TWAIN

DUAL MASTER CYLINDER ADAPTER




• Other sizes available

Part #	Male Inv. x Female Inv.	A	Hex	Reference #	Approx. Wt. Lbs.	List Price
12-210	3/16" x 1/4"	0.84	0.56	7828	0.03	4.57
12-212	1/4" x 3/16"	0.84	0.50	7818	0.04	4.67
12-214*	7/16-20 x 1/4"	0.87	0.68	7732	0.06	7.73
12-216	5/16" x 3/16"	0.94	0.50	7909	0.04	4.75
12-218*	5/16" x 1/4"	0.93	0.62	7727	0.06	6.34
12-220	5/16" x 1/4"	0.95	0.68	7829	0.07	5.21
12-222*	5/16" x 5/16"	0.95	0.68	1074	0.06	19.32
12-224	3/8" MPT x 5/16"	0.87	0.75	7771	0.08	16.55

* Seals on hex face

47W

CARBURETOR TO FUEL LINE ADAPTER - FORD




1513

Part #	Size	A	Hex	Ref #	Approx. Wt. Lbs.	List Price
12-230	1/4"(1/2-20) x 1/8"MPT	1.06	0.56	1513	0.04	17.18

RESTRICTION PIPE ADAPTER


(.0625 ORIFICE)



1510

Part #	Size FIP x MIP	A	Hex	Ref #	Approx. Wt. Lbs.	List Price
12-310	1/8"	0.75	0.50	1512	0.02	6.58

SAE FLARE X INVERTED FLARE



4205

Part #	SAE Flare x Inv. Flare	A	Hex	Ref #	Approx. Wt. Lbs.	List Price
12-250	1/4" x 3/16"	1.03	0.43	1518	0.02	31.68
12-252	1/4" x 1/4"	1.03	0.43	1522	0.03	5.86
12-254	3/8" x 5/16"	1.34	0.63	1553	0.08	28.35
12-256	3/8" x 3/8"	1.37	0.63	1563	0.09	20.85
12-257	3/8" x 7/16"	1.40	0.68	1554	0.10	17.96


Dimension data can change without notice. Please call us when dimensions are critical.

INVERTED FLARE

BRASS FITTINGS


METRIC HYDRAULIC BRAKE FITTINGS

METRIC ADAPTER




Part #	Male	O.D.	A	Hex	Ref #	Approx. Wt. Lbs.	List Price
12-335	M10x1.0	3/16"(3/8-24)	1.02	0.50	1442	0.02	3.72
12-326	M11x1.5	3/16"(M10x1.0)	1.06	0.50	7935	0.02	16.78
12-327	M12x1.0	3/16"(M10x1.0)	1.02	0.53	7936	0.04	15.96
12-328	M16x1.5	3/16"(M10x1.0)	1.02	0.56	7937	0.06	16.78

METRIC TOWED TRAILER BRAKE TEE




Part #	A	B	C	Ref #	Approx. Wt. Lbs.	List Price
12-333	3/16" (M12x1.0) 1.03	3/16" (3/8-24) 0.75	3/16" (M12x1.0) 0.49	7921	0.16	39.78

ADAPTER STANDARD TO METRIC BUBBLE



Part #	Female	Male	A	Hex	Reference #	Approx. Wt. Lbs.	List Price
12-337	3/16" (3/8-24)	4.762(3/16") (10x1.25)	1.00	0.50	7970	0.02	19.86
12-339	3/16" (3/8-24)	13x1.5	1.03	0.56	7972	0.04	20.61
12-341	3/16" (3/8-24)	12x1.0	1.02	0.53	7974	0.04	17.29

METRIC UNION



Part #	Size	A	Hex	Reference #	Approx. Wt. Lbs.	List Price
12-343	3/16"(10.0MM)	1.04	0.56	7975	0.04	15.73

Save 5% by ordering online at
www.midlandindustrial.com

BRASS FITTINGS

POL (BOTTLE GAS)

POL BRASS FITTINGS (BOTTLE GAS)

Used for making connections in LP gas systems

POL Thread 880 - 14LH

Note: All bottle fittings are UL listed.

TEE CHECK



POL-T1
2000
1000

Part #	Pipe Size	List Price
34-001	M2000	34.25

TAILPIECE WITH FLATS

1001AUL
21605



POL-LPT
POL-LTPH
M-2001-A

1/4 NPT

Part #	Length	List Price
34-011	2.34 w/ wrench Flats	19.10
34-012	2.13 w/ Hex	8.47

STANDARD NUT

7/8" Hex



1001BUL
POL-N
21601
M-2001-B

Part #	Pipe Size	List Price
34-016	.880-14 LH	4.32

TAILPIECE & NUT ASSEMBLY



2002AB

Part #	Pipe Size	List Price
34-022	1/4	21.53

POL CAP



POL-N5
2004
1004A
M-2004

Part #	Pipe Size	List Price
34-031	.880-14LH	12.13

ADAPTERS

POL 2005
POL 2006
POL 2007



21607
POL-U2
1015

Part #	Pipe Size	List Price
34-041	3/8 Flare x .880-14LH	17.59
34-046	1/2 Flare x .880-14LH	17.49
34-051	5/8 Flare x .880-14LH	22.28

POL X 1/4 FPT



2008
POL-U3B


Part #	Pipe Size	List Price
34-056	.880-14LH POL x 1/4 FPT	33.56



**BIN LABELS
ON DEMAND**

SEE INTRO PAGE
4

Compression Fittings



Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8
Thread Size-B	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1-18	1-1/8-18
Working Pressure	400	400	300	300	200	200	200	150	100	75

•Typical Application

Use with copper, aluminum and thermoplastic tubing. Not recommended for steel tubing. Manufactured for low and medium pressure tubing connection work where excessive vibration or tube movement is not involved. Not recommended for application using gaseous media.

•Pressure

See table above for working pressures at 73°F.

•Vibration

Fair resistance - use long nut when greater vibration resistance is needed.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) range at maximum operating pressures. (Refer to tubing temperature range.)

•Material

CA360 Brass for barstock fittings.
CA377 Brass for forged fittings.

•Used With

Aluminum, copper, brass and plastic tubing. Plastic tubing requires insert. Not recommended for steel tubing.

•Tolerance

+/- .02 on all dimensions. Dimension data can change

without notice. Please call us when dimensions are critical.

• Conformance

Meets specifications and standards of ASA, ASME and SAE.

•Assembly Instructions

- 1- Cut tubing to desired length.
- 2- Slide nut and then sleeve on tube. Threaded end "A" of nut must face toward fitting.
- 3- Insert tubing into fitting body. Be sure tubing is bottomed on fitting shoulder.
- 4- Lubricate threads and assemble nut to fitting body.
- 5- Tighten nut hand tight. From that point, tighten with a wrench the number of turns indicated in the chart below.

Tube Size	Additional Turns from Hand Tight
1/8" thru 1/4"	1-1/4"
5/16"	1-3/4"
3/8" thru 1"	2-1/4"

• "L" at the end of a Part# means Light Pattern - These fittings are completely interchangeable with full pattern fittings, but have been modified in some way. This modification is usually in the length of the pipe threads. Used in plumbing and light industrial applications.

These are NOT Lead Free
See pages 166-175 for Lead Free products


Actual Profile of Compression Threads



BRASS SLEEVE

SAE# 060115


• FERRULES



60
260

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
18-001	1/8"	0.19	0.19	0.01	0.28
18-002	3/16"	0.22	0.27	0.01	0.20
18-003	1/4"	0.25	0.34	0.01	0.24
18-004	5/16"	0.25	0.41	0.01	0.19
18-005	3/8"	0.25	0.47	0.02	0.23
18-006	7/16"	0.31	0.53	0.02	0.56
18-007	1/2"	0.38	0.59	0.02	0.57
18-008	5/8"	0.38	0.71	0.03	0.61
18-009	3/4"	0.44	0.87	0.03	1.60
18-010	7/8"	0.41	0.99	0.03	1.02

DELTRIN SLEEVE




60-P

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
18-015	1/4"	0.19	0.37	0.01	0.19
18-016	5/16"	0.19	0.43	0.01	0.92
18-017	3/8"	0.19	0.50	0.02	0.28
18-018	1/2"	0.25	0.63	0.02	0.33
18-019	5/8"	0.22	0.74	0.02	0.35

SELF-ALIGN SLEEVE - See page 88 for self-align sleeve assemblies

601



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
27-001	1/8"	0.19	0.25	0.01	0.30
27-002	3/16"	0.20	0.31	0.01	0.93
27-003	1/4"	0.21	0.37	0.02	0.36




Part #	Size	A	B	Approx. Wt. Lbs.	List Price
27-005	3/8"	0.23	0.50	0.03	0.69
27-006	1/2"	0.35	0.62	0.03	2.06

* Note: To buy compression fittings with self-align sleeve, simply delete the 18- prefix on the same size compression fitting and substitute 27- prefix. Pricing available upon request. 72 Hour lead time.

Some product stocked in Houston and Atlanta.

BRASS INSERT

• SLEEVE




63-BI
60AE
2030
63PT

Part #	Size	A	B	Approx. Wt. Lbs.	Wall	List Price
22-008	1/8"	0.46	0.080	0.01	.016	0.69
22-009	3/16"	0.45	0.135	0.01	.025	0.67
22-009A	3/16"	0.52	0.095	0.01	.040	0.78
22-010	1/4"	0.50	0.163	0.02	.04	0.39
22-010A	1/4"	0.59	0.125	0.02		1.10
22-010B	1/4"	0.53	0.172	0.02		1.72
22-011A	5/16"	0.50	0.232	0.02	.04	1.67
22-011	5/16"	0.53	0.187	0.02	.062	0.69
22-012	3/8"	0.56	0.250	0.03	.062	0.61
22-013	1/2"	0.72	0.370	0.03	.062	0.79
22-014	5/8"	0.72	0.483	0.03	.062	1.60
22-015	3/4"	1.03	0.563	0.03		4.54

BRASS NUT


SAE# 060110



61
261

Part #	Size	Thread	A	Hex	Approx. Wt. Lbs.	List Price
18-033	1/8"	5/16-24	0.38	0.37	0.01	0.88
18-034	3/16"	3/8-24	0.41	0.43	0.01	0.51
18-035L	1/4"	7/16-24	0.44	0.50	0.02	0.57
18-035	1/4"	7/16-24	0.44	0.50	0.02	0.77
18-036	5/16"	1/2-24	0.44	0.56	0.02	0.83
18-037L	3/8"	9/16-24	0.47	0.62	0.04	0.86
18-037	3/8"	9/16-24	0.47	0.62	0.04	1.27
18-038	7/16"	5/8-24	0.50	0.68	0.04	3.87
18-039L	1/2"	11/16-20	0.56	0.75	0.04	1.75
18-039	1/2"	11/16-20	0.62	0.81	0.04	2.26
18-040L	5/8"	13/16-18	0.56	0.87	0.06	1.80
18-040	5/8"	13/16-18	0.62	0.94	0.06	3.10
18-041	3/4"	1-18	0.68	1.12	0.08	3.86
18-042	7/8"	1-1/8 - 18	0.62	1.25	0.10	4.75

NICKEL PLATED NUT




Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
18-054	1/4"	0.44	0.50	0.02	0.72
18-055	3/8"	0.45	0.62	0.02	0.72
18-056	1/2"	0.56	0.75	0.04	1.74
18-057	5/8"	0.56	0.94	0.04	1.75

These are NOT Lead Free
See pages 166-175 for Lead Free products

Some product stocked in Houston and Atlanta.

LONG NUT COMPRESSION - Can be assembled on any compression fitting




161

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
24-003	1/4"	0.75	0.50	0.02	1.85
24-004	5/16"	0.84	0.56	0.02	1.34
24-005	3/8"	0.97	0.62	0.04	2.79
24-006	1/2"	1.06	0.81	0.06	7.20
24-007	5/8"	1.19	0.94		7.15

• More sizes available

* Note: To buy compression fittings with long nut, simply delete the 18- prefix on the same size compression fitting and substitute a 24- prefix. Pricing available upon request. 72 hour lead time.

CAPTIVE SLEEVE NUT - See captive sleeve fittings on page 86-87




Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
26-001	1/8"	0.38	0.37	0.02	1.50
26-002	3/16"	0.40	0.43	0.02	1.57
26-003	1/4"	0.40	0.50	0.04	1.27
26-004	5/16"	0.44	0.56	0.04	1.63
26-005	3/8"	0.46	0.62	0.06	1.50
26-007	1/2"	0.50	0.81	0.08	3.01
26-008	5/8"	0.51	0.94	0.10	5.87

* Note: To buy compression fittings with captive sleeve, simply delete the 18- prefix on the same size compression fitting and substitute a 26- prefix. Pricing available upon request. 72 hour lead time.

BREAK-AWAY NUT

181-BA
21604
99LB
81LB




• 1-Piece Fiting

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
16-090	3/16"	0.57	0.37	0.02	7.98
16-010	1/4"	0.62	0.43	0.02	1.98

* Threaded sleeve fittings on page 84.

CAP


61-CC
N5CT



Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
18-047	1/4"	0.44	0.50	0.02	1.39
18-048	3/8"	0.40	0.62	0.04	1.58
18-049	1/2"	0.48	0.75	0.06	2.74
18-050	5/8"	0.56	0.94	0.10	6.16

COMPRESSION PLUG


CSP



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
18-029	3/8"	0.31	0.47	0.04	1.90
18-030	1/2"	0.34	0.59	0.06	2.52

UNION


SAE# 060101BA



M-62

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
18-062	1/8"	0.64	0.31	0.03	4.59
18-063	3/16"	0.75	0.37	0.04	2.28
18-064L	1/4"	0.79	0.43	0.06	2.40
18-064	1/4"	0.81	0.43	0.06	2.76
18-065	5/16"	0.88	0.50	0.06	3.54
18-066L	3/8"	0.96	0.56	0.09	3.55
18-066	3/8"	0.98	0.56	0.10	3.38
18-067	7/16"	1.02	0.62	0.12	19.44
18-068L	1/2"	1.06	0.68	0.16	7.30
18-068	1/2"	1.25	0.68	0.16	8.73
18-069L	5/8"	1.43	0.81	0.24	8.16
18-069	5/8"	1.25	0.81	0.26	10.26
18-070	3/4"	1.41	1.00	0.35	20.69
18-071L	7/8"	1.03	1.12	0.34	17.33
18-071	7/8"	1.00	1.12	0.36	17.12

REDUCING UNION




62-R

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
18-076	1/4" x 1/8"	0.73	0.44	0.04	4.20
18-077	1/4" x 3/16"	0.78	0.44	0.06	7.99
18-078	5/16" x 1/4"	0.81	0.50	0.06	4.75
18-079	3/8" x 1/4"	0.90	0.56	0.10	7.20
18-080	3/8" x 5/16"	0.94	0.56	0.10	7.13
18-081	1/2" x 3/8"	1.03	0.68	0.12	8.12
18-082	5/8" x 3/8"	1.03	0.81	0.15	8.00
18-083	5/8" x 1/2"	1.10	0.81	0.15	9.20
18-084	7/8" x 5/8"	1.23	1.18	0.20	29.44

BULKHEAD UNIONS

SAE# 060101



62BH
75
274

Part #	Size	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
18-088	1/4"	1.58	0.56	0.56	0.10	8.21
18-090	3/8"	1.76	0.68	0.68	0.14	22.16

BULKHEAD NUTS



20102


Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
18-097	1/4"	0.25	0.56	0.02	5.01
18-099	3/8"	0.25	0.68	0.04	5.59
18-100	1/2"	0.38	0.94	0.06	16.72

Dimension data can change without notice.
Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.



BALL CHECK VALVE - Min. Working pressure 3 psi.





63
263
63A

Part #	Tube OD x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
18-092	1/8" x 1/8"	0.78	0.44	0.04	11.63
18-094	1/4" x 1/8"	0.88	0.44	0.04	12.20
18-096	3/8" x 1/4"	1.16	0.56	0.08	16.11

TEE

SAE# 060401




64
264C

Part #	Size	A	Body Size	Approx. Wt. Lbs.	List Price
18-101	1/8"	0.61	0.37	0.04	12.96
18-101B*	1/8"	0.62	0.33	0.04	11.29
18-102	3/16"	0.59	0.36	0.08	5.80
18-102B*	3/16"	0.60	0.38	0.08	8.20
18-103	1/4"	0.63	0.36	0.10	5.35
18-103B*	1/4"	0.62	0.49	0.10	10.20
18-104	5/16"	0.72	0.50	0.13	8.49
18-104B*	5/16"	0.60	0.50	0.14	13.33
18-105	3/8"	0.75	0.50	0.16	6.27
18-105B*	3/8"	0.73	0.59	0.16	12.84
18-106	1/2"	0.94	0.59	0.22	13.61
18-106B*	1/2"	0.94	0.69	0.24	29.29
18-107	5/8"	1.06	0.69	0.28	14.51
18-108	3/4"	1.22	0.88	0.32	47.28
18-109	7/8"	1.25	0.94	0.34	37.98

* Barstock

FORGED REDUCING TEE




64-R

Part #	Size 1 x 2 x 3	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-114	1/4" x 1/4" x 1/8"	0.62	0.59	0.38	0.09	7.28
18-110	1/4" x 1/4" x 3/8"	0.69	0.75	0.50	0.14	16.10
18-111	3/8" x 1/4" x 1/4"	0.75	0.69	0.50	0.12	9.90
18-115	3/8" x 3/8" x 1/4"	0.75	0.69	0.50	0.14	7.27
18-116	1/2" x 1/2" x 1/4"	0.94	0.81	0.59	0.16	13.74
18-117	1/2" x 1/2" x 3/8"	0.94	0.81	0.59	0.24	14.79
18-118	5/8" x 5/8" x 3/8"	1.06	0.94	0.69	0.28	17.69
18-119	5/8" x 5/8" x 1/2"	1.06	1.06	0.69	0.30	19.58

Some product stocked in Houston and Atlanta.

UNION ELBOW

SAE# 060201




65
BSE2
165C Forged
265C Barstock

Part #	Size	A	Body Size	Approx. Wt. Lbs.	List Price
18-122B*	1/8"	0.62	0.35	0.04	7.89
18-123	3/16"	0.61	0.37	0.06	7.05
18-123B*	3/16"	0.62	0.41	0.06	7.14
18-124	1/4"	0.66	0.38	0.08	4.55
18-124B*	1/4"	0.60	0.48	0.08	7.89
18-125	5/16"	0.69	0.47	0.09	7.50
18-125B*	5/16"	0.62	0.52	0.09	10.08
18-126	3/8"	0.72	0.43	0.12	6.00
18-127	1/2"	0.94	0.59	0.19	9.67
18-127B*	1/2"	0.94	0.71	0.19	19.50
18-128	5/8"	1.06	0.72	0.26	10.15
18-129	3/4"	1.19	0.94	0.48	25.67
18-130	7/8"	1.25	0.94	0.44	28.44

* Barstock


REDUCING ELBOW - Forged



65-R

Part #	Size	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-135	3/8" x 1/4"	0.69	0.75	0.47	0.12	10.02
18-136	1/2" x 3/8"	0.88	0.94	0.59	0.15	11.02
18-137	5/8" x 3/8"	0.88	0.97	0.56	0.18	15.26


TANK ADAPTER DRILLED THRU (NO STOP)



68-T
682C
80F

Part #	Comp. X Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
18-208	1/4" x 1/8"	0.88	0.43	0.04	3.17
18-209	1/4" x 1/4"	0.99	0.56	0.05	2.38
18-210	3/8" x 1/4"	1.16	0.56	0.05	4.44
18-211	3/8" x 3/8"	1.09	0.68	0.08	3.68
18-212	3/8" x 1/2"	1.19	0.87	0.10	5.90
18-213	1/2" x 3/8"	1.22	0.68	0.12	7.96
18-214	1/2" x 1/2"	1.09	0.81	0.14	6.44
18-215	5/8" x 1/2"	1.12	0.81	0.18	7.59

COMP X SWEAT ADAPTER




66-S

Part #	Comp. X Sweat Adapter	A	Hex	Approx. Wt. Lbs.	List Price
18-171	3/8" x 1/2" nom.swt.	0.98	0.75	0.08	6.24

Lead Free fittings available on
pgs. 166-175

FEMALE ADAPTER

SAE# 060103



66

Part #	Comp. X Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
18-142	1/8" x 1/8"	0.75	0.56	0.02	3.25
18-143	3/16" x 1/8"	0.78	0.56	0.04	4.22
18-144	3/16" x 1/4"	0.96	0.68	0.04	9.88
18-145L	1/4" x 1/8"	0.84	0.50	0.05	1.86
18-145	1/4" x 1/8"	0.78	0.56	0.05	2.67
18-146L	1/4" x 1/4"	0.88	0.62	0.09	3.69
18-146	1/4" x 1/4"	1.03	0.68	0.09	6.07
18-147	1/4" x 3/8"	1.00	0.81	0.10	4.21
18-148	1/4" x 1/2"	1.02	0.87	0.12	5.09
18-149	5/16" x 1/8"	0.81	0.56	0.05	3.74
18-150	5/16" x 1/4"	0.91	0.62	0.06	5.53
18-152	3/8" x 1/8"	0.88	0.56	0.06	3.69
18-153L	3/8" x 1/4"	0.97	0.62	0.08	4.70
18-153	3/8" x 1/4"	1.06	0.68	0.08	4.98
18-154L	3/8" x 3/8"	1.03	0.75	0.08	3.14
18-154	3/8" x 3/8"	1.06	0.81	0.10	7.08
18-155	3/8" x 1/2"	1.12	1.00	0.08	5.30
18-156	3/8" x 3/4"	1.19	1.16	0.14	16.01
18-157	1/2" x 1/4"	1.09	0.68	0.10	9.82
18-158L	1/2" x 3/8"	0.94	0.81	0.12	8.01
18-158	1/2" x 3/8"	1.12	0.81	0.12	8.01
18-159L	1/2" x 1/2"	1.19	1.00	0.12	6.36
18-159	1/2" x 1/2"	1.31	1.00	0.12	13.09
18-160	1/2" x 3/4"	1.25	1.16	0.18	15.31
18-161	5/8" x 3/8"	1.03	0.81	0.12	12.55
18-162L	5/8" x 1/2"	1.20	0.94	0.18	6.99
18-162	5/8" x 1/2"	1.38	1.00	0.18	11.43
18-163	5/8" x 3/4"	1.20	1.12	0.22	10.03
18-164	3/4" x 1/2"	1.25	1.06	0.26	18.10
18-165	3/4" x 3/4"	1.28	1.19	0.28	26.19
18-167	7/8" x 1/2"	1.28	1.19	0.32	17.43
18-166	7/8" x 3/4"	1.31	1.12	0.34	12.21

BRASS

SILENCE IS HOLY. IT DRAWS PEOPLE TOGETHER BECAUSE ONLY THOSE WHO ARE COMFORTABLE WITH EACH OTHER CAN SIT WITHOUT SPEAKING.

- NICHOLAS SPARKS

Dimension data can change without notice.
Please call us when dimensions are critical.


Fax 1-888-877-5391



sales@midlandindustrial.com

MALE ADAPTER

SAE# 060102



68


Part #	Comp. X Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
18-175	1/8" x 1/16"	0.78	0.37	0.02	8.05
18-176	1/8" x 1/8"	0.78	0.43	0.04	2.13
18-177	3/16" x 1/8"	0.84	0.43	0.04	2.04
18-178	3/16" x 1/4"	0.94	0.56	0.06	4.74
18-179L	1/4" x 1/8"	0.88	0.56	0.04	1.96
18-179	1/4" x 1/8"	0.88	0.43	0.04	1.91
18-180L	1/4" x 1/4"	0.94	0.56	0.05	1.68
18-180	1/4" x 1/4"	1.06	0.56	0.06	3.11
18-181	1/4" x 3/8"	1.03	0.68	0.08	3.06
18-182	1/4" x 1/2"	1.09	0.81	0.10	4.23
18-183	5/16" x 1/8"	0.91	0.50	0.05	2.60
18-184L	5/16" x 1/4"	1.01	0.56	0.06	3.36
18-184	5/16" x 1/4"	1.09	0.56	0.06	3.11
18-185	5/16" x 3/8"	1.06	0.68	0.07	5.65
18-186	5/16" x 1/2"	1.14	0.87	0.10	8.82
18-187L	3/8" x 1/8"	0.94	0.56	0.06	2.91
18-187	3/8" x 1/8"	0.97	0.56	0.06	4.01
18-188L	3/8" x 1/4"	1.03	0.56	0.06	3.16
18-188	3/8" x 1/4"	1.16	0.56	0.07	3.38
18-189L	3/8" x 3/8"	1.09	0.68	0.08	3.26
18-189	3/8" x 3/8"	1.14	0.69	0.08	4.35
18-190L	3/8" x 1/2"	1.19	0.88	0.12	5.24
18-190	3/8" x 1/2"	1.34	0.87	0.13	6.57
18-191	3/8" x 3/4"	1.29	1.06	0.16	10.96
18-192	7/16" x 1/4"	1.06	0.62	0.10	10.30
18-204	7/16" x 3/8"	1.10	0.68	0.12	8.42
18-193L	1/2" x 1/4"	1.09	0.69	0.11	6.00
18-193	1/2" x 1/4"	1.22	0.68	0.11	6.80
18-194L	1/2" x 3/8"	1.16	0.68	0.12	5.41
18-194	1/2" x 3/8"	1.16	0.69	0.12	5.55
18-195L	1/2" x 1/2"	1.09	0.81	0.12	5.41
18-195	1/2" x 1/2"	1.41	0.87	0.19	7.67
18-196	1/2" x 3/4"	1.38	1.06	0.22	7.67
18-197	5/8" x 3/8"	1.22	0.87	0.24	6.03
18-198	5/8" x 1/2"	1.12	0.81	0.24	6.90
18-199	5/8" x 3/4"	1.31	1.06	0.26	7.11
18-200	3/4" x 1/2"	1.44	1.00	0.26	11.36
18-201	3/4" x 3/4"	1.50	1.06	0.26	11.39
18-202	7/8" x 1/2"	1.18	1.12	0.26	17.87
18-203	7/8" x 3/4"	1.22	1.12	0.28	10.11
18-205	7/8" x 1"	1.67	1.37	0.32	25.30

IN THREE WORDS I CAN SUM UP EVERYTHING I'VE LEARNED ABOUT LIFE: IT GOES ON.


- ROBERT FROST

MALE ELBOW

SAE# 060202



Forged



Barstock

69
269C
BSE1
169C

Part #	Comp. X Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-220	1/8" x 1/8"	0.59	0.75	0.34	0.02	4.90
18-220B*	1/8" x 1/8"	0.60	0.67	0.43	0.04	3.42
18-221	3/16" x 1/8"	0.63	0.72	0.34	0.04	4.28
18-221B*	3/16" x 1/8"	0.62	0.69	0.43	0.06	3.24
18-223	3/16" x 1/4"	0.60	0.81	0.39	0.05	4.92
18-224	1/4" x 1/8"	0.60	0.75	0.37	0.06	3.50
18-224B*	1/4" x 1/8"	0.62	0.75	0.43	0.06	2.86
18-225	1/4" x 1/4"	0.65	0.94	0.36	0.08	3.95
18-225B*	1/4" x 1/4"	0.61	0.81	0.56	0.08	3.42
18-226	1/4" x 3/8"	0.75	0.91	0.47	0.08	4.57
18-227	1/4" x 1/2"	0.81	1.13	0.56	0.12	7.39
18-228	5/16" x 1/8"	0.66	0.75	0.47	0.06	4.85
18-228B*	5/16" x 1/8"	0.62	0.75	0.42	0.06	4.10
18-229	5/16" x 1/4"	0.66	0.81	0.47	0.07	4.81
18-229B*	5/16" x 1/4"	0.69	0.84	0.57	0.08	6.31
18-230	5/16" x 3/8"	0.75	0.91	0.47	0.10	5.66
18-231	5/16" x 1/2"	0.84	1.12	0.56	0.12	9.08
18-232	3/8" x 1/8"	0.72	0.66	0.39	0.06	3.88
18-232B*	3/8" x 1/8"	0.69	0.69	0.57	0.06	6.65
18-233	3/8" x 1/4"	0.75	0.82	0.46	0.08	5.11
18-233B*	3/8" x 1/4"	0.75	0.94	0.57	0.08	5.13
18-234	3/8" x 3/8"	0.81	0.94	0.46	0.10	5.36
18-234B*	3/8" x 3/8"	0.71	0.83	0.69	0.10	9.04
18-235	3/8" x 1/2"	0.87	1.12	0.56	0.14	11.01
18-235B*	3/8" x 1/2"	0.88	1.16	0.94	0.14	17.83
18-248	3/8" x 3/4"	1.03	1.19	0.81	0.18	11.48
18-247	7/16" x 1/4"	0.84	1.00	0.56	0.14	9.75
18-236	1/2" x 1/4"	0.88	0.97	0.56	0.14	7.87
18-237	1/2" x 3/8"	0.88	1.03	0.56	0.19	7.24
18-237B*	1/2" x 3/8"	0.94	1.12	0.70	0.19	10.09
18-238	1/2" x 1/2"	0.94	1.13	0.59	0.17	7.51
18-238B*	1/2" x 1/2"	0.94	1.31	0.86	0.17	16.01
18-239	1/2" x 3/4"	1.16	1.25	0.81	0.18	13.95
18-240	5/8" x 3/8"	1.06	1.12	0.68	0.18	8.58
18-241	5/8" x 1/2"	1.06	1.16	0.68	0.20	10.32
18-241B*	5/8" x 1/2"	1.06	1.31	0.86	0.20	16.06
18-242	5/8" x 3/4"	1.16	1.31	0.81	0.24	14.76
18-243	3/4" x 1/2"	1.19	1.31	0.94	0.26	15.91
18-245	3/4" x 3/4"	1.19	1.38	0.94	0.30	18.22
18-246	7/8" x 3/4"	1.25	1.38	0.94	0.35	27.58


* Barstock

Some product stocked in Houston and Atlanta.

Dimension data can change without notice.
Please call us when dimensions are critical.



FORGED MALE RUN TEE





71
171C
BST3

Part #	Comp. X Male NPTF (1&3) X 2	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-272	1/8" x 1/8"	0.63	0.69	0.36	0.06	6.30
18-273	3/16" x 1/8"	0.63	0.69	0.36	0.07	6.30
18-274	1/4" x 1/8"	0.63	0.75	0.36	0.08	5.43
18-275	1/4" x 1/4"	0.69	0.88	0.44	0.10	6.43
18-276	5/16" x 1/8"	0.72	0.75	0.50	0.10	8.46
18-277	5/16" x 1/4"	0.75	0.88	0.44	0.10	8.22
18-278	3/8" x 1/8"	0.75	0.75	0.50	0.14	9.10
18-279	3/8" x 1/4"	0.79	0.87	0.44	0.18	8.11
18-280	3/8" x 3/8"	0.88	1.00	0.47	0.20	10.85
18-281	1/2" x 3/8"	0.94	1.09	0.59	0.24	13.21
18-282	1/2" x 1/2"	0.97	1.19	0.69	0.26	17.24
18-283	5/8" x 1/2"	1.06	1.31	0.69	0.28	16.09
18-284	3/4" x 1/2"	1.22	1.34	0.88	0.30	38.16

MALE BRANCH TEE


SAE# 060203



72
BST1
172C

Part #	Comp. X Male NPTF (1&2) X 3	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-290	3/16" x 1/8"	0.63	0.69	0.36	0.08	8.21
18-291	1/4" x 1/8"	0.62	0.75	0.36	0.10	5.88
18-291B*	1/4" x 1/8"	0.64	0.73	0.45	0.10	10.06
18-292	1/4" x 1/4"	0.69	0.86	0.44	0.10	6.81
18-293	5/16" x 1/8"	0.72	0.75	0.50	0.11	6.81
18-294	5/16" x 1/4"	0.75	0.88	0.44	0.12	7.61
18-295	3/8" x 1/8"	0.75	0.75	0.50	0.14	9.09
18-296	3/8" x 1/4"	0.78	0.88	0.44	0.16	7.83
18-296B*	3/8" x 1/4"	0.78	0.91	0.62	0.16	12.98
18-297	3/8" x 3/8"	0.78	0.97	0.47	0.18	10.21
18-298	3/8" x 1/2"	0.88	1.22	0.69	0.20	15.63
18-304	1/2" x 1/4"	0.94	0.97	0.59	0.22	13.52
18-299B*	1/2" x 3/8"	0.96	1.09	0.70	0.24	25.38
18-299	1/2" x 3/8"	0.94	1.12	0.59	0.24	12.94
18-300	1/2" x 1/2"	0.97	1.19	0.69	0.30	16.35
18-301	5/8" x 1/2"	1.06	1.31	0.69	0.32	18.42
18-302	3/4" x 1/2"	1.22	1.34	0.88	0.50	40.93
18-303	3/4" x 3/4"	1.25	1.50	0.88	0.54	38.54

* Barstock



DROP SHIP PROGRAM



SEE INTRO PAGE

5



FEMALE ELBOW

SAE# 060203




70
270C
BSE3
170C

Part #	Comp. X Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-251	1/8" x 1/8"	0.69	0.56	0.56	0.04	8.02
18-252	3/16" x 1/8"	0.69	0.47	0.56	0.04	4.75
18-253	1/4" x 1/8"	0.69	0.47	0.56	0.06	4.72
18-253B*	1/4" x 1/8"	0.69	0.56	0.56	0.06	5.69
18-254	1/4" x 1/4"	0.75	0.50	0.72	0.08	5.35
18-267	1/4" x 3/8"	0.81	0.58	0.81	0.08	7.57
18-268	1/4" x 1/2"	0.89	0.66	1.00	0.10	10.02
18-255	5/16" x 1/8"	0.72	0.84	0.47	0.08	8.73
18-256	5/16" x 1/4"	0.78	0.50	0.72	0.09	6.81
18-257	3/8" x 1/8"	0.75	0.84	0.47	0.10	5.63
18-258	3/8" x 1/4"	0.84	0.59	0.75	0.10	6.00
18-259	3/8" x 3/8"	0.88	0.58	0.81	0.12	6.93
18-260	3/8" x 1/2"	0.97	0.66	1.00	0.14	7.95
18-250	3/8" x 3/4"	1.09	0.72	1.25	0.18	12.68
18-261	1/2" x 1/4"	1.06	0.70	0.88	0.18	11.05
18-262	1/2" x 3/8"	1.00	0.70	0.88	0.16	9.22
18-263	1/2" x 1/2"	1.03	0.72	1.00	0.20	9.52
18-270	1/2" x 3/4"	1.16	0.72	1.25	0.23	13.67
18-269	5/8" x 3/8"	1.09	0.77	1.00	0.20	13.99
18-264	5/8" x 1/2"	1.09	0.77	1.00	0.22	10.88
18-265	5/8" x 3/4"	1.22	0.77	1.25	0.24	14.93
18-266	3/4" x 1/2"	1.25	1.25	0.94	0.28	24.45

* Barstock


FORGED DROP-EAR ELBOW



BSE3-DE

Part #	Comp. X Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-271	5/8" x 1/2"	1.18	0.72	1.00	0.18	20.32

FORGED TEE




71
171C
BST3

Part #	Comp. X Female NPTF x Male NPTF 1x(2&3)	A	B	C	Approx. Wt. Lbs.	List Price
18-307	1/4" x 1/8"	0.72	0.53	0.72	0.20	7.33

Some product stocked in Houston and Atlanta.


ADAPTER TEE



Part #	Male NPTF x Female NPTF x Comp. 3x (1&2)	A	B	C	Body Size	Approx. Wt. Lbs.	List Price
18-314	1/8" x 1/4"	0.72	0.53	0.72	0.47	0.08	8.11
18-316	3/8" x 1/4"	0.84	0.97	0.81	0.47	0.10	9.45

76
176C

FEMALE BRANCH FORGED TEE




Part #	Comp. X Female NPTF (1&2)x3	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-321	1/4" x 1/8"	0.78	0.75	0.45	0.10	6.99
18-328	1/4" x 1/4"	0.78	0.75	0.44	0.12	10.91
18-325	3/8" x 1/8"	0.75	0.63	0.50	0.12	9.07
18-322	3/8" x 1/4"	0.81	0.97	0.47	0.14	10.99
18-323	3/8" x 3/8"	0.97	0.69	1.05	0.16	16.42
18-326	1/2" x 1/8"	0.94	0.75	0.59	0.20	14.38
18-324	1/2" x 3/8"	1.00	0.72	0.88	0.22	21.62
18-327	5/8" x 1/8"	1.06	0.81	0.69	0.26	19.50

78 2908
BST4
77
177C

45° ELBOW

SAE# 060302




Part #	Comp. X Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
18-329	3/16" x 1/8"	0.40	0.63	0.41	0.04	5.42
18-330	1/4" x 1/8"	0.40	0.61	0.41	0.04	4.99
18-336	1/4" x 1/4"	0.59	0.84	0.53	0.06	7.31
18-331	5/16" x 1/8"	0.59	0.65	0.53	0.06	8.03
18-332	5/16" x 1/4"	0.59	0.83	0.53	0.08	8.49
18-333	3/8" x 1/4"	0.62	0.83	0.53	0.08	6.53
18-338	3/8" x 3/8"	0.75	0.95	0.59	0.10	17.77
18-334	1/2" x 3/8"	0.75	0.88	0.59	0.14	8.08
18-339	1/2" x 1/2"	0.94	1.14	0.75	0.14	15.68
18-335	5/8" x 1/2"	0.78	1.14	0.78	0.14	16.68

6945 273
45BSE1 77
74
179C

Dimension data can change without notice.
Please call us when dimensions are critical.

GARDEN HOSE SWIVEL

•WASHER INCLUDED



Part #	Compression x FGH	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
30-050	1/4" x 3/4"	1.02	0.50	0.75	0.09	8.38
30-051	3/8" x 3/4"	1.04	0.62	0.75	0.12	7.72

BRASS

DOUBLE COMPRESSION THREADED SLEEVE FITTINGS

- Use with aluminum and copper tubing or plastic tubing with internal tube support. Not recommended for steel tubing.
- Easy to assemble, no flaring, two piece construction.
- For use on oil, air, water and grease lubrication systems.
- When design makes a dimension critical, contact us for information.

Tube OD	1/8	3/16	1/4	5/16	3/8
Thread	5/16-24	3/8-24	7/16-24	1/2-20	9/16-20
Working Pressure	500	500	500	250	250

* For break away nut, see page 75.

NUT


181
6100
11



Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
16-001	1/8"	0.50	0.37	0.02	1.07
16-002	3/16"	0.53	0.43	0.02	1.75
16-003	1/4"	0.56	0.50	0.04	2.42
16-004	5/16"	0.61	0.56	0.04	2.10
16-005	3/8"	0.61	0.62	0.04	3.00

MALE ADAPTER


188
6200
12



Part #	THRD Sleeve x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
16-117	1/8" x *	0.62	0.43	0.02	11.42
16-118	1/8" x 1/8"	0.62	0.43	0.02	2.31
16-119	3/16" x 1/8"	0.69	0.43	0.02	3.13
16-121	1/4" x 1/8"	0.75	0.50	0.04	2.60
16-122	5/16" x 1/8"	0.89	0.56	0.04	5.42
16-123	3/8" x 1/4"	0.84	0.62	0.06	5.60

* 1/4 - 28 Male Thread Tapered.

90° ELBOW



Part #	THRD Sleeve x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
16-127	1/8" x *	0.50	0.52	0.41	0.02	8.95
16-128	1/8" x 1/8"	0.50	0.66	0.43	0.02	13.52
16-129	3/16" x 1/8"	0.56	0.62	0.44	0.02	25.77
16-130	1/4" x 1/8"	0.52	0.62	0.50	0.04	22.33

* 1/4 - 28 Male Thread Tapered

189
6400
15

CAPTIVE SLEEVE COMPRESSION

BRASS FITTINGS

CAPTIVE SLEEVE NUT

CS61
61CA



Part #	Size	List Price
26-001	1/8"	1.50
26-002	3/16"	1.57
26-003	1/4"	1.27
26-004	5/16"	1.63
26-005	3/8"	1.50
26-007	1/2"	3.01
26-008	5/8"	5.87

UNION

CS62
62CA



Part #	Size	List Price
26-062	1/8"	4.59
26-063	3/16"	2.40
26-064	1/4"	3.05
26-077	1/4" x 3/16"	8.94
26-065	5/16"	3.54
26-066	3/8"	3.54
26-079	3/8" x 1/4"	7.30
26-068	1/2"	8.73
26-069	5/8"	11.26
26-082	5/8" x 3/8"	8.20

BULKHEAD UNIONS



C262L
62CABA

Part #	Size	List Price
26-088	1/4"	8.20
26-090	3/8"	22.16

BALL CHECK VALVE

CS863



Part #	Tube OD x Male NPTF	List Price
26-092	1/8" x 1/8"	12.05

TEE

CS64
164CA



Part #	Size	List Price
26-101	1/8"	13.25
26-102	3/16"	6.76
26-103	1/4"	6.76
26-104	5/16"	8.49
26-105	3/8"	7.30
26-115	3/8"x3/8"x1/4"	7.58
26-106	1/2"	14.05
26-107	5/8"	15.89

UNION ELBOW

CS65
165CA



Part #	Size	List Price
26-123	3/16"	7.45
26-124	1/4"	5.31
26-125	5/16"	7.50
26-126	3/8"	6.00
26-127	1/2"	9.67
26-128	5/8"	11.15

Interchangeable with compress-align fittings.

These are NOT Lead Free
See pages 166-175 for
Lead Free products

FEMALE ADAPTER

CS66
66CA



Part #	Comp. X Female NPTF	List Price
26-142	1/8" x 1/8"	3.54
26-143	3/16" x 1/8"	4.62
26-144	3/16" x 1/4"	10.50
26-145	1/4" x 1/8"	3.18
26-146	1/4" x 1/4"	6.54
26-149	5/16" x 1/8"	4.15
26-150	5/16" x 1/4"	5.78
26-152	3/8" x 1/8"	3.89
26-153	3/8" x 1/4"	5.50
26-154	3/8" x 3/8"	7.74
26-155	3/8" x 1/2"	5.87
26-156	3/8" x 3/4"	16.01
26-157	1/2" x 1/4"	10.20
26-158	1/2" x 3/8"	8.25
26-159	1/2" x 1/2"	13.56

MALE ADAPTER

CS68
68CA



Part #	Comp. X Male NPTF	List Price
26-175	1/8" x 1/16"	8.43
26-176	1/8" x 1/8"	2.40
26-177	3/16" x 1/8"	2.64
26-178	3/16" x 1/4"	4.82
26-179	1/4" x 1/8"	2.51
26-180	1/4" x 1/4"	3.42
26-180L	1/4" x 1/4"	2.40
26-181	1/4" x 3/8"	3.30
26-182	1/4" x 1/2"	4.42
26-183	5/16" x 1/8"	3.18
26-184	5/16" x 1/4"	3.24
26-187	3/8" x 1/8"	4.25
26-188	3/8" x 1/4"	3.66
26-189	3/8" x 3/8"	4.32
26-190	3/8" x 1/2"	5.70
26-193	1/2" x 1/4"	7.20
26-194	1/2" x 3/8"	5.55
26-195	1/2" x 1/2"	7.67
26-196	1/2" x 3/4"	7.67
26-197	5/8" x 3/8"	6.76
26-198	5/8" x 1/2"	6.90

BRASS FITTINGS

CAPTIVE SLEEVE COMPRESSION

MALE ELBOW

CS69
169CA



Part #	Comp. X Male NPTF	List Price
26-220	1/8" x 1/8"	5.46
26-221	3/16" x 1/8"	4.56
26-221B	3/16" x 1/8"	3.34
26-223	3/16" x 1/4"	5.23
26-224B	1/4" x 1/8"	2.71
26-224	1/4" x 1/8"	3.42
26-225	1/4" x 1/4"	4.25
26-226	1/4" x 3/8"	4.68
26-228	5/16" x 1/8"	4.95
26-229	5/16" x 1/4"	4.81
26-230	5/16" x 3/8"	5.66
26-232	3/8" x 1/8"	3.88
26-233	3/8" x 1/4"	5.11
26-234	3/8" x 3/8"	5.76
26-235	3/8" x 1/2"	11.01
26-236	1/2" x 1/4"	7.87
26-237	1/2" x 3/8"	7.68
26-238	1/2" x 1/2"	7.51
26-240	5/8" x 3/8"	9.06
26-241	5/8" x 1/2"	10.86

FEMALE ELBOW

CS70
170CA



Part #	Comp. X Female NPTF	List Price
26-251	1/8" x 1/8"	9.25
26-252	3/16" x 1/8"	5.35
26-253	1/4" x 1/8"	5.35
26-254	1/4" x 1/4"	5.96
26-258	3/8" x 1/4"	6.10
26-270	1/2" x 3/4"	13.67
26-269	5/8" x 3/8"	13.99

MALE BRANCH TEE

CS72
172CA



Part #	Comp. X Male NPTF (1&2) X 3	List Price
26-291	1/4" x 1/8"	6.45
26-292	1/4" x 1/4"	7.56
26-293	5/16" x 1/8"	7.56
26-294	5/16" x 1/4"	8.56
26-295	3/8" x 1/8"	9.89
26-296	3/8" x 1/4"	8.52
26-297	3/8" x 3/8"	10.80
26-299	1/2" x 3/8"	13.74

FORGED MALE RUN TEE

CS71
171CA



Part #	Comp. X Male NPTF (1&3) X 2	List Price
26-272	1/8" x 1/8"	6.74
26-274	1/4" x 1/8"	6.83
26-275	1/4" x 1/4"	7.02
26-279	3/8" x 1/4"	9.20
26-280	3/8" x 3/8"	11.45
26-281	1/2" x 3/8"	14.04

CAPTIVE SLEEVE x MALE PIPE NEEDLE VALVE



Part #	Comp X Male Pipe	List Price
26-031	3/16" x 1/8"	26.60
26-032X	1/4" x 1/8"	16.45

* Heavy Pattern

CAPTIVE SLEEVE x MALE PIPE ANGLE NEEDLE VALVE



Part #	Comp X Male Pipe	List Price
26-010	3/16" x 1/8"	23.76
26-011	1/4" x 1/8"	6.76
26-011X	Heavy Pattern	18.90
26-012	1/4" x 1/4"	17.02
26-013	5/16" x 1/8"	19.56
26-014	5/16" x 1/4"	46.38

CAPTIVE SLEEVE x CAPTIVE SLEEVE NEEDLE VALVE



Part #	Comp X Comp	List Price
26-020	3/16"	25.19
26-021	1/4"	6.80
26-022	5/16"	18.84
26-023	3/8"	11.10

CUSTOM CATALOG 

+ BIN LABELS 

+ APP 

+ DROP SHIP 

"..too CONVENIENT not to buy from."

SELF-ALIGN COMPRESSION

BRASS FITTINGS

SELF-ALIGN SLEEVE

860
601



Part #	Size	List Price
27-001	1/8"	0.30
27-002	3/16"	0.93
27-003	1/4"	0.36

860



Part #	Size	List Price
27-005	3/8"	0.69
27-006	1/2"	2.06

862
621

UNION



Part #	Size	List Price
27-062	1/8"	4.98
27-063	3/16"	4.28
27-064	1/4"	3.76
27-066	3/8"	4.56
27-068	1/2"	9.73
27-081	1/2" x 3/8"	10.12

BALL CHECK VALVE

863
631



Part #	Tube OD x Male NPTF	List Price
27-092	1/8" x 1/8"	12.84
27-094	1/4" x 1/8"	13.20
27-096	3/8" x 1/4"	17.11

TEE

864
641



Part #	Size	List Price
27-102	3/16"	6.80
27-103	1/4"	6.35
27-105	3/8"	11.28
27-115	3/8"x3/8"x1/4"	10.27
27-116	1/2"x1/2"x1/4"	16.86
27-117	1/2"x1/2"x3/8"	17.79

UNION ELBOW

865
651



Part #	Size	List Price
27-126	3/8"	7.74
27-127	1/2"	12.00

TANK ADAPTER DRILLER THRU (NO STOP)

863
631



Part #	Size	List Price
27-208	1/4"x1/8"	3.25
27-209	1/4"x1/4"	2.56
27-211	3/8"x3/8"	4.98
27-213	1/2"x3/8"	9.00

FEMALE ADAPTER

866
661



Part #	Comp. X Female NPTF	List Price
27-142	1/8" x 1/8"	3.56
27-145	1/4" x 1/8"	2.98
27-147	1/4" x 3/8"	4.21
27-148	1/4" x 1/2"	5.09
27-153	3/8" x 1/4"	6.56
27-158	1/2" x 3/8"	9.01

MALE ADAPTER

868
681



Part #	Comp. X Male NPTF	List Price
27-175	1/8" x 1/16"	8.56
27-176	1/8" x 1/8"	2.70
27-177	3/16" x 1/8"	3.30
27-179	1/4" x 1/8"	1.91
27-180	1/4" x 1/4"	3.36
27-187	3/8" x 1/8"	5.01
27-188	3/8" x 1/4"	4.50
27-189	3/8" x 3/8"	5.22
27-190	3/8" x 1/2"	6.70
27-193	1/2" x 1/4"	7.80
27-194	1/2" x 3/8"	6.55
27-195	1/2" x 1/2"	8.67
27-196	1/2" x 3/4"	8.67

FEMALE ELBOW

870
201



Part #	Comp. X Female NPTF	List Price
27-253	1/4" x 1/8"	7.68
27-254	1/4" x 1/4"	6.52
27-258	3/8" x 1/4"	7.00
27-262	1/2" x 3/8"	10.85
27-263	1/2" x 1/2"	11.05

MALE ELBOW


869
691



Part #	Comp. X Male NPTF	List Price
27-220	1/8" x 1/8"	5.25
27-221	3/16" x 1/8"	6.00
27-224	1/4" x 1/8"	3.34
27-225	1/4" x 1/4"	4.51
27-226	1/4" x 3/8"	4.57
27-232	3/8" x 1/8"	4.88
27-233	3/8" x 1/4"	6.42
27-234	3/8" x 3/8"	6.72
27-235	3/8" x 1/2"	9.04
27-236	1/2" x 1/4"	8.88
27-237	1/2" x 3/8"	8.24
27-238	1/2" x 1/2"	9.00
27-239	1/2" x 3/4"	15.30

Flareless

Flareless Brass Tube Fittings are Interchangeable with Poly-Flo®, Poly-Tite® and Poly-Line® and Poly-Fit®



Built-in
Tube Support

Tube O.D.	1/8	3/16	1/4	5/16	3/8	1/2
Thread Size-B	5/16-24	3/8-24	3/8-24	7/16-24	1/2-24	1 1/16-20

•Typical Application

Pneumatic instrumentation circuits, lubricant and cooling lines.

•Working Pressure and Temperature Ranges

Up to 150 PSI from 0°F to + 150°F with thermoplastic tubing. Up to 300 PSI from 0°F to + 175°F with soft metal tubing.

•Maximum allowable metal tube wall thickness for use with Poly-Tite fittings:

1/8", 3/16" O.D. --no limitation,
1/4" O.D.--.035 5/16", 3/8", 1/2" O.D.--.049

•Vibration

Excellent Resistance.

•Temperature Range

Depends on tubing used. -65°F to +250°F (-53°C to +121°C) with brass sleeve, -40°F to +150°F (-40°C to +66°C) with plastic sleeve. (Refer to tubing temperature range.)

•Material

CA360 Brass body, plastic or brass sleeve.
Stainless Steel Tube Support

•Used With

Aluminum & copper tubing. Hard plastic tubing requires brass sleeve. Not recommended for steel tubing.

•Tolerance

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

•Advantages


No flaring of tubing required. Easy installation, captive sleeve, pre-assembled for installation and can be reassembled. Nuts rotate around the sleeve during tightening, preventing twisting of tubing.

•Assembly Instructions

- 1- Cut tubing to desired length.
- 2- Slide nut/sleeve assembly on tube. Threaded end "A" of nut must face toward fitting.
- 3- Bottom tubing into fitting.
- 4- Plastic sleeve - Tighten nut hand tight.
Brass Sleeve - Tighten nut hand tight, then an additional 3/4 turn.

Save 5% by ordering online at
www.midlandindustrial.com


PLASTIC CAP



1229
59P
259P

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
20-201	1/4"	0.50	0.01	1.99
20-203	3/8"	0.56	0.01	1.60
20-204	1/2"	0.59	0.01	2.65


PLASTIC SLEEVE



260FF
1260
60P
260P

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
20-205	1/4"	0.34	0.26	0.01	0.31
20-206	5/16"	0.39	0.32	0.01	0.35
20-207	3/8"	0.41	0.38	0.01	0.74
20-208	1/2"	0.44	0.51	0.01	1.07

BRASS SLEEVE



260FB

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
20-380	1/8"	0.19	0.12	0.01	2.14
20-382	1/4"	0.32	0.25	0.01	1.25
20-384	3/8"	0.37	0.38	0.02	1.96

NUT AND PLASTIC SLEEVE ASSEMBLY




261PF
1261
61PN
261U

Part #	Tube O.D.	Thread	A	Hex (Dia.)	Approx. Wt. Lbs.	List Price
20-211	1/4"	3/8-24	0.43	0.43	0.02	1.44
20-212	5/16"	7/16-24	0.45	0.50	0.02	2.58
20-213	3/8"	1/2-24	0.49	0.56	0.04	1.89
20-214	1/2"	11/16-20	0.42	0.81	0.04	3.37

Lead Free fittings available on
pgs. 166-175

NUT


61PN
1261
261FPN



Part #	Tube O.D.	Thread	A	Hex (Dia.)	Approx. Wt. Lbs.	List Price
20-218	1/8"	5/16-24	0.37	0.37	0.01	1.33
20-219	3/16"	3/8-24	0.41	0.44	0.01	1.20
20-220	1/4"	3/8-24	0.34	0.44	0.02	1.40
20-221	5/16"	7/16-24	0.34	0.50	0.02	0.98
20-222	3/8"	1/2-24	0.38	0.56	0.04	2.00
20-223	1/2"	11/16-20	0.42	0.81	0.06	2.55

UNIVERSAL NUT AND BRASS SLEEVE ASSEMBLY


261PFB
1261B
61PB
261UB



Part #	Tube O.D.	Thread	A	Hex	Approx. Wt. Lbs.	List Price
20-227	1/8"	5/16-24	0.37	0.37	0.02	1.84
20-228	3/16"	3/8-24	0.41	0.44	0.02	2.20
20-229	1/4"	3/8-24	0.34	0.43	0.02	2.01
20-230	5/16"	7/16-24	0.34	0.50	0.02	2.16
20-231	3/8"	1/2-24	0.37	0.56	0.04	3.08
20-232	1/2"	11/16-20	0.42	0.81	0.04	4.18

UNION TUBE #M62C - FLARELESS X STANDARD COMPRESSION


262S
62PCA
262PC



Part #	Tube O.D.	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
20-235	1/4"	0.75	0.44	0.50	0.04	9.14
20-237	3/8"	0.84	0.62	0.62	0.08	9.55

UNION

262PF
1262
62P
262P



Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-240	1/8"	0.66	0.31	0.02	7.85
20-241	3/16"	0.75	0.37	0.04	8.59
20-242	1/4"	0.69	0.37	0.04	3.39
20-243	5/16"	0.69	0.44	0.04	10.03
20-244	3/8"	0.72	0.50	0.10	10.08
20-200	3/8" x 1/4"	0.72	0.50	0.08	14.63
20-245	1/2"	0.84	0.69	0.14	14.69



MIDLAND METAL APP


SEE INSIDE FRONT COVER

Dimension data can change without notice.
Please call us when dimensions are critical.



UNION TEE

BRASS




1264
164P
264P

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
20-248	1/8"	0.62	0.31	0.02	14.56
20-249	3/16"	0.62	0.31	0.04	12.69
20-250	1/4"	0.73	0.44	0.06	10.00
20-251	5/16"	0.62	0.37	0.08	14.50
20-252	3/8"	0.86	0.56	0.08	11.25
20-330*	3/8" x 1/4"	0.72	0.44	0.08	21.48
20-253	1/2"	0.81	0.62	0.24	31.03

* Reducing Branch


FEMALE CONNECTOR



1266
66P
266P

Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-256	1/8" x 1/8"	0.75	0.56	0.03	6.99
20-257	3/16" x 1/8"	0.78	0.56	0.05	7.08
20-258	3/16" x 1/4"	0.97	0.69	0.05	20.58
20-259	1/4" x 1/8"	0.76	0.50	0.04	8.06
20-260	1/4" x 1/4"	1.08	0.62	0.05	7.21
20-261	5/16" x 1/8"	0.75	0.50	0.03	7.62
20-265	3/8" x 1/8"	0.77	0.56	0.05	14.67
20-262	3/8" x 1/4"	0.94	0.62	0.05	8.23
20-263	1/2" x 3/8"	1.00	0.81	0.12	12.45

MALE CONNECTOR



1268
68P
268P


Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-267	1/8" x 10-32*	0.59	0.37	0.02	18.25
20-268	1/8" x 1/8"	0.80	0.34	0.04	4.92
20-269	3/16" x 1/8"	0.86	0.44	0.04	4.52
20-280	1/4" x 1/16"	0.81	0.43	0.03	13.40
20-270	1/4" x 10-32*	0.75	0.37	0.02	8.53
20-271	1/4" x 1/8"	0.82	0.44	0.03	3.49
20-272	1/4" x 1/4"	1.00	0.56	0.05	4.23
20-273	1/4" x 3/8"	1.03	0.69	0.08	7.88
20-274	5/16" x 1/8"	0.81	0.44	0.04	4.86
20-275	5/16" x 1/4"	1.00	0.56	0.05	5.44
20-276	3/8" x 1/8"	0.84	0.50	0.06	5.26
20-277	3/8" x 1/4"	1.03	0.56	0.08	6.48
20-278	3/8" x 3/8"	1.03	0.69	0.10	7.76
20-279	1/2" x 3/8"	1.09	0.69	0.16	7.25
20-282	1/2" x 1/2"	1.33	0.88	0.18	14.46

* Furnished with gasket.

Save 5% by ordering online at
www.midlandindustrial.com



MALE ELBOW




Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-287	1/8" x 1/8"	0.62	0.69	0.31	0.02	5.27
20-288	3/16" x 1/8"	0.62	0.69	0.37	0.04	5.31
20-289*	1/4" x 1/8"	0.53	0.73	0.50	0.04	4.43
20-290	1/4" x 1/4"	0.66	0.94	0.37	0.06	6.93
20-291	1/4" x 3/8"	0.75	1.03	0.50	0.10	11.54
20-292	5/16" x 1/8"	0.62	0.75	0.41	0.04	5.57
20-293	3/8" x 1/8"	0.91	0.81	0.56	0.08	7.18
20-294	3/8" x 1/4"	0.72	0.94	0.44	0.10	8.28
20-295	3/8" x 3/8"	0.78	1.03	0.50	0.14	10.54
20-296	1/2" x 3/8"	1.09	1.10	0.73	0.16	8.50

1269
169P
269P

* Barstock


FEMALE ELBOW



Part #	Tube O.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-300	1/8" x 1/8"	0.69	0.55	0.56	0.02	7.98
20-301	3/16" x 1/8"	0.72	0.55	0.56	0.02	9.03
20-302	1/4" x 1/8"	0.62	0.75	0.37	0.08	8.62
20-303	1/4" x 1/4"	0.72	0.88	0.50	0.10	9.49
20-304	3/8" x 1/4"	0.72	0.88	0.50	0.12	9.13
20-305	1/2" x 3/8"	0.91	0.94	0.63	0.16	18.46

1270
170P
270P

MALE RUN TEE




Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-308	1/8" x 1/8"	0.62	0.69	0.31	0.04	11.61
20-309	3/16" x 1/8"	0.62	0.69	0.31	0.04	11.22
20-310	1/4" x 1/8"	0.62	0.75	0.37	0.08	10.45
20-311	1/4" x 1/4"	0.66	0.94	0.37	0.10	13.94
20-312	5/16" x 1/8"	0.62	0.75	0.37	0.08	11.49
20-313	3/8" x 1/4"	0.66	0.94	0.44	0.10	14.66
20-314	1/2" x 3/8"	0.81	1.06	0.63	0.16	19.18

1271
171P
271P

Dimension data can change without notice.
Please call us when dimensions are critical.

MALE BRANCH TEE


BRASS



1272
172P
272P

Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-317	1/8" x 1/8"	0.63	0.69	0.31	0.04	16.04
20-318	3/16" x 1/8"	0.63	0.69	0.31	0.04	11.32
20-319	1/4" x 1/8"	0.63	0.75	0.37	0.07	10.18
20-320	1/4" x 1/4"	0.66	0.94	0.37	0.09	13.07
20-321	5/16" x 1/8"	0.63	0.75	0.37	0.10	11.75
20-322	3/8" x 1/8"	0.63	0.75	0.44	0.08	18.05
20-323	3/8" x 1/4"	0.66	0.94	0.44	0.11	14.53
20-324	1/2" x 3/8"	0.81	1.06	0.63	0.21	30.76


FEMALE BRANCH TEE



1277
177P
277P

Part #	Tube O.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-327	1/4" x 1/8"	0.66	0.94	0.37	0.12	21.24
20-328	1/4" x 1/4"	0.84	1.16	0.56	0.16	17.79


BULKHEAD UNION - FLARELESS X COMPRESSION



1274

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-333	1/4"	1.31	0.56	0.07	12.15
20-334	3/8"	1.44	0.69	0.12	15.54

BULKHEAD NUT




Part #	Tube O.D.	Hex	Thickness	Approx. Wt. Lbs.	List Price
20-370	1/8"	0.31	0.25	0.01	3.37
20-372	5/16"	0.62	0.19	0.02	2.98

Dimension data can change without notice.
Please call us when dimensions are critical.

Save 5% by ordering online at
www.midlandindustrial.com




BULKHEAD UNION



62PBH
329P
282P

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-337	1/4"	1.25	0.56	0.06	11.45
20-338	5/16"	1.25	0.62	0.08	14.11
20-339	3/8"	1.31	0.69	0.10	16.01

QUICK DISCONNECT FITTING




292P

Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-344	1/4" x 1/8"	0.87	0.44	0.06	30.40

QUICK DISCONNECT COUPLERS


TUBE X TUBE



349P

Part #	Tube O.D.	A	B	Hex	Approx. Wt. Lbs.	List Price
20-401	1/4"	3.00	1.72	0.62	0.06	85.88
20-403	3/8"	3.56	1.92	0.81	0.10	84.71


TUBE TO MALE THREAD - Single end Shut-Off, Connector, Quick Coupler.



398P
391P + 393P

Part #	Tube O.D. x Male Pipe	A	B	Hex	Approx. Wt. Lbs.	List Price
20-409	1/4" x 1/8"	2.31	1.28	0.50	0.12	62.36
20-411	1/4" x 1/4"	2.31	1.28	0.56	0.14	74.09
20-413	3/8" x 1/4"	2.63	1.42	0.62	0.18	85.78

INSERT ONLY - Thru type insert. No Shut-Off.




393P

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
20-417	1/4"	1.69	0.04	30.21
20-419	3/8"	1.93	0.06	34.41

FLARELESS

BRASS FITTINGS


TUBE TO TUBE - Double end Shut-Off Type.



394P
392P + 393PD

Part #	Tube O.D.	A	B	Hex	Approx. Wt. Lbs.	List Price
20-425	1/4"	3.67	1.79	0.62	0.18	99.99
20-427	3/8"	3.82	1.97	0.81	0.26	110.15


TUBE X MALE PIPE - Double End Shut-Off, Connector, Quick coupler.



398PD
393PD + 391P

Part #	Tube O.D. x Male Pipe	A	B	Hex	Approx. Wt. Lbs.	List Price
20-435	1/4" x 1/8"	2.89	1.28	0.50	0.14	84.47
20-437	1/4" x 1/4"	2.91	1.27	0.56	0.18	96.99
20-439	3/8" x 1/4"	3.02	1.40	0.62	0.24	97.63

INSERT ONLY - Double End Shut-Off



393PD


Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
20-445	1/4"	2.40	0.08	50.25

CHROME PLATED NUT AND PLASTIC SLEEVE



Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-451	1/4"	0.34	0.43	0.01	2.02
20-453	3/8"	0.38	0.56	0.01	2.80


TUBE CONNECTION - Single end or Double end Shut-Off Type body only.



392P

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-455	1/4"	1.79	0.62	0.10	53.59
20-457	3/8"	1.97	0.81	0.16	68.15

MALE PIPE CONNECTION - Internal Shut-Off



391P


Part #	Tube O.D. x Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
20-461	1/4" x 1/8"	1.28	0.50	0.06	35.39
20-463	1/4" x 1/4"	1.27	0.56	0.08	42.33
20-465	3/8" x 1/4"	1.40	0.62	0.08	51.36

BRASS PUSH-IN FITTINGS

PAGES 97-102

ENGINEERING AND DESIGN

- **QUICK CONNECT**, simply push tubing in, no tools. Saves up to 75% of assembly time of standard compression fittings.
- **QUICK DISCONNECT**, hold two fingers on insert and pull tubing out, no tools required.
- **REUSEABLE**, connect and disconnect numerous times.
- **FULL FLOW DESIGN**, provides up to 60% more flow area than conventional fittings with internal tube supports.
- **POSITIVE SEAL**, no leaks. After tubing is inserted, seal is made.
- **VERSATILE**, BunaN "O" rings standard. Other materials of "O" rings available.
- **SECURE TUBE RETENTION**, pulling on tubing only serves to tighten the connection.
- **SELF CONTAINED ASSEMBLY**, no loose parts, brass body and insert.
- **BRASS CONSTRUCTION**, elbows and tees are forged brass.
- **CHOICE** of convenient swivel of economical stationary elbows and tees.
- **STRAIGHT CONNECTORS** have interior hex for Allen key tightening where space is limited...no need to use a wrench.
- **PRE-APPLIED TEFLON®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **METRIC SIZES AVAILABLE**: Metric tube sizes from 2mm through 12mm in both standard NPT and metric pipe sizes are available on a special order basis.
- **WORKING PRESSURE**:
The fitting is suitable for use up to the maximum working pressure of the plastic tubing used.
- **WORKING TEMPERATURE**:
-10°F to 200°F (other ranges available on request).
- **PIPE THREAD**: NPTF with Teflon® based sealant pre-applied.




When tubing (1) is inserted into the fitting, it first passes through the gripping teeth (2). Just beyond the gripping teeth is the o-ring (3) which provides the leak proof seal against the OD of the tube. The gripping teeth grab the tube, which

expands the insert. Pulling back on the tube only tightens the grip as the insert moves onto the camming surface (4). Pressure through the tube also serves to tighten the grip. The tube bottoms against a positive tube stop (5) in a cavity providing tube support to prevent leakage.

• **Tolerance**

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical

DOUBLE MALE UNION - NICKEL PLATED



AQ34

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
20-004	1/8"	1.28	0.01	7.37
20-005	5/32"	1.28	0.01	16.94
20-006	1/4"	1.40	0.02	9.46
20-007	5/16"	1.59	0.02	9.10
20-008	3/8"	1.81	0.02	10.18
20-000	1/2"	1.89	0.03	22.70

(For polyurethane or other soft plastic tubing)

PLASTIC PLUG




• Cored

- 284PP 6900
- AQ59 639PL
- 209-OF 12-004
- 1129 50-526

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
20-009	5/32"	1.16	0.01	1.46
20-010	1/4"	1.40	0.01	1.81
20-011	3/8"	1.40	0.02	3.52
20-013	1/2"	1.50	0.02	4.55




UNION CONNECTOR



AQ62 KQH 1162
 6580 12-020 262PP
 3106 50-562
 62PL 262-OF

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
20-017	1/8"	1.07	0.38	0.03	10.19
20-018	5/32"	1.07	0.38	0.03	7.26
20-019	1/4"	1.50	0.44	0.05	6.91
20-022	3/8" x 1/4"	1.46	0.56	0.05	9.33
20-020	3/8"	1.44	0.56	0.06	9.60
20-021	1/2"	1.63	0.81	0.18	14.05


REDUCER - NICKEL PLATED - TUBE OD X STUD



67PPL
 286PP

Part #	Tube O.D. 1 X 2	A	B	Approx. Wt. Lbs.	List Price
20-510	1/8" x 1/4"	1.38	0.39	0.02	15.02
20-511	5/32" x 1/4"	1.33	0.35	0.02	15.39
20-512	1/4" x 3/8"	1.50	0.51	0.04	18.26


UNION TEE



KQT 1164
 12-060 AQ64
 50-564 6540
 264OF 3140
 264PP 164PL

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
20-025	1/8"	0.65	0.31	0.04	14.65
20-026	5/32"	0.67	0.31	0.04	12.47
20-027	3/16"	0.75	0.37	0.06	14.19
20-028	1/4"	0.92	0.37	0.09	9.57
20-031	5/16"	0.89	0.49	0.10	25.76
20-029	3/8"	0.98	0.50	0.13	13.15
20-030	1/2"	1.16	0.62	0.24	20.19

FEMALE CONNECTOR




266PP
 AQ66 12-426
 6463 50-566
 3114 266-OF
 66PL 1166

Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-032	1/8" x 1/8"	0.96	0.56	0.04	16.26
20-038	1/8" x 1/4"	1.04	0.67	0.04	23.71
20-012	5/32" x 1/8"	1.09	0.56	0.05	14.45
20-034	1/4" x 1/8"	1.23	0.56	0.06	10.82
20-035	1/4" x 1/4"	1.42	0.75	0.09	14.99
20-036	3/8" x 1/4"	1.32	0.75	0.09	16.96
20-037	3/8" x 3/8"	1.31	0.87	0.12	21.67

Some product stocked in Houston and Atlanta.


FIXED MALE ELBOW



269PP 12-445
 AQ69-P 1169
 6500
 169PLNS


Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-065	1/8" x 1/8"	0.69	0.69	0.31	0.03	7.32
20-066	5/32" x 1/8"	0.68	0.68	0.31	0.03	11.46
20-067	3/16" x 1/8"	0.75	0.71	0.37	0.04	8.15
20-068	1/4" x 1/8"	0.89	0.75	0.37	0.06	5.99
20-069	1/4" x 1/4"	0.95	0.96	0.37	0.08	5.83
20-070	1/4" x 3/8"	1.00	0.98	0.50	0.10	11.66
20-071	3/8" x 1/8"	0.99	0.80	0.50	0.06	9.89
20-072	3/8" x 1/4"	0.98	0.98	0.50	0.09	7.85
20-073	3/8" x 3/8"	0.97	0.98	0.50	0.12	14.57
20-074	1/2" x 1/4"	1.15	1.05	0.62	0.15	12.57
20-075	1/2" x 3/8"	1.18	1.05	0.62	0.22	12.24
20-064	1/2" x 1/2"	1.16	1.66	0.62	0.20	14.39

PRESS-IN CARTRIDGE



Part #	Tube O.D.	A	B	C	D	E	List Price
20-040	1/8"	0.67	0.59	0.20	0.30	0.38	9.59
20-041	5/32"	0.67	0.59	0.20	0.30	0.38	3.17
20-043	1/4"	0.93	0.85	0.26	0.38	0.50	5.89
20-044	3/8"	1.21	1.13	0.26	0.38	0.63	9.97

MALE CONNECTOR



268PP KQH
 AQ68 12-425
 6510 50-568
 3115 268-OF
 68PL 1168


Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-047	1/8" x 10-32"*	0.69	0.37	0.02	6.44
20-045	1/8" x 1/16"	0.68	0.37	0.02	11.03
20-048	1/8" x 1/8"	0.61	0.43	0.02	5.00
20-023	1/8" x 1/4"	0.98	0.56	0.04	5.57
20-049	5/32" x 10-32"*	0.67	0.37	0.02	10.29
20-050	5/32" x 1/8"	0.67	0.43	0.03	4.62
20-046	5/32" x 1/4"	0.85	0.56	0.05	9.77
20-051	3/16" x 10-32"*	0.80	0.37	0.02	9.00
20-052	3/16" x 1/8"	0.93	0.43	0.03	5.74
20-053	1/4" x 10-32"*	0.87	0.43	0.03	8.22
20-039	1/4" x 1/16"	0.92	0.43	0.06	10.49
20-054	1/4" x 1/8"	0.93	0.43	0.06	4.44
20-055	1/4" x 1/4"	0.93	0.56	0.10	5.24
20-056	1/4" x 3/8"	0.94	0.68	0.08	7.47
20-530	5/16" x 1/8"	1.07	0.56	0.05	17.71
20-531	5/16" x 1/4"	0.98	0.56	0.10	18.64
20-532	5/16" x 3/8"	1.06	0.75	0.08	19.37
20-057	3/8" x 1/8"	1.10	0.56	0.06	7.31
20-058	3/8" x 1/4"	1.11	0.56	0.05	6.79
20-059	3/8" x 3/8"	1.02	0.68	0.08	7.25
20-062	3/8" x 1/2"	1.02	0.87	0.08	12.50
20-060	1/2" x 1/4"	1.36	0.81	0.11	9.41
20-061	1/2" x 3/8"	1.30	0.81	0.12	10.82
20-063	1/2" x 1/2"	1.23	0.87	0.14	13.65

* Furnished with gaskets

Dimension data can change without notice.
 Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.

SWIVEL MALE ELBOW




AQ69-PS 12-447
 56520 50-579
 3109 269-OFS
 169PL 11695
 KQL

Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
20-079	1/8" x 1/8"	0.69	0.98	0.43	0.07	7.15
20-535*	1/8" x 1/4"	0.76	0.87	0.56	0.06	20.35
20-076	5/32" x 10-32"*	0.67	0.71	0.37	0.04	15.07
20-080	5/32" x 1/8"	0.68	0.89	0.43	0.05	7.85
20-077	5/32" x 1/4"	0.68	1.08	0.56	0.07	11.77
20-078	1/4" x 10-32"*	0.86	0.79	0.31	0.05	10.91
20-081	1/4" x 1/8"	0.90	0.93	0.37	0.08	6.98
20-082	1/4" x 1/4"	0.90	0.99	0.56	0.10	7.90
20-086	1/4" x 3/8"	0.98	1.14	0.68	0.09	15.26
20-538*	5/16" x 1/4"	0.91	0.85	0.56	0.07	23.79
20-539*	5/16" x 3/8"	0.91	0.87	0.75	0.08	33.67
20-087	3/8" x 1/8"	0.94	1.08	0.50	0.09	12.74
20-083	3/8" x 1/4"	0.99	1.15	0.56	0.10	9.72
20-084	3/8" x 3/8"	1.00	1.24	0.68	0.20	11.12
20-088	3/8" x 1/2"	1.00	1.54	0.87	0.19	18.12
20-085	1/2" x 3/8"	1.16	1.34	0.62	0.18	14.00
20-092	1/2" x 1/2"	1.16	1.61	0.62	0.24	20.91

* Nickel Plated * Furnished with gaskets


UNION ELBOW



AQ65
 6550
 3102 12-040
 165PL 50-565
 KQL 265-OF

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
20-150	1/8"	0.65	0.31	0.02	11.66
20-151	5/32"	0.67	0.31	0.04	10.55
20-152	1/4"	0.87	0.37	0.06	10.41
20-155	5/16"	0.91	0.47	0.08	30.19
20-153	3/8"	0.97	0.50	0.09	13.09
20-154	1/2"	1.15	0.62	0.18	18.51


FEMALE ELBOW



AQ70-P
 3009

Part #	Tube O.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-192	1/8" x 1/8"	0.78	0.82	0.31	0.02	8.38
20-094	5/32" x 1/8"	0.68	0.82	0.37	0.02	9.93
20-089	1/4" x 1/8"	0.91	0.75	0.37	0.06	11.26
20-090	1/4" x 1/4"	1.03	1.03	0.50	0.11	13.35
20-091	3/8" x 1/4"	0.98	0.95	0.50	0.16	20.39


FEMALE SWIVEL ELBOW



Part #	Tube O.D. x Female NPTF	A	B	Hex	List Price
20-094S	5/32" x 1/8"	0.76	1.06	0.56	15.59
20-089S	1/4" x 1/8"	0.98	1.08	0.56	15.32
20-090S	1/4" x 1/4"	0.98	1.26	0.75	13.82
20-091S	3/8" x 1/4"	1.07	1.48	0.75	20.22


Some product stocked in Houston and Atlanta.

UNION "Y"



Part #	Tube O.D. 1 X 2	A	B	Approx. Wt. Lbs.	List Price
20-551	5/32" x 5/32"	1.36	0.81	0.11	57.95
20-552	1/4" x 1/8"	1.61	1.06	0.12	40.05
20-553	1/4" x 1/4"	1.81	1.16	0.14	37.39

MALE "Y"




12-445
50-569
1169

Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
20-557	1/4" x 1/4"	1.90	1.06	0.56	0.20	49.40

QUICK DISCONNECT


When tube is disconnected, flow shuts off automatically.

AQ92-P
6500
169PLNS




Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-133	1/4" x 1/8"	0.92	0.43	0.10	36.22
20-134	1/4" x 1/4"	0.92	0.56	0.12	25.86

CROSS



Size	Size	A	B	Body Size	List Price
20-142	1/4"	1.03	2.06	0.37	25.94
20-143	3/8"	1.06	2.12	0.50	25.41

FIXED MALE RUN TEE




AQ71-P

Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-095	1/8" x 1/8"	0.65	0.72	0.31	0.04	13.01
20-097	3/16" x 1/8"	0.75	0.73	0.37	0.06	16.74
20-098	1/4" x 1/8"	0.92	0.74	0.37	0.08	12.29
20-093	1/4" x 1/4"	0.92	0.92	0.43	0.10	13.99
20-099	3/8" x 1/8"	0.94	0.82	0.50	0.14	15.04
20-100	3/8" x 1/4"	0.98	0.98	0.50	0.12	17.97
20-101	3/8" x 3/8"	1.05	1.05	0.62	0.10	18.13
20-102	1/2" x 3/8"	1.14	1.05	0.62	0.18	25.92

Some product stocked in Houston and Atlanta.


SWIVEL MALE RUN TEE



AQ71-PS 12-468
 56440 50-571
 3103 271-OFS
 171PL 11715
 KQY

Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
20-160	1/8" x 1/8"	0.65	0.86	0.43	0.08	11.29
20-161	5/32" x 1/8"	0.67	1.04	0.43	0.09	13.50
20-162	1/4" x 1/8"	0.92	1.04	0.44	0.09	12.56
20-163	1/4" x 1/4"	0.92	1.13	0.56	0.11	14.10
20-164	3/8" x 1/4"	0.94	1.19	0.56	0.11	15.04
20-165	3/8" x 3/8"	0.96	1.24	0.50	0.12	23.42
20-174	1/2" x 1/4"	1.12	1.18	0.51	0.16	57.08
20-166	1/2" x 3/8"	1.14	1.31	0.68	0.14	26.77
20-167	1/2" x 1/2"	1.14	1.61	0.87	0.16	33.76


SWIVEL MALE BRANCH TEE



Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
20-103	1/8" x 1/8"	0.65	0.81	0.31	0.04	18.87
20-104	5/32" x 10-32**	0.65	0.71	0.31	0.04	24.76
20-109	5/32" x 1/8"	0.67	0.94	0.37	0.06	15.54
20-105	1/4" x 1/8"	0.92	0.97	0.37	0.08	15.33
20-106	1/4" x 1/4"	0.92	1.09	0.37	0.10	11.51
20-107	3/8" x 1/4"	0.96	1.14	0.56	0.18	15.83
20-108	3/8" x 3/8"	0.96	1.23	0.69	0.16	21.46
20-110	1/2" x 3/8"	1.16	1.34	0.69	0.24	27.42
20-111	1/2" x 1/2"	1.16	1.64	0.87	0.28	31.20

* Furnished with gaskets


FIXED MALE BRANCH TEE



AQ72-P

Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-112	1/8" x 1/8"	0.69	0.72	0.31	0.04	12.64
20-113	5/32" x 1/8"	0.69	0.65	0.31	0.04	14.44
20-115	1/4" x 1/8"	0.92	0.74	0.37	0.12	13.07
20-116	1/4" x 1/4"	0.91	0.93	0.37	0.10	14.06
20-117	3/8" x 1/8"	0.98	0.80	0.50	0.08	16.72
20-118	3/8" x 1/4"	0.98	0.97	0.50	0.12	17.71
20-119	3/8" x 3/8"	0.98	0.97	0.50	0.14	18.39
20-120	1/2" x 3/8"	1.16	1.05	0.62	0.18	25.54

FEMALE BRANCH TEE




AQ77-P
 3008
 177PL

Part #	Tube O.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-130	1/4" x 1/8"	0.89	0.75	0.43	0.06	18.43
20-132	3/8" x 1/4"	0.96	0.98	0.50	0.12	23.89




BULKHEAD UNION



AQ82-P 12-029
 6590 50-582
 62PLBH 282-OF
 KQE 1174

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-124	1/8"	1.12	0.62	0.03	27.41
20-125	5/32"	1.12	0.62	0.03	30.03
20-126	3/16"	1.27	0.68	0.04	27.24
20-127	1/4"	1.69	0.68	0.06	18.10
20-128	3/8"	1.69	0.81	0.13	22.79
20-129	1/2"	1.85	1.12	0.16	36.84

FEMALE BULKHEAD UNION



AQ86-P
 1166BH

Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-170	1/4" x 1/8"	1.19	0.68	0.08	15.79
20-171	1/4" x 1/4"	1.36	0.75	0.10	52.59
20-172	3/8" x 1/4"	1.71	0.75	0.14	24.49

Dimension data can change without notice.
 Please call us when dimensions are critical.

NICKEL PLATED PUSH-IN FITTINGS

PAGES 103-111

Component Parts and Materials	
Body	Brass - Nickel Plated
Thrust Ring	Plastic
Sleeve	Brass - Nickel Plated
Gripper Collet	Stainless Steel
Safety Ring	PA66
Lip Seal (1/8 O-Ring Seal)	NBR 70
Thread Seal	NBR 70

Max Operating Pressure: 0-250 psi (17 bar) Vacuum service.
Min Temperature: 0°F (-18°C)
Max Temperature: 160°F (+70°C)
Tubing: Nylon, Polyethylene, Polyurethane.
 - For best results use 95 Durometer
Media: Compressed air, water.

• **Tolerance**
 +/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

GLOBAL THREAD

Works With Inch or Metric Threads



Look for this Logo


“Global Thread” fittings can be assembled with female threads produced to the following standards:
 Tapered NPTF
 Parallel (BSPP, BSP, ISO 7)
 Tapered (BSPT, PT, ISO 7, ISO 228)

Lead Free fittings available on
pgs. 166-175



NICKEL PLATED PUSH-IN FITTINGS

UNION CONNECTOR




NEW

62PL
88040

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
20-017N	1/8"	1.06	0.34	0.03	7.54
20-018N	5/32"	1.20	0.41	0.03	7.62
20-016N	5/32" x 1/4"	1.20	0.40	0.04	8.13
20-019N	1/4"	1.38	0.49	0.05	7.32
20-015N	5/16"	1.46	0.57	0.06	8.22
20-020N	3/8"	1.69	0.69	0.06	10.90
20-022N	3/8" x 1/4"	1.69	0.68	0.06	10.98
20-021N	1/2"	1.93	0.81	0.18	15.09
20-024N	1/2" x 3/8"	1.84	0.80	0.17	13.01

REDUCER




67PPL
88700

Part #	Tube O.D. 2	Tube O.D. 1	A	List Price
20-510N	1/4"	1/8"	1.142	5.39
20-511N	1/4"	5/32"	1.181	5.63
20-512N	3/8"	1/4"	1.496	7.30
20-513N	1/2"	1/4"	1.693	7.30
20-514N	1/2"	3/8"	1.693	9.26

UNION TEE


164PL
88230



Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
20-025N	1/8"	0.67	0.35	0.04	11.10
20-026N	5/32"	0.67	0.35	0.04	21.26
20-028N	1/4"	0.83	0.43	0.09	11.77
20-031N	5/16"	0.87	0.51	0.10	16.22
20-029N	3/8"	1.04	0.63	0.13	16.21
20-030N	1/2"	1.20	0.74	0.24	22.46

FEMALE CONNECTOR


66PL
88030



Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
20-032N	1/8" x 1/8"	0.93	0.51	0.04	12.42
20-038N	1/8" x 1/4"	1.14	0.63	0.04	11.28
20-034N	1/4" x 1/8"	1.06	0.51	0.06	9.94
20-035N	1/4" x 1/4"	1.26	0.63	0.09	10.90
20-036N	3/8" x 1/4"	1.38	0.71	0.09	18.60
20-037N	3/8" x 3/8"	1.38	0.79	0.12	18.24


FIXED MALE ELBOW

W169P
88100



Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
20-068N	1/4" x 1/8"	0.83	0.73	0.43	0.06	6.30
20-069N	1/4" x 1/4"	0.83	0.91	0.43	0.08	6.89
20-072N	3/8" x 1/4"	1.04	1.04	0.63	0.09	10.88
20-073N	3/8" x 3/8"	1.04	1.00	0.63	0.12	11.77


MALE CONNECTOR



68PL
87000

Part #	Tube O.D. x Male Global Thread	A	Hex	Approx. Wt. Lbs.	List Price
20-047N	1/8" x 10-32"	0.75	0.31	0.02	6.02
20-048N	1/8" x 1/8"	0.77	0.43	0.02	5.48
20-023N	1/8" x 1/4"	0.97	0.55	0.04	5.36
20-049N	5/32" x 10-32"	0.83	0.39	0.02	5.91
20-050N	5/32" x 1/8"	0.83	0.43	0.03	4.58
20-046N	5/32" x 1/4"	0.98	0.55	0.05	7.14
20-053N	1/4" x 10-32"	0.97	0.51	0.03	6.73
20-054N	1/4" x 1/8"	0.98	0.51	0.06	4.71
20-055N	1/4" x 1/4"	0.98	0.55	0.10	5.39
20-056N	1/4" x 3/8"	0.98	0.71	0.08	6.89
20-530N	5/16" x 1/8"	0.98	0.55	0.05	7.87
20-531N	5/16" x 1/4"	1.08	0.55	0.10	7.82
20-532N	5/16" x 3/8"	1.08	0.71	0.08	9.60
20-057N	3/8" x 1/8"	1.38	0.67	0.06	7.82
20-058N	3/8" x 1/4"	1.32	0.67	0.05	7.28
20-059N	3/8" x 3/8"	1.32	0.71	0.08	8.11
20-062N	3/8" x 1/2"	1.32	0.87	0.08	14.58
20-060N	1/2" x 1/4"	1.54	0.79	0.11	10.52
20-061N	1/2" x 3/8"	1.42	0.79	0.12	12.80
20-063N	1/2" x 1/2"	1.58	0.87	0.14	15.69


SWIVEL MALE ELBOW



W169PL
87110


Part #	Tube O.D. x Male Global Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
20-079N	1/8" x 1/8"	0.67	0.78	0.51	0.07	7.96
20-535N	1/8" x 1/4"	0.67	0.95	0.59	0.06	10.04
20-076N	5/32" x 10-32"	0.67	0.95	0.59	0.04	9.17
20-080N	5/32" x 1/8"	0.67	0.79	0.51	0.05	8.49
20-081N	1/4" x 1/8"	0.83	0.87	0.51	0.08	7.81
20-082N	1/4" x 1/4"	0.83	0.98	0.59	0.10	8.71
20-086N	1/4" x 3/8"	0.83	1.10	0.67	0.09	14.49
20-538N	5/16" x 1/4"	0.89	1.02	0.59	0.07	11.28
20-539N	5/16" x 3/8"	0.87	1.10	0.67	0.08	13.65
20-087N	3/8" x 1/8"	1.04	1.02	0.51	0.09	13.38
20-083N	3/8" x 1/4"	1.04	1.10	0.59	0.10	11.31
20-084N	3/8" x 3/8"	1.04	1.18	0.67	0.20	14.06
20-088N	3/8" x 1/2"	1.04	1.30	0.83	0.19	19.11
20-085N	1/2" x 3/8"	1.20	1.24	0.59	0.18	17.77
20-092N	1/2" x 1/2"	1.20	1.42	0.83	0.24	19.97

FEMALE SWIVEL ELBOW



Part #	Tube O.D. x Female NPTF	A	B	Hex	List Price
20-094N	5/32" x 1/8"	0.669	0.994	0.354	9.97
20-089N	1/4" x 1/8"	0.826	1.023	0.433	11.80
20-090N	1/4" x 1/4"	0.826	1.200	0.433	11.62
20-762N	3/8" x 1/8"	0.885	1.082	0.511	12.69
20-091N	3/8" x 1/4"	0.885	1.240	0.511	13.45


UNION ELBOW



165PL
88130

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
20-150N	1/8"	0.67	0.35	0.02	10.26
20-151N	5/32"	0.67	0.35	0.04	8.51
20-152N	1/4"	0.83	0.43	0.06	8.79
20-155N	5/16"	0.87	0.51	0.08	10.80
20-153N	3/8"	1.04	0.63	0.09	13.12
20-154N	1/2"	1.20	0.75	0.18	18.93


UNION "Y"



662PL
88310

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
20-553N	1/4" x 1/4"	1.44	0.53	0.14	24.94

SWIVEL MALE RUN TEE




W171PL
87222



Part #	Tube O.D. x Male Global Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
20-162N	1/4" x 1/8"	0.83	0.87	0.51	0.09	12.99
20-163N	1/4" x 1/4"	0.83	0.98	0.59	0.11	13.85
20-164N	1/4" x 3/8"	0.83	1.10	0.59	0.11	15.04
20-165N	3/8" x 3/8"	1.04	1.18	0.67	0.12	22.54
20-174N	1/2" x 1/4"	1.20	1.24	0.59	0.16	28.51
20-166N	1/2" x 3/8"	1.20	1.30	0.67	0.14	27.08

SWIVEL MALE BRANCH TEE




W172PL
87210



Part #	Tube O.D. x Male Global Thread	A	B	Hex	Approx. Wt. Lbs.	List Price
20-103N	1/8" x 1/8"	0.67	0.78	0.51	0.04	11.89
20-104N	5/32" x 10-32"	0.67	0.79	0.31	0.04	12.64
20-105N	1/4" x 1/8"	0.83	0.87	0.51	0.08	12.99
20-106N	1/4" x 1/4"	0.83	0.98	0.59	0.10	12.99
20-156N	1/4" x 3/8"	1.043	1.10	0.59	0.18	15.05
20-107N	3/8" x 1/4"	1.04	1.10	0.59	0.18	17.88
20-108N	3/8" x 3/8"	1.04	1.18	0.67	0.16	21.25
20-110N	1/2" x 3/8"	1.20	1.30	0.67	0.24	27.08
20-111N	1/2" x 1/2"	1.20	1.42	0.82	0.28	28.44

BULKHEAD UNION



62PLBH
88050

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
20-127N	1/4"	1.38	0.67	0.06	13.48
20-123N	5/16"	1.45	0.74	0.08	17.11
20-128N	3/8"	1.69	0.94	0.13	19.28

Push-In Ball Valves

Pressure Range:
 0-250 PSI (17 bar)
 Vacuum service

Temperatures:
Minimum: 0°F (-18°C)
Maximum: 160°F (+70°C)

Media:
 Air, Oil, Water, Gas
 (Consult factory for seal compatibility)

POS	Components	Materials
1	Body	Chrome plated brass
2	Ball Seats	Teflon
3	Stem Seal	NBR 70 (Viton & other compounds on request)
4	Stem	Chrome plated brass
5	Handle	Glass filled nylon
6	Color Plate	Nylon (Std. Blue, optional, green, yellow, red, white)
7	Handle Screw	Steel - Plated for corrosion resistance
8	Ball Retainer Seal	NBR 70 (Viton & other compounds on request)
9	Ball Retainer	Chrome plated brass
10	Ball	Chrome plated brass



BALL VALVE WITH PUSH-FIT CONNECTIONS

Part #	Tube	List Price
28-400	1/8"	33.46
28-401	1/4"	38.14
28-402	3/8"	44.07



**BALL VALVE MALE NPTF
 PUSH-FIT CONNECTIONS**

Part #	NPTF	Tube	List Price
28-403	1/8"	5/32"	25.69
28-404	1/4"	1/4"	27.10
28-405	3/8"	3/8"	30.55

Nothing in this world can take the place of persistence.

Talent will not: nothing is more common than unsuccessful men with talent.

Genius will not; unrewarded genius is almost a proverb.

Education will not: the world is full of educated derelicts.

Persistence and determination alone are omnipotent.


- Calvin Coolidge

Save 5% by ordering online at www.midlandindustrial.com

NICKEL PLATED METRIC PUSH-IN FITTINGS


BRASS

METRIC TUBE STRAIGHT MALE




Part #	Tube O.D. (mm)	Global Thread	A	Hex	List Price
20-630N	4	1/8"	0.702	0.429	4.51
20-631N	4	1/4"	0.760	0.546	5.87
20-700N	5	1/8"	0.78	0.429	5.27
20-701N	5	1/4"	0.78	0.546	5.65
20-632N	6	1/8"	0.78	0.546	5.27
20-633N	6	1/4"	0.819	0.546	5.65
20-702N	8	1/8"	0.955	0.546	5.84
20-634N	8	1/4"	0.858	0.546	5.91
20-635N	8	3/8"	0.897	0.663	6.53
20-703N	8	1/2"	0.897	0.663	7.87
20-636N	10	1/4"	1.092	0.663	7.68
20-637N	10	3/8"	1.092	0.663	7.87
20-704N	10	1/2"	1.014	0.663	8.95
20-801N	12	1/4"	1.267	0.78	9.21
20-638N	12	3/8"	1.267	0.78	9.97
20-705N	12	1/2"	1.209	0.78	10.09
20-706N	14	3/8"	1.287	0.858	11.74
20-707N	14	1/2"	1.248	0.858	12.69

METRIC TUBE SWIVEL MALE ELBOW




Part #	Tube O.D. (mm)	Global Thread	A	B	Hex	List Price
20-708N	4	1/8"	0.663	0.780	0.507	9.14
20-709N	4	1/4"	0.663	0.936	0.585	9.97
20-710N	5	1/8"	0.780	0.858	0.507	9.21
20-642N	6	1/8"	0.819	0.858	0.507	8.73
20-803N	6	1/4"	0.819	0.975	0.585	9.97
20-711N	8	1/8"	0.878	0.917	0.507	10.17
20-805N	8	1/4"	0.878	1.014	0.585	11.13
20-655N	8	3/8"	0.878	1.092	0.663	14.48
20-712N	8	1/2"	0.878	1.404	0.819	15.68
20-656N	10	1/4"	1.034	1.092	0.585	14.03
20-657N	10	3/8"	1.034	1.170	0.663	15.68
20-713N	10	1/2"	1.034	1.287	0.819	18.22
20-658N	12	3/8"	1.190	1.287	0.663	18.08
20-659N	12	1/2"	1.190	1.404	0.819	20.63
20-714N	14	3/8"	1.268	1.404	0.663	21.77
20-715N	14	1/2"	1.268	1.443	0.819	23.10

METRIC TUBE SWIVEL MALE BRANCH TEE



Part #	Tube O.D. (mm)	Global Thread	A	B	Hex	List Price
20-680N	4	1/8"	0.663	0.780	0.507	12.76
20-716N	4	1/4"	0.663	0.936	0.585	13.90
20-717N	5	1/8"	0.78	0.858	0.507	12.76
20-682N	6	1/8"	0.819	0.858	0.507	12.76
20-683N	6	1/4"	0.819	0.975	0.585	13.90
20-809N	8	1/8"	0.877	0.917	0.507	15.49
20-684N	8	1/4"	0.877	1.014	0.585	15.81
20-686N	10	1/4"	1.033	1.092	0.585	20.56
20-687N	10	3/8"	1.033	1.170	0.663	21.77
20-810N	10	1/2"	1.033	1.287	0.819	23.10
20-688N	12	3/8"	1.189	1.287	0.663	24.12
20-689N	12	1/2"	1.189	1.404	0.819	26.08
20-718N	14	3/8"	1.267	1.404	0.663	30.15
20-719N	14	1/2"	1.267	1.443	0.819	32.49

METRIC TUBE SWIVEL MALE RUN TEE




Part #	Tube O.D. (mm)	Global Thread	A	B	Hex	List Price
20-670N	4	1/8"	0.663	0.780	0.507	12.76
20-720N	4	1/4"	0.663	0.936	0.585	13.90
20-721N	5	1/8"	0.780	0.858	0.507	12.76
20-672N	6	1/8"	0.819	0.858	0.507	12.76
20-673N	6	1/4"	0.819	0.975	0.585	13.90
20-811N	8	1/8"	0.819	0.917	0.507	15.49
20-674N	8	1/4"	0.878	1.014	0.585	15.81
20-676N	10	1/4"	0.878	1.092	0.585	20.56
20-677N	10	3/8"	1.034	1.170	0.663	21.77
20-722N	10	1/2"	1.034	1.287	0.819	23.10
20-678N	12	3/8"	1.190	1.287	0.663	24.12
20-679N	12	1/2"	1.190	1.404	0.819	26.08

I USED TO THINK THE WORST THING IN LIFE WAS TO END UP ALL ALONE, IT'S NOT. THE WORST THING IN LIFE IS TO END UP WITH PEOPLE WHO MAKE YOU FEEL ALL ALONE.

- ROBIN WILLIAMS


BULKHEAD UNION

BRASS




Part #	Tube O.D. (mm)	Tube O.D. (mm)	A	B	List Price
20-723N	3		1.014	0.332	11.87
20-600N	4		1.190	0.410	8.32
20-724N	5		1.287	0.449	8.64
20-725N	6	4	1.248	0.488	8.64
20-601N	6		1.326	0.488	8.64
20-726N	8	6	1.365	0.566	9.46
20-727N	8		1.404	0.566	9.46
20-728N	10	8	1.638	0.683	11.87
20-603N	10		1.638	0.683	11.87
20-729N	12	10	1.833	0.800	14.03
20-604N	12		1.833	0.800	14.03
20-730N	14		1.911	0.839	21.01

BULKHEAD



Part #	Tube O.D. (mm)	M	A	Hex	List Price
20-731N	3	M10x1	1.014	0.546	19.29
20-732N	4	M12x1	1.229	0.663	12.76
20-733N	5	M14x1	1.287	0.663	14.16
20-734N	6	M14x1	1.365	0.663	14.16
20-735N	8	M16x1	1.443	0.741	15.49
20-736N	10	M20x1	1.677	0.936	20.50
20-737N	12	M22x1	1.872	1.014	24.56


UNION ELBOW



Part #	Tube O.D. (mm)	A	Body Size	List Price
20-738N	3	0.663	0.51	11.87
20-206N	4	0.663	0.351	9.21
20-739N	5	0.780	0.429	9.33
20-660N	6	0.780	0.429	9.33
20-661N	8	0.878	0.507	10.98
20-807N	10	1.034	0.624	13.52
20-808N	12	1.190	0.741	17.78
20-740N	14	1.268	0.741	21.90


LIFE ISN'T ABOUT FINDING YOURSELF. LIFE IS ABOUT CREATING YOURSELF.
- GEORGE BERNARD SHAW

UNION TEE



Part #	Tube O.D. (mm)	A	B	Body Size	List Price
20-741N	3	1.326	0.663	0.351	16.50
20-610N	4	1.326	0.663	0.351	12.69
20-742N	5	1.560	0.780	0.429	13.39
20-611N	6	1.638	0.819	0.429	13.39
20-612N	8	1.755	0.878	0.507	15.49
20-613N	10	2.067	1.034	0.624	20.12
20-614N	12	2.379	1.190	0.741	24.95
20-743N	14	2.379	2.535	0.741	32.06

UNION Y




Part #	Tube O.D. (mm)	B	A	List Price
20-744N	3	0.390	1.131	23.35
20-813N	4	0.429	1.248	17.52
20-745N	5	0.527	1.365	18.54
20-814N	6	0.527	1.424	18.54
20-815N	8	0.605	1.599	21.01
20-746N	10	0.728	1.890	29.65

PLUG



Part #	Tube O.D. (mm)	A	List Price
20-748N	4	0.917	1.14
20-749N	5	0.956	1.14
20-750N	6	0.956	1.14
20-751N	8	1.014	1.40
20-752N	10	1.112	1.42
20-753N	12	1.190	1.43

REDUCER




Part #	Stud (mm)	Tube O.D. 2 (mm)	A	List Price
20-754N	4	3	1.053	10.09
20-755N	5	4	1.131	5.27
20-756N	6	4	1.170	5.27
20-757N	6	5	1.248	5.27
20-758N	8	6	1.326	5.59
20-759N	10	8	1.482	5.91
20-760N	12	8	1.521	6.35

Composite Body Push-In Fittings

BRASS

• For Food Grade, see page 279



Specifications

Fluid admitted	Air
Working pressure range	0-150 PSI (10BAR)
Min. Burst pressure	340PSI (23BAR)
Working Temperature range	-104°F ~180°F

The latest generation of composite material is used in the body construction in addition to brass on threaded components and stainless steel on the tube gripper.

• Tolerance

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

Materials of Construction:

1	Body	Composite Polyacetal (hemopolymer,copolymer)
2	Body	Brass
3	Tube Release	Acetal Resin
4	Retainer	Brass
5	Gripper Ring	Stainless Steel
6	Spacer	Brass
7	O-Ring	NBR 70
8	Threads	Brass w/ white sealant

UNION



PQ62P

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-019C	1/4"	0.01	3.44
20-020C	3/8"	0.02	4.40
20-021C	1/2"	0.03	7.55

UNION TEE



PQ64P

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-028C	1/4"	0.02	4.47
20-029C	3/8"	0.02	5.46
20-030C	1/2"	0.08	10.39

FEMALE CONNECTOR

- Brass



PQ66P

Part #	Tube O.D. x Female NPT	Approx. Wt. Lbs.	List Price
20-034C	1/4" x 1/8"	0.02	6.89
20-035C	1/4" x 1/4"	0.04	6.23
20-036C	3/8" x 1/4"	0.04	4.10
20-037C	3/8" x 3/8"	0.06	4.08

MALE CONNECTOR

- Nickel Plated



PQ68P

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-054C	1/4" x 1/8"	0.02	3.59
20-055C	1/4" x 1/4"	0.02	2.21
20-056C	1/4" x 3/8"	0.04	4.46
20-058C	3/8" x 1/4"	0.06	3.51
20-059C	3/8" x 3/8"	0.06	3.63
20-062C	3/8" x 1/2"	0.08	6.69
20-060C	1/2" x 1/4"	0.06	6.72
20-061C	1/2" x 3/8"	0.08	6.01
20-063C	1/2" x 1/2"	0.10	6.48

SWIVEL MALE ELBOW

- Swivels for installation only.
- Not a live swivel



PQ69PS

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-081C	1/4" x 1/8"	0.02	3.94
20-082C	1/4" x 1/4"	0.04	3.75
20-086C	1/4" x 3/8"	0.06	4.79
20-087C	3/8" x 1/8"	0.04	4.98
20-083C	3/8" x 1/4"	0.08	5.20
20-084C	3/8" x 3/8"	0.10	4.96
20-088C	3/8" x 1/2"	0.12	8.65
20-085C	1/2" x 3/8"	0.16	10.42

COMPOSITE BODY PUSH-IN FITTINGS

BRASS FITTINGS

BRASS

SWIVEL MALE BRANCH TEE

- Swivels for installation only.
- Not a live swivel



PQ72PS

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-105C	1/4" x 1/8"	0.04	9.13
20-106C	1/4" x 1/4"	0.06	11.48
20-121C	1/4" x 3/8"	0.08	6.11
20-107C	3/8" x 1/4"	0.10	10.45
20-108C	3/8" x 3/8"	0.12	10.07

BULKHEAD UNION



PQ82P

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-127C	1/4"	0.04	7.56
20-128C	3/8"	0.06	6.67

90° UNION ELBOW



PQ65P

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-152C	1/4"	0.02	5.13
20-153C	3/8"	0.02	6.03

SWIVEL MALE RUN TEE

- Swivels for installation only.
- Not a live swivel



PQ71PS

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-162C	1/4" x 1/8"	0.04	9.06
20-163C	1/4" x 1/4"	0.04	5.16
20-099C	3/8" x 1/8"	0.06	6.22
20-100C	3/8" x 1/4"	0.08	5.77
20-165C	3/8" x 3/8"	0.10	6.86

UNION "Y" CONNECTOR



PQ89P

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-553C	1/4"	0.02	7.41
20-555C	3/8"	0.02	9.55

SWIVEL "Y" CONNECTOR

- Swivels for installation only.
- Not a live swivel



PQ88PS

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-557C	1/4" x 1/4"	0.02	10.89

IN-LINE NEEDLE VALVE



PQ310C

Part #	Tube O.D.	Approx. Wt. Lbs.	List Price
20-487C	1/4"	0.04	26.80


RIGHT ANGLE FLOW CONTROL METER IN



JPQ

Part #	Tube O.D. x Male NPT	Approx. Wt. Lbs.	List Price
20-728C	1/4" x 1/4"	0.04	23.33

Technical Characteristics



PART 1	BODY	COMPOSITE
PART 2	BODY	NICKEL PLATED BRASS
PART 3	TUBE RELEASE	ACETAL RESIN
PART 4	RETAINER	NICKEL PLATED BRASS
PART 5	GRIPPER RING	STAINLESS STEEL
PART 6	SPACER	COMPOSITE
PART 7	THREAD PACKING	NBR 70
PART 8	O-RING	NBR 70
PART 9	THREAD SEAL	NBR70

Operating Range

Pressure: 0 to 220 PSI (15 bar)

Vacuum: 0 to 29hg (-.99 bar)

Temperature

-5° F to + 175° F (-20° C to + 80° C)

Media

Compressed air.

Non-toxic fluids (water)

Materials

The latest generation of composite material is used in the body construction in addition to nickel-plated brass on threaded components and stainless steel on the tube gripper.

MALE ADAPTER

3175



Nickel Plated

Part #	Tube OD (mm)	BSPT Thread	List Price
20-630	4	1/8"	5.90
20-631	4	1/4"	6.82
20-632	6	1/8"	6.69
20-633	6	1/4"	6.21
20-634	8	1/4"	7.64
20-635	8	3/8"	8.40
20-636	10	1/4"	8.88
20-637	10	3/8"	9.70
20-801	12	1/4"	11.41
20-638	12	3/8"	12.33

UNION 90° ELBOW

3102



Part #	Tube O.D. (mm)	List Price
20-806	4	12.03
20-660	6	11.82
20-661	8	14.12
20-807	10	16.76
20-808	12	22.21

UNION TEE

3104



Part #	Tube O.D. (mm)	List Price
20-610	4	16.31
20-611	6	12.84
20-612	8	19.18
20-613	10	25.20
20-614	12	25.63

UNION

3106



Part #	Tube O.D. (mm)	List Price
20-600	4	10.38
20-601	6	7.78
20-602	8	6.00
20-603	10	11.43
20-604	12	17.18

SWIVEL MALE BRANCH TEE



Part #	Tube OD (mm)	BSPT Thread	List Price
20-680	4	1/8"	12.41
20-682	6	1/8"	12.03
20-683	6	1/4"	14.01
20-809	8	1/8"	14.55
20-684	8	1/4"	20.50
20-685	8	3/8"	24.27
20-686	10	1/4"	19.66
20-687	10	3/8"	28.88
20-810	10	1/2"	28.89
20-688	12	3/8"	21.58
20-689	12	1/2"	25.99

SWIVEL MALE RUN TEE



Part #	Tube OD (mm)	BSPT Thread	List Price
20-670	4	1/8"	12.29
20-672	6	1/8"	13.31
20-673	6	1/4"	12.35
20-811	8	1/8"	14.95
20-674	8	1/4"	14.61
20-675	8	3/8"	16.04
20-676	10	1/4"	27.14
20-677	10	3/8"	28.89
20-678	12	3/8"	23.03
20-679	12	1/2"	25.08

SWIVEL MALE 90° ELBOW



Part #	Tube OD (mm)	BSPT Thread	List Price
20-642	6	1/8"	7.45
20-803	6	1/4"	11.88
20-805	8	1/4"	14.35
20-655	8	3/8"	18.42
20-656	10	1/4"	13.27
20-657	10	3/8"	18.88
20-658	12	3/8"	21.83
20-659	12	1/2"	24.09

UNION Y CONNECTOR



Part #	Tube OD (mm)	List Price
20-813	4	21.43
20-814	6	14.55
20-815	8	25.65

BSPT/ BSPP FITTINGS

MALE BSPP NIPPLE



Part #	Size	List Price
28-800	1/8 X 1/8	12.93
28-801	1/4 X 1/8	14.60
28-802	1/4 X 1/4	17.18
28-803	3/8 X 1/8	18.47
28-804	3/8 X 1/4	15.41
28-805	3/8 X 3/8	15.59
28-806	1/2 X 1/4	28.94
28-807	1/2 X 3/8	28.94
28-808	1/2 X 1/2	32.31
28-810	3/4 X 1/2	42.87
28-811	3/4 X 3/4	53.98

MALE NIPPLE



BSPT X MALE NPT

Part #	Size	List Price
28-815*	1/8 X 1/8	33.53
28-816*	1/4 X 1/4	29.37
28-817*	3/8 X 3/8	33.43
28-818*	1/2 X 1/2	47.22
28-819*	3/4 X 3/4	106.06

MALE BSPT NIPPLE



Part #	Size	List Price
28-820	1/8 X 1/8	11.15
28-821	1/4 X 1/8	10.13
28-822	1/4 X 1/4	11.89
28-823	3/8 X 1/8	14.17
28-824	3/8 X 1/4	18.07
28-825	3/8 X 3/8	16.10
28-826	1/2 X 1/8	37.54
28-827	1/2 X 1/4	23.39
28-828	1/2 X 3/8	28.69
28-829	1/2 X 1/2	29.13
28-832	3/4 X 1/2	32.27
28-833	3/4 X 3/4	54.26

BSPP COUNTERSUNK

SEALED PLUG



Part #	Size	List Price
28-835	1/8	12.04
28-836	1/4	16.78
28-837	3/8	12.05
28-838	1/2	32.00

BSPT HEX COUNTERSUNK

PLUG



Part #	Size	List Price
28-840*	1/8	4.79
28-841*	1/4	8.88
28-842*	3/8	21.44
28-843*	1/2	27.59
28-844*	3/4	53.80

FEMALE BSPP

CAP



Part #	Size	List Price
28-855	1/8	8.17
28-856	1/4	10.63
28-857	3/8	16.44
28-858	1/2	29.69

BRASS FITTINGS

BSPT MALE X FEMALE NPT



Part #	Size	List Price
28-860*	1/8 X 1/8	12.76
28-861*	1/4 X 1/4	25.61
28-862*	3/8 X 3/8	37.99
28-863*	1/2 X 1/2	99.97
28-864*	3/4 X 3/4	97.31

NPT MALE X FEMALE BSPP



Part #	Size	List Price
28-867*	1/8 X 1/8	16.14
28-868*	1/4 X 1/4	23.22
28-869*	3/8 X 3/8	52.75
28-870*	1/2 X 1/2	81.00
28-871*	3/4 X 3/4	114.38

BUSHING

BSPT MALE X BSPP FEMALE



Part #	Size	List Price
28-873	1/4 X 1/8	9.59
28-874	3/8 X 1/8	15.30
28-875	3/8 X 1/4	14.92
28-876	1/2 X 1/4	17.87
28-877	1/2 X 3/8	22.28
28-878	3/4 X 1/2	32.43

All Fittings are Nickel Plated

except (*) which are Yellow Brass

BRASS RIGID MALE BARB ADAPTER




Part #	Hose I.D. x BSPT	List Price
32-450*	1/4" x 1/8"	1.40
32-451*	1/4" x 1/4"	2.04
32-452*	3/8" x 1/4"	2.23
32-453*	3/8" x 3/8"	5.63
32-454*	3/8" x 1/2"	4.12
32-455*	1/2" x 3/8"	2.79
32-456*	1/2" x 1/2"	4.57
32-457*	3/4" x 3/4"	7.11
32-458*	1" x 1"	14.66

**MALE BSPP
X FEMALE BSPP ADAPTER**



Part #	Size	List Price
28-880	1/8 X 1/8	13.58
28-881	1/8 X 1/4	12.58
28-882	1/4 X 1/8	11.02
28-883	1/4 X 1/4	18.16
28-884	1/4 X 3/8	20.43
28-885	3/8 X 1/8	13.34
28-886	3/8 X 1/4	12.19
28-887	3/8 X 3/8	30.36
28-888	3/8 X 1/2	30.44
28-889	1/2 X 1/4	25.44
28-890	1/2 X 3/8	23.39
28-891	1/2 X 1/2	55.17

FEMALE BSPP COUPLING



Part #	Size	List Price
28-894	1/8 X 1/8	15.87
28-895	1/4 X 1/8	19.31
28-896	1/4 X 1/4	16.29
28-897	3/8 X 1/8	29.47
28-898	3/8 X 1/4	37.67
28-899	3/8 X 3/8	20.78
28-900	1/2 X 1/4	35.60
28-901	1/2 X 3/8	33.51
28-902	1/2 X 1/2	43.79

All Fittings are Nickel Plated

90° BSPT MALE ELBOW



Part #	Size	List Price
28-905	1/8 X 1/8	20.82
28-906	1/4 X 1/4	27.64
28-907	3/8 X 3/8	43.54
28-908	1/2 X 1/2	84.60

**MALE BSPT X FEMALE BSPP 90°
ELBOW**



Part #	Size	List Price
28-911	1/8 X 1/8	21.76
28-912	1/4 X 1/4	33.14

BSPP FEMALE 90° ELBOW



Part #	Size	List Price
28-917	1/8 X 1/8	23.93
28-918	1/4 X 1/4	28.60
28-919	3/8 X 3/8	35.42
28-920	1/2 X 1/2	64.90

BSPP FEMALE TEE



Part #	Size	List Price
28-930	1/8	28.69
28-931	1/4	31.91
28-932	3/8	75.32
28-933	1/2	100.85

**BSPP MALE
RUN TEE**



Part #	Size	List Price
28-947	1/8	23.66
28-948	1/4	31.91
28-949	3/8	52.43
28-950	1/2	79.95

It's so hard to forget pain, but it's even harder to remember sweetness. We have no scar to show for happiness. We learn so little from peace

- Chuck Palahniuk

STEEL GREASE FITTINGS

BRASS FITTINGS

BRASS


Meets SAE #J-534C

Many types available on special order.

PIPE THREAD

BALL CHECK

#610
1610
2800
1720
5000




NEW

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-110	1/8" -27 NPTF	0.68	0.29	0.43	0.01	0.88
36-110SS	303 SS	0.68	0.29	0.43	0.01	4.04
36-111	Thread Forming	0.62	0.23	0.43	0.01	1.18

PIPE THREAD

BALL CHECK

#607
1607
2800
1669
5003




Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-112	1/8" -27 NPTF	1.25	0.78	0.43	0.02	2.47
36-113	1/8" -27 NPTF	1.75	1.26	0.43	0.02	2.70

PIPE THREAD

30° ANGLE BALL CHECK

#611
1611
2830
5100




Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-114	1/8" -27 NPTF	0.90	0.29	0.43	0.01	1.44

PIPE THREAD

45° ANGLE BALL CHECK

#688
1688
2845
5200




NEW

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-116	1/8" -27 NPTF	0.95	0.29	0.43	0.01	1.57
36-116SS	303 SS	0.95	0.29	0.43	0.01	5.77

PIPE THREAD

65° ANGLE BALL CHECK

#612
1612
2865
5300




Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-118	1/8" -27 NPTF	0.84	0.29	0.43	0.01	1.42

PIPE THREAD

90° ANGLE BALL CHECK

#613
1613
2890
5400
5407




NEW

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-120	1/8" -27 NPTF	0.84	0.29	0.43	0.01	1.40
36-120SS	303 SS	0.84	0.29	0.43	0.01	5.82
36-121	1/8" -27 NPTF	1.81	1.25	0.43	0.01	4.74

PIPE THREAD

BALL CHECK

#627
1627
2900K
5050




NEW

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-130	1/4" -18 NPTF	0.87	0.42	0.56	0.02	1.53
36-130SS	303 SS	0.87	0.42	0.56	0.02	11.31



PIPE THREAD

#629
1629
2965
5350




65° ANGLE BALL CHECK

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-132	1/4"-18 NPTF	0.96	0.34	0.56	0.02	2.24

1/4-28 TAPER THREAD

#641
1641
2400
3038
5010




SHORT BALL CHECK

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-140	1/4"-28 NPTF	0.54	0.18	0.31	0.01	0.49
36-140SS	303 SS	0.54	0.18	0.31	0.01	1.62
36-141	Thread Forming	0.57	0.20	0.31	0.01	0.53

1/4-28 TAPER THREAD

#652
1652
2400
5013




LONG BALL CHECK

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-142	1/4"-28 Taper Thread	0.90	0.29	0.43	0.01	0.63

1/4-28 TAPER THREAD

#680
1680
2400
5014




EXTRA LONG BALL CHECK

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-144	1/4"-28 Taper Thread	0.96	0.62	0.31	0.02	0.95

1/4-28 TAPER THREAD

#637 5210
1637
2445
1665
2465
3010



SHORT 45° BALL CHECK

Part #	Size	Angle	A	B	Hex	Approx. Wt. Lbs.	List Price
36-146	1/4"-28 Taper Thread	45°	0.81	0.20	0.37	0.02	1.25
36-146SS	303 SS	45°	0.81	0.20	0.37	0.02	5.17
36-147	1/4"-28 Taper Thread	65°	0.78	0.20	0.37	0.02	1.32

1/4-28 TAPER THREAD

#636
1630
2445



LONG 45° BALL CHECK

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-148	1/4"-28 Taper Thread	0.90	0.29	0.37	0.02	1.80

1/4-28 TAPER THREAD

#911
1911
2490
3054
5410



90° ANGLE BALL CHECK

SAE# A515002

Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-150	1/4"-28 Taper Thread	0.75	0.20	0.37	0.02	1.06
36-150SS	303 SS	0.75	0.20	0.37	0.02	5.17
36-152	Thread Forming	0.75	0.20	0.37	0.02	2.07

STEEL GREASE FITTINGS

BRASS FITTINGS

DRIVE TYPE


BALL CHECK

#608
1608
5021

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
36-160	5/16"	0.54	0.25	0.01	0.79

DRIVE TYPE


BALL CHECK

#728
1728
2316
5033

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
36-164	3/16"	0.51	0.25	0.01	0.71
36-164SS	303 SS	0.51	0.25	0.01	2.58


DRIVE TYPE

BALL CHECK

#743
1743
214
5029

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
36-166	1/4"	0.55	0.23	0.01	0.59
36-166SS	303 SS	0.55	0.23	0.01	2.58

METRIC


#711
6000
2106
2M6
5175

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-168	6MM x 1	16	6	7	0.01	0.92

(Diameter x Pitch)

METRIC


45° ANGLE

#712
6045
2107
5176

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-170	6MM x 1	21	5.5	9	0.02	1.24


METRIC

90° ANGLE

#713
6090
2108
ZM906
5177

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-172	6MM x 1	18	5.5	9	0.02	1.30


METRIC

#811
8000
2103
ZM58
5178

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-174	8MM x 1	17	6	9	0.02	0.78

METRIC

45° ANGLE

#812
8045
2104
ZM458
5179

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-176	8MM x 1	21	5.5	9	0.02	1.30

METRIC

90° ANGLE

#813
8090
2105
ZM908
5180


Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-178	8MM x 1	18	5.5	9	0.02	1.45

BRASS FITTINGS

STEEL GREASE FITTINGS

METRIC


#911
9000
2109
ZM510
5181



Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-180	10MM x 1	18	6	11	0.02	1.17

METRIC

#912
9045
2110
ZM4510




45° ANGLE

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-182	10MM x 1	21	5.5	11	0.02	1.71

METRIC

#913
9090
2111
ZM9010
5183




90° ANGLE

Part #	Size	A (mm)	B (mm)	Hex (mm)	Approx. Wt. Lbs.	List Price
36-184	10MM x 1	18	5.5	11	0.02	1.52

#711-B


1711
2500



Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-186	5/16"-24	0.65	0.25	0.37	0.02	0.92

#710-B


1710
2600



Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-188	3/8"-24	0.65	0.25	0.43	0.01	1.55

BUTTON HEAD

1184
1186



Part #	Size	A	B	Hex	Approx. Wt. Lbs.	List Price
36-200	1/8"-27 PTF	0.75	0.34	0.62	0.03	3.67
36-205	1/4"-18 NPT	0.82	0.42	0.62	0.03	3.98

WHIP HOSE - EXCEEDS SAE 100R1-AT - use with hand grease guns only

10,000 PSI Burst Pressure Rubber Hose




3/16" ID 1/8" NPT Solid Base

3,000 PSI Working pressure

Part #	Length	List Price
36-210	12" RUBBER	36.93
36-212	18" RUBBER	24.68
36-214	24" RUBBER	30.79
36-216	36" RUBBER	46.72

4 JAW GREASE GUN COUPLER


Provides quick, positive, leakproof connection w/ grease fittings.



1/8" NPTF

Part #	A	Hex	Approx. Wt. Lbs.	List Price
36-220	1.50	0.56	0.05	13.05

D.O.T. Air Brake - Nylon Tubing



Tube O.D	1/4	3/8	1/2	5/8	3/4
Thread Size-B	7/16-24	17/32-24	11/16-20	13/16-18	1-18

•Typical Application

Air brake systems except where temperatures exceed +200°F or where battery acid can drip on tubing.

•Pressure

Maximum operating pressure of 150 PSI.

•Vibration

Fair resistance.

•Temperature Range

-40°F to +200°F (-40°C to +93°C).

•Material

CA360 Brass

•Used With

NT Nylon Tubing - SAE J844 Type A and B.

•Tolerance

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical

•Advantages

Easy to assemble (no tube preparation or flaring required.) Built in tube support. Fittings utilize a ribbed sleeve for compression and positive grip. May be used with copper tubing by replacing nut, sleeve and insert with long nut and spherical sleeve. Insert should be removed for copper tubing use.

•Conformance

Meets specifications and standards of SAE and DOT FMVSS 571,106.

•Assembly Instructions

- 1- Cut tubing to desired length.
- 2-Slide nut and then sleeve on tubing. Threaded end of nut "A" must face toward fitting body.
- 3-Insert tubing into the preassembled fitting. Be sure tubing is bottomed in fitting.
- 4- Tighten nut to required torque as indicated on chart.


Disassembling: Remove nut and pull tubing out of fitting body. Insert will remain in tubing.

Reassembly: Push tubing and insert into fitting body until it bottoms. Thread nut onto fitting body and torque as in step 4.

Tube Size	Additional Number of Turns from Hand-Tight
1/4	3
3/8, 1/2	4
5/8, 3/4	3-1/2

SLEEVE

SAE# 100115




60NAB
60NTA
1460

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-001	1/4"	0.30	0.01	0.39
38-002	3/8"	0.39	0.02	0.52
38-003	1/2"	0.43	0.02	0.72
38-004	5/8"	0.48	0.03	1.20
38-005	3/4"	0.53	0.04	2.15

NUT

SAE# 100110




61NAB
61NTA
1461

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
38-010	1/4"	0.45	0.56	0.02	0.84
38-011	3/8"	0.63	0.62	0.02	1.07
38-012	1/2"	0.72	0.81	0.04	2.62
38-013	5/8"	0.77	0.94	0.04	2.78
38-014	3/4"	0.81	1.12	0.06	4.68

UNION


SAE# 100101BA



62NAB
62NTA
1462

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
38-019	1/4"	0.85	0.43	0.08	5.65
38-020	3/8"	1.10	0.56	0.18	6.83
38-021	1/2"	1.31	0.68	0.20	11.00
38-022	5/8"	1.43	0.81	0.26	22.99
38-023	3/4"	1.60	1.00	0.48	34.88

BULKHEAD UNION




62NBH
1474
475

Part #	Tube O.D.	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
38-028	1/4"	1.38	0.56	0.56	0.11	15.05
38-029	3/8"	1.61	0.69	0.75	0.16	18.50
38-030	1/2"	1.88	0.81	0.87	0.26	29.98

STAINLESS STEEL INSERT

• For SAE# J844 TUBING



59A
63NTA


Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
38-035	1/4"	0.53	0.16	0.01	1.04
38-036	3/8"	0.64	0.24	0.02	0.79
38-037	1/2"	0.81	0.37	0.02	1.37
38-038	5/8"	0.86	0.43	0.03	3.35
38-039	3/4"	1.04	0.56	0.03	3.99

Some product stocked in Houston and Atlanta.

D.O.T. AIR BRAKE - NYLON TUBING

BRASS FITTINGS


BRASS INSERT



1484
463

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
38-040	1/4"	0.64	0.16	0.01	0.78
38-041	3/8"	0.76	0.24	0.02	0.78
38-042	1/2"	0.94	0.37	0.02	1.64
38-043	5/8"	1.06	0.43	0.02	1.77
38-048	3/4"	1.21	0.56	0.04	2.82

TEE




64NAB
264NTA
1464

SAE# 100401BA

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-044	1/4"	0.61	0.14	12.24
38-045	3/8"	0.78	0.18	11.76
38-046	1/2"	0.92	0.36	18.65
38-047	5/8"	1.09	0.46	40.20


REDUCING BRANCH TEE



65NAB
265NTA
1465

Part #	Tube O.D. (1&2) x 3	A	B	Approx. Wt. Lbs.	List Price
38-049	3/8" x 1/4"	0.72	0.69	0.24	42.64
38-057	1/2" x 3/8"	0.92	0.85	0.30	23.72

ELBOW




65NAB
265NTA
1465

SAE# 100201BA

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-052	1/4"	0.61	0.10	11.99
38-053	3/8"	0.78	0.12	9.99
38-054	1/2"	0.92	0.26	24.42
38-055	5/8"	1.09	0.34	29.00

FEMALE ADAPTER



66NAB
66NTA
1466
66NBH

SAE# 100103BA


Part #	Tube O.D. x Female NPT	A	Hex	Approx. Wt. Lbs.	List Price
38-060	1/4" x 1/8"	0.83	0.56	0.07	4.76
38-061	1/4" x 1/4"	1.06	0.68	0.08	6.58
38-062	3/8" x 1/8"	1.00	0.56	0.10	6.36
38-063	3/8" x 1/4"	1.18	0.68	0.10	7.98
38-064	3/8" x 3/8"	1.18	0.87	0.12	9.00
38-065	1/2" x 3/8"	1.27	0.87	0.16	12.35
38-066	1/2" x 1/2"	1.43	1.06	0.26	18.46
38-067	5/8" x 3/8"	1.31	0.87	0.28	19.76
38-068	5/8" x 1/2"	1.50	1.06	0.28	23.30

Dimension data can change without notice.
Please call us when dimensions are critical.

Some product stocked in Houston and Atlanta.

MALE ADAPTER

SAE# 100102BA




68NAB
68NTA
1468

Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
38-072	1/4" x 1/16"	0.90	0.43	0.05	12.60
38-073	1/4" x 1/8"	0.88	0.43	0.05	3.81
38-074	1/4" x 1/4"	1.09	0.56	0.07	6.50
38-075	1/4" x 3/8"	1.13	0.68	0.09	7.98
38-076	3/8" x 1/8"	1.03	0.56	0.08	4.33
38-077	3/8" x 1/4"	1.20	0.56	0.10	4.58
38-078	3/8" x 3/8"	1.24	0.68	0.10	5.12
38-079	3/8" x 1/2"	1.43	0.87	0.16	7.45
38-080	1/2" x 1/4"	1.32	0.68	0.13	7.57
38-081	1/2" x 3/8"	1.32	0.68	0.14	6.54
38-082	1/2" x 1/2"	1.51	0.87	0.21	8.45
38-087	1/2" x 3/4"	1.57	1.06	0.23	29.91
38-083	5/8" x 3/8"	1.39	0.81	0.17	16.02
38-084	5/8" x 1/2"	1.57	0.87	0.20	13.69
38-088	5/8" x 3/4"	1.71	1.06	0.25	19.46
38-085	3/4" x 1/2"	1.68	1.00	0.28	19.00
38-086	3/4" x 3/4"	1.71	1.06	0.33	22.26

MALE ELBOW

SAE# 100202BA




1469

Part #	Tube O.D. x Male NPTF	A	B	Approx. Wt. Lbs.	List Price
38-091	1/4" x 1/8"	0.61	0.65	0.06	4.82
38-092	1/4" x 1/4"	0.67	0.86	0.09	6.07
38-093	1/4" x 3/8"	0.72	0.85	0.12	6.53
38-094	3/8" x 1/8"	0.72	0.73	0.09	6.77
38-095	3/8" x 1/4"	0.80	0.93	0.11	6.44
38-090	3/8" x 1/4" LONG	0.80	1.44	0.14	19.36
38-101	3/8" x 3/8"	0.83	0.90	0.14	7.46
38-102	3/8" x 1/2"	0.93	1.09	0.21	9.69
38-103	1/2" x 1/4"	0.85	0.98	0.18	9.39
38-104	1/2" x 3/8"	0.92	0.98	0.19	10.26
38-109	1/2" x 3/8" LONG	0.94	1.38	0.26	33.67
38-105	1/2" x 1/2"	1.02	1.17	0.28	11.01
38-106	5/8" x 3/8"	1.00	1.05	0.24	18.66
38-107	5/8" x 1/2"	1.10	1.25	0.28	17.59
38-110	5/8" x 3/4"	1.09	1.24	0.38	27.52
38-108	3/4" x 1/2"	1.19	1.33	0.41	27.99

FEMALE ELBOW

SAE# 100203BA




70NAB
1470
270NTA

Part #	Tube O.D. x Female NPTF	A	B	Approx. Wt. Lbs.	List Price
38-113	1/4" x 1/8"	0.68	0.52	0.08	7.30
38-114	1/4" x 1/4"	0.77	0.70	0.12	14.60
38-115	3/8" x 1/8"	0.82	0.58	0.14	19.88
38-116	3/8" x 1/4"	0.88	0.76	0.10	12.98
38-117	3/8" x 3/8"	0.93	0.76	0.12	16.93
38-118	1/2" x 3/8"	1.02	0.81	0.23	18.50
38-119	1/2" x 1/2"	1.13	1.01	0.36	28.04
38-120	5/8" x 1/2"	1.19	1.07	0.38	36.89

Some product stocked in Houston and Atlanta.

MALE RUN TEE

SAE# 100424BA




71NAB
271NTA
1471

Part #	Tube O.D. x Male NPTF x Tube O.D. 1x2x3	A	B	Approx. Wt. Lbs.	List Price
38-125	1/4" x 1/8" x 1/4"	0.61	0.65	0.10	13.80
38-126	1/4" x 1/4" x 1/4"	0.68	0.86	0.14	11.42
38-124	3/8" x 1/4" x 1/4"	0.72	0.69	0.14	28.61
38-127	3/8" x 1/4" x 3/8"	0.78	0.91	0.16	11.56
38-128	3/8" x 3/8" x 3/8"	0.83	0.90	0.20	10.00
38-129	1/2" x 3/8" x 1/2"	0.92	0.98	0.30	13.05

MALE BRANCH TEE


SAE# 100425BA



72NAB
272NTA
1472

Part #	Tube O.D. x Tube O.D. x Male NPTF 1x2x3	A	B	Approx. Wt. Lbs.	List Price
38-136	1/4" x 1/4" x 1/8"	0.61	0.65	0.10	9.60
38-137	1/4" x 1/4" x 1/4"	0.67	0.86	0.13	16.14
38-138	3/8" x 3/8" x 1/8"	0.71	0.73	0.14	16.11
38-132	3/8" x 1/4" x 1/4"	0.80	0.93	0.15	41.91
38-139	3/8" x 3/8" x 1/4"	0.78	0.91	0.16	11.24
38-133	1/2" x 1/2" x 1/4"	0.87	1.00	0.26	28.69
38-140	3/8" x 3/8" x 3/8"	0.83	0.90	0.20	11.65
38-134	1/2" x 3/8" x 3/8"	0.94	1.00	0.26	35.82
38-141	1/2" x 1/2" x 3/8"	0.92	0.98	0.30	14.76
38-142	1/2" x 1/2" x 1/2"	1.02	1.17	0.38	23.35
38-143	5/8" x 5/8" x 1/2"	1.09	1.24	0.44	52.50


FEMALE BRANCH TEE



Part #	Tube O.D. x Tube O.D. x Female NPTF 1x2x3	A	B	Approx. Wt. Lbs.	List Price
38-144	3/8" x 3/8" x 1/4"	0.90	0.78	0.21	36.78
38-146	5/8" x 5/8" x 1/4"	1.04	0.89	0.48	65.75

45° ELBOW

SAE# 100302BA



6945NAB
279NTA
1480


Part #	Tube O.D. x Male NPTF	A	B	Approx. Wt. Lbs.	List Price
38-148	1/4" x 1/8"	0.49	0.63	0.06	10.09
38-149	1/4" x 1/4"	0.60	0.85	0.08	11.24
38-150	3/8" x 1/8"	0.71	0.67	0.10	22.46
38-151	3/8" x 1/4"	0.72	0.86	0.10	8.19
38-152	3/8" x 3/8"	0.76	0.95	0.14	11.59
38-153	3/8" x 1/2"	0.78	1.20	0.24	19.03
38-157	1/2" x 1/4"	0.85	0.95	0.20	13.25
38-154	1/2" x 3/8"	0.84	0.94	0.20	13.35
38-155	1/2" x 1/2"	0.87	1.16	0.24	18.27
38-156	5/8" x 1/2"	1.00	1.20	0.28	21.33
38-158	3/4" x 1/2"	1.10	1.18	0.38	44.04

Save 5% by ordering online at
www.midlandindustrial.com

Some product stocked in Houston and Atlanta.



D.O.T. Air Brake - Copper Tubing



Tube O.D.	1/4	3/8	1/2	5/8	3/4
Thread Size-B	7/16-24	17/32-24	11/16-20	13/16-18	1-18

•Typical Application

Air brake systems.

•Pressure

Maximum operating pressure of 150 PSI.

•Vibration

Fair resistance.

•Temperature Range

-65°F to +250°F (-53°C to +121°C) with copper tubing.

•Material

CA360 Brass.

•Used With

Copper tubing in air brake systems.

•Tolerance

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.

•Advantages

Easy to assemble (no flaring). May be used with nylon tubing by replacing long nut and spherical sleeve with insert, rigid sleeve and nut.

•Conformance

Meets specifications and standards of SAE and DOT.

•Assembly Instructions

- 1- Cut tubing to desired length. Make sure all burrs are removed and the ends are cut square.
- 2- Slide nut and then sleeve on tubing. Threaded end "A" must face toward fitting body.
- 3- Insert tubing into fitting. Be sure tubing is bottomed on fitting shoulder.
- 4- Thread nut onto fitting body until it is hand tight.
- 5- From that point, tighten with a wrench the number of turns indicated in the chart below:

Tube Size	Additional Number of Turns from Hand Tight
1/4, 3/8	1-3/4
1/2, 5/8, 3/4	3-1/4

SLEEVE

SAE# 120115BA




Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-161	1/4"	0.25	0.01	0.52
38-162	3/8"	0.31	0.02	0.66
38-163	1/2"	0.38	0.02	0.78
38-164	5/8"	0.44	0.02	1.33
38-165	3/4"	0.50	0.04	3.37

60AB
1360

NUT

SAE# 120111BA




Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
38-170	1/4"	0.75	0.56	0.02	1.79
38-171	3/8"	1.13	0.62	0.04	2.10
38-172	1/2"	1.25	0.81	0.08	4.51
38-173	5/8"	1.38	0.94	0.12	4.70
38-174	3/4"	1.56	1.12	0.18	10.04

20961
61AB
1361

UNION

SAE# 120101BA




Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
38-179	1/4"	0.81	0.44	0.08	6.18
38-180	3/8"	1.10	0.56	0.14	7.76
38-181	1/2"	1.07	0.69	0.24	15.71
38-182	5/8"	1.41	0.81	0.34	20.35
38-183	3/4"	1.59	1.00	0.54	42.57

62AB
1362

TEE

SAE# 120401BA



Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-188	1/4"	0.62	0.16	12.53
38-189	3/8"	0.82	0.24	15.19
38-190	1/2"	0.94	0.48	28.41
38-191	5/8"	1.09	0.60	38.76

264AB
1364


THE UNIVERSITY OF ALASKA SPANS FOUR TIME ZONES

Dimension data can change without notice.
Please call us when dimensions are critical.



ELBOW

SAE# 120201BA




265AB
1365

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
38-196	1/4"	0.62	0.10	16.03
38-197*	3/8"	0.78	0.16	11.61
38-198	1/2"	0.92	0.28	33.35
38-199	5/8"	1.10	0.42	92.72

* Forged

FEMALE ADAPTER

SAE# 120103BA




66AB
1366

Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
38-204	1/4" x 1/8"	0.84	0.56	0.08	5.69
38-205	1/4" x 1/4"	1.07	0.68	0.10	9.50
38-206	3/8" x 1/8"	1.00	0.56	0.10	7.85
38-207	3/8" x 1/4"	1.19	0.68	0.12	7.31
38-208	3/8" x 3/8"	1.18	0.87	0.16	8.28
38-209	1/2" x 3/8"	1.27	0.87	0.18	25.07
38-210	1/2" x 1/2"	1.44	1.06	0.20	17.39
38-211	5/8" x 3/8"	1.31	0.87	0.24	17.34
38-212	5/8" x 1/2"	1.50	1.06	0.26	25.84

MALE ADAPTER

SAE# 120102BA




68AB
1368

Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
38-217	1/4" x 1/8"	0.88	0.43	0.06	3.68
38-218	1/4" x 1/4"	0.97	0.56	0.08	5.19
38-219	1/4" x 3/8"	1.14	0.68	0.10	6.36
38-220	3/8" x 1/8"	1.02	0.56	0.08	7.78
38-221	3/8" x 1/4"	1.09	0.56	0.10	5.82
38-222	3/8" x 3/8"	1.19	0.69	0.12	6.25
38-223	3/8" x 1/2"	1.45	0.87	0.18	6.67
38-224	1/2" x 1/4"	1.32	0.69	0.16	12.04
38-225	1/2" x 3/8"	1.35	0.69	0.18	9.44
38-226	1/2" x 1/2"	1.51	0.87	0.24	13.80
38-227	5/8" x 3/8"	1.39	0.81	0.22	16.08
38-228	5/8" x 1/2"	1.57	0.87	0.24	17.76
38-229	3/4" x 1/2"	1.67	1.00	0.34	19.85
38-230	3/4" x 3/4"	1.71	1.06	0.40	28.15

Save 5% by ordering online at www.midlandindustrial.com

90° MALE ELBOW


SAE# 120202BA



269AB
1369

Part #	Tube O.D. x Male NPTF	A	B	Approx. Wt. Lbs.	List Price
38-235	1/4" x 1/8"	0.64	0.76	0.08	5.96
38-236	1/4" x 1/4"	0.69	0.88	0.10	7.74
38-237	1/4" x 3/8"	0.73	0.86	0.14	10.02
38-238	3/8" x 1/8"	0.73	0.75	0.12	9.54
38-239	3/8" x 1/4"	0.80	0.93	0.12	8.65
38-240	3/8" x 3/8"	0.83	0.90	0.16	9.52
38-241	3/8" x 1/2"	0.95	1.11	0.24	10.52
38-242	1/2" x 1/4"	0.85	0.98	0.24	14.07
38-243	1/2" x 3/8"	0.92	0.98	0.22	12.47
38-244	1/2" x 1/2"	1.04	1.19	0.30	18.43
38-245	5/8" x 3/8"	1.01	1.06	0.34	20.05
38-246	5/8" x 1/2"	1.10	1.25	0.36	22.37
38-247	3/4" x 1/2"	1.19	1.32	0.44	28.95


LONG PATTERN ELBOW



Part #	Tube O.D. x Male NPTF	A	B	Approx. Wt. Lbs.	List Price
38-249	3/8" x 1/4"	0.81	1.44	0.16	19.13

90° FEMALE ELBOW

SAE# 120203BA




270AB
1370

Part #	Tube O.D. x Female NPTF	A	B	Approx. Wt. Lbs.	List Price
38-252	1/4" x 1/8"	0.69	0.52	0.10	26.95
38-253	1/4" x 1/4"	0.78	0.71	0.14	14.15
38-255	3/8" x 1/4"	0.84	0.78	0.16	8.10
38-256	3/8" x 3/8"	0.93	0.77	0.18	9.38
38-257	1/2" x 3/8"	1.03	0.82	0.26	35.78
38-259	5/8" x 1/2"	1.19	1.07	0.44	31.22

MALE RUN TEE

SAE# 120424BA




271AB
1371

Part #	Tube O.D. x Male NPTF (1&3)x2	A	B	Approx. Wt. Lbs.	List Price
38-264	1/4" x 1/8"	0.62	0.66	0.12	20.21
38-265	1/4" x 1/4"	0.68	0.87	0.16	19.02
38-266	3/8" x 1/4"	0.79	0.92	0.20	17.80
38-267	3/8" x 3/8"	0.83	0.90	0.24	15.38
38-269	1/2" x 1/2"	1.03	1.18	0.42	20.37

MALE BRANCH TEE

SAE# 120425BA




Part #	Tube O.D. x Male NPTF (1&2)x3	A	B	Approx. Wt. Lbs.	List Price
38-278	3/8" x 1/4"	0.78	0.91	0.18	19.63
38-279	3/8" x 3/8"	0.85	0.92	0.24	12.09
38-280	1/2" x 3/8"	0.91	0.98	0.36	16.04
38-281	1/2" x 1/2"	1.03	1.18	0.42	36.48

272AB
1372

BRASS

45° MALE ELBOW

SAE# 120302BA



Part #	Tube O.D. x Male NPTF	A	B	Approx. Wt. Lbs.	List Price
38-287	1/4" x 1/8"	0.49	0.63	0.08	8.41
38-288	1/4" x 1/4"	0.60	0.85	0.10	15.48
38-290	3/8" x 1/4"	0.72	0.86	0.18	7.57
38-291	3/8" x 3/8"	0.75	0.94	0.20	14.13
38-292	3/8" x 1/2"	0.78	1.16	0.22	23.96
38-293*	1/2" x 3/8"	0.82	0.94	0.18	20.13
38-294	1/2" x 1/2"	0.87	1.16	0.24	16.16

* Forged

279AB
1380

THERE IS NOTHING NOBLE IN BEING SUPERIOR TO YOUR FELLOW MAN. TRUE NOBILITY IS IN BEING SUPERIOR TO YOUR FORMER SELF.
- ERNEST HEMINGWAY




CUSTOM CATALOGS

SEE INSIDE BACK COVER



D.O.T. Air Brake - Hose/ Ends

BRASS



•Typical Application

Air Brake hose connections.
Meets SAE & DOT specifications
(FMVCS 10 GAL)

•Pressure

Determined by maximum working pressure for hose size.
Up to 125 psi

•Material

CA360 Brass.
Temperature: -40°F to + 120° F (-40°C to +48°C)

•Advantages

Can be used for nearly any brake line. Easy to assemble with a good selection of hose end configurations. Brass material offers excellent resistance against corrosion.

• Tolerance

+/- .02 on all dimensions. Dimension data can change without notice. Please call us when dimensions are critical.


•Assembly Instructions

- 1- Slide nut and sleeve onto hose. Make sure bevel edge of sleeve faces out toward fitting.
- 2- Push hose into fitting until it bottoms.
- 3- Screw nut until contact is made with body hex.

NOTE: When reassembling fitting, body and nut should be inspected. Only reuse if in proper condition. Sleeves should never be reused.

SLEEVE


- #60HC
- 3380-A
- 0903610
- 367
- 60RB



Part #	Hose I.D. Size	A	B	Approx. Wt. Lbs.	List Price
38-300	3/8"	0.69	0.90	0.02	2.16
38-301	1/2"	0.64	1.03	0.02	3.74

NUT


- 61RB
- #61HC
- 369
- 3380-B
- 0903624



Part #	Hose I.D. Size	A	Hex	Approx. Wt. Lbs.	List Price
38-306	3/8"	1.26	1.03	0.04	6.83
38-307	1/2"	1.20	1.25	0.06	5.87

SPRING NUT


- #61HCS
- 0903613
- 3380-D
- 61RBSG



Part #	Hose I.D. Size	Thread	A	Hex	Approx. Wt. Lbs.	List Price
38-312	3/8"	31/32-20	1.25	1.03	0.04	4.59
38-313	1/2"	1-3/32-20	1.20	1.25	0.06	6.01




SPRING



Part #	Hose I.D.	A	B	C	Approx. Wt. Lbs.	List Price
38-351	3/8"	2.75	0.84	0.78	0.20	1.86
38-352	1/2"	2.75	1.10	1.10	0.22	2.89

#60SG 3380-C
0901045 377


UNION



Part #	Hose I.D.	Thread	A	Hex	Approx. Wt. Lbs.	List Price
38-318	3/8"	31/32-30	2.55	0.97	0.32	29.10
38-319	1/2"	1-1/8-20	2.55	1.12	0.48	46.79

#62HC 362
3380B-Y0


FEMALE CONNECTOR HOSE



Part #	Hose I.D. x Female ABS	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
38-357	3/8" x 3/4-20	1.96	0.87	0.97	0.24	32.85
38-358	1/2" x 7/8-20	2.1	1.06	1.12	0.38	44.23

#66ABS 3380B-Y7
66RBSV 386


MALE CONNECTOR



Part #	Hose I.D. x Male Pipe	A	Hex 1	Hex 2	Hex 3	Approx. Wt. Lbs.	List Price
38-363	3/8" x 1/4"	2.90	0.75	0.87	0.97	0.38	33.81
38-364	1/2" x 3/8"	2.96	0.87	1.06	1.12	0.46	69.10

#68ABS 3380B-Y8
09155 387


ADAPTER



Part #	Male ABS x Male Pipe	ABS Thread	A	Hex	Approx. Wt. Lbs.	List Price
38-369	3/8" x 1/4"	3/4-20	1.14	0.75	0.06	3.63
38-368	3/8" x 3/8"	3/4-20	1.14	0.75	0.08	3.38
38-372	3/8" x 1/2"	3/4-20	1.37	0.87	0.12	5.47
38-370	1/2" x 3/8"	7/8-20	1.18	0.87	0.10	6.81
38-371	1/2" x 1/2"	7/8-20	1.38	0.87	0.12	11.22

#68ABS 76RB
1390 388


NUT AND SPRING ASSEMBLY



Part #	Hose I.D. Size	A	Hex	Approx. Wt. Lbs.	List Price
38-015	3/8"	3.55	1.03	0.18	4.90
38-016	1/2"	3.50	1.25	0.24	8.54

379
67RBSG
0999999


ADAPTER BODY



#68B
W1391Z

Part #	Hose I.D. x Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
38-324	3/8" x 1/4"	1.93	0.97	0.12	5.56
38-325	3/8" x 3/8"	1.92	0.97	0.14	5.66
38-326	3/8" x 1/2"	2.02	1.00	0.20	6.12
38-327	1/2" x 3/8"	2.07	1.12	0.18	16.31
38-328	1/2" x 1/2"	2.06	1.12	0.20	9.34


MALE ADAPTER



#68HC
368
3380B-Y2
68RB

Part #	Hose I.D. x Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
38-333	3/8" x 1/4"	1.91	0.97	0.22	11.32
38-334	3/8" x 3/8"	1.94	0.97	0.24	12.80
38-335	3/8" x 1/2"	2.12	0.97	0.26	14.51
38-336	1/2" x 3/8"	2.07	1.12	0.33	17.25
38-337	1/2" x 1/2"	2.07	1.12	0.36	18.77

MALE ADAPTER



#68HCS
3380B-Y3
68RBSG
378

Part #	Hose I.D. x Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
38-342	3/8" x 1/4"	4.91	1.00	0.32	13.31
38-343	3/8" x 3/8"	4.96	1.00	0.34	13.53
38-344	3/8" x 1/2"	5.53	1.00	0.38	15.01
38-345	1/2" x 3/8"	4.75	1.12	0.48	18.99
38-346	1/2" x 1/2"	4.88	1.12	0.52	21.97

D.O.T. PUSH-IN TUBE FITTINGS

Meets D.O.T. FMVSS 571.106 SAE J1131 Air Brake System Requirements

Benefits for Cost Savings & Engineering Project

- **Fast assembly:** No tools required. Simply push tubing in. Saves up to 75% of assembly time compared to standard air compression fittings. No loose parts to handle.
- **Fast disconnect:** Hold the collet collar with two fingers and pull out tube. No tools required.
- **Reusable:** Can be connected and disconnected several times.
- **Reliable sealing:** Using recommended tubing, full sealing is guaranteed.
- **Versatility:** Buna N O'ring standard. Viton and others available per request. Secure Tube Retention. Pulling on tubing only serves to tighten the connection.
- **Pre-Applied Teflon®** based pipe sealant on all male pipe threads, saving customer additional labor.
- **Full Flow Design,** provides more flow area than conventional fittings with internal tube supports even in the swivels.

lation of tubing. All male threads have a pre-applied Teflon® based pipe sealant to provide for easy assembly and leak proof seal.

• **Materials:**


CA360 Brass - Barstock CA377 - Forged
"O" Ring: Buna - Nitrile (90 Durometer)
EP (Ethylene Propylene)

• **Working Pressures & Temperature Ranges**

Vacuum to 150 PSI
-40°F to 200° F (-40°C to +93°C)

DOT Fittings are constructed with an all brass captive eyelet which allows for maximum flow. The brass captive eyelet with extended length is floating and has a machined top end radius for easy instal-


MALE 45° ELBOW



AQ54DOT
179MTNS
1880
DQ54DOT

Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
540402	1/4" x 1/8"	0.83	0.89	0.37	0.06	11.44
540404	1/4" x 1/4"	0.91	0.89	0.37	0.06	12.88
540602	3/8" x 1/8"	0.75	0.89	0.51	0.08	12.46
540604	3/8" x 1/4"	0.95	0.98	0.49	0.10	14.41
540606	3/8" x 3/8"	0.89	0.98	0.50	0.10	16.33
540608	3/8" x 1/2"	1.15	1.13	0.87	0.15	18.10
540804	1/2" x 1/4"	1.00	1.24	0.82	0.13	24.93
540806	1/2" x 3/8"	1.05	1.10	0.62	0.16	17.90
540808	1/2" x 1/2"	1.20	1.20	0.62	0.18	25.62
541006	5/8" x 3/8"	1.46	1.02	1.06	0.22	48.70
541008	5/8" x 1/2"	1.22	1.31	0.68	0.21	26.92
541208	3/4" x 1/2"	1.36	1.08	0.93	0.28	34.59
541212	3/4" x 3/4"	1.36	1.08	0.94	0.32	40.98

MALE 45° SWIVEL ELBOW




AQ54DOTS
179PMT
1880
DQ54DOTS

Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
540402S	1/4" x 1/8"	0.60	0.72	0.43	0.06	17.75
540404S	1/4" x 1/4"	1.10	0.89	0.56	0.09	17.90
540602S	3/8" x 1/8"	1.07	0.98	0.43	0.10	16.47
540604S	3/8" x 1/4"	1.07	0.98	0.56	0.11	16.55
540606S	3/8" x 3/8"	1.23	0.97	0.68	0.14	17.37
540804S	1/2" x 1/4"	1.22	1.12	0.56	0.14	31.38
540806S	1/2" x 3/8"	1.32	1.10	0.68	0.16	27.72
540808S	1/2" x 1/2"	1.61	1.10	0.88	0.18	24.39
541008S	5/8" x 1/2"	1.69	1.23	0.87	0.24	37.07

Dimension data can change without notice.
Please call us when dimensions are critical.


PLUG



1829
DQ59DOT
639PMT

Part #	Tube O.D.	A	Approx. Wt. Lbs.	List Price
595320	5/32"	1.16	0.01	1.16
590400	1/4"	0.81	0.02	2.31
590600	3/8"	0.99	0.02	2.25
590800	1/2"	0.99	0.04	3.97


UNION



AQ62DOT
62PMT
1862
DQ62DOT

Part #	Tube O.D.	A	B	Approx. Wt. Lbs.	List Price
620532	5/32"	1.18	.37	0.06	9.05
620400	1/4"	1.40	.51	0.08	11.27
620600	3/8"	1.82	.66	0.14	10.98
620604	3/8" x 1/4"	1.70	.67	0.18	20.95
620800	1/2"	2.02	.78	0.19	10.87
621000	5/8"	1.84	.94	0.30	22.92
621200	3/4"	2.38	1.18	0.44	45.76


UNION TEE



AQ64DOT
164 PMT
1864
DQ64DOT

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
640400	1/4"	0.94	0.37	0.11	16.51
640600	3/8"	1.08	0.50	0.22	20.26
640800	1/2"	1.26	0.62	0.25	27.81
641000	5/8"	1.44	0.69	0.32	43.10


UNION ELBOW



AQ65DOT
165 PMT
1865
DQ65DOT

Part #	Tube O.D.	A	Body Size	Approx. Wt. Lbs.	List Price
655320	5/32"	0.59	0.29	0.03	22.85
650400	1/4"	0.94	0.37	0.06	11.60
650600	3/8"	0.98	0.50	0.10	15.93
650800	1/2"	1.26	0.62	0.18	21.41

FEMALE CONNECTOR



AQ66DOT
66PMT
1866
DQ66DOT

Part #	Tube O.D. x Female NPTF	A	Hex	Approx. Wt. Lbs.	List Price
660402	1/4" x 1/8"	1.23	0.56	0.06	10.25
660404	1/4" x 1/4"	1.42	0.75	0.10	13.89
660602	3/8" x 1/8"	1.37	0.68	0.09	32.95
660604	3/8" x 1/4"	1.30	0.75	0.11	12.53
660606	3/8" x 3/8"	1.56	0.87	0.14	22.56
660804	1/2" x 1/4"	1.56	0.81	0.14	28.99
660806	1/2" x 3/8"	1.51	0.87	0.16	27.49
660808	1/2" x 1/2"	2.01	0.68	0.25	31.16

MALE CONNECTOR




AQ68DOT
68PM
1868
DQ68DOT
68PMT

Part #	Tube O.D. x Male NPTF	A	Hex	Approx. Wt. Lbs.	List Price
685320	5/32" x 10/32"	0.69	0.37	0.02	11.75
685321	5/32" x 1/16"	0.67	0.37	0.02	8.15
685322	5/32" x 1/8"	0.67	0.43	0.02	9.07
680302	3/16" x 1/8"	1.82	0.50	0.02	10.54
680421	1/4" x 1/16"	1.17	0.44	0.02	12.44
680402	1/4" x 1/8"	0.94	0.44	0.04	5.16
680404	1/4" x 1/4"	0.90	0.56	0.05	5.55
680406	1/4" x 3/8"	1.10	0.68	0.08	9.75
680602	3/8" x 1/8"	1.17	0.68	0.04	7.83
680604	3/8" x 1/4"	1.15	0.68	0.08	7.06
680606	3/8" x 3/8"	1.12	0.68	0.08	7.68
680608	3/8" x 1/2"	1.02	0.87	0.14	13.57
680804	1/2" x 1/4"	1.46	0.81	0.11	16.55
680806	1/2" x 3/8"	1.28	0.81	0.12	9.81
680808	1/2" x 1/2"	1.23	0.87	0.14	10.16
681006	5/8" x 3/8"	1.44	.94	0.18	18.75
681008	5/8" x 1/2"	1.59	.94	0.18	20.38
681208	3/4" x 1/2"	1.65	1.06	0.20	26.11
681212	3/4" x 3/4"	1.38	1.06	0.20	32.31

A PERSON IS A PERSON NO MATTER HOW SMALL.
- DR. SEUSS

MALE ELBOW




Part #	Tube O.D. x Male NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
695302*	5/32" x 1/16"	0.65	0.59	0.32	0.03	13.86
695322	5/32" x 1/8"	0.78	0.69	0.32	0.03	9.82
690302	3/16" x 1/8"	0.71	0.75	0.47	0.03	19.00
690402	1/4" x 1/8"	0.91	0.75	0.37	0.05	8.65
690404	1/4" x 1/4"	1.05	0.84	0.37	0.06	9.09
690406	1/4" x 3/8"	1.00	0.98	0.50	0.11	11.49
690602	3/8" x 1/8"	0.97	0.80	0.49	0.14	12.47
690604	3/8" x 1/4"	1.10	0.98	0.50	0.14	10.86
690606	3/8" x 3/8"	1.08	0.98	0.50	0.15	11.95
690608	3/8" x 1/2"	1.04	1.19	0.62	0.20	20.01
690804	1/2" x 1/4"	1.15	1.05	0.62	0.22	17.13
690806	1/2" x 3/8"	1.15	1.05	0.62	0.22	17.02
690808	1/2" x 1/2"	1.25	1.26	0.62	0.24	22.21
691006	5/8" x 3/8"	1.25	1.26	0.62	0.30	24.66
691008	5/8" x 1/2"	1.34	1.29	0.68	0.32	25.61
691208	3/4" x 1/2"	1.32	1.36	0.94	0.32	34.44
691212	3/4" x 3/4"	1.22	1.40	0.93	0.34	41.60

* Barstock

AQ69DOT
169 PMTNS
1869
DQ69DOT

MALE SWIVEL ELBOW




Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
695322S	5/32" x 1/8"	0.79	0.88	0.44	0.07	11.99
690402S	1/4" x 1/8"	0.89	0.88	0.43	0.07	11.07
690404S	1/4" x 1/4"	0.99	1.09	0.56	0.10	15.69
690406S	1/4" x 3/8"	1.02	1.03	0.68	0.10	20.01
690602S	3/8" x 1/8"	0.98	1.08	0.43	0.10	12.47
690604S	3/8" x 1/4"	0.98	1.14	0.56	0.10	14.27
690606S	3/8" x 3/8"	0.98	1.19	0.68	0.14	14.77
690608S	3/8" x 1/2"	0.98	1.52	0.87	0.19	21.75
690804S	1/2" x 1/4"	1.16	1.26	0.56	0.16	39.00
690806S	1/2" x 3/8"	1.16	1.34	0.68	0.18	18.41
690808S	1/2" x 1/2"	1.25	1.61	0.87	0.26	24.09
691006S	5/8" x 3/8"	1.23	1.41	0.68	0.28	24.08
691008S	5/8" x 1/2"	1.54	1.71	0.87	0.30	28.71
691208S	3/4" x 1/2"	1.40	2.04	1.06	0.50	92.84
691212S	3/4" x 3/4"	1.22	2.30	1.06	0.56	51.47

AQ69DOTS
169PMT
1869
DQ69DOTS

THE ONLY THING NECESSARY FOR THE TRIUMPH OF EVIL IS FOR GOOD MEN TO DO NOTHING.

- EDMUND BURKE

FEMALE ELBOW



Part #	Tube O.D. x Female NPTF	A	B	Body Size	Approx. Wt. Lbs.	List Price
700402	1/4" x 1/8"	0.92	0.83	0.37	0.06	9.95
700404	1/4" x 1/4"	1.02	1.02	0.50	0.10	12.39
700406	1/4" x 3/8"	1.11	0.98	0.62	0.16	15.68
700602	3/8" x 1/8"	0.96	0.67	0.71	0.15	45.72
700604	3/8" x 1/4"	0.96	0.94	0.48	0.12	12.44
700606	3/8" x 3/8"	0.98	0.91	0.68	0.17	17.30
700804*	1/2" x 1/4"	1.15	1.11	0.82	0.22	42.90
700806*	1/2" x 3/8"	1.12	1.11	0.82	0.26	25.15
700808	1/2" x 1/2"	1.05	1.22	1.06	0.30	50.78

* Barstock


AQ70DOTS
1870
DQ70DOTS
170PMTNS

FEMALE SWIVEL ELBOW



Part #	Size	List Price
700404S	1/4" x 1/4"	9.86

MALE RUN TEE




Part #	Tube O.D. x Male NPTF (1 x 3) x 2	A	B	Body Size	Approx. Wt. Lbs.	List Price
710402	1/4" x 1/8"	0.74	0.92	0.37	0.06	13.99
71040604	(1/4" x 3/8") x 1/4"	0.89	0.96	0.71	0.20	40.51
710404	1/4" x 1/4"	0.92	1.24	0.37	0.08	14.94
710604	3/8" x 1/4"	1.00	1.14	0.50	0.20	18.41
71060404	(3/8" x 1/4") x 1/4"	1.09	0.96	0.71	0.20	50.95
710606	3/8" x 3/8"	0.98	0.98	0.49	0.12	17.60
71060406	(3/8" x 1/4") x 3/8"	1.14	1.10	0.87	0.20	34.79
710608	3/8" x 1/2"	1.12	1.42	0.94	0.14	35.66
710806	1/2" x 3/8"	1.14	1.05	0.62	0.28	28.58
71080804	1/2" x 1/4"	1.30	1.14	0.87	0.28	84.40


AQ71DOT
171PMTNS
1871
DQ71DOT

THERE IS ONLY ONE WAY TO AVOID CRITICISM: DO NOTHING, SAY NOTHING, AND BE NOTHING
- ELBERT HUBBARD

MALE SWIVEL RUN TEE



Forged




Barstock

AQ71DOTS
171PMT
1871
DQ71DOTS


Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
710402S	1/4" x 1/8"	0.92	0.82	0.43	0.10	15.69
710404S	1/4" x 1/4"	0.92	1.24	0.56	0.11	17.61
710604S	3/8" x 1/4"	1.00	1.14	0.56	0.15	21.07
710606S	3/8" x 3/8"	0.98	1.18	0.68	0.14	22.04
710804S*	1/2" x 1/4"	1.18	1.22	0.56	0.24	55.17
710806S	1/2" x 3/8"	1.14	1.31	0.68	0.24	35.74
710808S	1/2" x 1/2"	1.14	1.61	0.62	0.30	37.48

* Barstock

MALE BRANCH TEE



Forged



Barstock

Part #	Tube O.D. x Male NPTF (1 x 2) x 3	A	B	Body Size	Approx. Wt. Lbs.	List Price
720302*	3/16" x 1/8"	0.64	0.75	0.41	0.07	22.63
720402	1/4" x 1/8"	0.74	0.92	0.37	0.10	14.20
720404	1/4" x 1/4"	0.92	0.92	0.43	0.10	14.73
720604	3/8" x 1/4"	0.99	1.08	0.50	0.20	20.14
72060404	(3/8" x 1/4") x 1/4"	0.96	0.89	0.71	0.20	58.93
720606	3/8" x 3/8"	0.98	0.99	0.50	0.10	28.00
720804	1/2" x 1/4"	1.14	1.12	0.87	0.20	30.92
720806	1/2" x 3/8"	1.05	1.16	0.62	0.24	27.09
720808	1/2" x 1/2"	1.42	1.24	0.94	0.32	39.58
72100808	(5/8" x 1/2") x 1/2"	1.46	1.30	1.18	0.20	72.89


* Barstock

AQ72DOT
172PMTNS
1872
DQ72DOT

"TREAT THE EARTH WELL. IT WAS NOT GIVEN TO YOU BY YOUR PARENTS, IT WAS LOANED TO YOU BY YOUR CHILDREN."

- KENYAN PROVERB

MALE SWIVEL BRANCH TEE



AQ72DOTS
172PMT
1872
DQ72DOTS

Part #	Tube O.D. x Male NPTF	A	B	Hex	Approx. Wt. Lbs.	List Price
720402S	1/4" x 1/8"	1.04	0.92	0.43	0.12	15.63
720404S	1/4" x 1/4"	1.16	0.92	0.56	0.14	16.93
720602S	3/8" x 1/8"	1.06	0.96	0.43	0.19	17.97
720604S	3/8" x 1/4"	1.16	0.99	0.56	0.20	22.39
720606S	3/8" x 3/8"	1.21	0.98	0.68	0.18	22.12
720804S	1/2" x 1/4"	1.26	1.16	0.56	0.30	27.96
720806S	1/2" x 3/8"	1.34	1.16	0.68	0.34	29.26
720808S	1/2" x 1/2"	1.64	1.16	0.87	0.22	31.05

FEMALE BRANCH TEE



Part #	(1 & 2) x 3	List Price
770402	1/4" x 1/8"	17.91
770404	1/4" x 1/4"	22.59
770604	3/8" x 1/4"	17.68


GLADHAND BULKHEAD CONNECTOR



TUBE OD x MALE NPTF

Part #	Size	List Price
830808	1/2" x 1/2"	55.94


BULKHEAD UNION



AQ82DOT
62PMTBH
1874
DQ82DOT

Part #	Tube O.D.	A	Hex	Approx. Wt. Lbs.	List Price
820400	1/4"	1.90	0.68	0.16	20.88
820600	3/8"	1.85	0.94	0.21	35.89
820800	1/2"	2.05	0.94	0.14	39.32
821000	5/8"	1.85	1.25	0.30	47.15

FEMALE BULKHEAD UNION



AQ86DOT
1873
DQ86DOT
66PMTBH

Part #	Tube O.D. x Female NPTF	A	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
860402	1/4" x 1/8"	1.30	0.68	0.68	0.08	13.44
860404	1/4" x 1/4"	1.53	0.68	0.75	0.10	13.64
860604	3/8" x 1/4"	1.87	0.94	0.94	0.14	15.13
860606	3/8" x 3/8"	1.84	0.81	0.87	0.16	21.01
860808	1/2" x 1/2"	2.54	1.31	1.06	0.32	35.52

AIR BRAKE - TUBING

BRASS FITTINGS

BRASS SPLIT SLEEVE D.O.T.
FITTINGS (5/32 O.D.)

Ideally suited for use in passive protected air transmission applications.

A specially designed slotted sleeve helps eliminate notch stress related to over torque.

COLLET



Part #	Tube O.D.	List Price
38-711	5/32"	1.56
25-001	1/8"	1.57

NUT



Part #	Tube O.D.	List Price
38-732	5/32"	1.88
25-033	1/8"	1.65

DOUBLE END UNION



Part #	Tube O.D.	List Price
38-761	5/32"	14.36
25-062	1/8"	8.38

CONNECTOR



Part #	Tube O.D.	Pipe Thread	List Price
38-769	5/32"	1/16"	9.49
38-770	5/32"	1/8"	8.99
25-175	1/8"	1/16"	9.48
25-176	1/8"	1/8"	8.59

ELBOW



Part #	Tube O.D.	Pipe Thread	List Price
38-718	5/32"	1/8"	8.45
25-220	1/8"	1/8"	8.42

• See Page 306 for Air Brake - Tubing

634
4510

AIR BRAKE TUBING

- SAE J844, Type 3 A & B & DOT FMVSS 106
- Nylon inner tube with open ply nylon fiber reinforcement and nylon cover.
- -40° F to +200° F temperature range.
- 150 P.S.I. max. working pressure.
- More colors available.



TYPE A NON-REINFORCED

Part #	Type A	Color	Length	List Price
38-950	1/8"	Black	100'	POR
38-952	1/4"	Black	100'	POR
38-952R	1/4"	Red	100'	POR
38-952U	1/4"	Blue	100'	POR
38-952-2	1/4"	Black	500'	POR
38-952-3	1/4"	Black	1000'	POR

TYPE B REINFORCED


Part #	Type B	Color	Length	List Price
38-960	3/8"	Black	100'	POR
38-960U	3/8"	Blue	100'	POR
38-960B5	3/8"	Black	500'	POR
38-965	1/2"	Black	100'	POR
38-965R	1/2"	Red	100'	POR
38-965B5	1/2"	Black	500'	POR
38-970	5/8"	Black	100'	POR
38-975	3/4"	Black	100'	POR

- Reinforced
- Available in black, blue, green, red, yellow

NOTE: The Synflex, Parker and Eaton tubing must be torqued at 47 in. pounds.

Any other 5/32 DOT tubing used, tubing or fitting manufacturer should be contacted for proper torque requirements.

FUEL LINE AND VAPOR EMISSION



- SAE 30R7
- Nitrile tube w/ spiral synthetic cord, hypalon cover.
- 50 p.s.i. working pressure. 1/2 -35 PSI
- -40° F to + 257° F temperature range.
- Low pressure/ high temperature fuel for cars, light trucks, and small engines.
- Meets SAE J1402

Part #	ID	OD	Length	List Price
38-920	3/16	13/32	25'	POR
38-926	5/16	9/16	25'	POR
38-923	1/4	1/2	25'	POR
38-927	3/8	5/8	50'	POR



STEEL BRAKE LINES FOR DOMESTIC VEHICLES

Length	Catalog Number 3/16" O.D.	List Price	Catalog Number 1/4" O.D.	List Price	Catalog Number 5/16" O.D.	List Price	Catalog Number 3/8" O.D.	List Price
6"	38-930	6.75						
8"	38-931	7.49						
10"	38-932	8.50						
12"	38-933	7.51					38-985	10.37
20"	38-934	8.63					38-986	13.46
30"	38-935	9.56	38-943	11.14				
40"	38-936	11.67	38-944	14.56			38-988	18.01
51"	38-937	13.49	38-945	15.55	38-984	----	38-989	22.80
60"	38-938	17.76	38-946	16.96			38-990	24.24
72"	38-939	20.04						

NOTE: 3/16" and 1/4" tube assemblies have one long and one short inverted flare nut.

**AIR BRAKE ACCESSORIES
GLADHAND COUPLINGS**

- Die Cast Aluminum Body
- Conforms to SAE J318
- Connects to 1/2" pipe



SERVICE (Signal) Blue
connects only to service

Part #	List Price
38-712	17.12

EMERGENCY (Supply Line) Red

Part #	connects only to emergency	List Price
38-714		17.12

UNIVERSAL - Gold
connects to both styles

Part #	List Price
38-716	18.48

GLADHAND SEAL



Part #	Full Face	List Price
38-720		2.00

HEX BALL FOOT CHUCK



Part #	1/4" Female Pipe	List Price
46-600		3.51

**BALL FOOT CHUCK WITH
1/4 I.D. HOSE BARB**



Part #	1/4" I.D. Hex	List Price
46-607		3.50

DUAL FOOT CHUCKS

6999		99941
693		50-065
108		6569
DFG-1		



Standard straight-on chuck with 30° reverse angle chuck.

Part #	1/4" NPT Female Thread	List Price
320-000		32.13

ANGLE CHUCK



For inner dual wheels with tilted valves.
Has 6" extension and 1/4" NPT female thread.

Part #	1/4" NPT Female Thread	List Price
320-005		10.48

AIR BRAKE - ACCESSORIES

BRASS FITTINGS

AIR BRAKE HOSES

AIR BRAKE HOSE



- Spiral synthetic cord reinforcement with neoprene cover.
- 40° F to +200° F temperature range.
- Max operating pressure 255 psi
- Max burst pressure 900 psi
- Meets SAE J1402

Part #	ID	OD	Length	List Price
38-910	3/8	3/4	50'	120.44
38-915	1/2	7/8	50'	180.48


REMOTE CONTROL
DRAIN VALVES

REMOTE CONTROL DRAIN VALVES




- Brass Body and stainless steel spring.
- Steel cable, nylon coated, certified to 200lbs pull test.
- Low profile to minimize accidental hits and damages.
- Pipe thread 1/4" NPTF.

Part #	Length	List Price
46-492	Standard 48"	27.54
46-493	Standard 60"	28.19

COILED AIRBRAKE
TUBE ASSEMBLIES

RED



Blue

- Conforms to SAE J844 Type B and SAE J1131.
- Conforms to DOT FMVSS 571. 106.
- Maximum Working Pressure 150 PSI,
- Minimum Burst 950 PSI.
- Temperature Range -40° F to 200° F.
- Brass end with spring guards and 1/2" male pipe connectors.
- Spring guards zinc plated for maximum corrosion resistance.
- Color coding, red for emergency and blue for service, provides you with error free installation.
- Preassembled for immediate installation.
- 1/2" O.D. with 1/2" fitting.

Each contains 1 red, 1 blue.

Part #	Working Length	Pigtail Length	List Price
38-700	12'	6"	166.91
38-705	12'	12"	211.79
38-710	15'	12"	186.52

BRASS FUEL HOSE FITTINGS

Typical Application: Low pressure air, fuel and oil applications. Generally used for automotive, light truck, and small engine fuel lines. Use with fuel hose SAE 30R7 & SAE 30R9.

Advantages: Easy to assemble, just push the fitting into the hose & clamp. Good selection of configurations at reasonable cost.

MALE CONNECTOR



HOSE BARB X MALE PIPE

Part #	Hose ID	Size	Ind #	List Price
38-800	3/16	1/8	1541	2.42
38-802	1/4	1/8	1537	2.08
32-377	1/4	1/4	1581	2.11
38-806	5/16	1/8	1551	2.76
38-808	5/16	1/4	1555	2.57
38-810	3/8	1/8	1565	3.51
32-381	3/8	1/4	1564	2.39
32-382	3/8	3/8	1566	4.70
32-383	1/2	3/8		3.36
32-384	1/2	1/2		5.31
32-182	5/8	3/8	1411	6.17
32-385	5/8	1/2	1431	7.32
32-387	3/4	1/2	1430	6.08
32-388	3/4	3/4		8.45
32-185	1	3/4		16.22

INVERTED FLARE MALE CONNECTOR



HOSE BARB X INVERTED FLARE

Part #	Hose ID	Inv. Flare	Ind #	List Price
38-828	5/16	1/4	1598	4.01
38-830	5/16	5/16	1560	2.95
38-832	5/16	3/8	1561	5.00
38-834	3/8	5/16	1568	4.41
38-836	3/8	3/8	1570	6.89

See Hose Clamps starting on page 287

90° MALE ELBOW



HOSE BARB X MALE PIPE

Part #	Hose ID	Size	Ind #	List Price
38-860	1/4	1/8	1582	5.92
38-862	5/16	1/8	1556	5.43
38-864	5/16	1/4	1557	6.37
38-866	3/8	1/8	1572	6.76
38-868	3/8	1/4	1571	6.08
32-186	3/8	3/8		9.43
32-187	1/2	3/8		14.54
32-191	1/2	1/2		19.68
32-188	5/8	3/8		10.56
32-189	5/8	1/2		11.80
32-190	3/4	1/2		17.32

INVERTED FLARE MALE SWIVEL 90° ELBOW



HOSE BARB X TUBE O.D.

Part #	Hose ID	Inv. Flare	Ind #	List Price
38-873	5/16	5/16	1405	35.81
38-874	3/8	3/8	1407	12.34

LONG STREET ELLS



Part #	Size	Length	List Price
28-440	1/8	1-3/16"	10.30
28-441	1/8	1-7/16"	5.12
28-442	1/8	1-11/16"	8.51
28-328	1/4	1-3/16"	17.29
28-329	1/4	1-7/16"	14.08
28-330	1/4	1-11/16"	14.05
28-332	1/4	2-1/4"	19.15
28-333	3/8	1-3/4"	21.93

EXTENSION ADAPTERS D.O.T.



Part #	Size	Length	List Price
28-335	1/8	1-1/4"	11.33
28-336	1/8	1-3/4"	12.33
28-338	1/4	1-9/16"	6.80
28-339	1/4	1-13/16"	8.66
28-340	1/4	2-1/16"	8.04

Some product stocked in Houston and Atlanta.


DRAIN COCKS

BRASS FITTINGS

DRAIN COCKS


- For use with low pressure air, water and fluids.
- Designed for a working pressure of 150 PSI.
- Hand-tightening provides a metal-to-metal seal.
- Not intended for natural gas, LPG, nuclear or aircraft applications.

GASOLINE SHUT OFF w/ SCREEN FILTER




Part #	Barb X Male Pipe	A	B	C	Approx. Wt. Lbs.	List Price
46-064	1/4" x 1/8"	0.55	1.34	0.66	0.06	77.94

AIR TANK DRAIN VALVE - Self Sealing w/ 5ft. remote cable




Part #	Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
46-065	1/4"	1.74	0.75	0.16	61.67

DRAIN COCK 150 PSI - Trunk Air Tank




Part #	Male Pipe	A	B	Approx. Wt. Lbs.	List Price
46-066	1/4"	1.73	1.41	0.22	26.18

TRUCK DRAIN - 125 P.S.I.G




Part #	Male Pipe	Industry Number	A	B	Hex	Approx. Wt. Lbs.	List Price
46-067	1/8"		1.53	1.95	0.62	0.14	18.94
46-068	1/4"	W15310	1.53	1.95	0.62	0.18	18.95

SHUT OFF - 150 P.S.I max.



Part #	Male Pipe x Female Pipe	Industry Number	A	B	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
46-069	1/4"	W20332	1.96	1.96	0.75	0.62	0.20	29.77

LEVER HANDLE




Part #	Male Pipe	Industry Number	A	B	Hex	Approx. Wt. Lbs.	List Price
46-070	1/8"	M-41-P	1.99	1.80	0.62	0.04	15.12
46-071	1/4"	M-42-P	2.06	1.81	0.62	0.06	15.12
46-072	3/8"	M-43-P	2.30	2.29	0.81	0.08	18.48
46-073	1/2"	M-44-P	3.00	2.50	0.87	0.16	51.45

*Valve is closed when handle is in the position of the picture

INTERNAL SEAT

DC602
808
400A
1800A



Part #	Male Pipe	Industry Number	A	Hex	Approx. Wt. Lbs.	List Price
46-079	1/8"	6783	1.63	0.40	0.02	14.89

INTERNAL SEAT


HB - 5/16
803
305A



Part #	Male Pipe	Industry Number	A	Hex	Approx. Wt. Lbs.	List Price
46-074	1/8"	130	0.92	0.40	0.04	10.54
46-075	1/4"	140	0.94	0.56	0.06	6.00
46-077	3/8"	230	1.34	0.68	0.08	13.14

LONG INTERNAL SEAT


809



Part #	Size	Ind #	A	Hex	Approx. Wt. Lbs.	List Price
46-078	1/8" MIP	185	1.72	0.43	0.02	33.37
46-076	3/8" Hose I.D.		1.65	0.43	0.02	13.31

TEE HANDLE - Internal Seat


DC603
802



Part #	Male Pipe	Industry Number	A	Hex	Approx. Wt. Lbs.	List Price
46-080	1/8"	M-200-P	1.22	0.50	0.04	16.30
46-081	1/4"	M-201-P	1.31	0.56	0.06	11.75
46-082	3/8"	M-202-P	1.69	0.68	0.12	22.10

EXTERNAL SEAT w/ SPOUT

200A
239
DC606
807




Part #	Male Pipe	Industry Number	A	Hex	Approx. Wt. Lbs.	List Price
46-084*	1/4"	6788	1.56	0.56	0.02	4.60

* Replaces GM # 511771 & Chrysler #836015

BIBB NEEDLE VALVE

804
DC607
2019
201DH



Part #	Male Pipe	Industry Number	A	B	C	Approx. Wt. Lbs.	List Price
46-088	1/8"	150	0.55	1.19	0.38	0.04	23.78
46-089	1/4"	120	0.82	1.76	0.66	0.06	15.65
46-089A	1/4"	6660	0.55	1.34	0.66	0.06	8.15

RADIATOR TYPE - External Seat

320D
240
DC604
801



Part #	Male Pipe	Industry Number	Ind #	A	Hex	Approx. Wt. Lbs.	List Price
46-085	1/8"	M-320-P	135	0.90	0.43	0.02	3.43
46-086	1/4"	M-321-P	145	1.00	0.56	0.04	3.43
46-087	3/8"	M-322-P	270	1.25	0.68	0.08	10.45
46-083	1/2"		108	1.52	0.87	0.12	30.55


SHUT-OFF COCKS

BRASS FITTINGS

• Designed for automotive or industrial use. AGA approved shut-off cocks approved for LPG and natural gas applications. Lubricant may wash out at higher pressures or with some exotic fluids.

• Designed for working pressure of 30 PSI.
• Forged brass bodies and brass handles.
• Instantaneous off-on operation with 360° rotation.
• Not good for gasoline.


FLARE X MALE PIPE



V402F
848

Part #	Male Flare X Male Pipe	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-100	1/4" x 1/8"	27SAE	2.16	1.88	0.50	0.14	15.58
46-101	1/4" x 1/4"	227SAE	2.19	1.84	0.62	0.16	20.16
46-102	5/16" x 1/8"	29SAE	2.06	1.88	0.50	0.14	17.14
46-103	5/16" x 1/4"	229SAE	2.12	1.82	0.69	0.16	20.81
46-104	3/8" x 1/4"	57SAE	2.27	1.84	0.62	0.17	19.29
46-107	1/2" x 3/8"	67SAE	2.36	2.27	0.82	0.20	19.49

FLARE X FLARE




842
V203F
136C

Part #	Male Flare X Male Flare	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-115	1/4"	28SAE	1.94	1.87	0.13	17.70
46-116	5/16"	30SAE	2.00	1.90	0.16	32.05
46-117	3/8"	58SAE	2.20	1.83	0.18	18.57
46-118	1/2"	68SAE	2.50	2.31	0.50	22.62
46-119	5/8"	1010SAE	3.05	2.59	0.70	20.63

* Please request AGA valves

FLARE X FEMALE PIPE



138C
2046

Part #	Male Flare X Female Pipe	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-127	3/8" x 3/8"	163SAE	2.28	2.38	1.03	0.40	57.50
46-125	3/8" x 1/2"	161SAE	2.45	2.31	1.03	0.32	54.87
46-126*	3/8" x 1/2"	161SAE	2.26	2.32	1.03	0.28	37.00
46-128	1/2" x 1/2"	164SAE	2.52	2.19	1.03	0.34	42.46
46-123	5/8" x 1/2"	164SAE	2.61	2.12	1.25	0.54	66.08


* Heater Valve

Dimension data can change without notice.
Please call us when dimensions are critical.

Save 5% by ordering online at
www.midlandindustrial.com

COMPRESSION X MALE PIPE

* See pg. 72-73 to order nut and sleeve separately.




868 133C
V304C VC206
2068

Part #	Comp X Male Pipe	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-130	1/4" x 1/8"	27-C	1.87	1.81	0.51	0.14	17.08
46-131	1/4" x 1/4"	227-C	2.05	1.86	0.62	0.15	21.52
46-132	5/16" x 1/8"	29-C	2.05	1.90	0.50	0.16	17.08
46-134	3/8" x 1/4"	57-C	2.05	1.83	0.62	0.15	18.06

COMPRESSION X COMPRESSION


* See pg. 72-73 to order nut and sleeve separately.



V3030F
2062
134C

Part #	Comp X Comp	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-140	1/4"	28-C	1.82	1.84	0.12	19.29
46-141	5/16"	30-C	1.84	1.88	0.14	20.19
46-142	3/8"	58-C	1.87	1.80	0.14	19.86
46-143	1/2"	68-C	2.21	2.32	0.22	30.08

FEMALE X FEMALE PIPE




V403P
132C
875

Part #	Female Pipe X Female Pipe	A	B	Hex	Approx. Wt. Lbs.	List Price
46-151	1/8"	1.77	1.79	0.56	0.12	15.18
46-152	1/4"	2.28	1.82	0.69	0.20	16.04
46-152T*	1/4"	2.28	2.00	0.68	0.20	23.92
46-153	3/8"	2.44	2.28	0.81	0.30	25.89

* 150 PSI

MALE PIPE X FEMALE




880
V402P
130C

Part #	Male Pipe X Female Pipe	Ind. #	A	B	Hex 1	Hex 2	Approx. Wt. Lbs.	List Price
46-160	1/8"	48-P	2.03	1.84	0.50	0.56	0.14	15.34
46-161	1/4"	49-P	2.26	1.84	0.69	0.69	0.18	16.04
46-161T*	1/4"		2.26	1.98	0.69	0.69	0.20	21.75
46-162	3/8"	50-P	2.33	2.28	0.82	0.82	0.28	25.89

* 150 PSI

MALE PIPE X MALE PIPE



1V401P
890

Part #	Male Pipe X Male Pipe	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-165	1/8"	76-P	2.09	1.77	0.50	0.12	16.24
46-166	1/4"	77-P	2.22	1.84	0.70	0.17	17.19
46-166T*	1/4"		2.23	2.00	0.68	0.18	22.44
46-167	3/8"	78-P	2.43	2.24	0.82	0.22	30.15

* 150 PSI

Some product stocked in Houston and Atlanta.


BRASS AIR COCKS

BRASS FITTINGS

- For use on low pressure air systems.
- Designed for working pressure of 80 PSI at moderate temperatures.
- Spring-key type cocks of all brass construction with stainless steel springs.
- Machine finish is standard. Polished or plated finish available at extra cost.

MIP X BIBB


- tee handle
- no hex



Part #	MIP x BIBB	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-300	1/8"	6	1.53	1.55	0.12	21.82
46-301	1/4"	7	1.61	1.54	0.14	29.57

MIP X BIBB


- lever handle
- no hex



Part #	MIP x BIBB	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-305	1/8"	12	2.01	1.71	0.14	21.33
46-306	1/4"	13	2.09	1.66	0.14	27.01

MIP X BIBB


- tee handle
- hex



Part #	MIP x BIBB	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-310	1/8"	63	1.64	1.51	0.56	0.14	29.93
46-311	1/4"	64	1.69	1.54	0.62	0.14	26.92
46-312	3/8"	8	1.75	1.48	0.75	0.17	23.22

MIP X BIBB

- lever handle
- hex




Part #	MIP x BIBB	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-315	1/8"	65	2.11	1.71	0.62	0.14	29.04
46-316	1/4"	66	2.16	1.71	0.62	0.16	29.85
46-317	3/8"	14	2.26	1.71	0.75	0.18	30.64
46-318	1/2"	15	2.32	1.46	0.87	0.26	35.99

Save 5% by ordering online at
www.midlandindustrial.com

Dimension data can change without notice.
 Please call us when dimensions are critical.

MIP X MIP


- tee handle
- hex



Part #	MIP X MIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-320	1/8"	18	1.81	1.51	0.75	0.14	23.81
46-321	1/4"	19	1.92	1.55	0.62	0.16	37.47
46-322	3/8"	20	2.34	1.55	0.75	0.19	24.95
46-323	1/2"	21	2.18	1.50	0.87	0.26	29.55

MIP X MIP


- lever handle
- hex



Part #	MIP X MIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-324	1/8"	22	2.09	1.69	0.56	0.14	32.52
46-325	1/4"	23	2.18	1.69	0.62	0.16	34.73
46-326	3/8"	24	2.26	1.72	0.75	0.20	27.76
46-327	1/2"	25	2.57	1.81	0.91	0.36	34.67

MIP X BIBB NOSE


- tee handle
- hex



Part #	MIP X BIBB NOSE	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-330	1/8"	26	2.18	1.75	0.56	0.14	36.73
46-331	1/4"	27	2.11	1.57	0.56	0.16	38.06

MIP X BIBB NOSE

- lever handle
- hex



Part #	MIP X BIBB NOSE	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-335	1/8"	29	2.25	1.68	0.56	0.14	42.79
46-336	1/4"	30	2.20	1.67	0.56	0.17	33.50
46-337	3/8"	31	2.25	1.72	0.87	0.20	53.55
46-338	1/2"	32	2.31	1.71	0.87	0.22	68.82



MIDLAND METAL APP

SEE INSIDE FRONT COVER


Lead Free fittings available on
pgs. 166-175

BRASS AIR COCKS

BRASS FITTINGS

FIP X FIP


- tee handle
- no hex



Part #	FIP X FIP	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-340	1/8"	37	1.62	1.50	0.14	21.04
46-341	1/4"	38	1.93	1.56	0.16	26.50
46-342	3/8"	39	2.00	1.55	0.20	31.40

FIP X FIP


- lever handle
- no hex



Part #	FIP X FIP	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-345	1/8"	43	1.94	1.68	0.14	30.13
46-346	1/4"	44	2.10	1.71	0.16	29.03
46-347	3/8"	45	2.14	1.69	0.20	35.19

FIP X FIP


- tee handle
- hex



Part #	FIP X FIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-350	1/8"	55	1.62	1.54	0.75	0.17	25.52
46-351	1/4"	56	1.94	1.55	0.75	0.18	36.65
46-352	3/8"	57	1.99	1.58	0.81	0.20	29.82

FIP X FIP

- lever handle
- hex




Part #	FIP X FIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-355	1/8"	58	1.97	1.70	0.56	0.15	31.18
46-356	1/4"	59	2.10	1.71	0.75	0.18	26.49
46-357	3/8"	60	2.10	1.69	0.81	0.20	44.61
46-358	1/2"	60A	2.50	2.02	1.00	0.36	49.61

NO ONE CAN MAKE YOU FEEL INFERIOR WITHOUT YOUR CONSENT.

- ELEANOR ROOSEVELT

MIP X FIP


- tee handle
- no hex



Part #	MIP X FIP	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-360	1/8"	40	1.70	1.55	0.14	24.60
46-361	1/4"	41	1.94	1.55	0.16	27.44
46-362	3/8"	42	2.06	1.50	0.20	33.45

MIP X FIP


- tee handle
- hex



Part #	MIP X FIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-370	1/8"	49	1.81	1.55	0.56	0.14	36.25
46-371	1/4"	50	2.06	1.55	0.75	0.20	29.98
46-372	3/8"	51	2.12	1.53	0.81	0.22	30.22
46-373	1/2"	51A	2.13	1.62	1.00	0.30	49.66

MIP X FIP


- lever handle
- no hex



Part #	MIP X FIP	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-365	1/8"	46	1.94	1.72	0.14	27.66
46-366	1/4"	47	2.10	1.65	0.16	30.87
46-367	3/8"	48	2.20	1.81	0.24	41.12
46-368	1/2"	48A	2.50	1.95	0.42	39.36

MIP X FIP

- lever handle
- hex



Part #	MIP X FIP	Ind. #	A	B	Hex	Approx. Wt. Lbs.	List Price
46-375	1/8"	52	1.93	1.69	0.56	0.16	26.49
46-376	1/4"	53	2.06	1.76	0.75	0.20	37.81
46-377	3/8"	54	2.13	1.71	0.81	0.22	44.86
46-378	1/2"	54A	2.65	1.96	1.00	0.28	53.02

Save 5% by ordering online at www.midlandindustrial.com

Dimension data can change without notice. Please call us when dimensions are critical.

NEEDLE VALVES

BRASS FITTINGS

NEEDLE VALVES

Made with either pin handle or pressed on handle.
Please specify if you have a preference.


- Used on instrumentation, hydraulic, and pneumatic systems.
- Designed for a maximum working pressure of 150 PSI.

- Provided with steel handles and metal-to-metal seats with fine-thread screwdown.
- Not designed for natural gas, LPG, nuclear or aircraft applications.
- Always install with pressure against the seat.

These are NOT Lead Free

See pages 166-175 for Lead Free products


COMP X MALE PIPE



NV106C 820
2205 3068

Part #	Comp X Male Pipe	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-001	3/16" x 1/8"	M-133-C	1.16	0.88	0.06	60.17
46-002	1/4" x 1/8"	M-101-C	1.29	1.12	0.07	20.36
46-002X	Heavy Pattern	M-101-C	1.19	0.88	0.09	51.50
46-003	1/4" x 1/4"	M-101-C	1.27	1.14	0.10	9.36
46-004	5/16" x 1/8"	M-102-C	1.50	1.25	0.14	18.35
46-005	3/8" x 1/4"	M-143-C	1.53	1.22	0.18	18.97


COMP X MALE PIPE-ANGLE



NV104C 821
2203 3069

Part #	Comp X Male Pipe	Handle	Ind. #	A	B	C	Approx. Wt. Lbs.	List Price
46-010	3/16" x 1/8"	B	M-33-C	0.50	1.50	0.82	0.07	41.97
46-011	1/4" x 1/8"	A	M-103-C	0.56	1.48	0.93	0.08	6.36
46-011X	Heavy Pattern	B	M-103-C	0.53	1.53	0.83	0.08	18.70
46-012	1/4" x 1/4"	B	M-104-C	0.62	1.67	0.90	0.13	16.91
46-013	5/16" x 1/8"	B	M-104-C	0.63	1.63	0.95	0.10	22.49
46-014	5/16" x 1/4"	B	M-104-C	0.69	1.73	0.92	0.14	67.36
46-016	3/8" x 1/4"	A	M-303-C	0.65	1.71	0.92	0.16	14.02


COMP X COMP



NV105C 2201
3062 822

Part #	Comp X Comp	Handle	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-020	3/16"	B	M-105-C	1.06	0.88	0.08	50.95
46-021	1/4"	A	M-106-C	1.17	1.12	0.10	7.27
46-022	5/16"	A	M-107-C	1.22	1.08	0.12	16.27
46-023	3/8"	B	M-113-C	1.31	1.15	0.13	11.88


FLARE X MALE PIPE



Part #	Male Flare X Male Pipe	Handle	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-028	1/4" x 1/8"	A	M-104-SAE	1.35	1.12	0.07	18.65
46-029	1/4" x 1/4"	B	M-1040-SAE	1.38	0.88	0.09	25.62
46-031	3/8" x 1/4"	B	M-108-SAE	1.73	1.22	0.18	77.02

NV103F
2405
823
3048


FLARE X MALE PIPE



Part #	Male Flare X Male Pipe	Ind. #	A	B	C	Approx. Wt. Lbs.	List Price
46-036	1/4" x 1/8"	M-103-SAE	0.68	1.54	0.86	0.08	13.84
46-038	5/16" x 1/8"	M-203-SAE	0.88	1.59	0.94	0.11	42.55
46-039	5/16" x 1/4"	M-204-SAE	0.90	1.94	1.00	0.14	20.68
46-040	3/8" x 1/4"	M-303-SAE	0.97	1.84	0.90	0.17	69.50

NV101F 824
2403 3049


FLARE X FLARE



NV102F
3042
825
2401

Part #	Male Flare X Male Flare	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-045	1/4"	M-110-SAE	1.48	1.20	0.18	5.39
46-046	3/8"	M-115-SAE	1.79	1.19	0.20	23.63


MULTI-PURPOSE AIR VENT



705

Part #	Male Pipe	A	Hex	Approx. Wt. Lbs.	List Price
46-048	1/8"	0.78	0.43	0.02	3.56

MALE PIPE TO MALE PIPE




NV107P
2301
826
3122

Part #	Male Pipe X Male Pipe	Handle	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-050	1/8"	A	M-108-P	1.25	1.09	0.08	23.24
46-051	1/4"	B	M-110-P	1.69	1.00	0.16	17.81

NEEDLE VALVES

BRASS FITTINGS

FEMALE PIPE X FEMALE PIPE




6800
NV109P
2304
817
3103

Part #	Female Pipe X Female Pipe	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-055*	1/8"	M-304-P	1.12	0.88	0.18	45.00
46-056	1/4"	M-3044-P	1.60	1.24	0.21	9.66
46-056P*	1/4" Heavy	M-3044-P	1.62	2.53	0.20	14.83

* Pressed on handle

MALE X FEMALE PIPE



NV108P
2305
818
3120


Part #	Male Pipe X Female Pipe	Handle	Ind. #	A	B	Approx. Wt. Lbs.	List Price
46-060	1/8"	A	M-305-P	1.18	1.09	0.10	6.68
46-061	1/4"	A	M-3055-P	1.60	1.14	0.18	10.26
46-061L	1/4" Light Pattern	B	M-3055-P	1.88	1.09	0.21	24.79

FLOW CONTROL NEEDLE & CHECK VALVES

- Precision calibrated dial to determine and allow a return to required flow settings.
- Safe positive stop for needle travel.
- Positive no-leak stem seal.


- 2PSI cracking pressure.
- 1000 PSI maximum operating pressure.
- One piece forged housing.
- Nickel Plated available.
- Suitable for natural gas.

CHECK VALVE




Part #	Size	A	B	Approx. Wt. Lbs.	List Price
20-473	1/4"	1.94	0.68	0.20	97.74

FLOW CONTROL



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
20-485	1/8"	1.47	1.48	0.18	129.83
20-487	1/4"	1.94	1.92	0.27	130.99

NEEDLE VALVE



Part #	Size	A	B	Approx. Wt. Lbs.	List Price
20-501	1/8"	1.47	1.80	0.18	102.39
20-503	1/4"	1.94	2.00	0.28	122.24

BRASS FITTINGS

SCREW STEM SHUT-OFF VALVES NEEDLE VALVES

NEEDLE VALVES are constructed to meter fluids and gases. They are **O-RING SEALED** to eliminate valve maintenance. The O-ring is positioned between the actuating threads and the seat, and seals the closely fitted cylinder to give the lowest possible internal volume and protect threads from contamination.

NEEDLE VALVES have a medium tipped stem (37°) to offer **RAPID SHUT OFF, FULL FLOW** and a **SEMI-METERING FUNCTION**.

The standard construction is a forged brass body, brass stem, thrust washer, cap and a BUNA "N" 'O' - RING seal. This valve is rated for 1,000 p.s.i.g. service from -40° to 250° F.

FACTORY MUST BE CONSULTED WHEN VALVES ARE TO BE USED WITH FLAMMABLE FLUIDS IN ORDER TO DETERMINE WORKING PRESSURE AND O-RING COMPATIBILITY.

COMPRESSION AND FLARE ENDS CAN BE SUBSTITUTED FOR PIPE ENDS IN MOST CASES.

(Price on application)



MIP X FIP STRAIGHT

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-768	1/8 Male x 1/8 Female	Regular	0.141	50.78
46-769	1/8 Male x 1/8 Female	Panel	0.141	67.94
46-770	1/4 Male x 1/4 Female	Regular	0.188	50.71
46-771	1/4 Male x 1/4 Female	Panel	0.188	66.27

FIP X FIP STRAIGHT

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-780	1/8 Female x 1/8 Female	Regular	0.172	46.72
46-781	1/8 Female x 1/8 Female	Panel	0.172	65.01
46-782	1/4 Female x 1/4 Female	Regular	0.188	48.71
46-783	1/4 Female x 1/4 Female	Panel	0.188	63.76

SPECIAL VERSIONS

Many special versions of these valves have been produced for other services. If your application is not described here or covered by our recommendations, please contact us. It is quite possible that one of these valve types can be economically adapted to your requirements.

NEEDLE VALVES



MIP X FIP ANGLE
(Bottom = Male, Side = Female)

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-786	1/8 Male x 1/8 Female	Regular	0.188	51.04
46-787	1/8 Male x 1/8 Female	Panel	0.188	66.00
46-788	1/4 Male x 1/4 Female	Regular	0.281	51.26

MIP X MIP ANGLE

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-792	1/8 Male x 1/8 Male	Regular	0.188	60.19
46-793	1/8 Male x 1/8 Male	Panel	0.188	60.00
46-794	1/4 Male x 1/4 Male	Regular	0.281	54.09
46-795	1/4 Male x 1/4 Male	Panel	0.281	67.28

FIP X FIP ANGLE

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-798	1/8 Female x 1/8 Female	Regular	0.188	43.08
46-799	1/8 Female x 1/8 Female	Panel	0.188	63.16
46-800	1/4 Female x 1/8 Female	Regular	0.281	48.10
46-801	1/4 Female x 1/4 Female	Panel	0.281	64.41

SELF PIERCING SADDLE VALVES



FITS 3/8" OD
THRU 3/4" OD

SELF PIERCING NEEDLE VALVE KIT #M-104-VSP

- INDIVIDUALLY BAGGED WITH NEEDLE VALVE
- SADDLE CLAMP
- 2 NUTS
- 2 BOLTS & WASHERS

Has brass sleeve for copper tube installation & delrin sleeve & brass insert for plastic tube installation.

Part #	Tube O.D.	Min Pkg Qty	List Price
46-090A	1/4"	1	5.97

MICRO-METERING VALVES

BRASS FITTINGS

MICRO-METERING VALVES

MICRO-METERING VALVES offer PRECISE FLUID CONTROL through a full metering tip (5°) and lubricated micrometer threads. Our O-ring seal arrangement eliminates contamination of system media by the thread lubricant.

The standard construction is forged brass body, brass stem and cap, a CELCON® thrust bearing and a BUNA "N" 'O'-RING seal. It is rated for 3,500 p.s.i.g. service from -40° to 150° F.

Many variations and modifications have been made in these valves to accommodate customer applications. It is quite possible they can be economically adapted to your requirements.



MIP X FIP STRAIGHT

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-741	1/8 Male x 1/8 Female	Regular	0.102	53.38
46-742	1/8 Male x 1/8 Female	Panel	0.102	71.18
46-743	1/4 Male x 1/4 Female	Regular	0.172	61.90
46-744	1/4 Male x 1/4 Female	Panel	0.175	67.94

MIP X MIP STRAIGHT

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-747	1/4 Male x 1/4 Male	Regular	0.172	64.38
46-748	1/4 Male x 1/4 Male	Panel	0.172	72.46

FIP X FIP STRAIGHT

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-752	1/8 Female x 1/8 Female	Regular	0.141	54.51
46-753	1/8 Female x 1/8 Female	Panel	0.141	71.18
46-754	1/4 Female x 1/4 Female	Regular	0.172	60.37
46-755	1/4 Female x 1/4 Female	Panel	0.172	70.66

Dimension data can change without notice. Please call us when dimensions are critical.



MIP X FIP ANGLE

(Bottom = Male, Side = Female)

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-756	1/8 Male x 1/8 Female	Regular	0.182	56.18
46-757	1/8 Male x 1/8 Female	Panel	0.182	69.32
46-758	1/4 Male x 1/4 Female	Regular	0.182	62.65

FIP X FIP ANGLE

Part #	Pipe Thread Inlet Outlet	Style	Maximum Orifice	List Price
46-765	1/8 Female x 1/8 Female	Panel	0.182	76.43
46-766	1/4 Female x 1/4 Female	Regular	0.182	55.42
46-767	1/4 Female x 1/4 Female	Panel	0.182	65.37

Some valves only available on made-to-order basis.



**BIN LABELS
ON DEMAND**

SEE
INTRO PAGE 4

Save 5% by ordering online at
www.midlandindustrial.com

BRASS FITTINGS

INDUSTRIAL INSTRUMENTATION BALL VALVES

INDUSTRIAL INSTRUMENTATION BALL VALVES

• With Double O-RING STEM SEALS provide 20,000 leak-free performance cycles without leakage. Valves also have an exclusive stem seal design that never needs tightening and can be panel mounted for instrumentation applications. For systems with working pressures up to 1,500 p.s.i.g.

- TEFLON ® Ball Seats
- Blow Out Proof Stem Seal
- Double O-Ring
- Up to 1,500 P.S.I.



FEMALE X FEMALE

Part #	Size	List Price
46-830	1/8 x 1/8	83.52
46-832	1/4 x 1/4	88.82
46-833	3/8 x 3/8	185.43
46-834	1/2 x 1/2	210.88

FEMALE X MALE

Part #	Size	List Price
46-835	1/8 x 1/8	90.36
46-838	1/4 x 1/4	90.51
46-840	1/2 x 1/2	229.22

MALE X MALE

Part #	Size	List Price
46-841	1/8 x 1/8	104.86
46-843	1/4 x 1/4	97.33
46-845	3/8 x 3/8	195.10
46-846	1/2 x 1/2	239.75

INDUSTRIAL INSTRUMENTATION ANGLE BALL VALVES



FEMALE X FEMALE

Part #	Size	List Price
46-875	1/8 x 1/8	84.71
46-876	1/8 x 1/4	94.11
46-877	1/4 x 1/8	94.31
46-878	1/4 x 1/4	79.88

INDUSTRIAL INSTRUMENTATION 3-WAY BALL VALVES



Part #	Size	List Price
46-951	1/8 FPT	81.83
46-956	1/4 FPT	86.16
46-959	3/8 FPT	216.45
46-960	1/2 FPT	224.32

Any size and Any combination of male pipe, female pipe, hose barb, compression or flare connections are available...just ask!

Some valves only available on made-to-order basis

"I have noticed that people who claim everything is predestined, and we can do nothing to change it, look both ways before crossing the road"

- Stephen Hawking

"Life is short, break the rules, forgive quickly, kiss slowly, love truly, laugh uncontrollably, and never regret anything that made you smile. Twenty years from now you will be more disappointed by the things you didn't do than by the ones you did. So throw off the bowlines. Sail away from the safe harbor. Catch the trade winds in your sails. Explore. Dream. Discover."

- H. Jackson Brown

"Sometimes I think the surest sign that intelligent life exists elsewhere in the universe is that none of it has tried to contact us."

Calvin, Calvin and Hobbes


SPECIALTY VALVES

BRASS FITTINGS

THREE AND FOUR-WAY SELECTOR VALVES


NON-LUBRICATED PLUG VALVES are designed to operate in systems where INSTANTANEOUS PORT SELECTION is desired. Since LUBRICANTS ARE NOT USED, relubrication is not required. There is no lubricant to freeze and lock the valve or to contaminate fine fluids. The O-RING SEALED CAP and STEM eliminate leakage to atmosphere. The mating BRASS BODY and CELCON PLUG produce a fine seal that WILL NOT SEIZE OR GALL.

Designed for PANEL or BRACKET MOUNTING. They are generally recommended for operation in GASOLINE, OIL, AIR, WATER and DETERGENT systems from minus 40° to 180°F, at a maximum operating pressure of 30 p.s.i.g. The fluid port size is 9/32 (.281) diameter for 1/8 and 1/4 sizes, 5/16 (.312) diameter for the 3/8 size. (Consult factory for applications requiring a higher pressure).




Type 1 (Standard)

A pronounced "click" may be felt at each position. Handle travel is not restricted.



PANEL MOUNTING AVAILABLE

**THREE-WAY VALVES
(Side Outlet)**



- 1-3/8" Stem
- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK

Part #	A-B-C Female Pipe Thread	Length of Stem	List Price
46-247	1/4	1-3/8"	35.71
46-248	3/8	1-3/8"	42.08


M-108-MID WITH CLICK 360°

Part #	A-B-C Female Pipe Thread	Length of Stem	List Price
46-250	1/8	1-3/8"	37.19
46-251	1/4	1-3/8"	36.35
46-252	3/8	1-3/8"	42.78

Openings:

- Handle Pointer over A..... Valve Open A-C
- Handle Pointer over C..... Valve Open B-C
- Handle Pointer over B..... Valve "OFF"
- Handle Pointer over Bracket..... Valve "OFF"

**THREE-WAY VALVES
(Bottom Outlet)**



- 1-3/8" Stem
- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK

Part #	A-B-C Female Pipe Thread	Length of Stem	List Price
46-241	1/4	1-3/8"	37.25


WITH CLICK 360°

Part #	A-B-C Female Pipe Thread	Length of Stem	List Price
46-243	1/8	1-3/8"	43.35
46-244	1/4	1-3/8"	38.96

Openings:

- Handle Pointer over A Valve Open A-C
- Handle Pointer over C Valve Open B-C

FOUR-WAY VALVES



- Side Outlet
- Bracket Mounting
- O-Ring Sealed
- 4-way celcon roter standard

LESS CLICK

Part #	A-B-C-D Female Pipe Thread	Length of Stem	List Price
46-257	1/4	1-3/8"	33.57

M-114-MID WITH CLICK (360°)

Part #	A-B-C-D Female Pipe Thread	Length of Stem	List Price
46-255	1/4	1-3/8"	39.50
46-256	3/8	1-3/8"	47.15

WITH 2-3/8" LONG STEM M-115-MID


Part #	A-B-C-D Female Pipe Thread	Length of Stem	List Price
46-260	1/4	2-3/8"	39.93

Openings:


- Handle Pointer over A..... Valve Open A-D
- Handle Pointer over C..... Valve Open C-D
- Handle Pointer over B..... Valve Open B-D
- Handle Pointer over Bracket..... Valve "OFF"



SIX PORT VALVES



- Designed primarily for diesel engine applications where a fuel return or spill back is required.



Maximum Handle Travel 180° Mounting Pads for Bolt Mounting Openings

- With Handle Lever over 1:
(All Ports Closed)
- With Handle Lever over 2:
(Open: 2-3 and 5-6, Closed: 1 and 4)
- With Handle Lever over 3:
(Open: 1-3 and 4-6, Closed: 2 and 5)

Part #	Ind. #	Female Pipe Thread of 1-2-3 4-5-6	Stem	Length Type	List Price
46-238	SK-1036	1/2 x 3/8	13/16	1	731.87

MARINE FITTINGS

- Calibrated to support 30" column of gasoline.
- Flo direction <-



ANTI-SIPHON VALVES
NPT X NPT

Part #	Size	List Price
46-520	1/4 x 1/4	18.56
46-521	3/8 x 3/8	30.97



ANTI-SIPHON VALVES
BARB X NPT

Part #	Size	List Price
46-530	5/16 x 1/4	17.93
46-531	3/8 x 1/4	16.37
46-532	3/8 x 3/8	30.05
46-533	1/2 x 3/8	30.05

SPECIALTY VALVES

BRASS TRUCK VALVES

200 PSI 404V



HOSE TO MALE PIPE

Part #	Size	List Price
46-450	3/8 x 3/8	17.90
46-451	5/8 x 3/8	17.89



404V

HOSE TO MALE PIPE

Part #	Size	List Price
46-455	5/8 x 1/2	35.78
46-457	3/4 x 3/8	44.59
46-456	3/4 x 1/2	37.69



405V

FEMALE TO MALE PIPE

Part #	Size	List Price
46-465	3/8 x 3/8	22.46
46-466	3/8 x 1/2	45.32
46-467	1/2 x 1/2	30.00



409V

FLARE TO MALE PIPE

Part #	Size	List Price
46-475	1/2 x 1/2	63.80
46-476	5/8 x 1/2	30.07



412V

MALE PIPE TO FLARE

Part #	Size	List Price
46-485	1/2 x 5/8	24.24

SOLID BOTTOM VALVES

- Designed for instantaneous on-off operation.
- 360° rotation standard.
- 30 PSI
- Packed with grease.

1035D

M-70-SBV



**O-RING SEALED
MIP X FIP**

Part #	Size	List Price
46-400	1/8	29.19
46-401	1/4	26.78
46-402	3/8	29.60

- Good for Propane

8875



**#M-72-SBV
FIP x FIP**

Part #	Size	List Price
46-411	1/4	31.71



**#M-75-SBV
MIP x FLARE**

Part #	Size	List Price
46-429	1/4 x 3/8	29.25

BRASS FITTINGS

SOLID BOTTOM FUEL VALVES

- Approved for use on Motorcraft fuel lines.
- Pointer lever.
- 90° turn stop mechanism to assure positive location of the on and off positions.
- Corrosion proofed internal construction assures maximum salt atmosphere protection.
- Port hole is 1/4 (.250) diameter.
- UL listed for use in fuel oils no. 1 & no. 2, LP gas and utility gas.



8980

PIPE

MALE X FEMALE

Part #	Size	List Price
46-400M	1/8 x 1/8	49.23
46-401M	1/4 x 1/4	36.40
46-402M	3/8 x 3/8	43.20



8990

PIPE

MALE x MALE

Part #	Size	List Price
46-406M	1/4 x 1/4	44.95

- Good for Propane

8975



PIPE

FEMALE X FEMALE

Part #	Size	List Price
46-411M	1/4 x 1/4	43.79



8948

MALE PIPE X FLARE

Part #	Size	List Price
46-429M	1/4 x 3/8	41.00
46-430M	3/8 x 3/8	66.28

Some product stocked in Houston and Atlanta.



BRASS FITTINGS

BRASS DOMESTIC MINIATURE BALL VALVES

- Working Pressure up to 1000 P.S.I.G.
- ASTM B-16 Corrosion Resistant Brass Body.
- Non-Adjusting Viton O-Ring Stem Seal Design Never Needs Tightening.
- Highly Inert Teflon Seats.
- Long Life Nickel Plated Brass Ball.
- Blow-Out Proof Stem for Safety.
- Temperature: -40°F to 300°F
- 1/4 Turn Instantaneous On-Off Operation.
- Quarter Turn Handle Design.
- Water, Oil, and Air Pressure Systems.
- Ideal for tight, confined areas, or when routing aesthetics are desired. Applications include instrumentation, gas sampling systems, high pressure gauges, test stands, hydraulic and pneumatic service lines on capital equipment.
- Not good for steam.
- Good for propane, gas and diesel.



MALE X FEMALE

Part #	Size	List Price
46-900	1/8 x 1/8	25.15
46-903	1/4 x 1/4	25.13



MALE X MALE

Part #	Size	List Price
46-910	1/8 x 1/8	27.86
46-912	1/4 x 1/4	27.19



MALE PIPE X HOSE BARB

Part #	Size	List Price
47-042	1/8 x 1/4	31.36
46-980	1/4 x 1/4	25.36
46-981	1/4 x 3/8	23.77

46-920
46-921
46-922



46-922A
46-923



46-924



46-925



FEMALE X FEMALE

Part #	Size	List Price
46-920	1/8 x 1/8	25.78
46-921	1/8 x 1/4	29.04
46-922	1/4 x 1/4	25.01
46-922A	1/4 x 1/4	18.89
46-923	3/8 x 3/8	31.13
46-924	1/2 x 1/2	50.10
46-925	3/4 x 3/4	51.50

U.L. TWO WAY VALVES

- Buna-N Seal, Teflon Seat
- Plated metal handle, plated brass ball.
- 250 PSI Working Pressure



**U.L. TWO WAY VALVES
FNPT X FNPT**

Part #	Size	List Price
46-440	1/4 x 1/4	24.97



**U.L. TWO WAY VALVES
MNPT X FNPT**

Part #	Size	List Price
46-443	1/4 x 1/4	25.97

MINIATURE BALL VALVES

MINI BALL VALVES

- See p. 184 for specifications



FEMALE X FEMALE

Part #	Size	List Price
46-920 I	1/8	15.16
46-922 I	1/4	15.16
46-923 I	3/8	15.16
46-924 I	1/2	17.52




MALE X FEMALE

Part #	Size	List Price
46-900 I ⁵	1/8	14.84
46-903 I	1/4	14.84
46-904 I ⁵	3/8	14.84
46-905 I ³	1/2	16.45

ECONOMY MINI BALL VALVES

- Max Working Pressure: 450psi
- Maximum Temperatures: 356°F at 142 psi
212°F at 355 psi
- 1/4 Turn Handle



FEMALE X FEMALE

Part #	Size	List Price
46-934	1/8	7.56
46-935	1/4	7.56
46-936	3/8	8.27
46-937	1/2	8.57



MALE X FEMALE

Part #	Size	List Price
46-930	1/8	6.87
46-931	1/4	7.56
46-932	3/8	7.11
46-933	1/2	8.50

See more mini valves on page 184

For Stainless Steel see page 197

CHECK VALVES

BRASS CHECK VALVES

- 500 PSI
- 1 PSI Cracking Pressure
- Buna-N Seal for water, air and inert gas
- Viton Seal for oil, gas and diesel fuel (add V to part#)



FIP X FIP

Part #	Size	Buna-N List	List Price
46-560	1/8"	26.66	26.66
46-561	1/4"	29.68	29.68
46-562	3/8"	43.10	43.10
46-563	1/2"	52.62	52.62
46-564	3/4"	84.87	84.87



FEMALE X MALE

- Viton Seal - (add V to part#)

Part #	Size	Buna-N List	List Price
46-565	1/8"	26.66	26.66
46-566	1/4"	25.53	25.53
46-567	3/8"	31.91	31.91
46-568	1/2"	38.91	38.91
46-569	3/4"	91.56	91.56



MALE X MALE

- Viton Seal - (add V to part#)

Part #	Size	Buna-N List	List Price
46-570	1/8"	26.66	26.66
46-571	1/4"	25.53	25.53
46-572	3/8"	31.91	31.91
46-573	1/2"	38.91	38.91



MALE X FEMALE

- Viton Seal - (add V to part#)

Part #	Size	Buna-N List	List Price
46-575	1/8"	26.66	26.66
46-576	1/4"	25.53	25.53
46-577	3/8"	31.91	31.91
46-578	1/2"	38.91	38.91

MAX. 2500 PSI
Cracking Pressure 1/3-3 PSI

- Opening diameter .187
- 180° max operating temp.
- SS ball and spring



MNPT X MNPT

Part #	Size	Opening Dia.	List Price
46-500	1/4 x 1/4	0.187	23.88

MAX. 2500 PSI

- Flo direction ->
- Opening diameter .187
- 180° max operating temp.
- Buna Seal
- SS ball and spring



MNPT X FNPT

Part #	Size	Opening Dia.	List Price
46-505	1/4 x 1/4	0.187	22.79

MAX. 1200 PSI

- O-Ring poppet seal Bubble tight operation
- 180°F max operating temp.



FNPT X FNPT


Part #	Size	Opening Dia.	List Price
46-510	1/4 x 1/4	0.25	26.56
46-511	3/8 x 3/8	0.375	32.01
46-512	1/2 x 1/2	0.437	41.96

PNEUMATIC CHECK VALVES

- Max Operating Pressure: 220 psi
- Working Pressure: 14.5-145 psi
- Cracking Pressure: 2.8 psi
- Maximum Temperatures: 140° F

Materials

Body	Chrome plated Brass
Spring	Steel
O-Ring	NBR Rubber



NPT- Inlet NPSM - Outlet

Part #	Size	Dimensions (In.)		List Price
		A	B	
46-200	1/4	1.97	0.67	18.03
46-201	3/8	1.97	0.83	18.75
46-202	1/2	2.48	0.98	38.69

BRASS FITTINGS

HIGH PRESSURE CHECK VALVES

- Operates in any position, and is available in mixed or matched end combinations.
- Standard cracking pressure 1 p.s.i. with a maximum operating pressure of 3000 p.s.i. and a maximum operating temperature of 180°F using Buna-N seals.
- Buna-N seals standard, other seals available.
- Guided 316 stainless steel ball + spring.
- Fixed ringed seat prevents extrusion of seal.
- Opening diameter .28
- Approximate CV 1.2
- Brass
- Water G.P.M. @ 10 p.s.i. is 4.0
- Good for air



FEMALE X FEMALE

Part #	Size	List Price
46-513	1/4	50.41
46-517	3/8	56.04

- Flo direction ->



FEMALE X MALE

Part #	Size	List Price
46-514	1/4	50.41
46-518	3/8	56.04

- Flo direction ->



MALE X FEMALE

Part #	Size	List Price
46-516	1/4	50.41
46-539	3/8	53.88



MALE X MALE

Part #	Size	List Price
46-515	1/4	48.47
46-519	3/8	56.04

See page 200 for Stainless Steel

What is the Reduction of Lead in Drinking Water Act?

The Reduction of Lead in Drinking Water Act is a federal law that amends the Safe Drinking Water Act (SDWA) and sets new, lower standards for the amount of lead permissible in plumbing products that come into contact with potable (drinkable) water. The U.S. Environmental Protection Agency (EPA) has primary responsibility for interpreting the SDWA with individual states using health or plumbing codes or other standards consistent with the SDWA and EPA regulations to enforce those standards.

What does the law mandate, exactly?

The new law reduces the permissible levels of lead in the wetted surfaces of pipes, pipe fittings, plumbing fittings and fixtures to a weighted average of not more than 0.25%. In addition, the law retains the 0.20% lead limit for solders and flux first implemented in 1986 and stipulates a method for calculating the weighted average lead content. Products that meet this standard are referred to in the law as "Lead Free."

When does the law go into effect?

The Reduction of Lead in Drinking Water Act goes into effect on January 4, 2014. However, new lead content restrictions are already in effect in California and Vermont since January 1, 2010 and in Maryland since January 2012. They will go into effect in Louisiana starting January 1, 2013.

What is the driving force behind the new law?

Regulatory efforts at the state and federal level to minimize the lead content in drinking water are currently focused on reducing the lead content in drinking water system components and all other products that come in contact with potable water.

Are there any exceptions to the law?

The new standard does not apply to pipes, pipe fittings, plumbing fittings or fixtures that are used exclusively for nonpotable services such as manufacturing, industrial processing, irrigation, outdoor watering, or any other uses where water is not anticipated to be used for human consumption. The law also specifically excludes toilets, bidets, urinals, fill valves, flushometer valves, tub fillers, shower valves, service saddles, or water distribution main gate valves that are 2 inches in diameter or larger.

How does the law affect me?

The law makes it illegal to sell or install pipes, fittings valves, and fixtures in applications providing water for human consumption which exceeds the 0.25% weighted average limit for wetted surfaces. That means whether you sell or install these products, you will need to supply products compliant with the new law.

So, what happens on January 4, 2014?

It will be illegal to sell or install products for use in potable water applications that are not Lead Free*. This will dramatically reduce the available market for products made with traditional materials. Manufacturers are quickly working to bring their products into compliance, and obtaining the product certifications necessary to comply with specific federal and state regulations.

Who enforces this law?

The U.S. EPA is tasked with implementing this law, but primary responsibility for enforcing the law is left to the states. Most states pass responsibility to cities, towns, and municipal utilities, which use health and plumbing codes to drive enforcement.

Do Lead Free products need to be third-party certified?

California requires product certification by an independent third-party laboratory and certifying to NSF 61 standards is becoming common. As of today, Vermont, Maryland, Louisiana and the Federal Legislation do not require third-party certification.

How can I tell if a product is Lead Free*?

There is currently no industry standardization regarding the marking of Lead Free* products. Manufacturers may vary in the ways in which they mark their products. Check the product nameplate, hang tag, body casting, part number and/or product packaging for a Lead Free* designation. If in doubt, please consult the manufacturer for further clarification.

What if I don't comply?

Failure to comply with the new law and these codes can result in fines or lawsuits.

Why is there lead in brass products?

In standard traditional brass and bronze, lead has been added to act as an alloying material, to prevent porosity, and enhance machinability.

What is replacing lead in the new material?

There are a variety of new material formulations that have been developed that use silicon, bismuth, antimony, tin, nickel, or special heat treatments as alloying elements.

*Lead Free refers to the wetted surface of pipe, fittings and fixtures in potable water systems that have a weighted average lead content $\leq 0.25\%$ per the Safe Drinking Water Act (Sec. 1417) amended 1-4-2011 and other equivalent state regulations.

For more information see <http://www.gettheleadoutplumbing.com>

90° FORGED FEMALE ELBOW



Part #	Thread size NPTF	List Price
28-010LF	1/4"	8.10
28-011LF	3/8"	7.99
28-012LF	1/2"	9.21
28-013LF	3/4"	15.36

UNION FORGED TEE



Part #	Thread size NPTF	List Price
28-032LF	1/8"	4.56
28-033LF	1/4"	5.78
28-034LF	3/8"	7.77
28-035LF	1/2"	12.05
28-036LF	3/4"	24.14

90° STREET ELBOW



Part #	Thread size NPTF	List Price
28-165LF	1/8"	2.57
28-166LF	1/4"	3.04
28-167LF	3/8"	4.36
28-168LF	1/2"	8.63

COUPLING



Part #	Thread size NPTF	List Price
28-058LF	1/8"	2.18
28-059LF	1/4"	2.38
28-061LF	1/2"	5.94

REDUCING COUPLING



Part #	Thread size NPTF	List Price
28-185LF	1/2" x 3/8"	5.21
28-189LF	3/4" x 1/2"	6.92

HEX BUSHING



Part #	Thread size NPTF MxF	List Price
28-102LF	1/4" x 1/8"	1.68
28-103LF	3/8" x 1/8"	3.72
28-104LF	3/8" x 1/4"	2.48
28-105LF	1/2" x 1/8"	4.44
28-106LF	1/2" x 1/4"	3.65
28-107LF	1/2" x 3/8"	4.70
28-108LF	3/4" x 1/8"	11.93
28-109LF	3/4" x 1/4"	8.08
28-110LF	3/4" x 3/8"	8.58
28-111LF	3/4" x 1/2"	6.64
28-119LF	1" x 1/8"	21.93
28-112LF	1" x 1/4"	27.42
28-113LF	1" x 3/8"	18.91
28-114LF	1" x 1/2"	17.19
28-115LF	1" x 3/4"	15.58

NEW
NEW

NEW
NEW

NEW
NEW

NEW
NEW

FACE BUSHING



NEW

Part #	Thread size NPTF MxF	List Price
28-121LF	1/4" x 1/8"	2.08
28-122LF	3/8" x 1/8"	6.92
28-116LF	3/8" x 1/4"	2.68
28-090LF	1/2" x 1/8"	4.60
28-128LF	1/2" x 1/4"	4.50
28-117LF	1/2" x 3/8"	6.30
28-129LF	3/4" x 1/4"	7.43
28-130LF	3/4" x 3/8"	7.05
28-118LF	3/4" x 1/2"	6.51

HEX CAP



Part #	Thread size NPTF	List Price
28-075LF	1/8"	3.11
28-076LF	1/4"	3.36
28-077LF	3/8"	1.73
28-078LF	1/2"	4.15
28-079LF	3/4"	5.06
28-080LF	1"	22.50

NEW
NEW

NEW
NEW

NEW
NEW

LEADFREE

SOLID SQUARE HEAD PLUG



Part #	Thread size NPTF	List Price
28-084LF	1/8"	1.26
28-085LF	1/4"	1.13
28-086LF	3/8"	4.85
28-087LF	1/2"	3.55
28-088LF	3/4"	4.15
28-089LF	1"	22.45

NEW

NEW

NEW

NEW

7/8 TAPER HEX SOCKET (FLUSH)



NEW

Part #	Pipe Size inches	List Price
28-092TLF	1/16"	1.15
28-093TLF	1/8"	1.15
28-094TLF	1/4"	1.85
28-095TLF	3/8"	2.71
28-096TLF	1/2"	5.48
28-097TLF	3/4"	8.31
28-098TLF	1"	14.92
28-099TLF	1-1/4"	23.08

COUNTERSUNK HEX PLUG



Part #	Thread size NPTF	List Price
28-092LF	1/16"	0.77
28-093LF	1/8"	0.81
28-094LF	1/4"	1.92
28-095LF	3/8"	3.58
28-096LF	1/2"	4.58
28-097LF	3/4"	8.31
28-098LF	1"	15.52
28-099LF	1-1/4"	21.93

NEW

NEW

NEW

NEW

NEW

NEW

HEX HEAD PLUGS (SOLID)



NEW

Part #	Pipe Size inches	List Price
28-201SLF	1/8"	1.85
28-202SLF	1/4"	2.60
28-203SLF	3/8"	3.98
28-204SLF	1/2"	6.85
28-205SLF	3/4"	11.93
28-206SLF	1"	21.06

COUNTERSUNK SQUARE PLUG



NEW

Part #	Thread size NPTF	List Price
28-092SLF	1/16"	0.77
28-093SLF	1/8"	0.81
28-094SLF	1/4"	1.85
28-095SLF	3/8"	2.77
28-096SLF	1/2"	5.48
28-097SLF	3/4"	8.31
28-098SLF	1"	15.52
28-099SLF	1-1/4"	21.93

CORED HEX PLUGS



Part #	Thread size NPTF	List Price
28-201LF	1/8"	1.89
28-202LF	1/4"	2.87

PIPE/ HOSE BARBS

LEAD FREE BRASS FITTINGS

CLOSE NIPPLE



Part #	Thread size NPTF	List Price
28-131LF	1/8"	1.05
28-132LF	1/4"	1.70
28-133LF	3/8"	2.11
28-134LF	1/2"	2.94
28-135LF	3/4"	4.09

LONG NIPPLE



Part #	Thread size NPTF	List Price
28-143LF	1/8" x 3"	3.14
28-476LF	1/8" x 4"	3.93
28-480LF	1/8" x 6"	6.35
28-144LF	1/4" x 1-1/2"	1.92
28-145LF	1/4" x 2"	2.80
28-147LF	1/4" x 3"	3.86
28-482LF	1/4" x 4"	5.29
28-485LF	1/4" x 5-1/2"	8.88
28-486LF	1/4" x 6"	7.81
28-148LF	3/8" x 1-1/2"	2.72
28-149LF	3/8" x 2"	4.09
28-150LF	3/8" x 2-1/2"	5.76
28-151LF	3/8" x 3"	5.74
28-488LF	3/8" x 4"	9.07
28-489LF	3/8" x 4-1/2"	10.11
28-490LF	3/8" x 5"	9.46
28-491LF	3/8" x 5-1/2"	12.25
28-492LF	3/8" x 6"	13.50
28-152LF	1/2" x 1-1/2"	3.41

HEX NIPPLE



Part #	Thread size NPTF	List Price
28-211LF	1/8"	2.31
28-212LF	1/4"	4.20
28-214LF	1/2"	10.05

SEE OUR WEBSITE FOR LEAD FREE BRONZE

EXTENDER ADAPTER



Part #	Thread size NPTF FxM	List Price
28-191LF	1/4" X 1/8"	4.65
28-192LF	1/4" x 1/4"	6.34
28-196LF	1/2" X 1/2"	13.09
28-209LF	3/4" X 3/4"	17.19

MALE BRANCH TEE



Part #	Thread size NPTF	List Price
28-283LF	3/8"	11.96

STREET TEE/ SERVICE TEE



Part #	Thread size NPTF	List Price
28-246LF	1/4"	8.99

HOSE BARBS

RIGID MALE ADAPTER



Part #	Hose I.D. x Male NPTF	List Price
32-002LF	3/16" x 1/8"	3.24
32-004LF	1/4" x 1/8"	3.15
32-005LF	1/4" x 1/4"	1.86
32-008LF	5/16" x 1/8"	4.01
32-009LF	5/16" x 1/4"	4.09
32-011LF	3/8" x 1/8"	3.92
32-012LF	3/8" x 1/4"	3.68
32-013LF	3/8" x 3/8"	5.51
32-014LF	3/8" x 1/2"	10.22
32-015LF	1/2" x 1/4"	6.23
32-016LF	1/2" x 3/8"	5.94
32-017LF	1/2" x 1/2"	8.23
32-020LF	5/8" x 1/2"	10.26
32-022LF	3/4" x 1/2"	11.87
32-023LF	3/4" x 3/4"	17.21

MENDER/ SPLICER



Part #	Hose I.D. x Hose I.D.	List Price
32-093LF	1/4"	4.56
32-096LF	1/2"	5.19

NEW

RIGID FEMALE ADAPTER



Part #	Hose I.D. x Female NPTF	List Price
32-053LF	1/4" x 1/4"	6.02
32-058LF	3/8" x 1/4"	7.07
32-059LF	3/8" x 3/8"	9.68
32-063LF	3/8" x 1/2"	13.26
32-061LF	1/2" x 1/2"	13.97

FORGED HOSE BARB 90° ELBOW



Part #	Hose I.D. x Male NPTF	List Price
32-039LF	1/4" x 1/4"	4.59
32-036LF	5/16" x 1/8"	3.92
32-040LF	5/16" x 1/4"	4.13
32-041LF	3/8" x 1/4"	3.78
32-042LF	3/8" x 3/8"	3.82

HOSE BARB TEES



Part #	Hose Barb Size	List Price
32-365LF	1/4"	2.81
32-126LF	3/8"	2.96

SEE OUR WEBSITE FOR LEAD FREE BRONZE

CAN'T FIND WHAT YOU'RE LOOKING FOR...
CONTACT US - 888-821-5725

DUAL 45°/ 37° FLARE SWIVEL



Part #	Hose I.D. x Dual Seat	List Price
32-337LF	1/4" x 1/4"	2.96

PUSH-ON

MALE ADAPTER



Part #	Hose I.D. x Male NPTF	List Price
30-200LF	1/4" x 1/8"	2.45
30-201LF	1/4" x 1/4"	3.29
30-203LF	3/8" x 1/4"	3.40
30-204LF	3/8" x 3/8"	4.64
30-206LF	1/2" x 3/8"	5.35
30-207LF	1/2" x 1/2"	8.83

SAE/JIC DUAL 45°/37° FEMALE SWIVEL



Part #	Hose I.D. x Female 45°/37°	List Price
30-230LF	1/4" x 1/4"	3.37

GARDEN HOSE

SWIVEL - FGH X FGH

•WASHER INCLUDED



Part #	FGH X FGH	List Price
30-011LF	3/4" x 3/4"	14.89

LEADFREE

GARDEN HOSE/ FLARE

SWIVEL - FGH X FEMALE PIPE •WASHER INCLUDED



Part #	FGH x Female NPTF	List Price
30-001LF	3/4" x 1/2"	11.95

RIGID - MGH X FEMALE PIPE



Part #	MGH x Female NPTF	List Price
30-073LF	3/4" x 3/4"	11.75

RIGID - MGH X MALE PIPE



Part #	MGH x Male NPTF	List Price
30-053LF	3/4" x 3/8"	6.24
30-063LF	3/4" x 3/4" x 1/2"	10.10

FEMALE SWIVEL ONLY



Part #	Hose Barb x FGH	List Price
30-031LF	3/8" x 3/4"	6.06
30-032LF	1/2" x 3/4"	10.67

For more information on Lead Free fittings log in to
www.midlandindustrial.com

LEAD FREE BRASS FITTINGS

MALE END ONLY



Part #	Hose Barb x MGH	List Price
30-040LF	1/2" x 3/4"	11.12

GARDEN HOSE CAP



Part #	Size	List Price
30-103LF	3/4 Die cast	4.39

SAE 45° FLARE

SHORT ROD NUT



Part #	Thread Size UNF	List Price
10-015LF	1/4"	2.16
10-017LF	3/8"	4.13
10-019LF	1/2"	4.20

SHORT FORGED NUT



Part #	Thread Size UNF	List Price
10-041LF	3/8"	4.20
10-042LF	1/2"	6.04

LOOKING FOR A LEAD FREE FITTING NOT LISTED...CONTACT US - 888-821-5725

LEAD FREE BRASS FITTINGS

FLARE/ COMPRESSION

FLARED CAP



Part #	Thread Size UNF	List Price
10-075LF	1/4"	1.54
10-077LF	3/8"	2.49
10-078LF	1/2"	3.56
10-079LF	5/8"	6.06

UNION



Part #	Thread Size UNF	List Price
10-106LF	1/4"	2.89
10-108LF	3/8"	5.66
10-109LF	1/2"	7.99
10-110LF	5/8"	11.74

FEMALE ADAPTER



Part #	Male Flare x Female NPTF	List Price
10-236LF	3/8" x 3/8"	5.23
10-237LF	3/8" x 1/2"	5.63
10-240LF	1/2" x 3/8"	6.41
10-241LF	1/2" x 1/2"	6.32
10-242LF	1/2" x 3/4"	9.43

MALE ADAPTER



Part #	Male Flare x Male NPTF	List Price
10-255LF	1/4" x 1/8"	3.13
10-256LF	1/4" x 1/4"	2.89
10-258LF	1/4" x 1/2"	10.35
10-262LF	3/8" x 1/8"	4.56
10-263LF	3/8" x 1/4"	4.46
10-264LF	3/8" x 3/8"	5.18
10-265LF	3/8" x 1/2"	7.50
10-268LF	1/2" x 3/8"	7.34
10-269LF	1/2" x 1/2"	7.03
10-270LF	1/2" x 3/4"	11.61
10-276LF	3/4" x 3/4"	22.33

90° MALE ELBOW



Forged Elbow

Part #	Male Flare x Male NPTF	List Price
10-286LF	1/4" x 1/8"	5.65
10-287LF	1/4" x 1/4"	9.63
10-288LF	1/4" x 3/8"	9.70
10-294LF	3/8" x 1/4"	10.02
10-295LF	3/8" x 3/8"	10.37
10-296LF	3/8" x 1/2"	15.00
10-299LF	1/2" x 3/8"	15.59
10-300LF	1/2" x 1/2"	16.41
10-301LF	1/2" x 3/4"	27.43

FORGED MALE RUN TEE



Part #	Male Flare x Male NPTF (1&3) x 2	List Price
10-355LF	1/2" x 1/2"	9.48

FORGED SWIVEL



Part #	Female Flare UNF	List Price
10-483LF	3/8"	12.86
10-484LF	1/2"	16.01
10-485LF	5/8"	39.50

COMPRESSION

BRASS SLEEVE



• FERRULES

Part #	Size	List Price
18-002LF	3/16"	0.16
18-003LF	1/4"	0.53
18-004LF	5/16"	0.19
18-005LF	3/8"	1.06
18-007LF	1/2"	1.94
18-008LF	5/8"	0.38
18-010LF	7/8"	0.87

COMPRESSION

BRASS NUT



Part #	Size	List Price
18-035LF	1/4"	2.06
18-037LF	3/8"	1.69
18-039LF	1/2"	2.85

INSERT



Part #	Size	List Price
22-010LF	1/4"	1.24
22-011LF	5/16"	0.23
22-012LF	3/8"	2.06
22-013LF	1/2"	2.94
22-014LF	5/8"	4.89

CAP



Part #	Size	List Price
18-047LF	1/4"	4.65
18-048LF	3/8"	3.15
18-049LF	1/2"	5.70
18-050LF	5/8"	6.75

UNION



Part #	Size	List Price
18-064LF	1/4"	5.78
18-066LF	3/8"	7.46
18-068LF	1/2"	11.48
18-069LF	5/8"	12.70
18-071LF	7/8"	40.52

REDUCING UNION



Part #	Size	List Price
18-079LF	3/8" x 1/4"	4.27
18-081LF	1/2" x 3/8"	7.25
18-082LF	5/8" x 3/8"	8.14
18-083LF	5/8" x 1/2"	8.14

LEAD FREE BRASS FITTINGS

TEE



Forged

Part #	Size	List Price
18-103LF	1/4"	11.48
18-105LF	3/8"	16.41
18-106LF	1/2"	32.23
18-107LF	5/8"	46.92

UNION ELBOW



Forged

Part #	Size	List Price
18-124LF	1/4"	7.07
18-126LF	3/8"	12.02
18-127LF	1/2"	23.09
18-128LF	5/8"	29.10
18-137LF	5/8" x 3/8"	14.51
18-129LF	3/4"	29.55

FEMALE ADAPTER



Part #	Comp. X Female NPTF	List Price
18-146LF	1/4" x 1/4"	6.75
18-147LF	1/4" x 3/8"	7.15
18-148LF	1/4" x 1/2"	7.63
18-153LF	3/8" x 1/4"	6.75
18-154LF	3/8" x 3/8"	6.84
18-155LF	3/8" x 1/2"	8.59
18-158LF	1/2" x 3/8"	12.86
18-159LF	1/2" x 1/2"	11.55
18-162LF	5/8" x 1/2"	13.58
18-163LF	5/8" x 3/4"	19.53
18-166LF	7/8" x 3/4"	45.69

LOOKING FOR A LEAD FREE FITTING NOT LISTED...CONTACT US - 888-821-5725

LEAD FREE BRASS FITTINGS

MALE ADAPTER



Part #	Comp. X Male NPTF	List Price
18-179LF	1/4" x 1/8"	3.84
18-180LF	1/4" x 1/4"	4.65
18-181LF	1/4" x 3/8"	7.74
18-182LF	1/4" x 1/2"	14.70
18-188LF	3/8" x 1/4"	7.21
18-189LF	3/8" x 3/8"	7.15
18-190LF	3/8" x 1/2"	8.46
18-194LF	1/2" x 3/8"	8.21
18-195LF	1/2" x 1/2"	10.70
18-196LF	1/2" x 3/4"	7.76
18-198LF	5/8" x 1/2"	12.34
18-199LF	5/8" x 3/4"	11.27
18-203LF	7/8" x 3/4"	25.82
18-171LF	3/8" x 1/2" SWT	10.58

MALE ELBOW



Part #	Comp. X Male NPTF	List Price
18-224LF	1/4" x 1/8"	6.17
18-225LF	1/4" x 1/4"	7.01
18-226LF	1/4" x 3/8"	3.74
18-232LF	3/8" x 1/8"	8.72
18-233LF	3/8" x 1/4"	8.93
18-234LF	3/8" x 3/8"	24.57
18-235LF	3/8" x 1/2"	23.09
18-237LF	1/2" x 3/8"	23.25
18-238LF	1/2" x 1/2"	28.05
18-241LF	5/8" x 1/2"	23.52

NEEDLE VALVES

COMP X MALE PIPE



Part #	Comp x Male Pipe	List Price
46-003LF	1/4" x 1/4"	15.96
46-005LF	3/8" x 1/4"	10.05

FEMALE PIPE X FEMALE PIPE



Part #	Female x Female	List Price
46-056LF	1/4" FIP x 1/4" FIP	12.81

COMPRESSION/ VALVE

MALE X FEMALE PIPE



Part #	Male x Female	List Price
46-061LF	1/4" x 1/4" MIP	12.59

COMP X MALE PIPE-ANGLE



Part #	Comp x Male Pipe	List Price
46-011LF	1/4" x 1/8"	15.36
46-012LF	1/4" x 1/4"	26.29

COMP X COMP



Part #	Comp x Comp	List Price
46-021LF	1/4"	20.98
46-023LF	3/8"	29.94

SELF PIERCING SADDLE VALVES

FITS 3/8" OD
THRU 3/4" OD



SELF PIERCING NEEDLE VALVE KIT #M-104-VSP

- INDIVIDUALLY BAGGED WITH NEEDLE VALVE
- SADDLE CLAMP
- 2 NUTS
- 2 BOLTS & WASHERS

Has brass sleeve for copper tube installation & delrin sleeve & brass insert for plastic tube installation.

Part #	Tube O.D.	Min Pkg Qty	List Price
46-090ALF	1/4	1	10.75

#M-302-BSV1.60

LEAD FREE MINI BALL VALVES BARB x BARB



Part #	H.B. x H.B.	List Price
944-142LF	1/4"	12.73
944-134LF	3/8"	12.88

LEAD FREE BRASS BALL VALVE NPT

1/2" - 2" Sizes Gas Approved



ISO 9002 Manufacturer FEATURES

1/4"-2" 600 PSI non-shock cold water, gas, oil -
150 PSI saturated steam

2-1/2"- 4" 400 PSI non-shock cold water, gas, oil

- Leadfree Brass Ball valve NPT, Female * Female
- Lead free and dezincification resistant (DZR) material
- Size 1-1/4" thru 4" with Stainless steel ball
- IAMPO listed to cUPC, NSF/ ANSI 61 & 372, IGC 157
- CSA - 1/4" thru 2": ANSI Z21.15/ CSA 9.1 for 1/2 psig valves
ASME B16.44, CGA CR91-002 for 2 & 5 psig valves;
CAN/ CGA-3.16, ASME B16.33 (1/2"-2") for 125 psig valves
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-2" at 600psi (42 bars) and
2-1/2"-4" at 400 psi WOG (non-shock) and 150 WSP
(10.34 bars) saturated steam. Virgin PTFE stem packing
seal, thrust washer and seats
- White vinyl insulator on heavy duty plated carbon steel
handles
- Fast 1/4 turn open or close operation
- Low operating torque
- **Adjustable stem packing gland**
- Maximum operating temperature: 302°F (150° C)
- Minimum operating temperature: -22°F (-30°C)


- UL 125, UL 1477, UL 842 - for size 1/4" thru 4", 250 psig
- UL 258 - for size 1/4" thru 2", 175 psig
- FM - for size 1/4" thru 2"



MADE IN CHINA

- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections

Part#	Size	DIMENSIONS								List Price
		A	B	C	D	E	F	G	H	
940-171LF	1/4"	1.756	1.732	3.543	0.394	0.457	1.012	2.238	4.421	12.24
940-172LF	3/8"	1.756	1.732	3.543	0.394	0.457	1.012	2.238	4.421	11.28
940-173LF	1/2"	2.047	2.040	3.543	0.583	0.520	1.240	2.559	4.567	15.78
940-174LF	3/4"	2.362	2.260	3.780	0.748	0.563	1.492	2.854	4.961	23.94
940-175LF	1"	2.756	2.579	4.528	0.945	0.630	1.791	3.476	5.906	38.40
940-176LF	1-1/4"	3.307	3.050	4.528	1.260	0.709	2.343	4.134	6.181	64.86
940-177LF	1-1/2"	3.661	3.366	5.420	1.575	0.717	2.835	4.783	7.343	96.96
940-178LF	2"	4.181	3.701	6.160	1.969	0.748	3.425	5.413	7.602	135.42
940-179LF	2-1/2"	4.181	4.650	8.870	2.520	1.024	4.331	6.969	11.350	313.80
940-180LF	3"	6.039	4.970	8.870	2.913	1.102	4.921	7.579	11.681	379.68
940-181LF	4"	7.386	6.130	10.85	3.898	1.220	6.430	9.055	13.299	831.60



POS	Components	Materials
1	Body	Lead Free Brass
2	End Cap	Lead Free Brass
3	Ball Seat	PTFE
4	Ball	1/4-1:Lead Free Brass 1 1/4-4:SS316 Hollowball
5	Stem	Brass
6	Stem Padding	PTFE
7	Padding Nut	Brass
8	Lever Handle	Nickel plating steel
9	Stem Nut	Brass plating steel
10	Seal	PTFE

LEADFREE

LEAD FREE FORGED BRASS BALL VALVE F X F AND SWT X SWT




ISO 9002 Manufacturer FEATURES

600 PSI non-shock cold water, gas, oil
- 150 PSI saturated steam

CSA AGA 3.88 5 PSIG IAMPO IGC 157 - 2004b

- **SOLID CHROME PLATED BRASS BALL**
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Blue vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation
- Low operating torque
- Flow can go both directions

- Adjustable stem packing gland
- Maximum operating temperature: 248°F (120° C) at 600 PSI
- Minimum operating temperature: -20°F (-40°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections




FIP X FIP

ANSI/INSE 61-8


MADE IN ITALY



SWT X SWT



POS	Components	Materials
1	Body	CW510L
2	End Connection	CW510L
3	Ball Seal	PTFE
4	Seal	CW510L
5	Stem	CW614N
6	Lower Stem	PTFE
7	O-Ring	NBR70sh
8	Upper Seal	PTFE
9	Brass Ring	CW614N
10	Nut	Steel
11	Handle	Steel P10



FIP X FIP LEAD FREE FORGED BRASS BALL VALVE

Part #	NPT	DN	A	B	C	D	CH	Weight (lbs)	Box Qty	Case	List Price
943-233LF	1/2"	0.57	2.09	1.57	3.35	0.46	0.98	0.39	20	80	17.05
943-234LF	3/4"	0.75	2.28	1.77	3.80	0.49	1.22	0.56	14	56	25.50
943-235LF	1"	0.94	2.80	2.03	3.80	0.59	1.50	0.89	6	24	42.45
943-236LF	1-1/4"	1.24	3.23	2.32	4.72	0.62	1.85	1.44	4	16	67.89
943-237LF	1-1/2"	1.49	3.70	2.60	4.72	0.64	2.13	2.19	2	8	105.16
943-238LF	2"	1.96	4.13	3.27	6.38	0.65	2.64	3.62	2	8	141.12

SWT X SWT LEAD FREE FORGED BRASS BALL VALVE

Part #	SWT	Ø	DN	A	B	C	D	CH	Weight (lbs)	Box Qty	Case	List Price
940-212LF	1/2"	0.63	0.57	2.25	1.57	3.35	0.42	0.79	0.39	20	80	16.45
940-213LF	3/4"	0.866	0.75	3.05	1.77	3.80	0.61	1.06	0.56	10	40	24.50
940-214LF	1"	1.102	0.94	3.68	2.03	3.80	0.73	1.34	0.89	6	24	37.45
940-215LF	1-1/4"	1.377	1.24	4.18	2.32	4.72	0.91	1.61	1.44	6	24	61.74
940-216LF	1-1/2"	1.61	1.49	4.96	2.60	4.72	1.06	1.89	2.19	2	8	87.15
940-217LF	2"	2.125	1.96	5.87	3.27	6.38	1.26	2.40	3.62	1	4	141.12



BRASS BALL VALVES

Full Port Ball Valves 177
 -w/ Locking Handle 178
 -w/ Tee Handle..... 179
 Economy Full Port 600..... 180
 MxF FP 600 WOG 181
 MxF FP 600 WOG 182
 Gas 183
 Mini Ball Valve..... 184
 Mini Check Valves..... 185
 3-Way Ball..... 186

MISC. BRASS VALVES

OSHA Valves 187
 Vacuum Breaker..... 187
 Hose Bibbs 187
 Barrel Faucets..... 187
 Gate Valve..... 188
 Y-Strainer 189
 Swing Check..... 190
 Barrel Check..... 191
 In-Line Check 192

STAINLESS STEEL

2,000lb Ball Valve..... 193
 1,000 STD Port 194
 1,000lb Full Port 195-196
 Mini Ball Valve..... 197
 Check..... 198
 In-Line Check 199
 Spring Check - 1500# 200
 Y-Spring Check..... 201
 Barrel Spring Check 201

NEW STAINLESS VALVES

COMING SOON!
See our website.

- Gate
- Globe
- 3-Piece ball valves
- Swing Check
- Y-Strainers

Carbon Steel Ball..... 202
 PVC Ball Valves..... 203
 Pl. Drum Faucets 203

For Lead Free Valves see pages 173-174



BALL VALVE PRIVATE LABEL PROGRAM

Midland will put your company name and logo on our ball valve handle for FREE. Simply place a minimum blanket order of 10 cases per size and Midland will stock them under a special part # for your access only. Please allow 90-120 days for delivery on the first shipment only. Then have them delivered as you need them!



FULL PORT 600WOG FORGED BRASS BALL VALVE

1/2" - 2" Sizes Gas Approved



ISO 9002 Manufacturer FEATURES


1/4"-2" 600 PSI non-shock cold water, gas, oil - 150 PSI saturated steam

2-1/2"- 4" 400 PSI non-shock cold water, gas, oil


Made in China

- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-2" at 600psi (42 bars) and 2-1/2"-4" at 400 psi WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin PTFE stem packing seal, thrust washer and seats
- Yellow vinyl insulator on heavy duty plated carbon steel handles
- Fast 1/4 turn open or close operation
- Not Lead Free

- Low operating torque
- Adjustable stem packing gland
- Maximum operating temperature: 302°F (150° C)
- Minimum operating temperature: -22°F (-30°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections



Part#	Size	Dimension Inches						Min. Order	Case	List Price
	NPT	DN	A	B	C	E	CH	Box		
940-171	1/4"	0.39	1.75	1.27	3.54	0.46	0.78	70	140	9.08
940-172	3/8"	0.41	1.75	1.27	3.54	0.46	0.78	70	140	9.08
940-173	1/2"	0.58	2.05	1.92	3.54	0.52	0.98	50	100	10.89
940-174	3/4"	0.75	2.36	2.08	3.78	0.56	1.20	30	60	15.95
940-175	1"	0.94	2.75	2.56	4.52	0.66	1.50	20	40	24.82
940-176	1-1/4"	1.26	3.30	2.95	4.52	0.70	1.82	12	24	36.53
940-177	1-1/2"	1.57	3.66	3.34	5.51	0.72	2.09	9	18	54.16
940-178	2"	1.97	4.18	3.68	5.51	0.74	2.62	6	12	84.72
940-179	2-1/2"	2.52	5.38	4.76	8.66	1.01	3.36	4	8	213.21
940-180	3"	2.95	6.04	5.08	8.66	1.11	3.86	2	4	249.34
940-181	4"	3.89	7.38	5.86	9.00	1.22	4.89	1	2	471.55



POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Seat	P.T.F.E.	2
5	Stem	Brass	1
6	Gland	Brass	1
7	Nut	Steel	1
8	Spring Inseat	Steel	1
9	Stem Seal	P.T.F.E.	1
10	Handle	Steel	1

These are NOT Lead Free
See pages 166-175 for Lead Free products

Some product stocked in Houston and Atlanta.

• Not Lead Free AB1953 Compliant



LOCKING HANDLE BALL VALVE

• BRASS • 600WOG • FULL PORT

1/2" - 2" Sizes Gas Approved



ISO 9002 Manufacturer FEATURES


1/4-2" 600 PSI non-shock cold water, gas, oil - 150 PSI saturated steam

2-1/2"- 4" 400 PSI non-shock cold water, gas, oil
Made in China


VALVES

- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-2" at 600psi (42 bars) and 2-1/2"-4" at 400 psi WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin PTFE stem packing seal, thrust washer and seats
- Yellow vinyl insulator on heavy duty plated carbon steel handles
- Fast 1/4 turn open or close operation
- Not Lead Free

- Low operating torque
- Adjustable stem packing gland
- Maximum operating temperature: 302°F (150° C)
- Minimum operating temperature: -22°F (-30°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections



Part#	Size NPTF	Dimension Inches						Min. Order		List Price
		DN	A	B	C	E	CH	Box	Case	
940-171L	1/4"	0.31	1.73	1.84	3.15	0.49	0.71	70	140	10.50
940-172L	3/8"	0.39	1.81	1.88	3.86	0.49	0.79	70	140	10.50
940-173L	1/2"	0.58	2.23	2.09	3.86	0.61	0.98	50	100	12.24
940-174L	3/4"	0.75	2.48	2.24	4.06	0.62	1.20	30	60	18.60
940-175L	1"	0.94	2.95	2.67	4.73	0.73	1.50	20	40	27.80
940-176L	1-1/4"	1.26	3.42	3.05	4.73	0.77	1.81	12	24	42.30
940-177L	1-1/2"	1.57	3.78	3.51	5.71	0.78	2.09	9	18	64.92
940-178L	2"	1.97	4.18	3.84	5.71	0.75	2.60	6	12	93.00



POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Seat	P.T.F.E.	2
5	Stem	Brass	1
6	Gland	Brass	1
7	Nut	Steel	1
8	Spring Inseat	Steel	1
9	Stem Seal	P.T.F.E.	1
10	Handle	Steel	1

Some product stocked in Houston and Atlanta.

• Not Lead Free AB1953 Compliant



FULL PORT FEMALE X FEMALE 600WOG FORGED BRASS BALL VALVE

1/2" - 3/4" Sizes Gas Approved



ISO 9002 Manufacturer FEATURES

1/4-3/4" 600 PSI non-shock cold water, gas, oil
- 150 PSI saturated steam

Made in China


- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated for 1/4"-3/4" at 600psi (42 bars) and 150 WSP (10.34 bars) saturated steam. Virgin PTFE stem packing seal, thrust washer and seats
- Fast 1/4 turn open or close operation
- Low operating torque
 - Adjustable stem packing gland
- Maximum operating temperature: 302°F (150° C)

- Minimum operating temperature: -22°F (-30°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections
- Not Lead Free



VALVES

Part#	Size						Min. Order		
	NPT	A	B	C	D	E	Box	Case	List Price
940-171T	1/4"	1.677	1.488	1.831	0.315	0.457	70	140	10.50
940-172T	3/8"	1.756	1.488	1.831	0.394	0.457	70	140	10.50
940-173T	1/2"	2.047	1.756	2.394	0.583	0.520	50	100	12.24
940-174T	3/4"	2.362	1.921	2.394	0.748	0.563	30	60	18.60



POS	Components	Materials
1	Body	C37700
2	End Cap	C37700
3	Ball Seat	PTFE
4	Ball	C37700
5	Stem	C37700
6	Stem Packing	PTFE
7	Packing Nut	C37700
8	Lever Handle	ZL102
9	Stem Nut	A570

• Not Lead Free AB1953 Compliant



FULL PORT 600WOG FORGED BRASS BALL VALVE




ISO 9002 Manufacturer FEATURES

CSA AGA 3.88 5 PSIG IAMPO IGC 157 - 2004b


- **SOLID CHROME PLATED BRASS BALL**
- Suitable for full range of liquids and gases
- Minimal pressure drop due to large full size ports
- Bottom loaded, pressure retaining stem
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150 WSP (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation
- Low operating torque
- Flow can go both directions
- **Adjustable stem packing gland**
- Maximum operating temperature: 248°F (120° C) at 600 PSI
- Minimum operating temperature: -20°F (-40°C)
- Each valve individually tested
- Forged Brass - for more strength
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem
- Deeper threads - for better connections
- **REVERSIBLE HANDLES**

VALVES



MADE IN ITALY

Female x Female



Part#	Size NPT	Dimension Inches						Box	Case	List Price
		DN	A	B	C	D	CH			
943-200	1/4"	.31	1.96	1.57	3.43	.43	.74	24	96	16.37
943-201	3/8"	.39	1.97	1.54	3.33	.41	.83	20	80	16.70
943-202*	1/2"	.57	2.09	1.57	3.35	.46	.98	20	80	13.99
943-203*	3/4"	.75	2.28	1.77	3.80	.49	1.22	14	56	22.22
943-204*	1"	.94	2.80	2.03	3.80	.59	1.50	6	24	35.22
943-205*	1-1/4"	1.24	3.23	2.32	4.72	.62	1.85	4	16	55.12
943-206*	1-1/2"	1.49	3.70	2.60	4.72	.64	2.13	2	8	82.18
943-207*	2"	1.96	4.13	3.27	6.38	.65	2.64	2	8	120.28
942-208	2-1/2"	2.48	5.94	4.17	7.48	1.06	3.30	---	5	341.12
942-209	3"	2.99	6.85	5.47	9.84	1.14	3.89	---	3	408.19
942-210	4"	3.54	7.67	5.88	9.84	1.50	4.80	---	1	840.99


HANDLE OPTIONS

TEE HANDLES

Part #	Valve Size	List Price
43-200T	1/4" - 3/4"	2.51
43-204T	1"	4.07

LOCKING HANDLES

Part #	Valve Size	List Price
43-200L	1/4" - 3/4"	16.05
43-204L	1" - 1 1/4"	28.75
43-206L	1 1/2" - 2"	48.31



*Dimensions on these parts have changed.

POS	Components	Materials	N
1	Body	Forged Brass	1
2	End Connection	Forged Brass	1
3	Ball	CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	Brass	1
8	Stem	Brass	1
9	O-Ring	NBR 80	1
10	Handle	Steel	1
11	Nut	Steel	1
12	Nut	Brass	1

Some product stocked in Houston and Atlanta.

• Not Lead Free AB1953 Compliant

www.midlandindustrial.com



Toll Free Phone 1-888-821-5725

Gas Approved



UL842, UL258, UL125, FM

CSA AGA 3.88 5 PSIG


Made in China

FULL PORT 600WOG FORGED BRASS BALL VALVE

- Solid chrome plated brass ball
- Suitable for full range of liquids and gases.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation.
- Flow both directions.
- Low operating torque.
- Adjustable stem packing gland.

- Maximum operating temperature: 248°F (120°C)
- Minimum operating temperature: -20°F (-40°C)
- Each valve individually tested.
- Forged Brass - for more strength.
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem.

POS	Components	Materials
1	Body	C37700
2	End Cap	CS7700
3	Ball Seat	PTFE
4	Ball	CS7700
5	Stem	CS7700
6	Stem Reducing	PTFE
7	Reducing Nut	CS7700
8	Lever Handle	1008
9	Stem Nut	A570 Gr.A



Part#	Size	NPT	A	B	C	D	E	Box	Case	List Price
948-170	1/4	1/4 - 18	2.016	1.689	2.756	0.315	0.457	70	140	9.75
948-171	3/8	3/8 - 18	2.094	1.732	3.543	0.394	0.457	70	140	10.01
948-172	1/2	1/2 - 14	2.343	1.941	3.543	0.583	0.520	50	100	12.17
948-173	3/4	3/4 - 14	2.618	2.106	3.780	0.748	0.563	30	60	18.13
948-174	1	1 - 11.5	3.000	2.579	4.528	0.945	0.630	20	40	26.81
948-175	1-1/4	1-1/4 - 11.5	3.563	2.953	4.528	1.260	0.709	12	24	39.24
948-176	1-1/2	1-1/2 - 11.5	3.965	3.346	5.512	1.575	0.717	9	18	58.37
948-177	2	2 - 11.5	4.496	3.681	5.512	1.969	0.748	6	12	84.55

Note: Locking and Tee handles available in case quantity and extended delivery.

• Not Lead Free

FULL PORT 600WOG FORGED BRASS BALL VALVE

Gas Approved



CSA AGA 3.88 5 PSIG Made in Italy

ISO 9002 Manufacturer FEATURES

- Solid chrome plated brass ball
- Suitable for full range of liquids and gases.
- Minimal pressure drop due to large full size ports.
- Bottom loaded, pressure retaining stem.
- Pressure rated at 600psi (42 bars) WOG (non-shock) and 150psi (10.34 bars) saturated steam. Virgin TFE stem packing seal, thrust washer and seats.
- Yellow vinyl insulator on heavy duty plated carbon steel handles.
- Fast 1/4 turn open or close operation.


- Low operating torque.
- Adjustable stem packing gland.
- Maximum operating temperature: 248°F (120°C) at 600 p.s.i
- Minimum operating temperature: -20°F (-40°C)
- KV: Pressure drop m³/h.
- Each valve individually tested.
- Forged Brass - for more strength.
- Threaded ends to ANSI B1.20.1
- Hard chromium plated solid ball
- Bottom entry, blow-out proof stem.
- Deeper threads - for better connections.

VALVES




MADE IN ITALY

MIP x FIP



Part#	Size	DN	A	B	C	E	E1	CH1	CH2	Box	Case	List Price
948-101	1/4	.31	2.28	1.49	3.35	.46	.51	.55	.74	24	96	16.73
948-102	3/8	.39	2.37	1.57	3.35	.46	.51	.71	.86	24	96	18.20
948-103	1/2	.57	2.62	1.64	3.33	.54	.53	.87	.98	14	56	17.89
948-104	3/4	.74	2.83	1.79	3.33	.55	.55	1.10	1.22	12	48	27.44
948-105	1	.94	3.39	2.13	4.72	.69	.66	1.38	1.50	6	24	41.99
948-106	1-1/4	1.24	3.88	2.35	4.72	.71	.68	1.69	1.89	4	16	69.78
948-107	1-1/2	1.49	4.19	2.97	6.36	.72	.68	2.13	2.12	2	8	95.50
948-108	2	1.85	4.90	3.25	6.36	.76	.69	2.40	2.63	1	4	153.78



POS	Components	Materials	N
1	Body	CW617N Forged Brass	1
2	End Connection	CW617N Forged Brass	1
3	Ball	CW617N CP Brass	1
4	Ball Stems	P.T.F.E.	2
5	Stem Antif. Seat	P.T.F.E.	1
6	Stem Seat	P.T.F.E.	1
7	Brass Ring	CW617N Brass	1
8	Stem	CW617N Brass	1
9	O-Ring	NBR 80	1
10	Handle	UNI EN 10025 Steel	1
11	Nut	UN 5771 Steel	1
12	Nut	CW617N Brass	1

• Not Lead Free

GAS BALL VALVES

ISO 9002 Manufacturer FEATURES

CSA 5 PSIG
C US
CSA AGA 3.88 5 PSIG

UL LISTED
Manual Valve
Threaded NPT
UL 842, UL 258, UL 125


Made in Italy

VALVES

- Solid chrome plated brass ball
- Bottom entry
- Blow out proof design.
- Double viton o-rings stem seals
- Teflon seats for durability.
- Forged construction for greater strength.
- Larger ports for increased flow capacity.
- For use with natural, manufactured, mixed liquified, petroleum and LP gas-air mixtures.


- Deeper thread connections. Smooth quarter-turn.
- Manufactured to ANSI Z21.15, C.G.A. 9.1-M81, 9.2-M88, 1/2 psig. 372 also to A.G.A. 3-8, C.G.A. CR91-002, 2 psig.
- Red Reversible handle.
- May be used with water 400 WOG.

GAS BALL VALVES FEMALE x FEMALE




Part#	Size	Dimension Inches							PN in psi	Box	Case	List Price
	G	DN	A	B	C	E	CH					
943-212	1/2"	.31	1.96	1.57	3.43	.43	.98	600	20	80	13.57	
943-213	3/4"	.39	1.96	1.57	3.43	.43	1.22	600	10	40	19.69	

APPLIANCE CONNECTOR VALVES FEMALE X FLARE




Part#	Size	Dimension Inches							Box	Case	List Price
	G	DN	A	B	C	CH1	CH2				
935-122	1/2 x 3/8	0.27	2.41	1.45	2.28	0.67	0.98	20	80	17.51	
935-123	1/2 x 1/2	0.39	2.44	1.45	2.28	0.67	0.98	20	80	19.48	
935-124	3/4 x 5/8	0.47	2.50	1.48	2.28	-	1.22	20	80	21.74	

FLARE x FLARE



Part#	Size	Dimension Inches							PN in psi	Box	Case	List Price
	G	DN	A	B	C	CH1	CH2					
935-129	3/8 x 3/8	0.27	2.79	1.45	2.28	0.67	0.83	363	20	80	23.58	
935-130	1/2 x 1/2	0.39	2.87	1.45	2.28	0.67	0.83	363	20	80	20.37	



	Components	Materials
1	Body	Forged Brass
2	End Connection	Forged Brass
3	Ball	Forged Brass
4	Ball Seats	P.T.F.E.
5	Stem	Brass
6	O-Ring	NBR
7	Butterfly	Steel
8	Screw	UNI 5771 Steel



CHROME PLATED BRASS MINI BALL VALVE


Made in Italy

ISO 9002 Manufacturer

FEATURES

- Solid chrome plated brass ball
- Max working pressure 235 psi will handle 300psi@75° F
- Longer body style for longer, deeper thread connections
- One piece drawn sand blasted chrome plated body.
- Each valve is seal tested for maximum safety.
- Double seal system allows valve to be operated in both directions making installation easier.
- Blowout-proof brass stem.
- NPT taper ANSI B1.20.1 threads.
- 32°F to +176°F temperature.
- 1/4 Turn Nylon handle with mechanical stop.
- NSF Approved valves available upon request!
- Also available in Stainless Steel.


Female x Female




Part#	Size		Dimension Inches							
	G	DN	A	B	C	E	CH	BOX	CASE	List Price
46-920 I	1/8"	0.24	1.51	1.2	0.9	0.31	0.83	50	200	15.16
46-922 I	1/4"	0.31	1.88	1.2	0.9	0.51	0.83	50	200	15.16
46-923 I	3/8"	0.31	1.88	1.2	0.9	0.51	0.83	50	200	15.16
46-924 I	1/2"	0.39	2.18	1.28	0.9	0.61	0.96	40	160	17.52

Made in Italy


Male x Female



Part#	Size		Dimension Inches							
	G	DN	A	B	C	E	CH	BOX	CASE	List Price
46-900 I	1/8"	0.24	1.5	1.2	0.9	0.34	0.83	50	200	14.84
46-903 I	1/4"	0.31	1.77	1.2	0.9	0.48	0.83	50	200	14.84
46-904 I	3/8"	0.31	1.81	1.2	0.9	0.49	0.83	50	200	14.84
46-905 I	1/2"	0.39	2.15	1.28	0.9	0.65	0.96	40	160	16.45



POS	Components	Materials	N
1	Body	CW517N Forged Brass	1
2	Ball Seats	P.T.F.E	2
3	Ball	CW517N CP Brass	1
4	Ring Unit	CW614N Brass	1
5	Stem	CW614N Brass	1
6	Screw	UNI 5771 Steel	1
7	Handle	Nylon	1
8	O-Ring	NBR 80	1



ECONOMY MINI BALL VALVES

- Max Working Pressure: 450psi
- Maximum Temperatures: 356°F at 142 psi
212°F at 355 psi
- 1/4 Turn Handle


FEMALE X FEMALE

Part #	Size	Dimensions (In)				List Price
		A	B	C	D	
46-934	1/8	1.57	1.69	0.78	1.46	7.56
46-935	1/4	1.57	1.69	0.78	1.46	7.56
46-936	3/8	1.57	1.69	0.78	1.46	8.27
46-937	1/2	1.77	1.77	0.94	1.56	8.57

MALE X FEMALE

Part #	Size	Dimensions (In)				List Price
		A	B	C	D	
46-930	1/8	1.67	1.69	0.78	1.46	6.87
46-931	1/4	1.57	1.69	0.78	1.46	7.56
46-932	3/8	1.57	1.69	0.78	1.46	7.11
46-933	1/2	1.77	1.77	0.94	1.56	8.50

Send us your volume quotes!



Pos	Components	Materials	N
1	Body	CP Forged Brass	1
2	Ball Seats	P.T.F.E	2
3	Ball	CP Brass	1
4	Ring Unit	Brass	1
5	Stern	Brass	1
6	O-Ring	NBR 80	1
7	Handle	Alumzinc	1
8	Screw	Steel	1

See page 197 for stainless steel mini ball valves

BRASS VALVES

MINI BALL VALVES

FORGED BRASS MINI-BALL VALVES

- 180° operational handle, blow out proof stem. Stem with double “O” Rings
- 200 WOG
- 125SWSP

NO	Part Name	Material	QTY
1	Nut	Steel	1
2	Handle	Steel	1
3	Cover	PVC	1
4	O-Ring	NBR	2
5	Stem	Brass	1
6	Body	Brass	1
7	Seat	Teflon	2
8	Ball Disc	Brass	1
9	End Plug	Brass	1



FEMALE x FEMALE

Part #	Size	List Price
944-116	1/4X1/4	10.81
944-118	1/4X1/2	10.12



MALE x FEMALE

Part #	Size	List Price
944-106	1/8X1/8	10.12
944-100	1/8X1/4	13.70
944-101	1/4X1/4	11.99
944-102	1/4X3/8	10.12



MALE x MALE

Part #	Size	List Price
944-111	1/4X1/2	10.12
944-112	1/2X1/2	12.87



HOSE BARB x MALE

Part #	Size	List Price
944-138	1/4X1/4	8.00
944-128	3/8X1/4	7.51



HOSE BARB x HOSE BARB

Part #	Size	List Price
944-142	1/4X1/4	10.73
944-134	3/8X3/8	10.88



FEMALE x HOSE BARB

Part #	Size	List Price
944-135	1/8X1/8	10.30
944-121	1/4X5/16	10.30
944-136	1/4X1/4	9.53

NP MINI BALL VALVES

- With and without internal check valve.
- * Nickel Plated



BARB x MALE PIPE w/ CHECK

Part #	Size	List Price
944-051	1/4 x 1/4	14.78
944-052	3/8 x 1/4	15.89

BARB x MALE PIPE WITHOUT CHECK

Part #	Size	List Price
944-012	3/8 x 1/4	14.29



MIP x FLARE w/ CHECK VALVE

Part #	Size	List Price
944-060	1/4 x 1/4	15.51

FLARE x MIP WITHOUT CHECK VALVE

Part #	Size	List Price
944-026	1/4 x 1/4	17.74



BARB x BARB NO CHECK

Part #	Size	List Price
944-005	1/4	14.99
944-013	3/8	15.74

- Plain Brass



MIP x FLARE WITH CHECK

Part #	Size	List Price
10-256WC	1/4 x 1/4	2.94

Private label handle available on volume purchases.

VALVES

3 WAY BALL VALVES

BRASS VALVES

SIDE OUTLET 3 WAY BALL VALVE


• 600 WOG

VALVES




- Forged Brass
- 600 WOG
- Temp Rating 0-230°F

• Side outlet



- Full Port
- Blow-out proof stem
- double o-ring stem packing
- PTFE Seal



Nomenclature & Materials


NO	Part Name	Material	Qty
1	Nut	Steel	1
2	Spring Washer	Steel	1
3	Handle	Steel	1
4	Cover	PVC	1
5	O-Ring	NBR	2
6	Stem	Brass	1
7	Body	Forged Brass	1
8	Seat	Teflon	2
9	Ball Disc	Brass	1
10	End Plug	Brass	1
11	O-Ring	NBR	3
12	Socket	Brass	3

Part#	Size	I	H	D	L	A	Box	Case	List Price
940-464	1/4"	1.89	1.73	0.39	3.35	0.47	50	100	42.45
940-465	3/8"	1.89	1.73	0.39	3.35	0.47	50	100	44.17
940-461	1/2"	2.11	1.80	0.50	3.35	0.51	30	60	35.20
940-462	3/4"	2.56	2.16	0.74	4.41	0.55	20	40	57.18

BOTTOM OUTLET 3 WAY BALL VALVE


- Forged Brass
- Bottom Port is inlet 400 psi
- Side Ports are inlet 100 psi

• 90° Handle Rotation



- Double O-Ring Seal
- Blow out proof stem
- Made in USA
- Threaded ports
- Good for propane

• Bottom outlet



Part#	Size	D	G	H	L	Cv	List Price
940-121	1/4"	.44	3.50	3.12	2.25	5.2	58.45
940-122	3/8"	.50	3.50	3.12	2.25	5.5	54.10
940-123	1/2"	.50	3.50	3.12	2.25	5.5	61.36

BRASS VALVES


MISC. VALVES

EXHAUST VALVES

AUTOMATIC DRAIN & LATCH LOCK HANDLE

Full port hot forged brass ball valve, blow-out proof stem, downstream automatic vent with lockable handle in compliance with OSHA requirements.

- Maximum working pressure: 200 PSI (CWP).
- Temperature rating: -4°F through +350°F.



CLOSED

Part#	Size	List Price
948-131	1/4"	54.96
948-132	3/8"	58.30
948-133	1/2"	60.87
948-134	3/4"	83.43
948-135	1"	92.11

Valve - closed and draining occurs. Upstream seat prevents air flow. Downstream system is vented to atmosphere.

VACUUM BREAKER

- Male hose and female hose threads can be broken off for permanent attachment
- Set screw
- Vandal proof
- Rough brass construction
- Prevents back-siphonage on hoses to prevent potable water from getting contaminated
- Certified under ASSE Std. 1011
- UPC
- IAMPO



VACUUM BREAKER

Part #	Size	List Price
947-055	3/4" x 3/4"	11.34




RADIATOR AIR VALVE

COIN SLOT

Part #	Size	List Price
943-284	1/8" MIP	2.23

SAFETY EXHAUST BALL VALVE

- Threaded - Two Piece Body - Full Port
- Blow-out Proof Stem - PTFE Seats
- 400 PSI WOG
- To Exhaust and Downstream Air in the Closed Position w/ locking lever handle.
- Vented



Part #	Size	List Price
948-141	1/4"	11.34
948-142	3/8"	10.38
948-143	1/2"	14.88
948-144	3/4"	22.98

ANGLE SILLCOCKS

3/4" Hose Thread Outlet

- Notched flange for convenient installation.
- Heavy brass construction.
- Cast Iron handle.



FEMALE IPS

Part #	Size	Box	List Price
942-142	1/2"	12	17.25

HOSE BIBBS

3/4" Hose Thread Outlet



IPS

Part #	Size	Box	List Price
942-170	1/2 (1/2"C)	12	20.15
942-171	3/4"	12	16.10

DRUM & BARREL FAUCET VALVE

- Die cast body w/ nylon seat and steel spring.
- For use with all petroleum products except trichlorethylene.

G261N



Not suitable for potable water

SELF-CLOSING DRUM & BARREL FAUCET

Part #	Size	List Price
46-270	3/4"	12.87


FULL PORT BRASS GATE VALVE

- 200 WOG (cold water, oil, gas).
- 125 WSP (Saturated Steam).
- Full-port design for a better water flow.
- Screw-in Bonnet - Non-Rising Stem - Solid Wedge
- NPT Threaded ends to ANSI B1.20.1
- Cast iron handle.
- Forged Brass Body for 1/2" - 1"
- Cast brass body for 1-1/4" - 4".
- Each valve individually air tested under water.
- Good for diesel fuel.

• NOT LEAD FREE

SEE OUR WEBSITE
For our Stainless Steel Gate and
Globe Valves coming soon!

VALVES



NO	Description	Material
1	Body	C37700
2	Disk	C37700
3	Seat	PTFE
4	Cap	C37700
5	Packing	C37700
6	Stem	C37700
7	Rubber Seat	NBR
8	Packing Nut	C37700
9	Handle	HT200
10	Nameplate	AL
11	Stem Nut	A570 Gr.A

BRASS GATE VALVES IPS


Part#	Size	L	H	D1	d	T	S1	Box	Case	List Price
940-130	1/4	1.57	2.91	2.09	.24	1/4-18 NPT	.85	10	120	21.10
940-131	3/8	1.61	2.91	2.09	.39	3/8-18 NPT	.85	10	120	22.00
940-132	1/2	1.575	2.874	2.087	0.50	1/2-14 NPT	1.03	10	100	15.13
940-133	3/4	1.752	3.228	2.087	0.748	3/4-14 NPT	1.26	5	60	20.33
940-134	1	1.984	3.661	2.283	0.984	1-11.5 NPT	1.51	5	40	27.86
940-135	1-1/4	2.165	4.567	2.835	1.22	1-1/4-11.5 NPT	1.89	5	30	50.50
940-136	1-1/2	2.283	4.98	3.11	2.496	1-1/2-11.5 NPT	2.17	4	24	64.64
940-137	2	2.677	5.846	3.819	1.85	2-11.5 NPT	2.60	2	16	85.05
940-138	2-1/2	3.661	7.638	4.252	2.48	2-1/2-8 NPT	3.27	2	8	147.72
940-139	3	3.819	8.839	4.961	2.835	3-8 NPT	3.86	1	6	220.69
940-140	4	4.567	10.189	4.961	3.661	4-8 NPT	4.88	1	3	355.33



CLASS 150 BRASS Y-PATTERN STRAINER


- Forged Brass body, size 1/4"-3".
- Pressure rating: 150 WOG (water, oil, gas)/PN25
150 WSP (Saturated Stem)
- NPT Threaded ends to ANSI B1.20.1
- Protects regulators, pumps, meters and other controls from damage due to sediment scale, metal chips or other foreign materials.

- Screwed cap is threaded & gasketed.
- Tapped drain plug opening in cap.
- 304 stainless steel screen #20 mesh.
- Self cleaning.
- Self cleaning can be accomplished by opening the valve or plug connected to the blow-off outlet.
- NOT LEAD FREE



Part#	Size	L	H	C	List Price
940-521	1/4"	2.60	1.67	NPT 1/4	36.32
940-522	3/8"	2.60	1.67	NPT 1/4	38.30
940-523	1/2"	3.13	2.33	NPT 1/4	28.60
940-524	3/4"	3.43	2.17	NPT 1/4	41.46
940-525	1"	4.09	2.66	NPT 1/2	71.96
940-526	1-1/4"	4.90	3.24	NPT 1/2	98.67
940-527	1-1/2"	5.59	3.51	NPT 1/2	130.54
940-528	2"	6.69	4.34	NPT 1/2	215.16
940-529	2-1/2"	8.26	5.61	NPT 3/4	500.00
940-530	3"	9.37	6.69	NPT 3/4	716.11

NO	Name	Material
1	BODY	BRASS
2	BONNET	BRASS
3	STRAINER	S.S.
4	SPRING SEAL	PTFE
5	END CAP	BRASS



LEAD-FREE

Part#	Size	L	H	C	List Price
940-523LF	1/2"	2.65	2.75	1.00	38.36


SEE OUR WEBSITE
For our Stainless Steel Y-Strainers coming soon!

BRASS SWING CHECK VALVES

- Working pressure non-shock: 200 psi W.O.G. (cold water, oil, gas) 125 psi WSP (saturated steam)
- Swing type disc.
- Screwed Cap.
- Hard Seat.

- 90° Straight Pattern.
- Used to prevent reverse flow in commercial and industrial applications.
- Threaded ends to ANSI B1.20.1
- Integral seat.
- Temp range -5° - 150F°
- NOT LEAD FREE

VALVES



NO	Description	Material
1	Body	C37700
2	Disc	C37700
3	Cap	C37700
4	Brass Bar	C37700
5	Screw	C37700
6	Gasket	PTFE

CAST BRASS SWING CHECK VALVES IPS SCREWED ENDS

Part #	Size	L	H	L1	DN	Box	Case	List Price
940-352	1/2	2.071	1.299	0.531	0.512	10	120	17.25
940-353	3/4	2.382	1.417	0.579	0.728	10	80	19.41
940-354	1	2.835	1.614	0.748	0.925	5	60	27.81
940-355	1-1/4	3.228	1.969	0.748	1.201	4	36	43.88
940-356	1-1/2	3.740	2.244	0.846	1.417	4	24	60.54
940-357	2	4.212	2.638	0.886	1.772	4	16	90.90
940-358	2-1/2	5.591	3.346	1.063	2.224	2	8	171.93
940-359	3	6.024	3.504	1.102	2.579	1	6	241.83
940-360	4	7.008	4.212	1.102	3.602	1	4	392.81

SEE OUR WEBSITE
STAINLESS STEEL
 Swing Check Valves coming soon!

Some product stocked in Houston and Atlanta.





BRASS CHECK VALVES

S.S. SPRING LOADED BRONZE POPPET
 For positive sealing & self-cleaning.
 Insures against leakage.

- Inline Lift Type - Resilient Discs - Spring Actuated - Threaded.
- Pressure rating: 200 WOG (water, oil, gas)
 125 WSP (Saturated Steam)
- Spring in stainless steel AISI 304.
- Resilient washer hold/ disc in brass.
- Forged Brass Body for 1/2"-2"
- Corrosion resistant material.
- Can be used vertically or horizontally.
- Opens & Closes with flow of media.
- No cracking pressure.
- NOT LEAD FREE

Temp Range
 -10°C - 110°C
 14°F - 248°F

VALVES



Brass Check Valve (Inches)

Part#	Size	Enters Pipe Size	A NPT	B	C	Box	Case	List Price
944-428	1/4"	-	1/4"	1.26	2.28	24	192	17.97
944-429	3/8"	-	3/8"	1.50	2.28	21	168	21.04
944-430	1/2"	1-1/4"	1/2"	1.299	1.89	10	100	16.49
944-431	3/4"	1-1/4"	3/4"	1.594	2.126	10	100	24.51
944-432	1"	2"	1"	1.85	2.303	10	60	32.85
944-433	1-1/4"	2-1/2"	1-1/4"	2.205	2.52	10	40	47.91
944-434	1-1/2"	3"	1-1/2"	2.618	2.717	5	30	59.15
944-435	2"	3-1/2"	2"	3.091	3.071	2	20	92.54

LEAD-FREE

Part #	Size	List Price
944-430LF	1/2	27.72
944-431LF	3/4	37.42
944-432LF	1	52.07
944-433LF	1-1/4	70.50
944-434LF	1-1/2	99.00
944-435LF	2	170.28



NO	Part	Material
1	Cap	C37700
2	Gasket	NBR
3	Spring	Stainless Steel
4	Positioning Seat	BRASS
5	Screw	BRASS
6	Body	C37700



BRASS IN-LINE CHECK VALVES



High Capacity, Size 1/4"-2" 400 WOG, 2 1/2"-4" 175 WOG

- Soft Seat for Bubble Tight Shutoff, Spring Loaded for Fast Seating Action.
- Compact design.
- Low Cracking Pressure 1/2 psi.
- Flow Profile Designed to Minimize Head Loss.
- Perfect Seating both at High and Low Pressure, Wide Temperature Range: +10° to 210°F.
- Polyetherimide Disc to ensure the Best Resistance For Corrosion and Abrasion.
- Patented Disc Guide to Prevent Any Side Loading.
- Connection: FNPT x FNPT.

NBR for water, oils and general purpose.

With VITON® Seal for fuels and hydrocarbons. Max working TEMPERATURE 325°F/125 psi steam

Add V to part# for Viton®




Brass In-Line Check

Part#	Size	I	psi	Lbs	NBR List	Viton Part#	Viton List	NO	Part	Material	PCS
944-401	1/4"	0.39	400	0.22	20.27			1	BODY	BRASS	1
944-402	3/8"	0.40	400	0.37	20.27	944-402V	20.88	2	END CONNECTION	BRASS	1
944-403	1/2"	0.53	400	0.32	22.37	944-403V	23.28	3	DISC	POLYETHERIMIDE	1
944-404	3/4"	0.55	400	0.49	30.52	944-404V	32.70	4	SEAT	100002 NBR	1
944-405	1"	0.66	400	0.68	40.12	944-405V	42.17			100003 Viton	1
944-406	1-1/4"	0.68	400	1.13	63.05	944-406V	67.25	5	SPRING	STAINLESS STEEL	1
944-407	1-1/2"	0.68	400	1.61	94.90	944-407V	99.81				
944-408	2"	0.69	400	2.28	128.37	944-408V	133.88				
944-409	2-1/2"	0.93	175	4.83	293.75	944-409V	304.59				
944-410	3"	1.01	175	6.70	397.82	944-410V	411.02				
944-411	4"	1.09	175	12.43	640.09	944-411V	648.12				




2-PC BALL VALVE, FULL PORT, THREADED END, 2000 WOG

- Investment Castings for body and cap.
- Internal Entry blow-out proof stem.
- Pressure rating: 2000PSI.
- Threaded Ends: ANSI B2,1
- Material: CF8M, CF8, CF3M, WCB
- Pressure test: API 598



NO	Part	Material	QTY
1	BODY	CF8M	1
2	BALL SEAT	PTFE	2
3	BALL	CF8M	1
4	BODY SEAL	PTFE	1
5	CAP	CF8M	1
6	STEM	SS316	1
7	THRUST WASHER	PTFE	1
8	PACKING	PTFE	1
9	GLAND NUT	SS304	1
10	HANDLE	SS304	1
11	WASHER	SS304	1
12	NUT	SS304	1
13	LOCK DEVICE	SS304	1
14	HANDLE COVER	PLASTIC	1




Part#	Size	D	L	H	W	N.M	lbs/ pc	List Price
949-171	1/4"	.492	2.224	1.89	4.134	.157	.616	34.14
949-172	3/8"	.492	2.224	1.89	4.134	.157	.616	34.14
949-173	1/2"	.591	2.579	2.087	4.331	.197	.946	43.92
949-174	3/4"	.787	3.051	2.441	5.315	.315	1.298	60.48
949-175	1"	.984	3.504	2.953	5.906	.394	2.332	90.72
949-176	1-1/4"	1.26	4.094	2.854	5.906	.551	3.30	134.64
949-177	1-1/2"	1.496	4.803	3.583	6.969	.709	5.258	187.32
949-178	2"	1.969	4.901	4.016	7.205	.984	7.48	260.46

ONE PIECE STANDARD PORT BALL VALVE

316 Stainless Steel

1000 PSI

VALVES



Valves will accept a pad-lock on the handle.

dimensions (inches)

Part#	Size	D	L	H	W	List Price
949-101	1/4"	.18	2.24	1.54	3.15	32.68
949-102	3/8"	.27	2.24	1.73	3.15	33.15
949-103	1/2"	.36	2.48	2.20	3.62	36.82
949-104	3/4"	.49	2.95	2.32	3.62	43.10
949-105	1"	.59	3.50	2.80	4.13	55.21
949-106	1-1/4"	.79	4.13	3.07	4.13	96.48
949-107	1-1/2"	.98	4.65	3.27	5.08	98.29
949-108	2"	1.26	5.35	3.94	5.08	139.91

Larger sizes available on special order basis

Dimensions may change. Please contact Midland if dimensions are critical.

Item	Parts	Material
1	Plastic Cover	Plastic
2	Handle	AISI 304 SS
3	Thrust Washer	PTFE
4	Packing Ring	AISI 304 SS
5	Stem Packing	PTFE
6	Seat	PTFE
7	Seat	AISI 316 SS
8	Stem Nut	AISI 304 SS
9	Ball	316SS ASTM-A351 CF8M
10	Cap	316SS ASTM-A351 CF8M
11	Body	316SS ASTM-A351 CF8M

SS = Stainless Steel

Some product stocked in Houston and Atlanta.



1000 PSI 2 PC FULL PORT STAINLESS STEEL VALVE



Materials: CFM8M (SS316), DIN 1.4408

Features:

- Investment Casting body
- Working pressure 1000 psi for W.O.G.
- Adjustable stem packing
- Pure teflon seals and seats
- Temperature range: -60 to 450°F
- Blow-out proof stem and safe pressure-reducing hole
- 100% leakage tested at 100 psi air under water
- Hydrostatic test pressure: 1500 psi
- Locking handle w/ yellow generic sleeve
- 125 Steam rated



VALVES



Valves will accept a pad-lock on the handle.

NO.	NAME	MATERIAL	QTY
1	CAP	316 SS	1
2	BALL SEAT	PTFE	2
3	JOINT GASKET	PTFE	1
4	BODY	316 SS	1
5	BALL	316 SS	1
6	THRUST WASHER	PTFE	1
7	STEM PACKING	PTFE	1
8	GLAND NUT	304 SS	1
9	STEM	316 SS	1
10	STEM NUT	304 SS	1
11	SPRING WASHER	304 SS	1
12	HANDLE	304 SS	1
13	PLASTIC SLEEVE	PVC	1

Part #	Size	D	L	H	S	Approx. Wt. Lbs.	List Price
949-181	1/4"	0.46	1.84	1.89	4.06	0.44	37.81
949-182	3/8"	0.46	1.91	1.89	4.06	0.55	38.45
949-183	1/2"	0.59	2.28	1.89	4.06	0.66	41.79
949-184	3/4"	0.79	2.56	2.05	4.84	0.77	49.75
949-185	1"	0.98	3.03	2.45	4.84	1.43	74.23

Save 5% by ordering online at www.midlandindustrial.com


TWO PIECE FULL PORT BALL VALVE

316 Stainless Steel

1000 PSI

• Locking Handle

VALVES



Valves will accept a pad-lock on the handle.

dimensions (inches)

Part#	Size	D	L	H	W	List Price
949-161	1/4"	.46	2.24	1.93	4.13	57.03
949-162	3/8"	.50	2.24	1.93	4.13	47.93
949-163	1/2"	.59	2.48	2.01	4.13	64.71
949-164	3/4"	.78	2.95	2.28	5.12	68.66
949-165	1"	.98	3.50	2.76	5.71	86.86
949-166	1-1/4"	1.26	4.13	2.87	5.71	133.89
949-167	1-1/2"	1.50	4.65	3.29	7.48	176.42
949-168	2"	2	5.35	3.62	7.48	211.07
949-169	2-1/2"	2.56	5.79	4.96	9.92	292.71
949-170	3"	2.99	6.81	5.43	9.92	383.71
949-180	4"	3.70	8.74	6.22	11.14	720.56

Larger sizes available on special order basis

Dimensions may change without notice. Please contact Midland if they are critical.

Item	Parts	Material
1	Body	316SS ASTM-A351 CF8M
2	Body Cap	316SS ASTM-A351 CF8M
3	Ball	316SS ASTM-A351 CF8M
4	Seat	Reinforced PTFE
5	Stem	AISI 316 SS
6	Seal	Reinforced PTFE
7	Thrust Washer	Reinforced PTFE
8	Packing	Reinforced PTFE
9	Gland Nut	AISI 304SS
10/11	Nut & Washer	AISI 304SS
12	Handle	AISI 304SS
13	Plastic Cover	Plastic


SS = Stainless Steel

Some product stocked in Houston and Atlanta.




- 316 Stainless Steel
- Working pressure 400PSI
- Working Temperature -10°C to 150°C

NO	Part	Material	QTY
1	LEVER	ALUMINIUM ALLOY	1
2	BOLT	304	1
3	STEM	304/ 316	1
4	"O" RING	NBR	1~2
5	BALL SEAT (A)	PTFE	1
6	CAP	CF8/ CF8M	1
7	BALL	CF8/ CF8M	1
8	BODY	CF8/ CF8M	1
9	BALL SEAT (B)	PTFE	1




VALVES



FEMALE PIPE x FEMALE PIPE

Part#	Size	W	D	H	L	List Price
46934SS	1/8"	.898	.197	.985	1.693	19.50
46935SS	1/4"	.898	.276	.984	1.693	19.50
46936SS	3/8"	.898	.276	.984	1.693	20.46
46937SS	1/2"	.898	.362	1.114	1.811	25.19



MALE PIPE x FEMALE PIPE

Part#	Size	W	D	H	L	List Price
46930SS	1/8"	.898	.197	.985	1.693	18.53
46931SS	1/4"	.898	.276	.984	1.693	18.53
46932SS	3/8"	.898	.276	.984	1.693	19.44
46933SS	1/2"	.898	.362	1.114	1.811	24.56



NEW STAINLESS STEEL COMING SOON!

- Gate
- Globe
- Y-Strainers
- Swing Checks
- 3 Piece Ball Valves
- Flanges



**#304 STAINLESS STEEL
CHECK VALVE**


- No Lead.
- Water wells need a check valve installed above the pumps between lengths of drop pipes.
- Opens & Closes with flow of media.
- No cracking pressure.
- Working pressure unavailable.



Dimensions (Inches)

Part#	Size	A NPT	B	C	Box	Case	List Price
949-430	1/2"	1/2"	1.26	2.43	10	100	37.68
949-431	3/4"	3/4"	1.50	2.72	10	80	52.04
949-432	1"	1"	1.77	3.23	10	60	65.24

More sizes available on a special order basis.



NO	Part	Material
1	Body	S.S 304
2	Stopper	S.S 304
3	O-Ring	Viton
4	Washer	PE
5	Spring	S.S 304
6	Cap	S.S 304
7	Nut	S.S 304



**CUSTOM
CATALOGS**

**SEE INSIDE BACK
COVER**




STAINLESS STEEL IN-LINE CHECK VALVE

High Capacity, Size 1/4"-2" 800 WOG

- Soft PTFE Seat for Bubble Tight Shutoff, Spring Loaded for Fast Seating Action
- Low Cracking Pressure 1/2 psi.
- Flow Profile Designed to Minimize Head Loss.
- Perfect Seating both at High and Low Pressure, Wide Temperature Range: +10° to 450°F.
- Corrosion Resistant-Excellent for use on Chemicals.
- ASTM A351-CF8M Investment Casting.
- Connection: FNPT x FNPT.
- 125WSP Saturated Steam.
- ANSI B1.20.1 Threads.
- Dual Guided Stem & Disc.

VALVES



Stainless Steel In-Line Check

Part#	Size	D	L	psi	Lbs	List
949-401	1/4"	1.35	2.31	800	0.42	145.00
949-402	3/8"	1.35	2.31	800	0.42	145.00
949-403	1/2"	1.35	2.31	800	0.40	157.50
949-404	3/4"	1.81	2.87	800	0.85	215.00
949-405	1"	2.13	3.50	800	1.30	248.75
949-406	1-1/4"	2.46	4.18	800	2.50	496.88
949-407	1-1/2"	2.88	4.93	800	3.40	690.63
949-408	2"	3.56	6.00	800	6.0	1012.75


NO	Part	Material	PCS
1	BODY	ASTM A351-CF8M	1
2	SPRING	SS316	1
3	CENTER GUIDE	ASTM A351-CF8M	1
4	DISC	ASTM A351-CF8M	1
5	SEAT	PTFE	1
6	GASKET	PTFE	1
7	END CAP	ASTM A351-CF8M	1

"IF YOU'RE GOING THROUGH HELL, KEEP GOING."
- WINSTON CHURCHILL



SPRING CHECK VALVE


- Working Pressure: 1500PSI (PN100)
- Working Temperature: -10 -150°C
- Opening Pressure: 2~3PSI
- Suitable Medium: W.O.G.
- Threaded End: NPT



NO	Part	Material	QTY
1	BODY	316	1
2	RING	VITON	1
3	SPRING	304	1
4	CAP	CF8M	1
5	SPOOL	316	1
6	SPRING RING	304	1


VALVES

FEMALE PIPE x FEMALE PIPE



Part#	Size	L	C	D	B	E	lbs/ pc	List Price
949-451	1/4"	2.165	.217	.748	.699	.394	.176	30.24
949-452	3/8"	2.165	.295	.866	.787	.394	.22	30.24
949-453	1/2"	2.165	.413	1.063	.945	.472	.286	34.92
949-454	3/4"	2.677	.591	1.417	1.26	.472	.638	50.70
949-455	1"	3.268	.787	1.693	1.496	.591	1.056	68.28

MALE PIPE x FEMALE PIPE



Part#	Size	L	C	D	B	E	lbs/ pc	List Price
949-471	1/4"	2.165	.217	.748	.699	.394	.176	30.24
949-472	3/8"	2.165	.295	.866	.787	.394	.22	30.24
949-473	1/2"	2.165	.413	1.063	.945	.472	.286	34.92
949-474	3/4"	2.677	.591	1.417	1.26	.472	.638	50.70
949-475	1"	3.268	.787	1.693	1.496	.591	1.056	68.28

FLOWS MALE -> FEMALE

WE ARE WHAT WE REPEATEDLY DO. EXCELLENCE, THEN, IS NOT AN ACT, BUT A HABIT.

- ARISTOTLE




CUSTOM CATALOGS

SEE INSIDE BACK COVER



Y-SPRING CHECK VALVE

- Working Pressure: 800PSI (PN55)
- Working Temperature: -10 -150°C
- Opening Pressure: 1.5PSI
- Suitable Medium: W.O.G.




NO	Part	Material	QTY
1	BODY	CF8M/ CF8	1
2	BOLT	304	1
3	SEAT	PTFE	1
4	DISC	304	1
5	SPRING	316/ 304	1
6	GASKET	PTFE	1
7	CAP	CF8M/ CF8	1



Part#	Size	L	H	D	lbs/ pc	Case	List Price
949-481	1/4"	2.559	1.661	.472	.572	200	35.10
949-482	3/8"	2.559	1.661	.472	.528	200	35.10
949-483	1/2"	2.559	1.634	.591	.528	300	39.00
949-484	3/4"	3.15	2.067	.787	.946	300	63.42
949-485	1"	3.543	2.657	.984	1.76	200	102.42
949-486	1-1/4"	4.134	2.795	1.26	2.20	100	117.06
949-487	1-1/2"	4.724	3.169	1.575	2.234	100	156.06
949-488	2"	5.512	3.74	1.969	5.214	100	224.34

2PC BARREL TYPE SPRING CHECK VALVE

- Working Pressure: 300PSI (PN20)
- Working Temperature: -10 -120°C
- Opening Pressure: 2PSI
- Suitable Medium: W.O.G.
- Threaded end: NPT



NO	Part	Material	QTY
1	BODY	CF8M/ CF8	1
2	BOLT	304	1
3	SEAT	PTFE	1
4	DISC	304	1
5	SPRING	316/ 304	1
6	GASKET	PTFE	1
7	CAP	CF8M/ CF8	1



Part#	Size	L	D	Case	List Price
949-441	1/4"	2.008	1.142	200	30.24
949-442	3/8"	2.008	1.142	200	30.24
949-443	1/2"	2.244	1.28	300	34.92
949-444	3/4"	2.441	1.594	300	45.84
949-445	1"	2.953	1.89	200	66.30
949-446	1-1/4"	3.228	2.362	100	81.90
949-447	1-1/2"	3.465	2.756	100	113.16
949-448	2"	3.937	3.425	100	175.56



STANDARD PORT CARBON STEEL BALL VALVE

VALVES

- For chemical and industrial applications.
- Blow-out proof stem design.
- 100% air tested under water, at 100 psi, open and closed positions.


SPECIFICATIONS

- Working Pressure: 1/4" ~ 1" 2000 psi WOG,
1-1/4" ~ 2" 1500 psi WOG,
- Temperature Range: -60° to 450°F
- End types: Threaded
- 1 piece ball valve reducing bore
- Reinforced PTFE seat



2000 PSI STANDARD PORT

Part #	Size	d	H	E	L	Box	Case	List Price
949-121	1/4	.20	1.14	2.40	1.71	10	100	65.21
949-122	3/8	.28	1.38	3.55	1.87	10	100	60.81
949-123	1/2	.36	2.60	4.08	2.20	5	75	58.64
949-124	3/4	.49	2.72	4.21	2.58	5	60	65.76
949-125	1	.59	2.95	4.65	3.19	6	36	84.43
949-126	1-1/4	.78	3.07	5.83	3.62	4	20	137.33
949-127	1-1/2	1.02	3.39	5.83	3.78	3	15	158.13
949-128	2	1.26	3.86	5.90	4.49	3	12	226.37



Item	Parts	Material
1	Body	ASTM A108 CL. 1018 or AISI 1021 C.S.
2	Unscrewed Seat Retainer	
3	Ball	SS304
4	Stem	SS316
5	Ball Seat	RPTFE
6	Cap Seal	PTFE
7	Packing	PTFE
8	Handle	SS304
9	Handle Sleeve	Vinyl Grip
10	Thrust Washer	PTFE
11	Gland	SS304
12	Washer	SS304
13	Handle Nut	SS304
14	Stem Nut	SS304



WHITE PVC BALL VALVES

- Quarter turn
- Solvent ends comply with ASTM D2466
- Designed for use in residential, commercial & industrial system as well as waste water, chemical, agricultural applications, marine, food processing, swimming pools.
- Corrosion resistant
- EPDM seal
- EPDM O-ring
- Fits both Sch. 40 & 80 pipe
- NSF approved
- Rated for 150 PSI at 73°F
- Threaded ends comply with ANSI B1.20.1



MOLDED IN PLACE

WHITE PIPE THREADS

Part#	Size	Box	Case	List Price
940-284	1/2"	10	260	4.61
940-285	3/4"	5	160	7.37
940-286	1"	5	80	10.36
940-287	1-1/4"	5	60	21.45
940-288	1-1/2"	4	44	18.16
940-289	2"	4	24	33.61
940-291	3"	3	10	136.07
940-292	4"	2	6	193.12



WHITE SOCKET

SLIP X SLIP

Part #	Size	Box	Case	List Price
940-294	1/2"	10	100	5.47
940-295	3/4"	5	60	7.66
940-296	1"	5	40	11.24
940-297	1-1/4"	5	30	20.55
940-298	1-1/2"	4	24	24.52
940-299	2"	4	16	27.34

COMPACT BALL VALVES

FEATURES

- Sizes range from 1/2" to 4"
- Excellent flow characteristics
- Leak-tight shut-off
- EPPM O-Ring
- Test pressure: 225 psi @ 73°F
- Working Pressure: 150 psi @ 73°F



SLIP X SLIP BALL VALVE

Part #	Size	List Price
899050	1/2"	15.03
899051	3/4"	17.28
899052	1"	20.60
899053	1-1/4"	25.04
899054	1-1/2"	51.00
899055	2"	57.02
899056	2-1/2"	241.25
899057	3"	358.96
899058	4"	719.51



FIP X FIP THREADED BALL VALVE

Part #	Size	List Price
899000	1/2"	15.93
899001	3/4"	14.69
899002	1"	20.60
899003	1-1/4"	25.76
899004	1-1/2"	47.71
899005	2"	60.02
899006	2-1/2"	241.25
899007	3"	317.17
899008	4"	603.96

PLASTIC DRUM FAUCETS

- Pipe threads to ANSI B1.20.1
 - Hose threads to ANSI B 1.20.7
- The FLO-RITE faucet has been engineered to meet the demand for greater chemical resistance, using linear polyethylene for the stem.



"FLO-RITE" DRUM FAUCET

Part #	Size	List Price
46-277	3/4"	13.32

"FLO-KING" DRUM FAUCET

Part #	Size	List Price
46-278	2	125.55

BRASS NIPPLES

BRASS NIPPLES

We hereby certify that to the best of our knowledge and belief the CDA 230 alloy Red Brass Pipe from which our nipples are produced meet the requirements of ASTM Specifications B43-91 and is free of mercury contamination. The chemical analysis is 85% copper, 15% Zinc and conforms to federal Specifications WWN-351. Our brass nipples meet ASTM B687-97 and MS51846 for standard brass nipples, and MS51872 for extra heavy brass nipples.

Threads: Nipples are threaded with American Standard taper pipe threads (NPT) in accordance with screw-thread standard for Federal Services Handbook H-28.

Brass nipples are in compliance with California's Health & Safety code section 116875 (AB1953) and Vermont Act 193. This product is certified by NSF to NSF/ANSI 61 for use in drinking water supplies of pH 6.5 and above.

STANDARD RED BRASS 85% PIPE WITH THREADED ENDS SPECIFICATIONS:

Pipe Size in Inches	Dimension in Inches		
	O.D.	I.D.	Wall Thickness
1/8"	.405	.281	.062
1/4"	.540	.376	.082
3/8"	.675	.495	.090
1/2"	.840	.626	.107
3/4"	1.050	.822	.114
1"	1.315	1.063	.126
1-1/4"	1.660	1.368	.146
1-1/2"	1.900	1.600	.150
2"	2.375	2.063	.156
2-1/2"	2.875	2.501	.187
3"	3.500	3.062	.219
3-1/2"	4.000	3.500	.250
4"	4.500	4.000	.250
4-1/2"	5.000	4.500	.250
5"	5.563	5.063	.250
6"	6.625	6.125	.250

Allowable Pressure POUNDS PER SQUARE INCH				
Standard Size (Inches)	@ 100° F	@ 200° F	@ 300° F	@ 400° F
1/8"	370	370	320	140
1/4"	870	870	760	330
3/8"	890	890	780	340
1/2"	900	900	790	340
3/4"	810	810	710	310
1"	630	630	560	240
1-1/4"	690	690	610	260
1-1/2"	630	630	560	240
2"	540	540	480	210
2-1/2"	450	450	390	170
3"	510	510	450	190
3-1/2"	570	570	500	220
4"	510	510	440	190
5"	410	410	360	160
6"	340	340	300	130

See our website for
Extra Heavy Red Brass Nipples

LEAD FREE

NIPPLES & FITTINGS

EXTRA HEAVY RED BRASS 85% PIPE WITH THREADED ENDS SPECIFICATIONS:

Pipe Size in Inches	Dimension in Inches		
	O.D.	I.D.	Wall Thickness
1/8"	.405	.205	.100
1/4"	.540	.294	.123
3/8"	.675	.421	.127
1/2"	.840	.542	.149
3/4"	1.050	.736	.157
1"	1.315	.951	.182
1-1/4"	1.660	1.272	.194
1-1/2"	1.900	1.494	.203
2"	2.375	1.933	.221
3"	2.875	2.315	.280
3-1/2"	3.500	2.892	.304
4"	4.000	3.358	.321
4-1/2"	4.500	3.818	.341
5"	5.562	4.812	.375
6"	6.625	5.751	.437

Allowable Pressure POUNDS PER SQUARE INCH				
Standard Size (Inches)	@ 100° F	@ 200° F	@ 300° F	@ 400° F
1/8"	1960	1960	1960	1240
1/4"	2210	2210	2210	1340
3/8"	1840	1840	1840	1150
1/2"	1760	1760	1760	1100
3/4"	1510	1510	1510	950
1"	1340	1340	1340	850
1-1/4"	1160	1160	1160	730
1-1/2"	1090	1090	1090	680
2"	1000	1000	1000	630
2-1/2"	970	970	970	620
3"	910	910	910	570
3-1/2"	860	860	860	550
4"	840	840	840	530
5"	770	770	770	480
6"	800	800	800	500

NIPPLE WEIGHT CHART												
Diameter	Length of Close	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/8"	3/4"	1.4	3.0	3.8	5.2	6.2	7.2	8.4	9.2	11.0	12.2	13.2
1/4"	7/8"	2.4	4.8	6.4	8.2	10.4	12.2	14.0	16.0	18.0	20.2	22.0
3/8"	1"	3.8	6.2	8.6	11.0	13.4	16.2	18.4	20.4	23.4	25.6	28.0
1/2"	1-1/8"	5.6	8.6	11.6	16.2	19.4	22.4	27.4	29.6	33.0	37.4	40.4
3/4"	1-3/8"	10.2	11.8	16.2	21.4	22.6	31.0	35.6	40.2	45.6	50.0	55.0
1"	1-1/2"	15.6		23.4	29.6	37.0	44.2	52.6	59.2	68.4	74.8	76.8
1-1/4"	1-5/8"	26.5		36.0	45.0	56.5	68.0	81.0	92.0	98.5	110.5	125.0
1-1/2"	1-3/4"	35.0		42.0	55.5	67.0	81.0	95.5	108.0	121.5	131.0	144.0
2"	2"	54.5			72.0	88.5	107.0	125.0	143.5	155.0	179.0	190.0
2-1/2"	2-1/2"	90.0				116.5	148.5	168.5	180.0	218.5	239.5	262.0
3"	2-5/8"	134.5				170.0	210.0	239.0	268.5	314.0	349.0	390.0
4"	2-7/8"	226.3				253.1	307.0	357.5	422.5	450.0	516.3	563.8

Approximate weight per
100 pieces.

Standard Brass Nipples.

For Extra Heavy Brass multiply above weight by 1.37

FOR THREAD CHARTS PLEASE SEE PAGE 428

BRASS NIPPLES

BRASS NIPPLES

1/8" Diameter




Part #	Size	List Price
40-001	Close (3/4")	3.97
40-002	x 1-1/2"	4.49
40-003	x 2"	4.81
40-004	x 2-1/2"	5.46
40-005	x 3"	5.89
40-006	x 3-1/2"	6.36
40-007	x 4"	7.14
40-008	x 4-1/2"	8.06
40-009	x 5"	8.73
40-010	x 5-1/2"	9.44
40-011	x 6"	10.12
40-012	x 7"	12.02
40-013	x 8"	13.26
40-014	x 9"	16.30
40-015	x 10"	17.83
40-016	x 11"	19.34
40-017	x 12"	20.59

3/8" Diameter



Part #	Size	List Price
40-040	Close (1")	4.81
40-041	x 1-1/2"	5.69
40-042	x 2"	6.91
40-043	x 2-1/2"	7.48
40-044	x 3"	9.16
40-045	x 3-1/2"	9.88
40-046	x 4"	11.76
40-047	x 4-1/2"	12.53
40-048	x 5"	13.73
40-049	x 5-1/2"	14.93
40-050	x 6"	16.16
40-051	x 7"	19.61
40-052	x 8"	21.98
40-053	x 9"	26.00
40-054	x 10"	26.19
40-055	x 11"	28.59
40-056	x 12"	31.01

1/4" Diameter



Part #	Size	List Price
40-020	Close (7/8")	4.63
40-021	x 1-1/2"	5.36
40-022	x 2"	6.07
40-023	x 2-1/2"	6.58
40-024	x 3"	7.72
40-025	x 3-1/2"	8.40
40-026	x 4"	9.88
40-027	x 4-1/2"	10.74
40-028	x 5"	11.69
40-029	x 5-1/2"	12.68
40-030	x 6"	14.26
40-031	x 7"	16.25
40-032	x 8"	17.81
40-033	x 9"	19.79
40-034	x 10"	21.73
40-035	x 11"	23.71
40-036	x 12"	25.66

1/2" Diameter



Part #	Size	List Price
40-060	Close (1-1/8")	6.40
40-061	x 1-1/2"	7.41
40-062	x 2"	8.71
40-063	x 2-1/2"	10.36
40-064	x 3"	12.17
40-065	x 3-1/2"	13.88
40-066	x 4"	15.91
40-067	x 4-1/2"	17.28
40-068	x 5"	19.03
40-069	x 5-1/2"	20.91
40-070	x 6"	23.17
40-071	x 7"	26.84
40-072	x 8"	30.07
40-073	x 9"	33.37
40-074	x 10"	36.92
40-075	x 11"	40.39
40-076	x 12"	43.91

SEE OUR WEBSITE FOR EXTRA HEAVY SCH 80 RED BRASS NIPPLES

Chrome Plated Brass Nipples Available upon request

Some product stocked in Houston and Atlanta.

Save 5% by ordering online at
www.midlandindustrial.com

Fax 1-888-877-5391



sales@midlandindustrial.com

NIPPLES & FITTINGS

BRASS NIPPLES

3/4" Diameter



Part #	Length	List Price
40-080	Close (1- 3/8")	9.24
40-081	x 1-1/2"	9.85
40-082	x 2"	11.63
40-083	x 2-1/2"	13.49
40-084	x 3"	15.55
40-085	x 3-1/2"	17.47
40-086	x 4"	20.31
40-087	x 4-1/2"	22.07
40-088	x 5"	24.37
40-089	x 5-1/2"	26.62
40-090	x 6"	29.65
40-091	x 7"	34.74
40-092	x 8"	39.13
40-093	x 9"	43.32
40-094	x 10"	47.74
40-095	x 11"	52.10
40-096	x 12"	56.82

1" Diameter



Part #	Length	List Price
40-100	Close (1-1/2")	13.62
40-101	x 2"	16.81
40-102	x 2-1/2"	19.61
40-103	x 3"	22.57
40-104	x 3-1/2"	26.14
40-105	x 4"	29.41
40-106	x 4-1/2"	32.79
40-107	x 5"	36.25
40-108	x 5-1/2"	39.71
40-109	x 6"	43.30
40-110	x 7"	50.57
40-111	x 8"	57.73
40-112	x 9"	64.42
40-113	x 10"	71.46
40-114	x 11"	77.09
40-115	x 12"	85.20

BRASS NIPPLES

1-1/4" Diameter



Part #	Length	List Price
40-120	Close (1-5/8")	20.55
40-121	x 2"	23.47
40-122	x 2-1/2"	26.54
40-123	x 3"	31.42
40-124	x 3-1/2"	36.76
40-125	x 4"	41.37
40-126	x 4-1/2"	45.82
40-127	x 5"	50.53
40-128	x 5-1/2"	55.26
40-129	x 6"	60.37
40-130	x 7"	71.20
40-131	x 8"	80.65
40-132	x 9"	95.66
40-133	x 10"	99.74
40-134	x 11"	114.18
40-135	x 12"	119.32

1-1/2" Diameter



Part #	Length	List Price
40-140	Close (1-3/4")	26.73
40-141	x 2"	28.75
40-142	x 2-1/2"	34.44
40-143	x 3"	39.58
40-144	x 3-1/2"	45.46
40-145	x 4"	51.56
40-146	x 4-1/2"	57.94
40-147	x 5"	64.10
40-148	x 5-1/2"	70.14
40-149	x 6"	76.19
40-150	x 7"	89.03
40-151	x 8"	101.16
40-152	x 9"	113.23
40-153	x 10"	125.32
40-154	x 11"	137.41
40-155	x 12"	149.48

SEE OUR WEBSITE FOR EXTRA HEAVY SCH 80 RED BRASS NIPPLES

Send Midland all your high volume quotes!

BRASS NIPPLES**BRASS NIPPLES****2" Diameter**

Part #	Length	List Price
40-160	Close (2")	40.70
40-161	x 2-1/2"	43.93
40-162	x 3"	50.71
40-163	x 3-1/2"	58.37
40-164	x 4"	66.33
40-165	x 4-1/2"	73.96
40-166	x 5"	82.02
40-167	x 5-1/2"	89.96
40-168	x 6"	97.93
40-169	x 7"	114.55
40-170	x 8"	130.64
40-171	x 9"	145.67
40-172	x 10"	161.81
40-173	x 11"	174.85
40-174	x 12"	192.98

3" Diameter

Part #	Length	List Price
40-200	Close (2-5/8")	146.05
40-201	x 3"	151.78
40-202	x 3-1/2"	171.69
40-203	x 4"	193.39
40-204	x 4-1/2"	212.59
40-205	x 5"	233.89
40-206	x 5-1/2"	254.14
40-207	x 6"	276.27
40-208	x 7"	350.36
40-209	x 8"	367.25
40-210	x 9"	402.16
40-211	x 10"	446.14
40-212	x 11"	485.16
40-213	x 12"	534.38

2-1/2" Diameter

Part #	Length	List Price
40-180	Close (2-1/2")	107.40
40-181	x 3"	112.29
40-182	x 3-1/2"	127.23
40-183	x 4"	141.43
40-184	x 4-1/2"	151.73
40-185	x 5"	166.91
40-186	x 5-1/2"	179.77
40-187	x 6"	196.81
40-188	x 7"	224.21
40-189	x 8"	257.51
40-190	x 9"	285.82
40-191	x 10"	315.82
40-192	x 11"	340.31
40-193	x 12"	373.36

Some product stocked in Houston and Atlanta.

**NIPPLES &
FITTINGS**

Class 125 (150) For steam, water, gas, oil and air service

Standard specifications

Materials - ASTM B62-93 (85,5,5,5) C83600

Dimensions - ANSI B 16.15


Threads - ANSI B2.1 or BA 21 and Fed. WW-P-460

- UL/ FM Approved
- ISO 9001:2000
- Not Lead Free

See our website for Lead Free Bronze Fittings

Bronze threaded fittings are manufactured from smooth-cored castings, designed to provide full flow with minimum restriction. All threads are accurately machined and gauged to ensure a perfect fit with the pipe. All fittings are individually tested under water to ensure quality. Bronze provides a tighter seal and is easier to install than other metals. Can be used for water, plumbing, heating, pneumatic and marine applications. Able to resist the harmful effects of corrosion when coming into contact with salt water or fresh water polluted with mineral acids or peaty soils.


90° ELBOWS



X101

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-100	1/8"	0.55	0.08	6.52
44-101	1/4"	0.72	0.10	6.52
44-102	3/8"	0.83	0.17	6.52
44-103	1/2"	1.03	0.24	9.92
44-104	3/4"	1.19	0.35	13.34
44-105	1"	1.43	0.59	20.60
44-106	1-1/4"	1.71	0.96	32.76
44-107	1-1/2"	1.87	1.33	40.91
44-108	2"	2.14	2.34	66.61
44-109	2-1/2"	2.74	3.79	130.64
44-110	3"	3.10	5.21	200.40
44-112	4"	3.80	8.59	483.30


90° REDUCING ELBOWS



X101

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
44-120	1/4" x 1/8"	0.67	0.60	0.10	10.10
44-124	1/2" x 3/8"	0.93	0.90	0.22	10.71
44-127	3/4" x 1/2"	1.08	1.11	0.31	14.61
44-131	1" x 3/4"	1.30	1.31	0.56	25.65
44-134	1-1/4" x 1"	1.52	1.60	0.81	40.05
44-137	1-1/2" x 1"	1.56	1.72	1.02	50.61

90° STREET ELLS




X103

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
44-160	1/8"	0.55	0.92	0.07	9.92
44-161	1/4"	0.72	1.11	0.11	9.92
44-162	3/8"	0.83	1.24	0.16	9.92
44-163	1/2"	1.03	1.51	0.21	12.32
44-164	3/4"	1.19	1.66	0.34	17.40
44-165	1"	1.43	1.98	0.65	26.37
44-166	1-1/4"	1.71	2.26	1.11	44.04
44-167	1-1/2"	1.87	2.46	1.16	57.38
44-168	2"	2.14	2.98	2.09	97.28
44-169	2-1/2"	2.74	3.92	3.79	153.80
44-170	3"	3.10	4.45	6.38	230.67

Some product stocked in Houston and Atlanta.




45° ELBOWS



X102

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-180	1/8"	0.43	0.05	7.15
44-181	1/4"	0.55	0.08	7.15
44-182	3/8"	0.63	0.12	7.15
44-183	1/2"	0.79	0.22	9.06
44-184	3/4"	0.91	0.34	13.34
44-185	1"	1.07	0.57	22.56
44-186	1-1/4"	1.23	0.90	36.06
44-187	1-1/2"	1.31	1.08	45.19
44-188	2"	1.47	1.54	73.25
44-189	2-1/2"	1.95	3.25	144.03


45° STREET ELBOWS



X103A

Part #	Size	A	B	Approx. Wt. Lbs.	List Price
44-200	1/8"	0.26	0.43	0.06	10.10
44-201	1/4"	0.35	0.56	0.11	10.10
44-202	3/8"	0.37	0.63	0.13	10.10
44-203	1/2"	0.45	0.79	0.18	12.32
44-204	3/4"	0.52	0.91	0.28	24.24
44-205	1"	0.60	1.07	0.52	28.77
44-206	1-1/4"	0.67	1.23	0.77	44.04
44-207	1-1/2"	0.70	1.31	0.97	59.16
44-208	2"	0.76	1.47	2.04	100.27

TEES




X106

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-250	1/8"	0.55	0.09	9.06
44-251	1/4"	0.72	0.16	9.06
44-252	3/8"	0.83	0.25	9.06
44-253	1/2"	1.03	0.31	11.41
44-254	3/4"	1.19	0.48	16.41
44-255	1"	1.43	0.84	29.17
44-256	1-1/4"	1.71	1.18	40.91
44-257	1-1/2"	1.87	1.69	56.29
44-258	2"	2.14	2.69	92.20
44-259	2-1/2"	2.74	4.70	179.30
44-260	3"	3.10	6.69	274.21

Some product stocked in Houston and Atlanta.

REDUCING TEES

REDUCING ON THE BRANCH




X106

Part #	Size (1 & 2) x 3	A	B	Approx. Wt. Lbs.	List Price
44-276	1/2" x 1/4"	0.87	0.87	0.28	13.85
44-279	1/2" x 3/8"	0.93	0.90	0.40	15.84
44-280	1/2" x 3/4"	2.42	1.155	0.415	21.63
44-282	3/4" x 1/4"	1.05	1.08	0.38	19.66
44-283	3/4" x 3/8"	1.00	1.00	0.46	19.66
44-286	3/4" x 1/2"	1.08	1.11	0.40	19.66
44-291	1" x 1/2"	1.20	1.24	0.73	35.95
44-298	1" x 3/4"	1.30	1.31	0.71	35.95
44-301	1-1/4" x 1/2"	1.34	1.53	1.18	50.61
44-303	1-1/4" x 3/4"	1.30	1.31	1.08	50.61
44-306	1-1/4" x 1"	1.58	1.67	1.23	50.61

REDUCING TEES


REDUCING ON THE RUN



X106

Part #	Size 1x2x3	A	B	C	Approx. Wt. Lbs.	List Price
44-287	3/4" x 1/2" x 1/2"	1.12	1.20	1.22	0.37	21.63
44-296	1" x 3/4" x 3/4"	1.31	1.37	1.45	0.71	39.15

CROSSES



X110

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-391	1/4"	0.72	0.20	15.16
44-392	3/8"	0.83	0.29	15.16
44-393	1/2"	1.03	0.43	18.41
44-394	3/4"	1.19	0.59	26.60
44-395	1"	1.19	1.15	42.19
44-396	1-1/4"	1.71	1.70	66.04
44-397	1-1/2"	1.87	1.97	84.36
44-398	2"	2.14	2.52	175.84

"THE REASON WE STRUGGLE WITH INSECURITY IS BECAUSE WE COMPARE OUR BEHIND-THE-SCENES WITH EVERYONE ELSE'S HIGHLIGHT REEL."

- STEVE FURTICK

COUPLINGS



X111

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-410	1/8"	0.80	0.06	6.52
44-411	1/4"	0.80	0.08	6.52
44-412	3/8"	1.05	0.14	6.52
44-413	1/2"	1.29	0.21	8.20
44-414	3/4"	1.43	0.29	10.81
44-415	1"	1.68	0.45	16.41
44-416	1-1/4"	1.86	0.80	25.65
44-417	1-1/2"	1.92	0.98	34.87
44-418	2"	2.20	1.56	57.38
44-419	2-1/2"	2.88	2.75	95.35
44-420	3"	3.18	3.63	131.81

REDUCING COUPLINGS




X112

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-430	1/4" x 1/8"	0.88	0.08	7.00
44-431	3/8" x 1/8"	0.92	0.10	7.00
44-432	3/8" x 1/4"	0.92	0.12	7.00
44-433	1/2" x 1/8"	1.17	0.14	10.10
44-434	1/2" x 1/4"	1.17	0.17	8.72
44-435	1/2" x 3/8"	1.17	0.17	8.72
44-436	3/4" x 1/4"	1.35	0.24	14.43
44-437	3/4" x 3/8"	1.35	0.24	12.99
44-438	3/4" x 1/2"	1.35	0.27	12.99
44-440	1" x 3/8"	1.56	0.40	24.35
44-441	1" x 1/2"	1.56	0.36	21.60
44-442	1" x 3/4"	1.56	0.45	21.60
44-444	1-1/4" x 1/2"	1.77	0.60	41.38
44-445	1-1/4" x 3/4"	1.77	0.67	34.87
44-446	1-1/4" x 1"	1.77	0.65	34.87
44-447	1-1/2" x 1/2"	1.80	0.77	49.59
44-448	1-1/2" x 3/4"	1.80	0.70	49.59
44-449	1-1/2" x 1"	1.80	0.74	44.04
44-450	1-1/2" x 1-1/4"	1.80	0.83	44.04
44-458	2" x 1/2"	2.03	1.07	73.77
44-451	2" x 3/4"	2.03	1.25	73.77
44-452	2" x 1"	2.03	1.32	73.77
44-453	2" x 1-1/4"	2.03	1.37	65.46
44-454	2" x 1-1/2"	2.03	1.74	65.46
44-461	2-1/2" x 1-1/2"	3.15	1.94	115.96
44-462	2-1/2" x 2"	3.15	2.37	115.96
44-456	3" x 2"	3.69	2.40	153.69
44-463	3" x 2-1/2"	3.69	3.82	153.69

SEE OUR WEBSITE FOR LEAD FREE BRONZE FITTINGS




CAPS



X116


Part #	Size	A	Approx. Wt. Lbs.	List Price
44-470	1/8"	0.53	0.03	4.88
44-471	1/4"	0.58	0.06	4.88
44-472	3/8"	0.66	0.09	4.88
44-473	1/2"	0.75	0.13	6.52
44-474	3/4"	0.87	0.20	8.62
44-475	1"	1.03	0.29	13.51
44-476	1-1/4"	1.10	0.47	20.54
44-477	1-1/2"	1.12	0.61	27.73
44-478	2"	1.35	1.10	47.06
44-480	3"	1.83	2.64	142.90

UNIONS



X187

Part #	Size	A	Approx. Wt. Lbs.	List Price
44-600	1/8"	1.18	0.13	23.12
44-601	1/4"	1.26	0.22	23.12
44-602	3/8"	1.50	0.39	23.12
44-603	1/2"	1.57	0.47	25.15
44-604	3/4"	1.89	0.69	34.87
44-605	1"	2.13	1.01	46.18
44-606	1-1/4"	2.36	1.48	67.64
44-607	1-1/2"	2.68	1.92	79.82
44-608	2"	2.99	3.04	122.85
44-609	2-1/2"	3.35	4.80	241.76
44-610	3"	3.74	6.49	373.51



DROP SHIP PROGRAM

SEE INTRO PAGE 5

HEX BUSHINGS



X114

Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
44-500	1/4" x 1/8"	0.58	0.66	0.03	4.41
44-501	3/8" x 1/8"	0.64	0.72	0.06	4.41
44-502	3/8" x 1/4"	0.64	0.75	0.06	4.41
44-503	1/2" x 1/8"	0.75	0.92	0.11	6.18
44-504	1/2" x 1/4"	0.75	0.93	0.10	5.19
44-505	1/2" x 3/8"	0.75	0.92	0.09	5.19
44-506	3/4" x 1/8"	0.87	1.15	0.17	8.62
44-507	3/4" x 1/4"	0.85	1.14	0.17	8.62
44-508	3/4" x 3/8"	0.85	1.14	0.16	7.15
44-509	3/4" x 1/2"	0.85	1.15	0.14	7.15
44-510	1" x 1/4"	1.05	1.43	0.30	13.12
44-511	1" x 3/8"	1.05	1.50	0.26	13.12
44-512	1" x 1/2"	1.00	1.40	0.27	10.81
44-513	1" x 3/4"	1.00	1.43	0.22	10.81
44-514	1-1/4" x 1/4"	1.22	1.10	0.34	22.23
44-515	1-1/4" x 3/8"	1.19	1.84	0.29	23.16
44-516	1-1/4" x 1/2"	1.14	1.33	0.47	22.23
44-517	1-1/4" x 3/4"	1.08	1.75	0.46	18.41
44-518	1-1/4" x 1"	1.08	1.76	0.33	18.41
44-519	1-1/2" x 1/4"	1.09	2.12	0.29	28.77
44-520	1-1/2" x 3/8"	1.35	2.16	0.44	28.77
44-521	1-1/2" x 1/2"	1.20	2.10	0.51	28.77
44-522	1-1/2" x 3/4"	1.20	2.12	0.51	28.77
44-523	1-1/2" x 1"	1.14	2.08	0.61	23.52
44-524	1-1/2" x 1-1/4"	1.14	2.12	0.40	23.52
44-527	2" x 1/2"	1.27	1.32	1.10	42.00
44-528	2" x 3/4"	1.27	1.62	0.77	42.00
44-529	2" x 1"	1.29	1.95	0.88	42.00
44-530	2" x 1-1/4"	1.22	2.47	0.97	34.87
44-531	2" x 1-1/2"	1.22	2.50	0.77	34.87
44-532	2-1/2" x 1"	1.53	1.94	1.19	86.47
44-534	2-1/2" x 1-1/2"	1.50	2.38	1.15	69.71
44-535	2-1/2" x 2"	1.43	2.97	1.12	69.71
44-537	3" x 1-1/2"	1.61	2.68	2.44	137.04
44-538	3" x 2"	1.61	3.70	1.82	105.41
44-539	3" x 2-1/2"	1.53	3.70	2.11	105.41
44-543	4" x 3"	2.01	4.62	3.30	242.66

NIPLLES & FITTINGS



MIDLAND METAL APP


SEE INSIDE FRONT COVER

Some product stocked in Houston and Atlanta.

Save 5% by ordering online at www.midlandindustrial.com




BRONZE COUNTERSUNK PLUGS



Part #	Size	A	Socket Size	Approx. Wt. Lbs.	List Price
44-633	1/2"	0.57	0.43	0.06	5.34
44-634	3/4"	0.58	0.47	0.11	6.12
44-635	1"	0.75	0.59	0.22	11.43
44-636	1-1/4"	0.74	0.72	0.33	19.03
44-637	1-1/2"	0.79	0.72	0.50	28.58
44-638	2"	0.80	0.85	0.88	46.52

NIPPLES & FITTINGS


CORED SQUARE HEAD PLUGS



X117

Part #	Size	A	B	C	Approx. Wt. Lbs.	List Price
44-650	1/8"	0.27	0.24	0.28	0.02	4.88
44-651	1/4"	0.41	0.28	0.37	0.04	4.88
44-652	3/8"	0.41	0.31	0.43	0.07	4.88
44-653	1/2"	0.54	0.38	0.56	0.11	6.82
44-654	3/4"	0.55	0.44	0.62	0.17	7.81
44-655	1"	0.69	0.50	0.81	0.25	10.30
44-656	1-1/4"	0.71	0.56	0.93	0.39	15.32
44-657	1-1/2"	0.73	0.62	1.12	0.51	19.54
44-658	2"	0.76	0.68	1.31	0.83	30.84
44-659	2-1/2"	1.07	0.74	1.50	1.26	52.78
44-660	3"	1.13	0.80	1.68	1.49	84.36
44-662	4"	1.22	0.92	2.25	3.20	164.80

SOLID SQUARE HEAD PLUGS



X117A

Part #	Size	A	B	C	Approx. Wt. Lbs.	List Price
44-670	1/8"	0.27	0.24	0.28	0.04	5.19
44-671	1/4"	0.41	0.28	0.37	0.05	5.19
44-672	3/8"	0.41	0.31	0.43	0.08	4.33
44-673	1/2"	0.54	0.38	0.56	0.12	8.20
44-674	3/4"	0.55	0.44	0.62	0.18	10.69
44-675	1"	0.69	0.50	0.81	0.28	18.22
44-676	1-1/4"	0.71	0.56	0.93	0.40	32.82
44-677	1-1/2"	0.73	0.62	1.12	0.56	42.66
44-678	2"	0.76	0.68	1.31	0.90	67.64




BIN LABELS ON DEMAND

SEE INTRO PAGE 4



HEX LOCKNUTS




X119

• Straight Thread

Part #	Size	A	Thickness	Approx. Wt. Lbs.	List Price
44-700	1/8"	0.50	0.19	0.02	3.23
44-701	1/4"	0.66	0.25	0.03	3.23
44-702	3/8"	0.77	0.28	0.04	3.23
44-703	1/2"	0.97	0.31	0.10	5.19
44-704	3/4"	1.23	0.34	0.13	6.18
44-705	1"	1.50	0.38	0.20	9.22
44-706	1-1/4"	1.86	0.42	0.28	14.98
44-707	1-1/2"	2.12	0.47	0.52	19.43
44-708	2"	2.63	0.53	0.64	30.87

HEX NIPPLES



Part #	Size	A	Hex	Approx. Wt. Lbs.	List Price
44-720	1/8"	1.25	0.50	0.05	7.60
44-721	1/4"	1.25	0.61	0.06	12.60
44-723	1/2"	1.65	1.03	0.18	12.95
44-724	3/4"	1.77	1.21	0.24	13.60
44-725	1"	2.06	1.46	0.36	14.66
44-726	1-1/4"	2.12	1.81	0.47	30.45
44-727	1-1/2"	2.25	2.07	0.76	46.52
44-728	2"	2.50	2.41	1.50	56.29
44-729	2-1/2"	2.80	3.10	2.10	57.99

NIPPLES & FITTINGS



**MIDLAND METAL
APP**

**SEE INSIDE FRONT
COVER**

SEE OUR WEBSITE FOR LEAD FREE BRONZE FITTINGS



SCH 40 STAINLESS STEEL NIPPLES

STAINLESS STEEL

Schedule 40 Welded - NPT threaded both ends

Stainless steel pipe nipples are manufactured from stainless steel pipe that conforms to specification ASTM A312/ SA312. All stainless steel nipples conform to specification ASTM A733. Threads conform to the requirements of ANSI B1.20.1.

Why Stainless Steel - Corrosion-resistant to hundreds of industrial and chemical solutions, high strength at high temperatures. Can be used with water, oil and gas. Is sanitary and does not contaminate product being transported, makes it an excellent choice for pharmaceutical, dairy, brewery, beverage and food industries.

- Max. Pressure: 150 PSI WOG @ 150°F
- Temp. Range: -60° to 450°F

304 stainless steel offers great corrosion resistance at an economical price. Type 316 has a larger nickel content and offers even better corrosion resistance.



1/8" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-001	2.19	X Close (3/4")	49-001	2.73
48-002	2.88	x 1-1/2"	49-002	3.82
48-003	3.43	x 2"	49-003	4.65
48-004	3.97	x 2-1/2"	49-004	5.47
48-005	4.52	x 3"	49-005	6.31
48-006	5.07	x 3-1/2"	49-006	7.14
48-007	5.64	x 4"	49-007	7.98
48-008	6.18	x 4-1/2"	49-008	8.81
48-009	6.73	x 5"	49-009	9.66
48-010	7.30	x 5-1/2"	49-010	10.49
48-011	7.84	x 6"	49-011	11.33



3/8" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-040	2.98	X Close (1")	49-040	3.78
48-041	3.61	x 1-1/2"	49-041	4.73
48-042	4.38	x 2"	49-042	5.80
48-043	5.21	x 2-1/2"	49-043	6.95
48-044	6.04	x 3"	49-044	8.12
48-045	6.89	x 3-1/2"	49-045	9.27
48-046	7.72	x 4"	49-046	10.43
48-047	8.55	x 4-1/2"	49-047	11.58
48-048	9.38	x 5"	49-048	12.75
48-049	10.21	x 5-1/2"	49-049	13.89
48-050	11.06	x 6"	49-050	15.06



1/4" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-020	2.49	X Close (7/8")	49-020	3.07
48-021	3.08	x 1-1/2"	49-021	3.93
48-022	3.70	x 2"	49-022	4.78
48-023	4.38	x 2-1/2"	49-023	5.70
48-024	5.06	x 3"	49-024	6.72
48-025	5.74	x 3-1/2"	49-025	7.55
48-026	6.47	x 4"	49-026	8.55
48-027	7.16	x 4-1/2"	49-027	9.46
48-028	7.84	x 5"	49-028	10.40
48-029	8.53	x 5-1/2"	49-029	11.32
48-030	9.21	x 6"	49-030	12.24
48-032	12.11	x 8"		
48-034	14.83	x 10"		
48-036	17.56	x 12"		



1/2" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-060	3.84	X Close (1")	49-060	5.04
48-061	4.63	x 1-1/2"	49-061	6.20
48-062	5.55	x 2"	49-062	7.58
48-063	6.66	x 2-1/2"	49-063	9.17
48-064	7.75	x 3"	49-064	10.75
48-065	8.86	x 3-1/2"	49-065	12.34
48-066	10.00	x 4"	49-066	13.10
48-067	11.09	x 4-1/2"	49-067	15.55
48-068	12.19	x 5"	49-068	16.96
48-069	13.28	x 5-1/2"	49-069	18.72
48-070	14.40	x 6"	49-070	20.31
48-071	16.78	x 7"		
48-072	18.98	x 8"		
48-073	21.18	x 9"		
48-074	23.39	10"		
48-075	25.59	x 11"		
48-076	27.78	x 12"		

* Stainless Steel Nipples available in SCH80 seamless beginning on page 219

NIPPLES & FITTINGS



STAINLESS STEEL

SCH 40 STAINLESS STEEL NIPPLES



3/4" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-080	5.19	X Close (1-3/8")	49-080	6.57
48-081	5.52	x 1-1/2"	49-081	7.01
48-082	6.62	x 2"	49-082	8.57
48-083	7.95	x 2-1/2"	49-083	10.36
48-084	9.27	x 3"	49-084	12.15
48-085	10.61	x 3-1/2"	49-085	13.95
48-086	11.93	x 4"	49-086	15.74
48-087	13.26	x 4-1/2"	49-087	17.55
48-088	14.60	x 5"	49-088	19.33
48-089	15.93	x 5-1/2"	49-089	21.14
48-090	17.25	x 6"	49-090	22.94
48-091	20.06	x 7"		
48-092	22.72	x 8"		
48-094	28.05	x 10"	49-094	37.44
48-096	33.37	x 12"		



1" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-100	6.81	X Close (1-1/2")	49-100	9.11
48-101	8.54	x 2"	49-101	11.56
48-102	10.13	x 2-1/2"	49-102	13.87
48-103	11.85	x 3"	49-103	16.32
48-104	13.56	x 3-1/2"	49-104	18.75
48-105	15.27	x 4"	49-105	21.21
48-106	16.99	x 4-1/2"	49-106	23.65
48-107	18.70	x 5"	49-107	26.08
48-108	20.42	x 5-1/2"	49-108	28.53
48-109	22.13	x 6"	49-109	30.96
48-110	25.91	x 7"		
48-111	29.35	x 8"		
48-113	36.21	x 10"		

* Stainless Steel Nipples available in SCH80 seamless beginning on page 219

Save 5% by ordering online at www.midlandindustrial.com



1-1/4" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-120	9.16	X Close (1-5/8")	49-120	12.47
48-121	10.78	x 2"	49-121	14.85
48-122	12.78	x 2-1/2"	49-122	17.79
48-123	14.96	x 3"	49-123	20.94
48-124	17.13	x 3-1/2"	49-124	24.09
48-125	19.30	x 4"	49-125	27.24
48-126	21.47	x 4-1/2"	49-126	30.38
48-127	23.65	x 5"	49-127	33.53
48-128	25.82	x 5-1/2"	49-128	36.68
48-129	27.98	x 6"	49-129	39.83
48-131	36.80	x 8"		
48-135	54.17	x 12"		



1-1/2" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-140	11.21	x 1-3/4"	49-140	15.40
48-141	12.29	x 2"	49-141	17.05
48-142	14.86	x 2-1/2"	49-142	20.77
48-143	17.42	x 3"	49-143	24.49
48-144	19.99	x 3-1/2"	49-144	28.20
48-145	22.55	x 4"	49-145	31.92
48-146	25.13	x 4-1/2"	49-146	35.65
48-147	27.69	x 5"	49-147	39.35
48-148	30.25	x 5-1/2"	49-148	43.07
48-149	32.81	x 6"	49-149	46.79
48-151	43.35	x 8"		
48-152	48.49	x 9"		

"There are two rules for success:
1) Never tell everything you know."
- Roger H. Lincoln

NIPPLES & FITTINGS



SCH 40 STAINLESS STEEL NIPPLES

STAINLESS STEEL




2" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-160	17.41	X Close (2")	49-160	23.93
48-161	19.39	x 2-1/2"	49-161	27.37
48-162	22.44	x 3"	49-162	31.97
48-163	25.79	x 3-1/2"	49-163	36.87
48-164	29.13	x 4"	49-164	41.78
48-165	32.47	x 4-1/2"	49-165	46.67
48-166	35.82	x 5"	49-166	51.59
48-167	39.15	x 5-1/2"	49-167	56.48
48-168	42.50	x 6"	49-168	61.37
48-169	49.82	x 7"	49-169	71.87
48-170	56.51	x 8"		
48-171	63.20	x 9"		
48-172	69.88	x 10"		
48-174	26.81	x 12"		


NIPPLES & FITTINGS

NEW




2-1/2" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
48-180	35.30	X Close (2-1/2")		



3" Diameter

Part #	Length	List Price
48-200	X Close (2-5/8")	49.67
48-201	x 3"	54.84
48-203	x 4"	68.65
48-205	x 5"	78.63
48-207	x 6"	92.44
48-209	x 8"	124.47
48-213	x 12"	179.71



4" Diameter

Part # 304 S.S.	Length	List Price
48-220	X Close (2-7/8")	63.47
48-227	x 6"	118.65

* Stainless Steel Nipples available in SCH80 seamless beginning on page 219

304 STAINLESS STEEL TOE NIPPLES/ WELDING NIPPLES

Toe nipples are only threaded on one end to allow for easy connections, unthreaded end allows for welding a permanent leak-resistant bond.

- Roller cut



Part #	Size	List Price
48-021T	1/4" x 1-1/2"	8.26
48-022T	1/4" x 2"	8.73
48-041T	3/8" x 1-1/2"	9.41
48-042T	3/8" x 2"	10.80
48-061T	1/2" x 1-1/2"	10.82
48-062T	1/2" x 2"	12.33
48-081T	3/4" x 1-1/2"	13.92
48-082T	3/4" x 2"	14.89
48-101T	1" x 2"	18.66
48-102T	1" x 2-1/2"	21.15
48-121T	1-1/4" x 2"	22.01
48-122T	1-1/4" x 2-1/2"	23.51
48-141T	1-1/2" x 2"	24.91
48-142T	1-1/2" x 2-1/2"	25.82
48-160T	2" x 2"	33.45
48-161T	2" x 2-1/2"	34.71

Reamed & Chamfer or Saw Cut available upon request.



STAINLESS STEEL

SCH 80 SEAMLESS SS NIPPLES

- SEAMLESS FOR UNRESTRICTED FLOW
- USE WITH AIR, WATER, OIL, NATURAL GAS, STEAM
- FITTINGS: USE THREADED CLASS 3000 HIGH-PRESSURE STAINLESS STEEL.

- ASTM A733 • ASTM A312 • ANSI/ ASME B1.20.1
- PSI 3000



Sch 80
1/8" Diameter


Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-001	6.73	X Close (3/4")	52-001	8.34
51-002	9.45	X 1-1/2"	52-002	11.70
51-003	10.35	X 2"	52-003	14.27
51-004	12.17	X 2-1/2"	52-004	17.92
51-005	13.85	X 3"	52-005	19.32
51-006	15.56	X 3-1/2"	52-006	25.23
51-007	17.25	X 4"	52-007	28.21
51-008	18.94	X 4-1/2"	52-008	27.02
51-009	20.65	X 5"	52-009	29.58
51-010	22.37	X 5-1/2"	52-010	37.07
51-011	24.05	X 6"	52-011	34.72

Sch 80
1/4" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-020	7.30	X Close (7/8")	52-020	9.37
51-021	9.05	X 1-1/2"	52-021	12.86
51-022	10.88	X 2"	52-022	15.75
51-023	12.89	X 2-1/2"	52-023	18.75
51-024	14.90	X 3"	52-024	21.79
51-025	16.89	X 3-1/2"	52-025	26.67
51-026	19.08	X 4"	52-026	30.21
51-027	21.09	X 4-1/2"	52-027	33.48
51-028	23.10	X 5"	52-028	31.86
51-029	25.11	X 5-1/2"	52-029	39.99
51-030	31.32	X 6"	52-030	37.51

Sch 80
3/8" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-040	9.14	X CLOSE (1")	52-040	12.43
51-041	11.09	X 1-1/2"	52-041	14.47
51-042	13.41	X 2"	52-042	19.07
51-043	15.97	X 2-1/2"	52-043	24.61
51-044	18.51	X 3"	52-044	24.86
51-045	21.09	X 3-1/2"	52-045	32.91
51-046	27.24	X 4"	52-046	36.87
51-047	26.20	X 4-1/2"	52-047	40.95
51-048	28.73	X 5"	52-048	39.06
51-049	36.11	X 5-1/2"	52-049	49.13
51-050	33.85	X 6"	52-050	46.15



Sch 80
1/2" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-060	11.33	X Close (1-1/8)	52-060	15.42
51-061	13.66	X 1-1/2"	52-061	18.96
51-062	16.37	X 2"	52-062	24.90
51-063	19.61	X 2-1/2"	52-063	32.44
51-064	22.85	X 3"	52-064	32.94
51-065	26.09	X 3-1/2"	52-065	43.65
51-066	29.43	X 4"	52-066	42.81
51-067	32.69	X 4-1/2"	52-067	54.96
51-068	35.92	X 5"	52-068	59.94
51-069	45.19	X 5-1/2"	52-069	66.18
51-070	42.40	X 6"	52-070	71.79


Sch 80
3/4" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-080	18.31	X Close (1-3/8")	52-080	21.54
51-081	16.91	X 1-1/2"	52-081	21.50
51-082	20.28	X 2"	52-082	28.12
51-083	24.34	X 2-1/2"	52-083	36.66
51-084	28.41	X 3"	52-084	39.96
51-085	32.50	X 3-1/2"	52-085	49.34
51-086	42.21	X 4"	52-086	55.66
51-087	46.92	X 4-1/2"	52-087	53.77
51-088	44.72	X 5"	52-088	59.26
51-089	56.34	X 5-1/2"	52-089	64.77
51-090	60.99	X 6"	52-090	70.29

Sch 80
1" Diameter

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-100	20.09	X Close (1-1/2")	52-100	27.94
51-101	25.16	X 2"	52-101	35.43
51-102	29.86	X 2-1/2"	52-102	49.07
51-103	34.91	X 3"	52-103	53.54
51-104	39.96	X 3-1/2"	52-104	66.32
51-105	45.01	X 4"	52-105	64.97
51-106	50.05	X 4-1/2"	52-106	72.43
51-107	63.57	X 5"	52-107	79.93
51-108	60.19	X 5-1/2"	52-108	87.41
51-109	65.23	X 6"	52-109	109.50

NIPPLES & FITTINGS



**Sch 80
1-1/4" Diameter**

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-120	30.07	X Close (1-5/8")	52-120	38.23
51-121	33.05	X 2"	52-121	45.47
51-122	39.15	X 2-1/2"	52-122	54.51
51-123	45.82	X 3"	52-123	64.18
51-124	52.48	X 3-1/2"	52-124	73.80
51-125	59.14	X 4"	52-125	96.47
51-126	65.79	X 4-1/2"	52-126	93.10
51-127	72.44	X 5"	52-127	102.75
51-128	79.10	X 5-1/2"	52-128	129.66
51-129	85.76	X 6"	52-129	122.03

**Sch 80
1-1/2" Diameter**

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-140	33.04	X Close (1-3/4")	52-140	47.21
51-141	36.23	X 2"	52-141	52.24
51-142	43.77	X 2-1/2"	52-142	73.46
51-143	51.32	X 3"	52-143	75.03
51-144	58.92	X 3-1/2"	52-144	99.72
51-145	66.45	X 4"	52-145	97.82
51-146	74.03	X 4-1/2"	52-146	125.99
51-147	81.57	X 5"	52-147	120.60
51-148	89.13	X 5-1/2"	52-148	138.47
51-149	96.69	X 6"	52-150	119.49

**Sch 80
2" Diameter**

Part # 304 S.S.	List Price	Length	Part # 316 S.S.	List Price
51-160	61.55	X Close (2")	52-160	73.33
51-161	59.41	X 2-1/2"	52-161	96.82
51-162	73.72	X 3"	52-162	97.98
51-163	79.02	X 3-1/2"	52-163	130.35
51-164	102.99	X 4"	52-164	128.01
51-165	99.49	X 4-1/2"	52-165	165.01
51-166	109.74	X 5"	52-166	158.07
51-167	119.98	X 5-1/2"	52-167	199.71
51-168	130.24	X 6"	52-168	217.05

THE ROAD NOT TAKEN

"TWO ROADS DIVERGED IN A YELLOW WOOD,
AND SORRY I COULD NOT TRAVEL BOTH
AND BE ONE TRAVELER, LONG I STOOD
AND LOOKED DOWN ONE AS FAR AS I COULD
TO WHERE IT BENT IN THE UNDERGROWTH;

THEN TOOK THE OTHER, AS JUST AS FAIR,
AND HAVING PERHAPS THE BETTER CLAIM,
BECAUSE IT WAS GRASSY AND WANTED WEAR;
THOUGH AS FOR THAT THE PASSING THERE
HAD WORN THEM REALLY ABOUT THE SAME,

AND BOTH THAT MORNING EQUALLY LAY
IN LEAVES NO STEP HAD TRODDEN BLACK.
OH, I KEPT THE FIRST FOR ANOTHER DAY!
YET KNOWING HOW WAY LEADS ON TO WAY,
I DOUBTED IF I SHOULD EVER COME BACK.

I SHALL BE TELLING THIS WITH A SIGH
SOMEWHERE AGES AND AGES HENCE:
TWO ROADS DIVERGED IN A WOOD, AND I—
I TOOK THE ONE LESS TRAVELED BY,
AND THAT HAS MADE ALL THE DIFFERENCE."

- ROBERT FROST



**NIPPLES &
FITTINGS**



- Stainless Casting conform to ASTM A351
- NPT Threads conform to ASME B1.20.1

• Max pressure: 300 psi WOG; 150 psi saturated steam

90° ELBOWS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-100	5.88	1/8"	63-100	7.54
62-101	5.88	1/4"	63-101	7.54
62-102	7.30	3/8"	63-102	9.15
62-103	7.77	1/2"	63-103	10.11
62-104	11.16	3/4"	63-104	14.66
62-105	15.81	1"	63-105	18.40
62-106	27.74	1-1/4"	63-106	31.54
62-107	36.93	1-1/2"	63-107	42.07
62-108	46.82	2"	63-108	53.19
62-109	106.67	2-1/2"	63-109	86.81
62-110	135.91	3"	63-110	97.15
62-112	265.23	4"	63-112	295.42

90° STREET ELLS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-160	8.40	1/8"	63-160	10.09
62-161	8.40	1/4"	63-161	10.29
62-162	10.11	3/8"	63-162	12.65
62-163	11.90	1/2"	63-163	14.88
62-164	16.51	3/4"	63-164	19.61
62-165	28.56	1"	63-165	31.31
62-166	41.48	1-1/4"	63-166	46.79
62-167	49.07	1-1/2"	63-167	52.12
62-168	66.45	2"	63-168	74.45

45° ELBOWS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-180	7.43	1/8"	63-180	8.98
62-181	7.43	1/4"	63-181	8.98
62-182	8.74	3/8"	63-182	10.96
62-183	9.60	1/2"	63-183	12.03
62-184	14.01	3/4"	63-184	15.80
62-185	17.10	1"	63-185	19.79
62-186	27.39	1-1/4"	63-186	31.14
62-187	32.59	1-1/2"	63-187	37.03
62-188	45.85	2"	63-188	51.78

TEES



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-250	7.89	1/8"	63-250	9.37
62-251	7.89	1/4"	63-251	9.37
62-252	10.05	3/8"	63-252	12.42
62-253	10.54	1/2"	63-253	13.09
62-254	16.78	3/4"	63-254	19.31
62-255	21.37	1"	63-255	24.26
62-256	42.50	1-1/4"	63-256	48.27
62-257	52.83	1-1/2"	63-257	58.56
62-258	67.86	2"	63-258	75.44
62-259	132.31	2-1/2"		
62-260	209.76	3"		

CROSSES



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
		1/8"	63-390	16.95
62-391	13.72	1/4"	63-391	16.95
62-392	16.36	3/8"	63-392	19.94
62-393	20.14	1/2"	63-393	24.74
62-394	34.46	3/4"	63-394	43.23
62-395	51.01	1"	63-395	52.19
62-396	60.56	1-1/4"	63-396	75.44
62-397	75.04	1-1/2"	63-397	94.15
62-398	107.42	2"	63-398	129.72

HEX NIPPLES



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-720	5.73	1/8"	63-720	6.43
62-721	5.39	1/4"	63-721	6.43
62-722	6.36	3/8"	63-722	7.13
62-723	7.55	1/2"	63-723	8.44
62-724	9.28	3/4"	63-724	11.04
62-725	13.59	1"	63-725	15.19
62-726	20.81	1-1/4"	63-726	24.81
62-727	26.30	1-1/2"	63-727	29.44
62-728	42.24	2"	63-728	60.02


* 3000 LB Forged Stainless Steel Fittings available pg. 225

COUPLINGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-413	6.28	1/2"	63-413	7.27
62-414	9.07	3/4"	63-414	10.50
62-415	13.78	1"	63-415	15.66
62-416	44.19	1-1/4"	63-416	24.87
62-417	26.00	1-1/2"	63-417	29.57
62-418	36.65	2"	63-418	41.62
62-419	80.43	2-1/2"	63-419	97.79
62-420	103.98	3"	63-420	126.32
62-421	161.65	4"	63-421	195.07

OD MACHINED COUPLINGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-410B	4.92	1/8"	63-410B	5.72
62-411B	4.78	1/4"	63-411B	5.72
62-412B	6.13	3/8"	63-412B	6.24
62-413B	6.60	1/2"	63-413B	8.75
62-414B	9.14	3/4"	63-414B	12.29
62-415B	17.97	1"	63-415B	19.96
62-416B	23.47	1-1/4"	63-416B	27.99
62-417B	31.30	1-1/2"	63-417B	35.00
62-418B	45.40	2"	63-418B	52.47

REDUCING COUPLINGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-430	6.14	1/4" x 1/8"	63-430	7.00
62-431	7.77	3/8" x 1/8"	63-431	7.77
62-432	6.83	3/8" x 1/4"	63-432	7.77
62-433	9.32	1/2" x 1/8"	63-433	9.32
62-434	6.51	1/2" x 1/4"	63-434	9.32
62-435	6.51	1/2" x 3/8"	63-435	9.32
62-455	11.56	3/4" x 1/8"	63-455	11.56
62-436	9.81	3/4" x 1/4"	63-436	11.96
62-437	9.81	3/4" x 3/8"	63-437	11.96
62-438	9.81	3/4" x 1/2"	63-438	11.96
62-440	19.73	1" x 3/8"	63-440	19.73
62-441	13.41	1" x 1/2"	63-441	19.73
62-442	13.41	1" x 3/4"	63-442	19.73
62-445	19.55	1-1/4" x 3/4"	63-445	25.76
62-446	19.55	1-1/4" x 1"	63-446	25.76
62-447	28.19	1-1/2" x 1/2"	63-447	34.40
62-448	28.19	1-1/2" x 3/4"	63-448	34.40
62-449	28.19	1-1/2" x 1"	63-449	34.40
62-450	28.19	1-1/2" x 1-1/4"	63-450	34.40
62-452	47.09	2" x 1"	63-452	58.01
62-453	47.09	2" x 1-1/4"	63-453	58.01
62-454	47.09	2" x 1-1/2"	63-454	58.01

HALF COUPLINGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-771	2.55	1/4"	63-771	2.69
62-772	2.76	3/8"	63-772	3.14
62-773	3.83	1/2"	63-773	4.58
62-774	5.12	3/4"	63-774	5.82
62-775	6.57	1"	63-775	8.85
62-776	10.73	1-1/4"	63-776	13.42
62-777	13.76	1-1/2"	63-777	17.86
62-778	18.86	2"	63-778	23.36

UNIONS



• Stainless Steel
Seat

Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-600	19.86	1/8"	63-600	22.52
62-601	19.86	1/4"	63-601	22.52
62-602	20.23	3/8"	63-602	22.91
62-603	21.90	1/2"	63-603	24.87
62-604	27.74	3/4"	63-604	31.55
62-605	41.85	1"	63-605	47.63
62-606	72.60	1-1/4"	63-606	82.35
62-607	82.11	1-1/2"	63-607	93.47
62-608	98.30	2"	63-608	111.47
62-610	335.29	3"	63-610	398.32

NIPPLES & FITTINGS

STAINLESS STEEL

304 AND 316 150# STAINLESS STEEL FITTINGS

HEX BUSHINGS



Part # 304 S.S	List Price	Size M x F	Part # 316 S.S.	List Price
62-500	3.83	1/4" x 1/8"	63-500	4.32
62-501	3.83	3/8" x 1/8"	63-501	4.94
62-502	4.19	3/8" x 1/4"	63-502	4.94
62-503	5.30	1/2" x 1/8"		
62-504	5.30	1/2" x 1/4"	63-504	5.80
62-505	5.30	1/2" x 3/8"	63-505	5.80
62-506	7.75	3/4" x 1/8"	63-506	8.62
62-507	4.36	3/4" x 1/4"	63-507	8.62
62-508	7.75	3/4" x 3/8"	63-508	9.74
62-509	7.75	3/4" x 1/2"	63-509	8.62
62-510	10.77	1" x 1/4"	63-510	12.31
62-511	10.77	1" x 3/8"	63-511	12.31
62-512	10.77	1" x 1/2"	63-512	12.31
62-513	10.77	1" x 3/4"	63-513	12.31
62-516	12.16	1-1/4" x 1/2"	63-516	24.05
62-517	19.28	1-1/4" x 3/4"	63-517	24.05
62-518	19.28	1-1/4" x 1"	63-518	24.05
62-521	23.07	1-1/2" x 1/2"	63-521	28.43
62-522	23.07	1-1/2" x 3/4"	63-522	28.43
62-532	28.20	1-1/2" x 1"	63-523	28.43
62-524	23.07	1-1/2" x 1-1/4"	63-524	28.43
62-527	35.19	2" x 1/2"		
62-528	35.19	2" x 3/4"	63-528	40.38
62-529	35.19	2" x 1"	63-529	40.38
62-530	35.19	2" x 1-1/4"	63-530	40.38
62-531	35.19	2" x 1-1/2"	63-531	40.38
62-534	60.30	2-1/2" x 1-1/2"	63-534	68.61
62-535	60.30	2-1/2" x 2"	63-535	68.61
62-538	92.40	3" x 2"	63-538	105.49
62-539	92.40	3" x 2-1/2"		
62-543	168.14	4" x 3"		

HEX LOCKNUTS



- Straight Thread
- Minimum Qty may apply

Part # 304 S.S	List Price	Size	Part # 316 S.S.	List Price
62-701	12.09	1/4"	63-701	13.18
62-702	12.09	3/8"	63-702	13.18
62-703	12.09	1/2"	63-703	13.18
62-704	14.74	3/4"	63-704	16.54
62-705	16.72	1"	63-705	18.59
62-706	34.58	1-1/4"	63-706	37.64
62-707	34.62	1-1/2"	63-707	37.64
62-708	38.07	2"	63-708	41.31

CAPS



Part # 304 S.S	List Price	Size	Part # 316 S.S.	List Price
62-470	2.96	1/8"	63-470	3.59
62-471	4.24	1/4"	63-471	4.83
62-472	4.99	3/8"	63-472	5.69
62-473	5.18	1/2"	63-473	6.59
62-474	6.48	3/4"	63-474	7.57
62-475	9.73	1"	63-475	11.59
62-476	17.63	1-1/4"	63-476	22.77
62-477	23.12	1-1/2"	63-477	29.21
62-478	29.48	2"	63-478	37.39
62-479		2-1/2"		
62-480	73.52	3"	63-480	77.06
62-481	122.28	4"		

HEX CAPS



Part # 304 S.S	List Price	Size	Part # 316 S.S.	List Price
62-075	1.80	1/8"	63-075	3.21
62-076	2.43	1/4"	63-076	3.21
62-077	3.00	3/8"	63-077	3.21
62-078	2.42	1/2"	63-078	3.84
62-079	3.56	3/4"	63-079	4.98
62-080	7.32	1"	63-080	6.79
62-081	11.67	1-1/4"	63-081	15.45
62-082	14.40	1-1/2"	63-082	18.93
62-083	14.23	2"	63-083	28.49

* 3000 LB Forged Stainless Steel Fittings available pg. 225

HEX SOCKET PLUGS



Part # 316 S.S	Size	List Price
63-759	1/16"	3.53
63-760	1/8 "	3.16
63-761	1/4 "	4.50
63-762	3/8 "	6.34
63-763	1/2 "	10.57
63-764	3/4 "	25.33

NIPPLES & FITTINGS

NEW

SQUARE HEAD PLUGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-670	2.54	1/8"	63-670	2.74
62-671	3.00	1/4"	63-671	3.48
62-672	4.02	3/8"	63-672	4.59
62-653	5.74	1/2"	63-653	6.48
62-654	7.00	3/4"	63-654	7.93
62-655	8.85	1"	63-655	9.90
62-656	17.63	1-1/4"	63-656	23.42
62-657	21.01	1-1/2"	63-657	25.87
62-658	24.86	2"	63-658	35.70
62-660	59.56	3"		

SOLID SQUARE HEAD PLUGS



Part # 316 S.S.	Size	List Price
63-680	1/8"	5.92
63-681	1/4"	7.96
63-682	3/8"	9.33
63-683	1/2"	14.00
63-684	3/4"	26.65

HOSE NIPPLES



Part # 304 S.S.	List Price	Hose I.D. x Male Pipe	Part # 316 S.S.	List Price
73-951	6.38	1/4"	973-951	7.14
73-952	9.94	3/8"	973-952	10.16
73-953	11.92	1/2"	973-953	16.35
73-954	14.33	3/4"	973-954	18.89
73-955	17.01	1"	973-955	20.58
73-956	27.73	1-1/4"	973-956	27.96
73-957	31.31	1-1/2"	973-957	48.61
73-958	44.31	2"	973-958	51.79
73-959	104.00	2-1/2"	973-959	133.67
73-960	119.24	3"	973-990	164.69
73-961	377.81	4"	973-991	204.55

HEX HEAD PLUGS



Part # 304 S.S.	List Price	Size	Part # 316 S.S.	List Price
62-630	2.81	1/8"	63-630	3.49
62-631	2.81	1/4"	63-631	3.49
62-632	3.48	3/8"	63-632	3.94
62-633	5.49	1/2"	63-633	6.59
62-634	6.90	3/4"	63-634	8.32
62-635	11.90	1"	63-635	13.25
62-636	19.09	1-1/4"	63-636	22.88
62-637	20.90	1-1/2"	63-637	27.09
62-638	28.84	2"	63-638	39.08

SOLID HEX HEAD PLUGS



Part # 316 S.S.	Size	List Price
63-660	1/8"	6.51
63-661	1/4"	8.20
63-662	3/8"	12.00
63-663	1/2"	21.33
63-664	3/4"	28.70
63-665	1"	41.65

REDUCING HOSE NIPPLES - 304 S.S.



Part # 304 S.S.	Hose I.D. x Male Pipe	List Price
73-970	1/4" x 1/8"	6.50
73-971	3/8" x 1/4"	7.51
73-972	1/2" x 3/8"	11.22
73-973	1/2" x 1/4"	11.59
73-974	3/4" x 1/2"	14.81
73-975	1" x 3/4"	16.72
73-976	1" x 1/2"	27.23
73-977	1-1/4" x 1"	26.93
73-979	1-1/2" x 1-1/4"	42.33
73-980	1-1/2" x 1"	32.47
73-981	2" x 1-1/2"	56.00
73-982	2" x 1-1/4"	44.78

NIPPLES & FITTINGS

**STAINLESS STEEL 3000 LB THREADED FITTINGS
ASTM A182/ASME SA182 & ANSI B16.11**

90° ELBOWS



Part # 304	List Price	Size	Part # 316	List Price
103-100	17.35	1/8"	105-100	24.47
103-101	21.86	1/4"	105-101	24.47
103-102	25.27	3/8"	105-102	32.74
103-103	26.13	1/2"	105-103	41.69
103-104	37.76	3/4"	105-104	65.81
103-105	57.80	1"	105-105	103.82
103-106	85.36	1-1/4"	105-106	133.90
103-107	136.29	1-1/2"	105-107	228.13
103-108	172.87	2"	105-108	336.34
		2-1/2"	105-109	1285.20
		3"	105-110	1408.96

45° ELBOWS




Part # 304	List Price	Size	Part # 316	List Price
103-180	38.24	1/8"	105-180	63.13
103-181	38.24	1/4"	105-181	63.13
103-182	38.24	3/8"	105-182	63.13
103-183	38.24	1/2"	105-183	63.13
103-184	52.09	3/4"	105-184	81.45
103-185	71.83	1"	105-185	108.52
103-186	105.78	1-1/4"	105-186	140.53
103-187	127.18	1-1/2"	105-187	189.18
103-188	152.86	2"	105-188	230.08
103-189	662.59	2-1/2"	105-189	1073.86
103-190	1096.70	3"	105-190	1831.65

TEES



Part # 304	List Price	Size	Part # 316	List Price
103-250	22.30	1/8"	105-250	32.75
103-251	22.90	1/4"	105-251	32.75
103-252	31.24	3/8"	105-252	44.68
103-253	35.40	1/2"	105-253	53.51
103-254	46.76	3/4"	105-254	82.47
103-255	81.00	1"	105-255	139.75
103-256	123.40	1-1/4"	105-256	186.50
103-257	187.17	1-1/2"	105-257	297.90
103-258	217.57	2"	105-258	398.53
		2-1/2"	105-259	1389.92
		3"	105-260	1569.85

STREET ELBOWS



Part # 304	Size	List Price
103-160	1/8"	30.65
103-161	1/4"	27.73
103-162	3/8"	39.77
103-163	1/2"	49.63
103-164	3/4"	71.85
103-165	1"	111.06
103-166	1-1/4"	278.67
103-167	1-1/2"	381.66

See our website for #304 and #316 Stainless Steel 3000# Socket Weld Fittings.

WWW.MIDLANDINDUSTRIAL.COM

**NIPPLES &
FITTINGS**

COUPLINGS




Part # 304	List Price	Size	Part # 316	List Price
103-410	6.17	1/8"	105-410	20.06
103-411	6.72	1/4"	105-411	8.94
103-412	7.83	3/8"	105-412	9.58
103-413	9.43	1/2"	105-413	14.41
103-414	12.57	3/4"	105-414	19.95
103-415	21.31	1"	105-415	33.42
103-416	47.92	1-1/4"	105-416	69.61
103-417	55.69	1-1/2"	105-417	83.32
103-418	79.58	2"	105-418	122.03
103-419	211.34	2-1/2"	105-419	346.53
103-420	300.83	3"	105-420	500.75
103-421		4"		

HALF COUPLINGS



Part # 304	List Price	Size	Part # 316	List Price
103-770	6.34	1/8"	105-770	5.52
103-771	10.73	1/4"	105-771	5.82
103-772	7.86	3/8"	105-772	8.11
103-773	9.05	1/2"	105-773	9.83
103-774	12.57	3/4"	105-774	13.90
103-775	20.75	1"	105-775	23.04
103-776	33.30	1-1/4"	105-776	43.76
103-777	43.79	1-1/2"	105-777	58.32
103-778	61.92	2"	105-778	83.31
103-779	178.98	2-1/2"	105-779	222.77
103-780	224.67	3"	105-780	323.68
103-781	497.44	4"		

REDUCING COUPLINGS



Part # 304	List Price	Size	Part # 316	List Price
103-434	19.47	1/2" x 1/4"	105-434	23.53
103-435	19.47	1/2" x 3/8"	105-435	23.53
103-437	28.19	3/4" x 3/8"	105-437	34.46
103-438	26.87	3/4" x 1/2"	105-438	34.46
103-440	38.70	1" x 3/8"	105-440	59.64
103-441	38.70	1" x 1/2"	105-441	59.64
103-442	38.70	1" x 3/4"	105-442	59.64
103-443	66.11	1-1/4" x 3/8"	105-443	89.47
103-444	66.11	1-1/4" x 1/2"	105-444	89.47
103-445	66.11	1-1/4" x 3/4"	105-445	89.47
103-446	66.11	1-1/4" x 1"	105-446	89.47
103-447	71.43	1-1/2" x 1/2"	105-447	113.90
103-448	71.43	1-1/2" x 3/4"	105-448	113.90
103-449	71.43	1-1/2" x 1"	105-449	113.90
103-450	71.43	1-1/2" x 1-1/4"	105-450	113.90
103-458	102.12	2" x 1/2"	105-458	162.93
103-451	102.12	2" x 3/4"	105-451	162.93
103-452	102.12	2" x 1"	105-452	162.93
103-453	102.12	2" x 1-1/4"	105-453	162.93
103-454	102.12	2" x 1-1/2"	105-454	162.93

UNIONS



Part # 304	List Price	Size	Part # 316	List Price
103-600	46.42	1/8"	105-600	59.14
103-601	47.22	1/4"	105-601	59.14
103-602	49.62	3/8"	105-602	68.49
103-603	50.61	1/2"	105-603	68.58
103-604	60.82	3/4"	105-604	89.42
103-605	98.13	1"	105-605	174.76
103-606	155.79	1-1/4"	105-606	213.15
103-607	166.02	1-1/2"	105-607	268.43
103-608	221.97	2"	105-608	341.30
103-609	428.40	2-1/2"	105-609	677.82
103-610	706.38	3"	105-610	1041.49

NIPPLES & FITTINGS

CAPS



Part # 304	List Price	Size	Part # 316	List Price
103-470	6.94	1/8"	105-470	21.46
103-471	7.20	1/4"	105-471	10.77
103-472	7.37	3/8"	105-472	11.45
103-473	9.58	1/2"	105-473	15.60
103-474	12.62	3/4"	105-474	20.22
103-475	22.46	1"	105-475	31.05
103-477	40.86	1-1/4"	105-476	46.42
		1-1/2"	105-477	63.79
		2"	105-478	105.26
		2-1/2"	105-479	272.27
		3"	105-480	348.43

HEX BUSHING



Part # 304	List Price	Size M x F	Part # 316	List Price
		1/4" x 1/8"	105-500	11.79
		3/8" x 1/4"	105-502	16.13
103-504	12.02	1/2" x 1/4"	105-504	18.85
103-505	12.02	1/2" x 3/8"	105-505	19.35
103-508	15.19	3/4" x 3/8"	105-508	23.97
103-509	15.19	3/4" x 1/2"	105-509	22.61
103-511	24.64	1" x 3/8"	105-511	35.30
103-512	24.64	1" x 1/2"	105-512	35.30
103-513	24.64	1" x 3/4"	105-513	35.30
103-515	46.76	1-1/4" x 3/8"	105-515	55.56
103-516	46.76	1-1/4" x 1/2"	105-516	55.56
103-517	46.76	1-1/4" x 3/4"	105-517	58.80
103-518	46.76	1-1/4" x 1"	105-518	55.56
103-520	52.67	1-1/2" x 1/2"		
103-521	52.67	1-1/2" x 3/4"	105-521	55.51
103-522	52.67	1-1/2" x 1"	105-522	51.48
103-523	52.67	1-1/2" x 1-1/4"	105-523	52.42
103-524	52.67	2" x 3/8"	105-524	52.42
		2" x 1/2"	105-525	92.71
103-526	75.38	2" x 3/4"		
103-527	75.38	2" x 1"	105-527	92.71
103-528	75.38	2" x 1-1/4"	105-528	92.71
103-529	75.38	2" x 1-1/2"	105-529	92.71
103-530	74.03		105-530	92.71
103-531	75.38		105-531	95.38

HIGH PRESSURE HEX NIPPLES



Part # 316	Size	PSI	List Price
SS54044	1/4 x 1-1/2	5000	7.94
SS540442.0	1/4 x 2	5000	9.40
SS540443.0	1/4 x 3	5000	13.09
SS54046	3/8 x 1-1/2	4000	11.66
SS54048	1/2 x 1-7/8	3000	16.72
SS540482.0	1/2 x 2	3000	19.97
SS540483.0	1/2 x 3	3000	24.19

SQUARE PLUG



Part # 316	Size	List Price
105-650	1/8"	9.61
105-651	1/4"	6.13
105-652	3/8"	8.58
105-653	1/2"	13.47
105-654	3/4"	17.18
105-655	1"	24.93
105-656	1-1/4"	48.40
105-657	1-1/2"	53.39
105-658	2"	84.91

SEE PAGE 252 FOR STAINLESS STEEL FLANGES

Black and Galvanized Steel Nipples

Product Specifications

Welded steel pipe nipples both galvanized and black in diameters ranging from 1/8" up to 4" in lengths from close to 12" and cut-pipe up to 120".

Technical Specifications

Standards: Product complies with ASTM A-53, A-733 and ANSI B1.20.1 for threading, dimensions and pipe specifications.

Pipe: Complies with ASTM A-53 mill tested schedule 40 and 80 for both Welded & Seamless Meets ANSI B36.1. All pipe is hydrostatic tested. For pressure ratings, see the knowledge bank on our website.

Galvanized: Zinc coating applied by hot dipped. Galvanized complying with ASTM A-123.

Black: Protected against oxidation with varnish coating.

Cutting Procedure:

All pipe is roller cut. A visual inspection of seams, excessive galvanizing, mid-welds, poor galvanizing, bends, roundness, under and over weight of the pipe is made at the time it is cut. This is done for every length of pipe. Pipe lengths are cut to a tolerance of + or - 1/16" of the actual length.

Threading Procedure:

All pipe is chaser thread cut to American Standard Tapered Pipe Thread standards. This is 3/4" taper per foot. Pipe is visually inspected for roundness of threads and other visual faults as it is removed from the threading machine.

Steel and Wrought Iron Welded

Nominal Size	Outside Diameter	Schedule 40 Standard			Schedule 80 Extra Heavy		
		Wall Thickness	Inside Diameter	Weight per Foot P.E.	Wall Thickness	Inside Diameter	Weight per Foot P.E.
1/8"	.405	.068	.269	.24	.095	.215	.31
1/4"	.540	.088	.364	.42	.119	.302	.54
3/8"	.675	.091	.493	.57	.126	.423	.74
1/2"	.840	.109	.622	.85	.147	.546	1.09
3/4"	1.050	.113	.824	1.13	.154	.742	1.47
1"	1.315	.133	1.049	1.68	.179	.957	2.17
1-1/4"	1.660	.140	1.380	2.27	.191	1.278	3.00
1-1/2"	1.900	.145	1.610	2.72	.200	1.500	3.63
2"	2.375	.154	2.067	3.65	.218	1.939	5.02
2-1/2"	2.875	.203	2.469	5.79	.276	2.323	7.66
3"	3.500	.216	3.068	7.58	.300	2.900	10.25
3-1/2"	4.000	.226	3.548	9.11	.318	3.364	12.51
4"	4.500	.237	4.026	10.79	.337	3.826	14.98
5"	5.563	.258	5.047	14.62	.375	4.813	20.78
6"	6.625	.280	6.065	18.97	.432	5.761	28.57

Chemical Composition

Maximum%

C	0.25
Mn	0.95

Tensile Requirements

	Kg/Mm2	PSI	MPA
Tensile Strength Min.	33.7	48000	331
Tensile Strength Min.	20.0	28500	196

Pounds per 100 pcs. approximate

Diam	Length close/RC	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	1.3	2.4	3.5	4.4	5.4	6.8	7.4	8.5	9.5	11.2	11.4	13.4	15.4	17.4	19.1	20.8	23.1
1/4"	2.4	4.3	6.1	8.3	9.0	11.8	13.5	16.1	16.8	19.1	19.9	24.7	28.7	32.0	35.1	38.1	41.4
3/8"	3.6	6.0	7.8	9.9	13.4	15.4	17.8	20.3	22.7	24.9	28.4	32.6	36.6	40.8	44.8	48.7	52.9
1/2"	6.1	8.7	12.7	15.9	19.3	24.2	26.0	31.6	34.5	39.2	43.1	50.0	58.0	66.1	74.5	82.3	89.0
3/4"	11.0	12.2	21.8	23.1	26.1	31.6	37.0	41.6	47.1	52.6	55.9	65.4	79.1	79.6	94.9	111.9	116.9
1"	15.3		22.0	28.4	37.0	44.2	52.1	59.4	66.6	76.5	79.7	94.8	111.6	124.5	136.3	153.6	175.0
1-1/4"	22.7		32.0	41.9	51.3	61.9	68.1	81.9	90.7	98.2	115.1	133.4	149.3	174.8	199.2	219.3	236.6
1-1/2"	29.9		37.9	46.8	80.6	72.6	85.8	99.1	112.7	120.3	134.5	162.1	184.9	208.5	219.4	247.5	277.8
2"	51.8			63.1	82.1	97.1	110.0	128.4	142.0	165.0	166.9	208.5	246.7	276.9	303.2	334.4	369.2
2-1/2"	82.6				109.0	133.5	156.2	172.9	209.9	232.8	253.4	318.9	337.3	408.1	457.6	514.2	554.4
3"	116.5				147.2	181.6	210.4	247.7	274.1	213.6	338.0	389.2	469.4	555.1	599.2	649.4	747.1
4"	172.7						265.3	326.2	344.4	405.7	451.7	547.3	632.2	721.8	832.7	927.1	1057.0
6"																	

Available Upon Request



1/8" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-001	1.89	X Close (3/4")	57-001	1.34
56-002	1.95	x 1-1/2"	57-002	1.51
56-003	2.19	x 2"	57-003	1.63
56-004	2.38	x 2-1/2"	57-004	1.81
56-005	2.70	x 3"	57-005	2.01
56-006	2.89	x 3-1/2"	57-006	2.19
56-007	3.19	x 4"	57-007	2.54
56-008	4.10	x 4-1/2"	57-008	3.30
56-009	5.38	x 5"	57-009	3.80
56-010	5.80	x 5-1/2"	57-010	4.17
56-011	6.05	x 6"	57-011	4.62

1/4" Diameter



Part # Galv	List Price	Length	Part # Black	List Price
56-020	1.97	X Close (7/8")	57-020	1.62
56-021	2.12	x 1-1/2"	57-021	1.72
56-022	2.46	x 2"	57-022	1.91
56-023	2.84	x 2-1/2"	57-023	2.16
56-024	3.21	x 3"	57-024	2.38
56-025	3.45	x 3-1/2"	57-025	2.64
56-026	3.60	x 4"	57-026	2.91
56-027	4.33	x 4-1/2"	57-027	3.53
56-028	5.10	x 5"	57-028	4.17
56-029	5.92	x 5-1/2"	57-029	4.60
56-030	6.18	x 6"	57-030	5.12
56-031	7.44	x 7"	57-031	6.01
56-032	7.58	x 8"	57-032	6.12
56-033	7.96	x 9"	57-033	6.66
56-034	8.99	x 10"	57-034	7.22
56-035	11.45	x 11"	57-035	7.55
56-036	11.66	x 12"	57-036	8.00

More sizes available

3/8" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-040	2.31	X Close (1")	57-040	1.77
56-041	2.67	x 1-1/2"	57-041	1.89
56-042	2.76	x 2"	57-042	2.34
56-043	3.09	x 2-1/2"	57-043	2.31
56-044	3.47	x 3"	57-044	2.75
56-045	4.47	x 3-1/2"	57-045	2.91
56-046	4.47	x 4"	57-046	3.22
56-047	4.71	x 4-1/2"	57-047	3.53
56-048	6.11	x 5"	57-048	4.71
56-049	6.60	x 5-1/2"	57-049	4.99
56-050	6.94	x 6"	57-050	5.29
56-051	7.36	x 7"	57-051	6.34
56-052	7.68	x 8"	57-052	6.94
56-053	9.28	x 9"	57-053	7.39
56-054	9.56	x 10"	57-054	7.85
56-055	9.74	x 11"	57-055	8.30
56-056	10.20	x 12"	57-056	8.53

Black Steel Nipples available in Schedule 80 beginning on page 245.

Other Steel Nipples available upon request:

- Toe Nipples, see pg. 233
- L&R Nipples
- Nipples cut to any lengths

SEE OUR WEBSITE FOR SCH 40 SEAMLESS NIPPLES

BLACK AND GALVANIZED SCHEDULE 40

STEEL NIPPLES

1/2" DIAMETER



3/4" DIAMETER



NIPPLES & FITTINGS

Part # Galv	List Price	Length	Part # Black	List Price
56-060	1.40	X Close (1-1/8")	57-060	1.25
56-061	1.58	x 1-1/2"	57-061	1.34
56-062	1.74	x 2"	57-062	1.43
56-063	1.83	x 2-1/2"	57-063	1.51
56-064	1.97	x 3"	57-064	1.70
56-065	2.19	x 3-1/2"	57-065	1.87
56-066	2.42	x 4"	57-066	2.12
56-067	2.70	x 4-1/2"	57-067	2.28
56-068	2.92	x 5"	57-068	2.51
56-069	3.10	x 5-1/2"	57-069	2.81
56-070	3.30	x 6"	57-070	3.00
56-071	5.29	x 7"	57-071	4.55
56-072	5.78	x 8"	57-072	4.90
56-073	6.73	x 9"	57-073	5.52
56-074	6.88	x 10"	57-074	5.87
56-075	7.42	x 11"	57-075	6.56
56-076	7.83	x 12"	57-076	9.57
56-240	13.44	x 18"	57-240	15.65
56-241	21.08	x 24"	57-241	19.15
56-242	22.72	x 30"	57-242	23.56
56-243	29.48	x 36"	57-243	25.45
56-244	64.96	x 42"	57-244	54.10
56-245	33.92	x 48"	57-245	30.68
56-246	43.21	x 60"	57-246	35.64
56-247	65.65	x 72"	57-247	45.40

Part # Galv	List Price	Length	Part # Black	List Price
56-080	1.87	X Close (1-3/8")	57-080	1.70
56-081	1.97	x 1-1/2"	57-081	1.79
56-082	2.12	x 2"	57-082	1.88
56-083	2.29	x 2-1/2"	57-083	2.08
56-084	2.52	x 3"	57-084	2.28
56-085	2.78	x 3-1/2"	57-085	2.53
56-086	3.05	x 4"	57-086	2.77
56-087	3.33	x 4-1/2"	57-087	3.03
56-088	3.85	x 5"	57-088	3.35
56-089	4.40	x 5-1/2"	57-089	3.61
56-090	4.28	x 6"	57-090	3.90
56-091	7.25	x 7"	57-091	5.55
56-092	7.51	x 8"	57-092	6.17
56-093	8.19	x 9"	57-093	7.41
56-094	8.23	x 10"	57-094	7.76
56-095	9.57	x 11"	57-095	7.94
56-096	9.21	x 12"	57-096	8.23
56-250	15.02	x 18"	57-250	13.29
56-251	19.30	x 24"	57-251	15.74
56-252	23.04	x 30"	57-252	20.60
56-253	27.11	x 36"	57-253	23.82
56-254	69.72	x 42"	57-254	60.28
56-255	37.59	x 48"	57-255	30.28
56-256	46.04	x 60"	57-256	38.92
56-257	54.75	x 72"	57-257	44.63

I DON'T COUNT MY SIT-UPS; I ONLY START COUNTING WHEN IT STARTS HURTING
 BECAUSE THEY'RE THE ONLY ONES THAT COUNT
 - MUHAMMAD ALI

Some product stocked in Houston and Atlanta.



STEEL NIPPLES

BLACK AND GALVANIZED SCHEDULE 40

1" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-100	2.75	X Close (1-1/2")	57-100	2.50
56-101	2.89	x 2"	57-101	2.77
56-102	3.15	x 2-1/2"	57-102	2.77
56-103	3.47	x 3"	57-103	3.09
56-104	4.17	x 3-1/2"	57-104	3.41
56-105	4.75	x 4"	57-105	3.78
56-106	4.74	x 4-1/2"	57-106	4.05
56-107	4.97	x 5"	57-107	4.37
56-108	5.54	x 5-1/2"	57-108	4.71
56-109	5.69	x 6"	57-109	5.12
56-110	8.53	x 7"	57-110	6.97
56-111	9.31	x 8"	57-111	7.63
56-112	17.43	x 9"	57-112	8.44
56-113	17.97	x 10"	57-113	9.06
56-114	21.97	x 11"	57-114	12.31
56-115	21.97	x 12"	57-115	10.57
56-260	27.33	x 18"	57-260	23.24
56-261	33.06	x 24"	57-261	26.90
56-262	55.31	x 30"	57-262	40.80
56-263	48.28	x 36"	57-263	38.24
56-264	88.87	x 42"	57-264	79.96
56-265	70.27	x 48"	57-265	68.29
56-266	84.30	x 60"	57-266	74.64
56-267	93.67	x 72"	57-267	104.90

1-1/4" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-120	3.70	X Close (1-5/8")	57-120	3.29
56-121	3.84	x 2"	57-121	3.53
56-122	4.18	x 2-1/2"	57-122	3.79
56-123	4.58	x 3"	57-123	4.16
56-124	5.25	x 3-1/2"	57-124	4.55
56-125	6.05	x 4"	57-125	5.04
56-126	6.72	x 4-1/2"	57-126	5.43
56-127	6.47	x 5"	57-127	5.97
56-128	7.13	x 5-1/2"	57-128	6.17
56-129	7.32	x 6"	57-129	6.60
56-130	13.34	x 7"	57-130	9.16
56-131	12.30	x 8"	57-131	10.15
56-132	19.17	x 9"	57-132	10.94
56-133	19.76	x 10"	57-133	11.71
56-134	19.98	x 11"	57-134	13.97
56-135	24.89	x 12"	57-135	21.32
56-270	32.78	x 18"	57-270	25.27
56-271	42.67	x 24"	57-271	32.78
56-272	49.77	x 30"	57-272	50.97
56-273	64.13	x 36"	57-273	64.11
		x 42"	57-274	75.89
		x 48"	57-275	81.60
		x 60"	57-276	81.96
		x 72"	57-277	116.56

NIPPLES & FITTINGS

IF YOU COULD KICK THE PERSON IN THE PANTS RESPONSIBLE FOR MOST OF YOUR TROUBLE, YOU WOULDN'T SIT FOR A MONTH
- THEODORE ROOSEVELT



BIN LABELS ON DEMAND

SEE INTRO PAGE **4**



BLACK AND GALVANIZED SCHEDULE 40

STEEL NIPPLES

1-1/2" DIAMETER



2" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-140	4.62	X Close (1-3/4")	57-140	3.96
56-141	4.86	x 2"	57-141	4.08
56-142	5.10	x 2-1/2"	57-142	4.53
56-143	5.59	x 3"	57-143	5.10
56-144	6.10	x 3-1/2"	57-144	5.78
56-145	6.66	x 4"	57-145	6.13
56-146	7.49	x 4-1/2"	57-146	6.76
56-147	7.73	x 5"	57-147	6.88
56-148	8.63	x 5-1/2"	57-148	7.29
56-149	8.77	x 6"	57-149	7.63
56-150	13.19	x 7"	57-150	10.61
56-151	14.45	x 8"	57-151	11.61
56-152	18.90	x 9"	57-152	12.99
56-153	18.02	x 10"	57-153	13.73
56-154	23.43	x 11"	57-154	22.85
56-155	23.25	x 12"	57-155	16.02
56-280	35.13	x 18"	57-280	33.21
56-281	50.72	x 24"	57-281	46.44
		x 30"	57-282	59.60
		x 36"	57-283	72.27
		x 42"	57-284	96.35
		x 48"	57-285	111.46
		x 60"	57-286	124.51
		x 72"	57-287	156.56

Part # Galv	List Price	Length	Part # Black	List Price
56-160	6.30	X Close (2")	57-160	5.24
56-161	7.27	x 2-1/2"	57-161	6.30
56-162	7.54	x 3"	57-162	6.60
56-163	8.51	x 3-1/2"	57-163	7.76
56-164	9.84	x 4"	57-164	7.68
56-165	10.20	x 4-1/2"	57-165	8.65
56-166	11.71	x 5"	57-166	9.18
56-167	11.21	x 5-1/2"	57-167	9.96
56-168	12.34	x 6"	57-168	10.34
56-169	18.72	x 7"	57-169	14.20
56-170	19.20	x 8"	57-170	16.42
56-171	33.01	x 9"	57-171	18.14
56-172	22.50	x 10"	57-172	20.42
56-173	25.76	x 11"	57-173	22.45
56-174	28.83	x 12"	57-174	26.83
56-290	41.66	x 18"	57-290	44.14
56-291	54.25	x 24"	57-291	61.43
56-292	83.84	x 30"	57-292	68.79
56-293	88.20	x 36"	57-293	78.45
56-294	153.23	x 42"	57-294	127.83
56-295	116.59	x 48"	57-295	133.04
56-296	149.37	x 60"	57-296	154.43
56-297	192.10	x 72"	57-297	189.43

IF TETRIS HAS TAUGHT ME ANYTHING, IT'S THAT ERRORS PILE UP AND ACCOMPLISHMENTS DISAPPEAR
- UNKNOWN

NIPPLES & FITTINGS



2-1/2" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-180	18.42	X Close (2-1/2")	57-180	17.05
56-181	18.96	x 3"	57-181	17.79
56-182	23.93	x 3-1/2"	57-182	18.77
56-183	20.87	x 4"	57-183	19.34
56-184	23.54	x 4-1/2"	57-184	20.53
56-185	23.25	x 5"	57-185	21.61
56-186	26.00	x 5-1/2"	57-186	23.52
56-187	25.54	x 6"	57-187	23.67
56-188	32.40	x 7"	57-188	39.01
56-189	40.77	x 8"	57-189	32.68
56-190	38.93	x 9"	57-190	42.21
56-191	40.06	x 10"	57-191	32.72
56-192	42.29	x 11"	57-192	41.70
56-193	42.45	x 12"	57-193	39.55



4" DIAMETER

Part # Galv	List Price	Length	Part # Black	List Price
56-220	32.15	X Close (2-7/8")	57-220	31.17
56-221	33.00	3-1/2"		
56-223	35.36	x 4"	57-223	33.85
56-224	42.13	x 4-1/2"	57-224	35.91
56-225	44.48	x 5"	57-225	38.17
56-226	59.27	x 5-1/2"	57-226	40.49
56-227	47.96	x 6"	57-227	41.45
56-330	81.96	x 7"	57-330	72.78
56-229	79.58	x 8"	57-229	73.76
56-331	82.34	x 9"	57-331	84.98
56-332	96.59	x 10"	57-332	83.52
56-228	96.03	x 12"	57-228	115.46



6" DIAMETER

Part # Galv	List Price	6" Dia.	Part # Black	List Price
56-300	198.85	Close (3-1/8")	57-300	120.33
		x 6"	57-301	288.00

3" DIAMETER



Part # Galv	List Price	Length	Part # Black	List Price
56-200	22.49	X Close (2-5/8")	57-200	21.46
56-201	23.70	x 3"	57-201	22.58
56-202	26.09	x 3-1/2"	57-202	23.69
56-203	26.66	x 4"	57-203	25.07
56-204	32.13	x 4-1/2"	57-204	35.18
56-205	32.95	x 5"	57-205	28.31
56-206	35.85	x 5-1/2"	57-206	29.19
56-207	34.70	x 6"	57-207	31.01
56-208	42.60	x 7"	57-208	39.55
56-209	43.03	x 8"	57-209	40.97
56-210	48.33	x 9"	57-210	46.62
56-211	51.79	x 10"	57-211	47.92
56-212	52.53	x 11"	57-212	57.16
56-213	68.90	x 12"	57-213	60.69
		x 24"	57-311	172.06

BLACK STEEL TOE NIPPLE

Toe nipples are only threaded on one end to allow for easy connections, unthreaded end allows for welding a permanent leak-resistant bond.

- Roller cut • Minimum Quantity may apply
- Reamed and Chamfer or Saw Cut available upon request.



Part #	Size	List Price
57-021T	1/4" x 1-1/2"	5.72
57-022T	1/4" x 2"	5.72
57-041T	3/8" x 1-1/2"	5.91
57-042T	3/8" x 2"	6.25
57-061T	1/2" x 1-1/2"	4.66
57-062T	1/2" x 2"	4.66
57-081T	3/4" x 1-1/2"	5.72
57-082T	3/4" x 2"	5.72
57-101T	1" x 2"	8.49
57-102T	1" x 2-1/2"	8.95
57-121T	1-1/4" x 2"	10.58
57-122T	1-1/4" x 2-1/2"	11.24
57-141T	1-1/2" x 2"	12.53
57-142T	1-1/2" x 2-1/2"	13.99
57-160T	2" x 2"	15.88
57-161T	2" x 2-1/2"	18.17
57-181T*	2-1/2" x 3"	50.80
57-201T*	3" x 3"	64.01
57-223T*	4" x 4"	102.56

* Saw Cut

Product Specifications

Welded steel couplings both galvanized and black in diameters from 1/8" up to 4".

See page 254 for
API Line Couplings


Technical Specifications

Standards: Product complies with ASTM A-53, A-733 and ANSI B1.20.1 for threading, dimensions and pipe specifications.

Pipe: Complies with ASTM A-53 milltested schedule 40 and 80. Meets ANSI B36.1. All pipe is hydrostatic tested.

Galvanized: Zinc coating applied by hot dipping. Galvanized complying with ASTM-A-123.

MERCHANT COUPLINGS



• Straight threads thru 2"

Part # Galv	List Price	Size	Part # Black	List Price
64-770	3.51	1/8"	65-770	2.19
64-771	4.53	1/4"	65-771	3.09
64-772	4.14	3/8"	65-772	2.60
64-773	3.62	1/2"	65-773	2.53
64-774	5.14	3/4"	65-774	3.72
64-775	8.25	1"	65-775	5.85
64-776	9.81	1-1/4"	65-776	8.08
64-777	12.52	1-1/2"	65-777	8.66
64-778	20.52	2"	65-778	12.31
64-779	43.72	2-1/2"	65-779	37.50
64-780	87.46	3"	65-780	72.39
		3-1/2"	65-782	202.86
64-781	116.65	4"	65-781	92.86
		5"	65-783	208.47
		6"	65-784	142.72

HALF MERCHANT COUPLINGS



• Straight threads thru 2"

Part # Galv	List Price	Size	Part # Black	List Price
		1/4"	65-771H	3.62
		3/8"	65-772H	4.19
64-773H	2.86	1/2"	65-773H	2.80
64-774H	3.88	3/4"	65-774H	3.71
64-775H	7.84	1"	65-775H	5.40
64-776H	6.94	1-1/4"	65-776H	7.00
64-777H	9.88	1-1/2"	65-777H	8.08
64-778H	17.35	2"	65-778H	10.97
		2-1/2"	65-779H	35.56
64-780H	19.00	3"	65-780H	51.22
64-781H	35.00	4"	65-781H	69.41

NEW
NEW

Also available:
L&R Merchant Coupling
Extra Heavy Merchant Couplings

MERCHANT COUPLINGS SPECIFICATIONS

Size	Outside Diam.	Length	Weight 100 pcs approx.	Quantity per box	Threads per Inch	Threads
		Inches	Pounds			Type
1/8"	.59"	.78	3.5	1000	27	Straight
1/4"	.73"	1.18	7.5	500	18	Straight
3/8"	.86"	1.18"	9	600	18	Straight
1/2"	1.063"	1-9/16"	13.0	100	14	Straight
3/4"	1.313"	1-5/8"	28.3	50	14	Straight
1"	1.576"	2"	40.1	30	11-1/2	Straight
1-1/4"	1.900"	2-1/16"	49.5	25	11-1/2	Straight
1-1/2"	2.200"	2-1/16"	71.48	25	11-1/2	Straight
2"	2.750"	2-1/8"	112.0	20	11-1/2	Straight
2-1/2"	3.250"	3-1/8"	231.2	8	8	Taper Tapped
3"	4.000"	3-1/4"	353.8	5	8	Taper Tapped
4"	5.000"	3-1/2"	471.8	4	8	Taper Tapped

ISO 9002 - CERTIFICATE OF QUALITY - UL/FM LISTED AND APPROVED


Our quality fittings are made with care and attention to detail. With better molds we can reduce parting lines and rough edges resulting in better fluid flow. By using a low temperature galvanizing process the coating is more durable which means a longer lasting fitting.

(Every fitting is subjected to an underwater fitness test to ensure the highest quality)

SPECIFICATIONS


- MATERIAL: ASTM A 197 - Cuppla Malleable Iron, ASTM A 153 - Hot dipped galvanizing
- DIMENSIONS: ANSI B 16.3 - Malleable Iron threaded fittings, ANSI B 16.14 - Ferrous Pipe Plugs, Bushings etc..., ANSI B 16.39 - Malleable Iron threaded pipe unions.
- THREADS: ANSI B 2.1 or BS 21
- PHYSICAL PROPERTIES: Tensile Strength - 28.4kg ./mm. Min.
Elongation - 5% min.

ELBOWS 90°



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-100	3.99	1/8"	0.69	50/600	0.06	65-100	2.68
64-101	3.79	1/4"	0.81	35/420	0.11	65-101	2.44
64-102	3.59	3/8"	0.95	90/360	0.16	65-102	2.44
64-103	2.31	1/2"	1.12	50/200	0.24	65-103	1.94
64-104	3.08	3/4"	1.31	35/105	0.37	65-104	2.65
64-105	5.15	1"	1.50	20/60	0.59	65-105	4.24
64-106	8.68	1-1/4"	1.75	20/40	0.94	65-106	6.38
64-107	11.43	1-1/2"	1.94	15/30	1.15	65-107	8.48
64-108	17.36	2"	2.25	8/16	1.76	65-108	13.56
64-109	47.52	2-1/2"	2.70	12	2.90	65-109	31.06
64-110	79.77	3"	3.08	8	5.41	65-110	43.90
64-112	133.68	4"	3.79	2	9.07	65-112	98.47
64-114	472.31	6"	5.13	1	18.92	65-114	317.41

REDUCING ELBOWS 90°




Part # Galvanized	List Price	Size	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-121	7.16	3/8" x 1/8"	0.81	0.85	105/420	0.13	65-121	6.53
64-122	5.65	3/8" x 1/4"	0.88	0.90	90/360	0.14	65-122	3.88
64-123	4.68	1/2" x 1/4"	0.97	0.98	60/240	0.18	65-123	4.02
64-124	4.40	1/2" x 3/8"	1.04	1.03	60/240	0.21	65-124	3.54
64-126	6.30	3/4" x 3/8"	1.12	1.13	40/160	0.28	65-126	5.05
64-127	5.07	3/4" x 1/2"	1.20	1.22	40/160	0.32	65-127	3.83
64-130	6.48	1" x 1/2"	1.26	1.40	25/100	0.44	65-130	5.18
64-131	6.57	1" x 3/4"	1.37	1.45	50/100	0.52	65-131	4.90
64-133	13.90	1-1/4" x 3/4"	1.45	1.62	15/60	0.70	65-133	9.05
64-134	10.88	1-1/4" x 1"	1.58	1.67	10/40	0.81	65-134	8.47
64-136	15.76	1-1/2" x 3/4"	1.52	1.75	10/40	0.74	65-136	13.07
64-137	16.72	1-1/2" x 1"	1.65	1.80	10/40	0.66	65-137	11.40
64-138	12.82	1-1/2" x 1-1/4"	1.82	1.88	15/30	1.27	65-138	11.42
64-139	25.27	2" x 3/4"	1.60	1.97	9/36	1.21	65-139	19.18
64-140	24.80	2" x 1"	1.73	2.02	14/28	1.22	65-140	20.08
64-141	23.24	2" x 1-1/4"	1.90	2.10	10/20	1.43	65-141	20.08
64-142	20.31	2" x 1-1/2"	2.02	2.16	10/20	1.38	65-142	16.53
64-145	97.16	2-1/2" x 1-1/2"	2.16	2.51	6/12	2.20	65-145	46.25
64-146	70.62	2-1/2" x 2"	2.39	2.60	6/12	2.70	65-146	45.37
64-148	111.53	3" x 1-1/2"	2.28	2.83	6/18	4.50	65-148	78.21
		3" x 2-1/2"	2.83	2.99	8/16	5.00	65-151	78.21
		3" x 2"					65-150	78.21
		4" x 3"					65-154	176.31

NIPPLES & FITTINGS


NEW
NEW

90° STREET ELBOWS




Part # Galvanized	List Price	Size	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-160	4.89	1/8"	0.69	1.00	60/720	0.06	65-160	3.88
64-161	4.97	1/4"	0.80	1.17	35/420	0.10	65-161	3.70
64-162	5.15	3/8"	0.95	1.48	40/260	0.17	65-162	3.70
64-163	5.05	1/2"	1.10	1.59	60/180	0.25	65-163	3.80
64-164	4.87	3/4"	1.28	1.85	35/105	0.42	65-164	3.65
64-165	6.64	1"	1.47	2.10	45/90	0.57	65-165	5.37
64-166	11.89	1-1/4"	1.75	2.57	25/50	1.01	65-166	8.18
64-167	14.63	1-1/2"	1.90	2.63	9/27	1.32	65-167	10.43
64-168	23.12	2"	2.21	3.19	8/16	2.22	65-168	17.69
64-169	68.81	2-1/2"	2.65	3.78	5/10	2.83	65-169	45.09
64-170	103.85	3"	3.02	4.42	8	5.71	65-170	66.57
64-171	171.42	4"	3.72	5.57	4	10.47	65-171	100.42

ELBOWS 45°




Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-180	5.69	1/8"	0.63	50/600	0.07	65-180	4.10
64-181	5.07	1/4"	0.73	30/360	0.11	65-181	4.15
64-182	5.07	3/8"	0.80	75/300	0.16	65-182	3.78
64-183	3.88	1/2"	0.88	50/200	0.24	65-183	3.26
64-184	5.41	3/4"	0.98	40/120	0.56	65-184	4.02
64-185	6.24	1"	1.12	20/60	0.35	65-185	5.13
64-186	11.36	1-1/4"	1.29	20/40	0.85	65-186	8.94
64-187	13.58	1-1/2"	1.43	10/30	1.11	65-187	11.08
64-188	20.24	2"	1.68	12/24	1.80	65-188	16.12
64-189	68.56	2-1/2"	1.95	12	2.68	65-189	47.08
64-190	99.68	3"	2.17	10	4.33	65-190	59.13
64-191	167.08	4"	2.61	4	7.54	65-191	118.69
64-192	590.40	6"	3.46	1	12.76	65-192	469.63

45° STREET ELBOWS




Part # Galvanized	List Price	Size	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-200	7.43	1/8"	0.63	0.83	70/840	0.05	65-200	6.32
64-201	6.32	1/4"	0.73	0.94	40/480	0.13	65-201	4.47
64-202	7.28	3/8"	0.80	1.03	100/400	0.13	65-202	5.35
64-203	5.63	1/2"	0.86	1.30	75/225	0.23	65-203	4.29
64-204	9.05	3/4"	0.96	1.48	40/120	0.33	65-204	6.23
64-205	11.20	1"	1.10	1.69	25/75	0.55	65-205	7.69
64-206	16.80	1-1/4"	1.26	1.87	10/40	0.76	65-206	12.86
64-207	18.21	1-1/2"	1.40	2.05	10/30	1.13	65-207	16.35
64-208	34.99	2"	1.65	2.38	12/24	1.76	65-208	28.98
64-209	82.32	2-1/2"	1.95	2.72	12/24	2.57	65-209	61.54
64-210	133.13	3"	2.17	3.16	3/6	3.52	65-210	90.70
64-211	276.63	4"	2.61	3.90	4	8.29	65-211	168.39

TEES




Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-250	5.35	1/8"	0.69	120/480	0.09	65-250	4.14
64-251	4.67	1/4"	0.81	75/300	0.16	65-251	3.69
64-252	4.92	3/8"	0.95	45/180	0.24	65-252	3.69
64-253	2.93	1/2"	1.12	40/120	0.35	65-253	2.35
64-254	5.12	3/4"	1.31	35/70	0.55	65-254	3.49
64-255	7.58	1"	1.50	20/40	0.84	65-255	5.99
64-256	13.17	1-1/4"	1.75	14/28	1.37	65-256	9.72
64-257	16.43	1-1/2"	1.94	12/24	1.74	65-257	12.09
64-258	27.42	2"	2.26	8/16	2.54	65-258	20.56
64-259	73.63	2-1/2"	2.70	4/8	3.76	65-259	46.48
64-260	86.38	3"	3.08	6	6.36	65-260	63.54
64-261	204.23	4"	3.79	1/2	11.69	65-261	163.86
64-262	629.79	6"	5.13	1	24.55	65-262	469.63

BULLHEAD TEES



Part # Galvanized	List Price	Size (1&2) x 3	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-280	8.05	1/2" x 3/4"	1.22	1.20	30/120	0.43	65-280	6.57
64-733	12.13	1/2" x 1"	1.36	1.26	40/160	0.48	65-733	15.02
64-289	11.89	3/4" x 1"	1.45	1.37	40/80	0.67	65-289	8.33
64-299	18.91	1" x 1-1/4"	1.67	1.58	11/44	0.91	65-299	15.49
64-300	32.14	1" x 1-1/2"	1.80	1.65	9/36	1.16	65-300	24.66
64-317	27.25	1-1/4" x 1-1/2"	1.88	1.82	12/24	1.45	65-317	19.38
64-319	50.79	1-1/2" x 2"	2.12	1.98	16	1.98	65-319	53.46

COUPLINGS




Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-410	4.73	1/8"	0.96	70/840	0.06	65-410	3.84
64-411	4.40	1/4"	1.06	40/480	0.09	65-411	3.63
64-412	4.40	3/8"	1.16	40/480	0.06	65-412	3.94
64-413	3.49	1/2"	1.34	60/240	0.19	65-413	3.94
64-414	4.07	3/4"	1.52	50/150	0.30	65-414	3.22
64-415	6.70	1"	1.67	25/100	0.45	65-415	4.90
64-416	9.21	1-1/4"	1.93	16/64	0.65	65-416	6.25
64-417	10.52	1-1/2"	2.15	18/36	0.90	65-417	8.39
64-418	15.33	2"	2.54	12/24	1.39	65-418	11.43
64-419	46.86	2-1/2"	2.88	8/16	2.42	65-419	33.16
64-420	62.64	3"	3.18	12	3.40	65-420	44.80
64-421	133.03	4"	3.69	3/6	6.23	65-421	89.41
64-422	347.49	6"	4.23	2	11.22	65-422	239.93

NIPPLES & FITTINGS

REDUCING TEES

(SAME SIZE ON RUN, REDUCING ON BRANCH)




Part # Galvanized	List Price	Size (1&2) x 3	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-273	7.74	3/8" x 1/4"	0.81	0.90	25	0.20	65-273	7.41
64-276	5.89	1/2" x 1/4"	0.97	0.98	40/160	0.26	65-276	4.46
64-279	6.86	1/2" x 3/8"	1.04	1.03	40/160	0.29	65-279	5.58
64-282	7.29	3/4" x 1/4"	1.05	1.08	125	0.35	65-282	8.04
64-283	7.76	3/4" x 3/8"	1.12	1.13	55/110	0.40	65-283	7.14
64-286	8.25	3/4" x 1/2"	1.20	1.18	50/100	0.47	65-286	5.38
64-268	13.88	1" x 1/4"	1.11	1.22	20/80	0.52	65-268	8.00
64-269	12.12	1" x 3/8"	1.18	1.27	15/60	0.60	65-269	10.35
64-291	9.88	1" x 1/2"	1.26	1.40	15/60	0.70	65-291	7.33
64-298	9.88	1" x 3/4"	1.37	1.45	12/48	0.77	65-298	7.33
64-301	23.12	1-1/4" x 1/2"	1.34	1.45	20/40	0.97	65-301	13.29
64-303	15.26	1-1/4" x 3/4"	1.45	1.62	20/40	1.00	65-303	11.67
64-306	15.26	1-1/4" x 1"	1.58	1.66	20/40	1.10	65-306	12.65
64-316	18.91	1-1/2" x 3/4"	1.41	1.75	15/30	1.25	65-316	14.72
64-318	20.15	1-1/2" x 1"	1.65	1.88	10/30	1.41	65-318	14.72
64-322	24.26	1-1/2" x 1-1/4"	1.65	1.88	12/24	1.58	65-322	19.04
64-327	27.51	2" x 1/2"	1.49	1.88	10/20	1.61	65-327	23.08
64-328	27.51	2" x 3/4"	1.60	1.97	10/20	1.77	65-328	23.08
64-330	27.51	2" x 1"	1.73	2.02	10/20	1.97	65-330	23.08
64-334	34.57	2" x 1-1/4"	1.86	2.06	8/16	1.92	65-334	24.38
64-336	34.57	2" x 1-1/2"	1.98	2.12	8/16	2.08	65-336	24.38
64-343	93.77	2-1/2" x 1-1/2"	2.16	2.51	5/10	3.38	65-343	60.46
64-351	118.86	3" x 2"	2.52	2.89	3/6	4.54	65-351	80.72

NIPPLES & FITTINGS



REDUCING TEES

(REDUCING ON RUN)



Part # Black	Size 1 x 2 x 3	A	B	C	Box/Case	Approx. Wt. Lbs.	List Price
65-287	3/4" x 1/2" x 1/2"	1.18	1.18	1.20	30/180	0.45	5.96
65-288	3/4" x 1/2" x 3/4"	1.28	1.20	1.28	20/80	0.52	6.57
65-292	1" x 1/2" x 1/2"	1.31	1.22	1.31	20/120	0.60	9.91
65-296	1" x 3/4" x 3/4"	1.34	1.28	1.42	15/60	0.66	7.72
65-309	1-1/4" x 1" x 1"	1.55	1.47	1.63	18/72	0.98	16.93

LOCKNUTS

• Minimum Quantity may apply




Part # Galvanized	Size	Hex	Thickness	Box/ Case	Approx. Wt. Lbs.	List Price
64-703	1/2"	1.18	0.32	150/600	0.026	3.00
64-704	3/4"	1.43	0.35	90/360	0.037	3.41
64-705	1"	1.75	0.39	60/240	0.063	6.46
64-706	1-1/4"	2.10	0.43	45/180	0.085	6.29
64-707	1-1/2"	2.35	0.48	45/135	0.113	8.91
64-708	2"	2.88	0.54	25/75	0.175	13.60

* Black locknuts available on special order basis.

MALLEABLE FITTINGS


BLACK & GALVANIZED MALLEABLE IRON 150#

MALLEABLE SERVICE TEE (STREET TEE)



Part # Galvanized	List Price	Size	A	B	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-363	9.67	1/2"	1.12	1.62	40/120	0.31	65-363	6.74
64-364	10.62	3/4"	1.31	1.89	25/75	0.55	65-364	8.94

SIDE OUTLET TEES



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-383	15.07	1/2"	1.12	25/100	0.38	65-383	11.64
64-384	19.04	3/4"	1.31	15/60	0.58	65-384	14.85
64-385	30.86	1"	1.50	20/40	0.89	65-385	23.81
64-386	51.35	1-1/4"	1.75	12/24	1.39	65-386	37.29

REDUCING COUPLINGS



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-430	4.07	1/4" x 1/8"	1.00	50/600	0.08	65-430	3.00
64-431	4.13	3/8" x 1/8"	1.13	35/420	0.10	65-431	3.26
64-432	4.13	3/8" x 1/4"	1.13	30/360	0.12	65-432	3.00
64-433	4.62	1/2" x 1/8"	1.25	75/300	0.17	65-433	3.24
64-434	3.76	1/2" x 1/4"	1.25	75/300	0.15	65-434	3.00
64-435	3.49	1/2" x 3/8"	1.25	60/240	0.16	65-435	2.73
64-439	5.07	3/4" x 1/8"	1.44	70/210	0.20	65-439	3.78
64-436	4.68	3/4" x 1/4"	1.44	45/180	0.21	65-436	3.70
64-437	4.68	3/4" x 3/8"	1.44	45/180	0.22	65-437	3.70
64-438	4.13	3/4" x 1/2"	1.44	60/180	0.29	65-438	2.95
64-459	8.26	1" x 1/4"	1.69	45/135	0.32	65-459	5.73
64-440	8.45	1" x 3/8"	1.69	30/120	0.35	65-440	5.82
64-441	6.46	1" x 1/2"	1.69	30/120	0.37	65-441	4.98
64-442	6.32	1" x 3/4"	1.69	25/100	0.40	65-442	4.87
64-460	17.23	1-1/4" x 3/8"	2.06	25/75	0.49	65-460	13.22
64-444	10.78	1-1/4" x 1/2"	2.06	25/75	0.55	65-444	7.20
64-445	8.73	1-1/4" x 3/4"	2.06	25/75	0.60	65-445	6.25
64-446	8.73	1-1/4" x 1"	2.06	15/60	0.66	65-446	6.86
64-443	20.24	1-1/2" x 3/8"	2.31	15/120	0.61	65-443	11.69
64-447	12.71	1-1/2" x 1/2"	2.31	20/60	0.77	65-447	9.17
64-448	12.71	1-1/2" x 3/4"	2.31	15/60	0.77	65-448	10.34
64-449	11.24	1-1/2" x 1"	2.31	25/50	0.84	65-449	9.17
64-450	10.64	1-1/2" x 1-1/4"	2.31	12/48	0.86	65-450	7.92
64-458	29.31	2" x 1/2"	2.81	12/36	1.12	65-458	14.91
64-451	18.36	2" x 3/4"	2.81	12/36	1.11	65-451	13.14
64-452	15.33	2" x 1"	2.81	12/36	1.28	65-452	12.40
64-453	16.21	2" x 1-1/4"	2.81	9/27	1.30	65-453	13.14
64-454	15.33	2" x 1-1/2"	2.81	9/27	1.41	65-454	11.47
64-461	48.35	2-1/2" x 1-1/2"	3.25	7/14	1.74	65-461	34.17
64-462	47.44	2-1/2" x 2"	3.25	7/14	1.79	65-462	29.31
64-486	70.03	3" x 1-1/2"	3.69	16/32	2.18	65-486	45.72
64-456	61.28	3" x 2"	3.69	6/12	2.26	65-456	34.53
64-463	63.07	3" x 2-1/2"	3.69	5/10	3.52	65-463	45.72
64-464	136.45	4" x 2"	4.38	3/6	4.96	65-464	91.61
64-465	125.13	4" x 2-1/2"	4.38	3/6	4.00	65-465	91.61
64-457	136.45	4" x 3"	4.38	3/6	4.07	65-457	86.23
		6" x 4"	4.24	1/8	9.84	65-491	347.44

NIPPLES & FITTINGS

BLACK & GALVANIZED MALLEABLE IRON

MALLEABLE FITTINGS

HEX BUSHING



Hex



Part #	List Price	Size M x F	A	Hex	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
		*1/4" x 1/8"	}					
		*3/8" x 1/8"						
		*3/8" x 1/4"						
64-503	5.65	1/2" x 1/8"	0.84	1.03	150/600	0.10	65-503	3.73
		*1/2" x 1/4"						
64-505	5.65	1/2" x 3/8"	0.75	1.03	150/600	0.07	65-505	3.49
64-506	6.02	3/4" x 1/8"	0.85	1.15	75/300	0.17	65-506	3.65
64-507	5.82	3/4" x 1/4"	0.85	1.15	75/300	0.16	65-507	3.60
64-508	6.15	3/4" x 3/8"	0.85	1.15	75/300	0.14	65-508	3.65
64-509	5.26	3/4" x 1/2"	0.93	1.15	75/300	0.10	65-509	3.09
64-510	6.30	1" x 1/4"	1.13	1.12	50/200	0.19	65-510	4.29
64-511	9.88	1" x 3/8"	1.13	1.12	50/200	0.24	65-511	4.41
64-512	5.69	1" x 1/2"	1.10	1.42	50/200	0.21	65-512	3.02
64-513	5.07	1" x 3/4"	1.10	1.42	50/200	0.17	65-513	3.02
64-514	8.56	1-1/4" x 1/4"	1.24	1.12	30/120	0.31	65-514	5.53
64-515	8.56	1-1/4" x 3/8"	1.24	1.12	30/120	0.43	65-515	4.92
64-516	7.99	1-1/4" x 1/2"	1.24	1.24	30/120	0.29	65-516	4.75
64-517	7.29	1-1/4" x 3/4"	1.08	1.76	30/120	0.35	65-517	4.24
64-518	7.29	1-1/4" x 1"	1.08	1.76	30/120	0.29	65-518	4.24
64-519	18.52	1-1/2" x 1/4"	1.30	1.12	25/75	0.64	65-519	6.56
64-520	18.52	1-1/2" x 3/8"	1.30	1.12	25/75	0.64	65-520	6.56
64-521	10.62	1-1/2" x 1/2"	1.30	1.34	25/75	0.40	65-521	5.21
64-522	10.62	1-1/2" x 3/4"	1.30	1.44	25/75	0.39	65-522	5.21
64-523	9.53	1-1/2" x 1"	1.23	2.00	25/75	0.46	65-523	4.98
64-524	8.80	1-1/2" x 1-1/4"	1.23	2.00	25/75	0.32	65-524	4.98
64-525	75.13	2" x 3/8"	1.28	1.12	20/60	0.95	65-525	8.16
64-527	13.21	2" x 1/2"	1.39	1.34	20/60	0.84	65-527	8.16
64-528	12.31	2" x 3/4"	1.39	1.63	20/60	0.63	65-528	6.90
64-529	11.64	2" x 1"	1.39	1.77	20/60	0.67	65-529	6.90
64-530	11.64	2" x 1-1/4"	1.50	2.48	20/60	0.73	65-530	6.90
64-531	9.89	2" x 1-1/2"	1.50	2.48	20/60	0.70	65-531	6.90
64-546	29.00	2-1/2" x 1/2"	1.51	1.34	15/30	1.57	65-546	11.69
64-547	19.16	2-1/2" x 3/4"	1.51	1.63	15/30	1.54	65-547	11.69
64-532	27.41	2-1/2" x 1"	1.51	1.95	15/30	1.51	65-532	11.69
64-533	18.72	2-1/2" x 1-1/4"	1.51	2.39	15/30	1.41	65-533	11.69
64-534	18.76	2-1/2" x 1-1/2"	1.51	2.98	15/30	1.37	65-534	11.69
64-535	16.71	2-1/2" x 2"	1.54	2.98	15/30	1.11	65-535	11.69
64-550	25.25	3" x 1"	1.61	1.95	12/24	1.46	65-550	15.57
64-549	29.65	3" x 1-1/4"	1.61	2.39	12/24	2.22	65-549	17.00
64-537	22.49	3" x 1-1/2"	1.61	2.68	12/24	1.96	65-537	17.00
64-538	23.77	3" x 2"	1.61	3.86	12/24	1.91	65-538	17.00
64-539	45.23	3" x 2-1/2"	1.61	3.86	12/24	1.50	65-539	15.97
64-551	86.85	4" x 3/4"	2.15	4.90	5/10	4.50	65-551	40.53
64-553	56.53	4" x 1"	2.00	4.75	5/10	4.00	65-553	34.99
64-540	62.87	4" x 1-1/2"	1.82	2.68	5/10	3.91	65-540	34.03
64-541	46.70	4" x 2"	1.82	3.31	5/10	2.89	65-541	33.34
64-542	52.97	4" x 2-1/2"	2.06	3.87	5/10	2.77	65-542	29.16
64-543	47.89	4" x 3"	2.17	4.96	5/10	3.03	65-543	31.82
		5" x 4"					65-544	80.00
64-545		6" x 4"	2.33	5.79	2/4	5.69	65-545	89.08

Use steel fittings for smaller sizes - See page 241

NIPPLES & FITTINGS



MALLEABLE FITTINGS

BLACK & GALVANIZED MALLEABLE IRON 150#


UNIONS



• Brass Seat

Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-600	17.55	1/8"	1.26	60/240	0.19	65-600	14.60
64-601	17.00	1/4"	1.44	20/240	0.20	65-601	13.44
64-602	11.33	3/8"	1.61	40/160	0.35	65-602	10.85
64-603	10.78	1/2"	1.72	50/100	0.43	65-603	8.16
64-604	11.83	3/4"	1.94	35/70	0.63	65-604	10.62
64-605	14.77	1"	2.06	20/40	0.91	65-605	12.73
64-606	22.90	1-1/4"	2.26	15/30	1.35	65-606	17.00
64-607	28.27	1-1/2"	2.41	10/20	1.75	65-607	22.27
64-608	36.64	2"	2.75	6/12	2.62	65-608	31.50
64-609	110.79	2-1/2"	3.22	4/8	4.40	65-609	80.96
64-610	155.07	3"	3.50	4/8	5.63	65-610	93.84
64-611	335.90	4"	3.85	2/4	10.31	65-611	246.54


SQUARE HEAD PLUGS



• Cored

Part # Galvanized	List Price	Size	A	B	C	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
		*1/8"	} Use steel fittings for smaller sizes - see p. 243						
		*1/4"							
		*3/8"							
64-653	2.53	1/2"	0.58	0.38	0.56	50/600	0.09	65-653	1.51
64-654	3.93	3/4"	0.65	0.44	0.63	30/360	0.13	65-654	1.68
64-655	3.60	1"	0.75	0.50	0.82	20/240	0.22	65-655	2.35
64-656	6.03	1-1/4"	0.82	0.56	0.94	40/120	0.40	65-656	3.60
64-657	8.18	1-1/2"	0.85	0.62	1.13	30/90	0.46	65-657	4.35
64-658	10.12	2"	0.91	0.68	1.31	20/60	0.74	65-658	5.57
64-659	19.97	2-1/2"	1.26	0.74	1.50	16/32	1.24	65-659	13.14
64-660	27.48	3"	1.16	0.80	1.69	16/32	1.69	65-660	18.64
64-661	35.43	4"	1.22	1.00	2.28	6/12	2.70	65-661	38.84
		6"						65-662	41.56

CROSSES



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-390	16.85	1/8"	0.65	---	0.12	65-390	13.27
64-391	16.85	1/4"	0.80	60/240	0.18	65-391	11.35
64-392	16.85	3/8"	0.95	50/150	0.27	65-392	11.35
64-393	16.85	1/2"	1.12	30/90	0.45	65-393	11.35
64-394	18.75	3/4"	1.31	20/60	0.69	65-394	12.96
64-395	21.18	1"	1.50	15/30	1.06	65-395	14.40
64-396	30.66	1-1/4"	1.75	10/20	1.56	65-396	23.38
64-397	37.22	1-1/2"	1.94	8/16	1.91	65-397	28.95
64-398	71.01	2"	2.25	5/10	3.24	65-398	47.94
64-399	177.43	2-1/2"	2.71	3/6	5.55	65-399	107.77
64-400	239.01	3"	3.06	1/8	8.00	65-400	171.80
		4"				65-401	364.91


CAPS



Part # Galvanized	List Price	Size	A	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
		1/4"	0.62	80/960	0.05	65-471	1.56
64-472	3.55	3/8"	0.74	60/720	0.08	65-472	1.93
64-473	2.72	1/2"	0.87	75/300	0.13	65-473	2.00
64-474	3.90	3/4"	0.97	40/160	0.22	65-474	2.64
64-475	4.32	1"	1.16	25/100	0.37	65-475	2.92
64-476	6.27	1-1/4"	1.28	20/80	0.49	65-476	3.97
64-477	7.99	1-1/2"	1.33	18/54	0.64	65-477	5.64
64-478	10.10	2"	1.45	12/36	1.00	65-478	6.69
64-479	32.13	2-1/2"	1.70	20/40	1.45	65-479	17.31
64-480	38.92	3"	1.80	24	2.20	65-480	27.35
64-481	77.28	4"	2.08	6/12	3.75	65-481	42.70
64-482	281.34	6"	2.55	2/4	8.86	65-482	171.81

* Use steel fittings for smaller sizes. See page 243 for Galvanized and Black Steel Fittings.

FLOOR FLANGES



Part # Galvanized	List Price	Size	A	Thickness	Hole Size	Box/ Case	Approx. Wt. Lbs.	Part # Black	List Price
64-692	16.57	1/2"	3.50	0.50	0.25	25/50	0.63	65-692	7.64
64-693	18.49	3/4"	3.50	0.63	0.25	15/45	0.75	65-693	7.92
64-694	20.35	1"	4.00	0.69	0.25	15/30	1.06	65-694	11.42
64-695	23.18	1-1/4"	4.00	0.75	0.25	10/30	1.08	65-695	12.73
64-696	28.92	1-1/2"	4.50	0.87	0.31	8/24	1.43	65-696	13.98
64-697	38.09	2"	5.50	1.00	0.31	8/16	2.23	65-697	18.05

STEEL MAGNETIC PLUGS

Magnetic Plugs

Steel Magnetic Drain Plugs - NPT Threaded

Magnetic Drain Plugs are similar to standard pipe or straight thread drain plugs with one important difference - a permanent magnet is fastened to the plug body. This magnet attracts and holds abrasive, ferrous metal particles preventing their circulation through the lubrication or hydraulic system.

These abrasive, ferrous metal particles appear in lubricating or hydraulic systems as a result of the following conditions:

- The constant flaking effect of normal wear of moving parts.
- Particles not removed by flushing operations after boring or machining.
- Chipping due to sub-surface casting flaws.
- Minute component breakdown caused by stress usage.




Magnetic Drain Plugs prevent excessive wear to the system's components.

Magnetic Plugs are used by numerous manufacturers of gear boxes, transmissions, engines, and hydraulic systems for the automotive, aircraft, agricultural and machinery industries. Typical applications include:

- Outbound Engines
- Earthmoving Equipment
- Combines
- Balers
- Crawler Tractors
- Lift Trucks
- Mining Equipment
- Military Vehicles
- Turbine Engines
- Truck Axles
- Heavy-Duty Transmissions


Part	Size "A"	Head Width "C"	Recess Dia. "H"	O/L Length "L"	List Price
28-996	3/8 - 18	.428 - .440	.435 - .445	.805 - .860	3.37
28-997	1/2 - 14	.553 - .565	.560 - .570	.970 - 1.04	4.03
28-998	3/4 - 14	.615 - .627	.725 - .735	1.120 - 1.170	5.10
28-999	1-11 1/2	.803 - 815	.895 - .905	1.25 - 1.33	7.39



STEEL FITTINGS

BLACK & GALVANIZED STEEL FITTINGS

HEX BUSHINGS




Part # Galvanized	List Price	Size M x F	A	Hex	Approx. Wt. Lbs.	Part # Black	List Price
66-500	1.32	1/4" x 1/8"	0.63	0.62	0.02	67-500	1.61
66-501	1.79	3/8" x 1/8"	0.66	0.68	0.04	67-501	2.11
66-502	1.56	3/8" x 1/4"	0.66	0.68	0.02	67-502	2.11
66-503	2.60	1/2" x 1/8"	0.80	0.87	0.10	67-503	2.27
66-504	2.43	1/2" x 1/4"	0.80	0.87	0.08	67-504	2.27
66-505	2.43	1/2" x 3/8"	0.80	0.87	0.06	67-505	2.27
66-506	3.82	3/4" x 1/8"	0.94	1.06	0.18	67-506	3.47
66-507	4.18	3/4" x 1/4"	0.94	1.06	0.14	67-507	3.64
66-508	4.20	3/4" x 3/8"	0.94	1.06	0.14	67-508	3.47
66-509	3.82	3/4" x 1/2"	0.94	1.06	0.10	67-509	3.47
66-510	7.18	1" x 1/4"	1.00	1.31	0.16	67-510	6.10
66-511	7.18	1" x 3/8"	1.00	1.31	0.26	67-511	6.10
66-512	7.18	1" x 1/2"	1.00	1.31	0.22	67-512	6.10
66-513	7.18	1" x 3/4"	1.00	1.31	0.14	67-513	6.10

CAPS




Part # Galvanized	List Price	Size NPTF	A	Hex	Approx. Wt. Lbs.	Part # Black	List Price
66-470	1.23	1/8"	0.53	0.56	0.02	67-470	1.09
66-471	1.34	1/4"	0.63	0.62	0.04	67-471	1.31
66-472	2.17	3/8"	0.69	0.81	0.06	67-472	2.04
66-473	4.63	1/2"	0.87	1.00	0.12	67-473	3.18
66-474	5.15	3/4"	0.97	1.18	0.16	67-474	4.64
66-475	7.88	1"	1.16	1.50	0.30	67-475	6.64
66-476	38.38	1-1/4"	1.28	2.00	0.68	67-476	31.88
66-477	48.27	1-1/2"	1.35	2.25	0.83	67-477	47.34
66-478	101.38	2"	1.45	2.625	1.36		

SQUARE HEAD PLUGS



Part # Galvanized	List Price	Size NPTF	A	B	C	Approx. Wt. Lbs.	Part # Black	List Price
		1/16"	0.33	0.18	0.22	0.01	67-669	0.50
66-670	0.56	1/8"	0.33	0.24	0.28	0.01	67-670	0.50
66-671	0.60	1/4"	0.45	0.28	0.37	0.02	67-671	0.48
66-672	0.95	3/8"	0.50	0.31	0.43	0.04	67-672	0.76
66-653	1.45	1/2"	0.59	0.38	0.55	0.12	67-653	1.31
66-654	2.14	3/4"	0.63	0.44	0.62	0.18	67-654	1.91
66-655	8.22	1"	0.75	0.5	0.81	0.34	67-655	6.87
66-656	13.86	1-1/4"	0.80	0.56	0.93	0.62	67-656	11.73
66-657	23.19	1-1/2"	0.83	0.62	1.12	0.82	67-657	17.77
66-658	28.75	2"	0.88	0.68	1.31	1.36	67-658	24.17

HEX HEAD PLUGS



Part # Galvanized	List Price	Size NPTF	A	Hex	Approx. Wt. Lbs.	Part # Black	List Price
66-770	0.50	1/8"	0.55	0.43	0.01	67-770	0.38
66-771	0.85	1/4"	0.74	0.56	0.04	67-771	0.72
66-772	1.44	3/8"	0.67	0.68	0.06	67-772	1.31
66-773	2.44	1/2"	0.80	0.70	0.12	67-773	2.17
66-774	4.40	3/4"	0.94	1.06	0.18	67-774	3.47
66-775	7.92	1"	1.00	1.31	0.22	67-775	6.10
66-776	11.37	1-1/4"	1.17	1.75	0.7	67-776	10.37
66-777	39.60	1-1/2"	1.51	2.00	1.2	67-777	21.83
66-778	60.98	2"	1.65	2.50	2.06	67-778	40.18

• 1010 Carbon Steel, 3/4 taper threads (see hydraulic section for 7/8 taper threads.)

COUNTERSUNK PLUG - Square Socket



Galvanized						Black	
Part #	List Price	Size NPTF	A	Socket Size	Approx. Wt. Lbs.	Part #	List Price
66-630	0.38	1/8"	0.29	0.19	0.01	67-630	0.36
66-631	0.53	1/4"	0.45	0.25	0.02	67-631	0.50
66-632	0.76	3/8"	0.45	0.31	0.04	67-632	0.64
66-633	1.11	1/2"	0.59	0.38	0.08	67-633	0.96
66-634	1.87	3/4"	0.60	0.50	0.12	67-634	1.56
66-635	4.17	1"	0.75	0.50	0.16	67-635	3.77
66-636	7.18	1-1/4"	0.80	0.75	0.32	67-636	6.69
66-637	16.34	1-1/2"	0.83	0.75	0.45	67-637	13.48
66-638	35.57	2"	0.88	0.875	2.06	67-638	24.94

COUNTERSUNK PLUG - Hex Socket



Galvanized						Black	
Part #	List Price	Size NPTF	A	Socket Size	Approx. Wt. Lbs.	Part #	List Price
66-760	0.53	1/16"	0.29	0.15	0.01	67-760	0.50
66-761	0.38	1/8"	0.29	0.18	0.01	67-761	0.50
66-762	0.50	1/4"	0.44	0.25	0.02	67-762	0.50
66-763	0.64	3/8"	0.44	0.31	0.04	67-763	0.64
66-764	0.98	1/2"	0.59	0.37	0.08	67-764	0.96
66-765	1.81	3/4"	0.60	0.56	0.14	67-765	1.54
66-766	4.32	1"	0.75	0.625	0.22	67-766	3.15
66-767	6.77	1-1/4"	0.80	0.75	0.37	67-767	5.46
66-768	15.41	1-1/2"	0.83	1.0	0.45	67-768	13.70
66-769	27.97	2"	0.88	1.0	0.86	67-769	23.75

• Flush plugs available upon request

FACE BUSHING



Galvanized					Black	
Part #	List Price	Size M x F	A	Approx. Wt. Lbs.	Part #	List Price
66-700	1.31	1/4" x 1/8"	0.44	0.01	67-700	1.35
66-701	1.61	3/8" x 1/8"	0.48	0.02	67-701	1.44
66-702	2.43	3/8" x 1/4"	0.48	0.02	67-702	1.44
		1/2" x 1/8"	0.56	0.04	67-703	2.17
66-704	2.27	1/2" x 1/4"	0.56	0.04	67-704	2.17
66-705	2.43	1/2" x 3/8"	0.56	0.04	67-705	2.17
		3/4" x 1/4"	0.62	0.12	67-707	2.86
66-708	3.51	3/4" x 3/8"	0.62	0.10	67-708	2.86
66-709	3.72	3/4" x 1/2"	0.62	0.10	67-709	2.94
		1" x 3/8"	0.75	0.18	67-711	5.27
66-712	5.99	1" x 1/2"	0.75	0.16	67-712	5.27
66-713	6.26	1" x 3/4"	0.75	0.16	67-713	5.27

STEEL NIPPLES

BLACK & GALVANIZED SCHEDULE 80

STANDARDS & SPECIFICATIONS

- DIMENSIONAL: ASTM A733
- MATERIAL: ASTM A53 Type F or Type E
- GALVANIZING: Hot dip galvanizing
- THREADING: ASME B 1.20.1

For pressure ratings, see the knowledge bank on our website.

SCHEDULE 80 EXTRA HEAVY NIPPLES

1/8" DIAMETER



Galvanized			Black	
Part #	List Price	Length	Part #	List Price
58-001	6.10	Close (3/4")	59-001	3.83
58-002	7.30	1-1/2"	59-002	4.43
58-003	7.30	2"	59-003	4.34
58-004	8.65	2-1/2"	59-004	4.84
58-005	9.46	3"	59-005	5.15
58-006	10.58	3-1/2"	59-006	6.61
58-007	10.93	4"	59-007	7.28
58-008	15.80	4-1/2"	59-008	13.33
58-009	20.34	5"	59-009	14.59
58-010	19.50	5-1/2"	59-010	13.32
58-011	21.90	6"	59-011	14.42
		7"	59-012	28.74
		8"	59-013	18.30
		9"	59-014	19.34
		10"	59-015	20.42
		11"	59-016	21.50
		12"	59-017	22.32

SCHEDULE 80 EXTRA HEAVY NIPPLES

3/8" DIAMETER



Galvanized			Black	
Part #	List Price	Length	Part #	List Price
58-040	7.08	Close (1")	59-040	4.16
58-041	8.35	1-1/2"	59-041	5.20
58-042	8.78	2"	59-042	5.24
58-043	10.90	2-1/2"	59-043	6.30
58-044	10.57	3"	59-044	6.24
58-045	13.69	3-1/2"	59-045	7.70
58-046	14.12	4"	59-046	7.45
58-047	16.80	4-1/2"	59-047	10.08
58-048	17.75	5"	59-048	9.80
58-049	19.04	5-1/2"	59-049	12.62
58-050	19.37	6"	59-050	11.96
		7"	59-051	22.56
		8"	59-052	33.81
		9"	59-053	25.25
		10"	59-054	26.05
		11"	59-055	26.86
		12"	59-056	28.90

SCHEDULE 80 EXTRA HEAVY NIPPLES

1/4" DIAMETER



Galvanized			Black	
Part #	List Price	Length	Part #	List Price
58-020	6.58	Close (3/4")	59-020	3.71
58-021	7.57	1-1/2"	59-021	4.64
58-022	7.57	2"	59-022	4.70
58-023	9.86	2-1/2"	59-023	6.05
58-024	9.91	3"	59-024	6.24
58-025	8.08	3-1/2"	59-025	6.44
58-026	11.48	4"	59-026	6.65
58-027	13.46	4-1/2"	59-027	10.69
58-028	16.75	5"	59-028	10.54
58-029	18.88	5-1/2"	59-029	11.24
58-030	18.36	6"	59-030	11.95
		7"	59-031	19.14
		8"	59-032	21.50
		9"	59-033	22.56
		10"	59-034	22.85
		11"	59-035	24.19
		12"	59-036	25.25

SCHEDULE 80 EXTRA HEAVY NIPPLES

1/2" DIAMETER



Galvanized			Black	
Part #	List Price	Length	Part #	List Price
58-060	6.47	Close (1-1/8")	59-060	3.80
58-061	7.21	1-1/2"	59-061	3.92
58-062	7.08	2"	59-062	4.15
58-063	7.79	2-1/2"	59-063	4.54
58-064	9.48	3"	59-064	4.92
58-065	10.61	3-1/2"	59-065	5.44
58-066	10.02	4"	59-066	5.94
58-067	11.48	4-1/2"	59-067	6.55
58-068	12.31	5"	59-068	6.82
58-069	13.14	5-1/2"	59-069	7.22
58-070	13.10	6"	59-070	7.66
		7"	59-071	13.09
		8"	59-072	15.06
		9"	59-073	16.13
		10"	59-074	17.20
		11"	59-075	18.79
		12"	59-076	18.50

NIPPLES & FITTINGS

**SCHEDULE 80 EXTRA HEAVY NIPPLES
3/4" DIAMETER**



Galvanized		Black		
Part #	List Price	Length	Part #	List Price
58-080	7.07	Close (1-3/8")	59-080	3.96
58-081	7.19	1-1/2"	59-081	4.84
58-082	7.76	2"	59-082	4.34
58-083	9.50	2-1/2"	59-083	4.99
58-084	9.20	3"	59-084	5.45
58-085	11.29	3-1/2"	59-085	6.05
58-086	11.00	4"	59-086	6.54
58-087	13.69	4-1/2"	59-087	7.63
58-088	18.39	5"	59-088	8.02
58-089	15.70	5-1/2"	59-089	9.53
58-090	15.41	6"	59-090	9.56
		7"	59-091	15.34
		8"	59-092	18.55
		9"	59-093	25.92
		10"	59-094	20.79
		11"	59-095	22.72
		12"	59-096	24.68

**SCHEDULE 80 EXTRA HEAVY NIPPLES
1-1/4" DIAMETER**



Galvanized		Black		
Part #	List Price	Length	Part #	List Price
58-120	13.19	Close (1-5/8")	59-120	7.73
58-121	13.44	2"	59-121	7.99
58-122	15.54	2-1/2"	59-122	9.70
58-123	16.63	3"	59-123	10.36
58-124	17.78	3-1/2"	59-124	11.95
58-125	18.49	4"	59-125	12.16
58-126	23.41	4-1/2"	59-126	15.06
58-127	26.00	5"	59-127	14.96
58-128	28.10	5-1/2"	59-128	17.00
58-129	32.22	6"	59-129	16.81
		7"	59-130	26.53
		8"	59-131	28.02
		9"	59-132	32.45
		10"	59-133	36.25
		11"	59-134	38.38
		12"	59-135	37.24

**SCHEDULE 80 EXTRA HEAVY NIPPLES
1" DIAMETER**



Galvanized		Black		
Part #	List Price	Length	Part #	List Price
58-100	11.51	Close (1-1/2")	59-100	5.86
58-101	11.72	2"	59-101	6.14
58-102	13.14	2-1/2"	59-102	7.15
58-103	13.00	3"	59-103	7.73
58-104	14.94	3-1/2"	59-104	8.69
58-105	15.06	4"	59-105	9.37
58-106	18.26	4-1/2"	59-106	10.92
58-107	20.89	5"	59-107	11.15
58-108	21.46	5-1/2"	59-108	17.93
58-109	21.74	6"	59-109	13.14
		7"	59-110	22.72
		8"	59-111	23.69
		9"	59-112	27.02
		10"	59-113	25.60
		11"	59-114	30.83
		12"	59-115	30.90

**SCHEDULE 80 EXTRA HEAVY NIPPLES
1-1/2" DIAMETER**



Galvanized		Black		
Part #	List Price	Length	Part #	List Price
58-140	16.61	Close (1-3/4")	59-140	9.04
58-141	20.72	2"	59-141	10.12
58-142	19.82	2-1/2"	59-142	12.12
58-143	18.78	3"	59-143	12.07
58-144	25.88	3-1/2"	59-144	15.55
58-145	29.00	4"	59-145	14.48
58-146	26.39	4-1/2"	59-146	17.00
58-147	39.26	5"	59-147	16.91
58-148	30.79	5-1/2"	59-148	19.58
58-149	40.16	6"	59-149	19.31
		7"	59-150	32.45
		8"	59-151	33.96
		9"	59-152	37.84
		10"	59-153	41.63
		11"	59-154	46.51
		12"	59-155	50.28

NIPPLES & FITTINGS



**SCHEDULE 80 EXTRA HEAVY NIPPLES
2" DIAMETER**



Galvanized		Black		
Part #	List Price	Length	Part #	List Price
58-160	27.38	Close (2")	59-160	13.28
58-161	25.91	2-1/2"	59-161	15.19
58-162	26.03	3"	59-162	15.95
58-163	35.35	3-1/2"	59-163	17.16
58-164	32.32	4"	59-164	18.35
58-165	35.45	4-1/2"	59-165	29.77
58-166	39.26	5"	59-166	31.26
58-167	44.72	5-1/2"	59-167	33.79
58-168	46.72	6"	59-168	38.63
		7"	59-169	59.24
		8"	59-170	64.36
		9"	59-171	69.53
		10"	59-172	78.43
		11"	59-173	89.22
		12"	59-174	97.36


**SCHEDULE 80 EXTRA HEAVY BLACK
NIPPLES 3" DIAMETER**



Part #	Length	List Price
59-200	Close (2-5/8")	49.51
59-201	3"	58.73
59-202	3-1/2"	67.19
59-203	4"	64.80
59-204	4-1/2"	73.38
59-205	5"	75.55
59-206	5-1/2"	85.64
59-207	6"	77.16

**NIPPLES &
FITTINGS**

**SCHEDULE 80 EXTRA HEAVY BLACK
NIPPLES 2-1/2" DIAMETER**



Part #	Length	List Price
59-180	Close (2-1/2")	61.49
59-181	3"	45.19
59-182	3-1/2"	54.25
59-183	4"	52.63
59-184	4-1/2"	64.63
59-185	5"	62.87
59-186	5-1/2"	73.38
59-187	6"	69.53

**SCHEDULE 80 EXTRA HEAVY BLACK
NIPPLES 4" DIAMETER**



Part #	Length	List Price
59-220	Close (2-7/8")	110.50
59-221	4"	95.30
59-222	4-1/2"	112.52
59-223	5"	114.12
59-224	5-1/2"	114.86
59-225	6"	118.20

Save 5% by ordering online at
www.midlandindustrial.com



STANDARDS & SPECIFICATIONS

- DIMENSIONAL: ASTM A733 • MATERIAL: ASTM A 106 Grade B
- THREADING: ASME B 1.20.1 • Thicker walls • Excellent leak protection

For pressure ratings, see the knowledge bank on our website.

**SCHEDULE 80 SEAMLESS NIPPLES
1/8" DIAMETER**



Part #	Length	List Price
72-001	X Close (3/4")	9.32
72-002	x 1-1/2"	9.88
72-003	x 2"	10.66
72-004	x 2-1/2"	11.56
72-005	x 3"	12.83
72-006	x 3-1/2"	14.00
72-007	x 4"	15.55
72-008	x 4-1/2"	16.87
72-009	x 5"	23.18
72-010	x 5-1/2"	24.83
72-011	x 6"	26.66

**SCHEDULE 80 SEAMLESS NIPPLES
1/4" DIAMETER**



Part #	Length	List Price
72-020	X Close (7/8")	10.25
72-021	x 1-1/2"	11.22
72-022	x 2"	12.41
72-023	x 2-1/2"	13.51
72-024	x 3"	15.04
72-025	x 3-1/2"	16.70
72-026	x 4"	17.28
72-027	x 4-1/2"	20.12
72-028	x 5"	28.55
72-029	x 5-1/2"	30.12
72-030	x 6"	30.05

**SCHEDULE 80 SEAMLESS NIPPLES
3/8" DIAMETER**



Part #	Length	List Price
72-040	X Close (1")	11.87
72-041	x 1-1/2"	12.36
72-042	x 2"	13.51
72-043	x 2-1/2"	15.19
72-044	x 3"	17.06
72-045	x 3-1/2"	18.77
72-046	x 4"	20.46
72-047	x 4-1/2"	22.48
72-048	x 5"	29.96
72-049	x 5-1/2"	32.02
72-050	x 6"	34.09

**SCHEDULE 80 SEAMLESS NIPPLES
1/2" DIAMETER**



Part #	Length	List Price
72-060	X Close (1-1/8")	5.65
72-061	x 1-1/2"	6.43
72-062	x 2"	6.61
72-063	x 2-1/2"	7.82
72-064	x 3"	8.60
72-065	x 3-1/2"	9.76
72-066	x 4"	10.72
72-067	x 4-1/2"	11.80
72-068	x 5"	13.60
72-069	x 5-1/2"	14.81
72-070	x 6"	16.01

**SCHEDULE 80 SEAMLESS NIPPLES
3/4" DIAMETER**



Part #	Length	List Price
72-080	X Close (1-3/8")	6.37
72-081	x 1-1/2"	7.28
72-082	x 2"	7.64
72-083	x 2-1/2"	8.63
72-084	x 3"	9.60
72-085	x 3-1/2"	10.96
72-086	x 4"	12.04
72-087	x 4-1/2"	13.14
72-088	x 5"	14.99
72-089	x 5-1/2"	16.09
72-090	x 6"	17.30

**SCHEDULE 80 SEAMLESS NIPPLES
1" DIAMETER**



Part #	Length	List Price
72-100	X Close (1-1/2")	9.01
72-101	x 2"	10.25
72-102	x 2-1/2"	10.96
72-103	x 3"	12.82
72-104	x 3-1/2"	14.20
72-105	x 4"	15.88
72-106	x 4-1/2"	17.27
72-107	x 5"	19.99
72-108	x 5-1/2"	21.38
72-109	x 6"	22.81

**SCHEDULE 80 SEAMLESS NIPPLES
1-1/4" DIAMETER**



Part #	Length	List Price
72-120	X Close (1-5/8")	11.32
72-121	x 2"	11.76
72-122	x 2-1/2"	13.86
72-123	x 3"	16.10
72-124	x 3-1/2"	17.59
72-125	x 4"	19.68
72-126	x 4-1/2"	21.41
72-127	x 5"	24.83
72-128	x 5-1/2"	26.71
72-129	x 6"	28.55

**SCHEDULE 80 SEAMLESS NIPPLES
1-1/2" DIAMETER**



Part #	Length	List Price
72-140	X Close (1-3/4")	14.57
72-141	x 2"	15.42
72-142	x 2-1/2"	16.74
72-143	x 3"	19.28
72-144	x 3-1/2"	21.05
72-145	x 4"	23.56
72-146	x 4-1/2"	25.75
72-147	x 5"	29.80
72-148	x 5-1/2"	31.68
72-149	x 6"	33.50

**SCHEDULE 80 SEAMLESS NIPPLES
2" DIAMETER**



Part #	Length	List Price
72-160	X Close (2")	17.30
72-161	x 2-1/2"	19.42
72-162	x 3"	22.58
72-163	x 3-1/2"	24.29
72-164	x 4"	27.12
72-165	x 4-1/2"	29.27
72-166	x 5"	34.26
72-167	x 5-1/2"	37.00
72-168	x 6"	39.13

**SCHEDULE 80 SEAMLESS NIPPLES
2-1/2" DIAMETER**



Part #	Length	List Price
72-180	X Close (2-1/2")	57.49
72-181	x 3"	60.22
72-182	x 3-1/2"	64.85
72-183	x 4"	67.25
72-184	x 4-1/2"	70.88
72-185	x 5"	75.70
72-186	x 5-1/2"	79.49
72-187	x 6"	82.90

**SCHEDULE 80 SEAMLESS NIPPLES
3" DIAMETER**



Part #	Length	List Price
72-200	X Close (2-5/8")	72.52
72-201	x 3"	76.69
72-202	x 3-1/2"	81.92
72-203	x 4"	86.74
72-204	x 4-1/2"	91.54
72-205	x 5"	97.92
72-206	x 5-1/2"	102.88
72-207	x 6"	107.63

**SCHEDULE 80 SEAMLESS NIPPLES
4" DIAMETER**



Part #	Length	List Price
72-220	X Close (2-7/8")	103.30
72-223	x 4"	116.96
72-224	x 4-1/2"	123.76
72-225	x 5"	134.21
72-226	x 5-1/2"	139.55
72-227	x 6"	146.20

NIPPLES & FITTINGS



Max. pressure: 300 psi WOG @ 72°F; 150 psi WOG saturated steam

• Meet ANSI/ ASME B1.20.1 standards • Galvanized meet ASME B16.3 Standards • Black meet ASTM 197 standards

90° ELBOWS



Part #	Size	List Price
69-101	1/4"	18.89
69-102	3/8"	16.78
69-103	1/2"	9.30
69-104	3/4"	10.67
69-105	1"	15.83
69-106	1-1/4"	24.48
69-107	1-1/2"	32.91
69-108	2"	79.42

45° ELBOWS



Part #	Size	List Price
69-181	1/4"	29.51
69-182	3/8"	31.79
69-183	1/2"	31.30
69-184	3/4"	34.79
69-185	1"	41.14
69-186	1-1/4"	61.69
69-187	1-1/2"	79.69
69-188	2"	121.49

90° STREET ELBOWS



Part #	Size	List Price
69-161	1/4"	22.39
69-162	3/8"	26.83
69-163	1/2"	15.34
69-164	3/4"	21.62
69-165	1"	23.52
69-166	1-1/4"	26.91
69-167	1-1/2"	37.61
69-168	2"	128.74

TEES



Part #	Size	List Price
69-252	3/8"	25.18
69-253	1/2"	16.17
69-254	3/4"	17.42
69-255	1"	22.52
69-256	1-1/4"	35.55
69-257	1-1/2"	47.40
69-258	2"	73.65

COUPLINGS



Part #	Size	List Price
69-411	1/4"	15.79
69-412	3/8"	15.79
69-413	1/2"	9.57
69-414	3/4"	11.89
69-415	1"	14.49
69-416	1-1/4"	28.93
69-417	1-1/2"	44.53
69-418	2"	68.39

REDUCING COUPLING



Part #	Size	List Price
69-432	3/8 x 1/4"	25.74
69-434	1/2 x 1/4"	26.36
69-435	1/2 x 3/8"	25.10
69-438	3/4 x 1/2"	25.66
69-441	1 x 1/2"	36.60
69-442	1 x 3/4"	40.27

CAPS



Part #	Size	List Price
69-471	1/4"	17.45
69-472	3/8"	19.62
69-473	1/2"	19.81
69-474	3/4"	21.85
69-475	1"	28.69
69-476	1-1/4"	31.78
69-477	1-1/2"	46.45
69-478	2"	64.49

UNIONS



• Brass Seat

Part #	Size	List Price
69-600	1/8"	50.56
69-601	1/4"	50.56
69-602	3/8"	53.92
69-603	1/2"	50.56
69-604	3/4"	52.01
69-605	1"	54.29
69-606	1-1/4"	85.19
69-607	1-1/2"	115.96
69-608	2"	102.59


NIPPLES & FITTINGS

ASTMA105
ASME SA105
ANSI B16.5

Forged Steel Flanges


- A105 Forged Steel
- CLASS 150

(1-1/2 thru 6" available in #316 Stainless Steel add SS to part#)



SLIP-ON 1/16" RAISED FACE FORGED STEEL FLANGE

Part #	Size	List Price
107-020	1/2"	20.56
107-021	3/4"	20.59
107-022	1"	20.59
107-023	1-1/4"	20.59
107-024	1-1/2"	20.59
107-025	2"	22.88
107-026	2-1/2"	39.16
107-027	3"	31.08
107-029	4"	38.95
107-031	6"	64.05
107-032	8"	97.25
107-033	10"	167.84
107-034	12"	248.89



THREADED 1/16" RAISED FACE FORGED STEEL FLANGE

Part #	Size	List Price
107-060	1/2"	31.02
107-061	3/4"	31.02
107-062	1"	31.02
107-063	1-1/4"	31.02
107-064	1-1/2"	31.02
107-065	2"	34.75
107-066	2-1/2"	42.59
107-067	3"	42.85
107-069	4"	49.80
107-071	6"	86.14
107-072	8"	147.84
107-073	10"	268.71
107-074	12"	375.03

Nominal Pipe Size	Depth of Socket in. Y	DRILLING			Diameter of Bolts (inch)	BOLTING			APPROXIMATE WEIGHT		
		Bolt Circle Diameter	Number of Holes	Diameter of Holes		Machine Bolt Length	Stud Bolt Length		Welding Neck LBS	Slip-on and Threaded LBS	Blind LBS
							Raised Face	Ring Joint			
1/2	.382	2.382	4	.618	1/2	2.00	2.252	-	1.146	1.036	1.036
3/4	.441	2.752	4	.618	1/2	2.00	2.50	-	2.028	1.653	1.389
1	.500	3.118	4	.618	1/2	2.252	2.50	3.00	2.425	1.893	2.094
1-1/4	.559	3.50	4	.618	1/2	2.252	2.752	3.252	3.086	3.086	3.086
1-1/2	.618	3.882	4	.618	1/2	2.50	2.752	3.252	3.99	3.109	3.571
2	.689	4.752	4	.752	5/8	2.752	3.252	3.752	6.173	4.982	5.82
2-1/2	.752	5.5	4	.752	5/8	3.00	3.50	4.00	9.436	7.562	8.951
3	.811	6.0	4	.752	5/8	3.00	3.50	4.00	11.42	8.818	11.023
4	.941	7.50	8	.752	5/8	3.00	3.50	4.00	16.138	12.677	16.535
6	1.059	9.50	8	.882	3/4	3.252	4.00	4.50	24.824	17.196	26.455
8	1.252	11.752	8	.882	3/4	3.50	4.252	4.752	39.683	28.66	44.092
10	1.311	14.252	12	1.00	7/8	4.00	4.50	5.00	55.116	37.699	66.139
12	1.559	17	12	1.00	7/8	4.00	4.752	5.252	85.936	61.024	97.003




ASTMA105
ASME SA105
ANSI B16.5

Forged Steel Flanges


• A105 Forged Steel

• CLASS 150

(1-1/2 thru 6" available in #316 Stainless Steel add SS to part#)



WELD NECK FORGED STEEL FLANGE



BLIND 1/16" RAISED FACE FORGED STEEL FLANGE

NIPPLES & FITTINGS

Part #	Size	List Price
107-000	1/2"	30.11
107-001	3/4"	30.11
107-002	1"	30.11
107-003	1-1/4"	30.11
107-004	1-1/2"	30.11
107-005	2"	34.48
107-006	2-1/2"	37.49
107-007	3"	40.92
107-009	4"	49.67
107-011	6"	75.03
107-012	8"	132.55
107-013	10"	212.29
107-014	12"	308.50

Part #	Size	List Price
107-040	1/2"	24.71
107-041	3/4"	24.71
107-042	1"	24.71
107-043	1-1/4"	24.71
107-044	1-1/2"	24.71
107-045	2"	27.58
107-046	2-1/2"	41.96
107-047	3"	35.16
107-049	4"	49.28
107-051	6"	75.03
107-052	8"	123.11
107-053	10"	237.10
107-054	12"	357.10

Nominal Pipe Size	Outside Diameter	O.D of Raised Face	Diameter at Base of Hub	Thickness	BORE		LENGTH THRU HUB	
					Welding Neck Socket Welding	Welding Neck	Slip-on Threaded Socket Welding	
					B1	T1	T2	
1/2	3.504	1.382	1.189	.441	.618	1.882	.618	
3/4	3.898	1.689	1.50	.50	.819	2.059	.618	
1	4.252	2.00	1.941	.559	1.051	2.189	.689	
1-1/4	4.606	2.50	2.311	.618	1.382	2.252	.811	
1-1/2	5.00	2.882	2.559	.689	1.610	2.441	.882	
2	5.984	3.618	3.059	.752	2.071	2.50	1.00	
2-1/2	7.008	4.118	3.559	.882	2.469	2.752	1.118	
3	7.52	5.00	4.252	.941	3.071	2.752	1.189	
4	9.016	6.189	5.311	.941	4.031	3.00	1.311	
6	10.984	8.50	7.559	1.00	6.071	3.50	1.559	
8	13.504	10.618	9.689	1.118	7.980	4.00	1.752	
10	15.984	12.752	12.00	1.189	10.02	4.00	1.941	
12	19.016	15.00	14.382	1.252	12.00	4.50	2.189	



SWAGES

SWAGES

STANDARD BULL PLUG



Part #	Description	List Price
91-008	2"	34.20
91-009	2-1/2"	49.14
91-010	3"	60.33
91-011	4"	126.00

XH BULL PLUG



Part #	Description	List Price
90-001	1/4"	9.43
90-002	3/8"	8.59
90-003	1/2"	9.36
90-004	3/4"	16.95
90-005	1"	16.96
90-006	1-1/4"	15.64
90-007	1-1/2"	32.86
90-008	2"	36.00
90-212	2" w/ 1/2" TAP	32.87
90-009	2-1/2"	55.16
90-010	3"	60.67
90-011	4"	153.13

STANDARD SCH. 40 SWAGE



MIP X MIP

Part #	Description	List Price
93-113	1-1/4" x 1"	24.66
93-121	2" x 1"	35.33
93-122	2" x 1-1/4"	43.23
93-123	2" x 1-1/2"	54.61
93-124	2-1/2" x 2"	50.91
93-125	3" x 1"	119.81
93-127	3" x 1-1/2"	80.66
93-128	3" x 2"	75.00
93-129	3" x 2-1/2"	75.00
93-130	4" x 2"	126.00
93-131	4" x 3"	105.00

SCH 80 XH SWAGES

MIP X MIP

Part #	Description	List Price
90-100	1/4" x 1/8"	10.50
90-102	1/2" x 1/4"	8.90
90-103	1/2" x 3/8"	8.39
90-104	3/8" x 1/4"	10.65
90-105	3/4" x 1/4"	12.88
90-106	3/4" x 3/8"	13.86
90-107	3/4" x 1/2"	14.40
90-108	1" x 1/4"	16.60
90-109	1" x 3/8"	19.33
90-110	1" x 1/2"	20.10
90-111	1" x 3/4"	20.69
90-140	1-1/4" x 3/4"	27.55
90-141	1-1/4" x 1"	29.44
90-114	1-1/2" x 1/2"	24.18
90-115	1-1/2" x 3/4"	33.49
90-116	1-1/2" x 1"	36.86
90-117	1-1/2" x 1-1/4"	40.19
90-118	2" x 1/4"	44.20
90-119	2" x 1/2"	44.60
90-120	2" x 3/4"	46.16
90-121	2" x 1"	36.16
90-122	2" x 1-1/4"	38.30
90-123	2" x 1-1/2"	48.14
90-124	2-1/2" x 2"	55.15
90-125	3" x 1"	65.99
90-126	3" x 1-1/4"	69.49
90-127	3" x 1-1/2"	73.24
90-128	3" x 2"	76.01
90-129	3" x 2-1/2"	83.91
90-130	4" x 2"	104.59
90-131	4" x 3"	109.93
90-132	6" x 4"	533.40

XXH SWAGE


Part #	Description	List Price
92-102	1/2" x 1/4"	15.83
92-107	3/4" x 1/2"	24.11
92-108	1" x 1/4"	25.88
92-109	1" x 3/8"	25.88
92-110	1" x 1/2"	24.66
92-111	1" x 3/4"	24.66
92-114	1-1/2" x 1/2"	28.13
92-115	1-1/2" x 3/4"	28.13
92-116	1-1/2" x 1"	35.44
92-119	2" x 1/2"	42.09
92-120	2" x 3/4"	42.09
92-121	2" x 1"	51.28
92-122	2" x 1-1/4"	51.28
92-123	2" x 1-1/2"	51.28
92-128	3" x 2"	85.19

Product Specifications

These couplings are manufactured in accordance with American Petroleum Institute specifications 5L & 5B.

All couplings are phosphated.

All sizes are taper tapped 3/4" per foot on the diameter.



A105
• **Black Steel**

- Each end has a short, unthreaded space before the threads start.
- Use with sch 80 & sch. 160 nipples & pipe.
- Max. pressure: 300PSI

API LINE PIPE COUPLINGS

Part #	NPT Size	Threads per Inch	Outside Diameter	Length	Unit Weight	List Price
65770API	1/8"	27	0.563	1-1/16	0.04	3.19
65771API	1/4"	18	0.719	1-5/8	0.10	3.36
65772API	3/8"	18	0.875	1-5/8	0.13	4.16
65773API	1/2"	14	1.063	2-1/8	0.24	7.37
65774API	3/4"	14	1.313	2-1/8	0.35	7.60
65775API	1"	11.5	1.576	2-5/8	0.52	9.24
65776API	1-1/4"	11.5	2.054	2-3/4	1.00	12.50
65777API	1-1/2"	11.5	2.200	2-3/4	0.88	12.95
65778API	2"	11.5	2.875	2-7/8	1.83	24.53
65779API	2-1/2"	8	3.375	4-1/8	3.28	48.64
65780API	3"	8	4.000	4-1/4	4.09	63.51
65781API	4"	8	5.200	4-1/2	7.59	103.32
65783API	6"		7.390	4-5/8	12.92	196.56

ON PARTICULARLY ROUGH DAYS WHEN I'M SURE I CAN'T POSSIBLY ENDURE, I LIKE TO REMIND MYSELF THAT MY TRACK RECORD FOR GETTING THROUGH BAD DAYS SO FAR, IS 100% AND THAT'S PRETTY GOOD
- UNKOWN

“IF YOU CAN DREAM IT, YOU CAN DO IT.”

- WALT DISNEY

ALL OUR DREAMS CAN COME TRUE, IF WE HAVE THE COURAGE TO PURSUE THEM.

- WALT DISNEY

“LAUGHTER IS TIMELESS. IMAGINATION HAS NO AGE. AND DREAMS ARE FOREVER.”

- WALT DISNEY

“THE WAY TO GET STARTED IS TO QUIT TALKING AND BEGIN DOING. ”

- WALT DISNEY



- Water, oil and steam in the chemical, petrochemical, pulp, paper, shipbuilding, waste incineration and semiconductor industries.
- Max pressure determined by the fittings threaded into.
- 6,000 PSI use with sch 160 pipe.

FORGED BUSHING



Part #	Size	List Price
107-500	1/4" x 1/8"	2.87
107-501	3/8" x 1/8"	2.87
107-502	3/8" x 1/4"	1.75
107-503	1/2" x 1/8"	3.24
107-504	1/2" x 1/4"	1.75
107-505	1/2" x 3/8"	1.75
107-508	3/4" x 3/8"	3.98
107-509	3/4" x 1/2"	2.35
107-510	1" x 1/4"	6.47
107-511	1" x 3/8"	5.78
107-512	1" x 1/2"	3.70
107-513	1" x 3/4"	3.16
107-515	1-1/4" x 3/8"	9.42
107-516	1-1/4" x 1/2"	10.55
107-517	1-1/4" x 3/4"	10.55
107-518	1-1/4" x 1"	9.42
107-521	1-1/2" x 1/2"	12.16
107-522	1-1/2" x 3/4"	12.16
107-523	1-1/2" x 1"	4.82
107-524	1-1/2" x 1-1/4"	10.85
107-527	2" x 1/2"	18.23
107-528	2" x 3/4"	11.76
107-529	2" x 1"	18.23
107-530	2" x 1-1/4"	16.28
107-531	2" x 1-1/2"	10.45
107-532	2-1/2" x 1"	51.06
107-533	2-1/2" x 1-1/4"	51.06
107-534	2-1/2" x 1-1/2"	51.06
107-535	2-1/2" x 2"	51.06
107-550	3" x 1"	78.98
107-537	3" x 1-1/2"	78.98
107-538	3" x 2"	78.98
107-539	3" x 2-1/2"	78.98

The moon moves about two inches away from the Earth each year

HEX HEAD FORGED PLUG



Part #	Size	List Price
107-630	1/8"	1.96
107-631	1/4"	1.96
107-632	3/8"	2.03
107-633	1/2"	1.81
107-634	3/4"	3.77
107-635	1"	5.31
107-636	1-1/4"	8.04
107-637	1-1/2"	12.82
107-638	2"	17.75
107-639	2-1/2"	40.03
107-640	3"	73.12
107-641	4"	120.34

SQUARE HEAD FORGED PLUG



• Solid

Part #	Size	List Price
107-670	1/8"	2.08
107-671	1/4"	2.08
107-672	3/8"	2.10
107-673	1/2"	2.65
107-674	3/4"	2.70
107-675	1"	4.16
107-676	1-1/4"	10.06
107-677	1-1/2"	9.75
107-678	2"	15.35
107-679	2-1/2"	41.64
107-680	3"	69.69

2000 LB FORGED STEEL THREADED FITTINGS

ASTM: A105 ANSI: B16.11

90° ELBOWS



Part #	Size	List Price
100-100	1/8"	11.79
100-101	1/4"	6.02
100-102	3/8"	7.67
100-103	1/2"	6.04
100-104	3/4"	7.06
100-105	1"	8.09
100-106	1-1/4"	27.29
100-107	1-1/2"	22.91
100-108	2"	26.75
100-109	2-1/2"	83.10
100-110	3"	130.62
100-111	4"	436.80

45° ELBOWS



Part #	Size	List Price
100-181	1/4"	18.10
100-182	3/8"	14.84
100-183	1/2"	12.89
100-184	3/4"	14.44
100-179	1"	16.89
100-186	1-1/4"	26.72
100-187	1-1/2"	33.63
100-188	2"	52.45
100-189	2-1/2"	103.32
100-190	3"	178.20
100-191	4"	436.80

TEES



Part #	Size	List Price
100-251	1/4"	7.47
100-252	3/8"	12.49
100-253	1/2"	7.47
100-254	3/4"	14.55
100-255	1"	13.91
100-256	1-1/4"	35.76
100-257	1-1/2"	43.23
100-258	2"	36.47
100-259	2-1/2"	102.36
100-260	3"	175.86
100-261	4"	468.42

CROSS



Part #	Size	List Price
100-392	3/8"	34.05
100-393	1/2"	33.70
100-394	3/4"	37.49
100-395	1"	44.02
100-396	1-1/4"	80.43
100-397	1-1/2"	98.65
100-398	2"	135.06

FORGED STEEL 3000# FITTINGS

90° ELBOWS



Part #	Size	List Price
101-100	1/8"	12.52
101-101	1/4"	19.98
101-102	3/8"	18.07
101-103	1/2"	10.11
101-104	3/4"	12.12
101-105	1"	17.57
101-106	1-1/4"	51.00
101-107	1-1/2"	44.11
101-108	2"	53.62
101-109	2-1/2"	165.54
101-110	3"	183.48
101-111	4"	637.74

***For 3000# Socket Weld Forged Steel fittings, replace the 101 part# prefix with a 111 prefix.**

*** Special Order**

STREET ELBOWS



Part #	Size	List Price
101-161	1/4"	20.52
101-162	3/8"	18.07
101-163	1/2"	18.18
101-164	3/4"	23.48
101-165	1"	31.29
101-166	1-1/4"	82.76
101-167	1-1/2"	100.03
101-168	2"	100.80

45° ELBOWS



Part #	Size	List Price
101-180	1/8"	15.89
101-181	1/4"	15.89
101-182	3/8"	15.89
101-183	1/2"	14.96
101-184	3/4"	27.16
101-185	1"	36.98
101-186	1-1/4"	32.45
101-187	1-1/2"	73.39
101-188	2"	101.27
101-189	2-1/2"	165.54
101-190	3"	210.12

TEES



Part #	Size	List Price
101-250	1/8"	15.21
101-251	1/4"	10.71
101-252	3/8"	10.28
101-253	1/2"	14.62
101-254	3/4"	18.94
101-255	1"	26.38
101-256	1-1/4"	41.74
101-257	1-1/2"	54.91
101-258	2"	79.96
101-259	2-1/2"	226.80
101-260	3"	287.88
101-261	4"	494.88

NIPPLES & FITTINGS

FORGED STEEL FITTINGS

FORGED STEEL 3000# FITTINGS

3000 LB FORGED STEEL THREADED FITTINGS

ASTM A105/ASME SA105 & ANSI B16.11

CROSS



Part #	Size	List Price
101-390	1/8"	65.67
101-391	1/4"	57.48
101-392	3/8"	57.48
101-393	1/2"	58.06
101-394	3/4"	76.62
101-395	1"	118.09
101-396	1-1/4"	142.83
101-397	1-1/2"	190.31
101-398	2"	256.55
101-399	2-1/2"	322.20
101-400	3"	456.54
101-401	4"	650.40

CAPS



Part #	Size	List Price
101-470	1/8"	4.64
101-471	1/4"	5.15
101-472	3/8"	4.40
101-473	1/2"	4.87
101-474	3/4"	7.64
101-475	1"	14.35
101-476	1-1/4"	25.88
101-477	1-1/2"	27.61
101-478	2"	39.74
101-479	2-1/2"	78.30
101-480	3"	144.30
101-481	4"	182.10

REDUCING COUPLINGS

Part #	Size	List Price
101-431	1/4" x 1/8"	7.48
101-432	3/8" x 1/8"	7.81
101-433	3/8" x 1/4"	7.81
101-434	1/2" x 1/4"	11.70
101-435	1/2" x 3/8"	11.70
101-437	3/4" x 3/8"	13.89
101-438	3/4" x 1/2"	8.85
101-440	1" x 3/8"	18.09
101-441	1" x 1/2"	18.09
101-442	1" x 3/4"	20.26
101-443	1-1/4" x 3/8"	31.67
101-444	1-1/4" x 1/2"	31.67
101-445	1-1/4" x 3/4"	31.67
101-446	1-1/4" x 1"	35.47
101-447	1-1/2" x 1/2"	38.53
101-449	1-1/2" x 1"	34.40
101-450	1-1/2" x 1-1/4"	34.40
101-451	2" x 3/4"	55.87
101-452	2" x 1"	55.87
101-453	2" x 1-1/4"	55.87
101-454	2" x 1-1/2"	55.87
101-458	2" x 1/2"	49.88
101-459	2-1/2" x 1-1/2"	148.22
101-460	2-1/2" x 2"	132.34
101-461	3" x 1-1/2"	175.02
101-462	3" x 2"	180.33
101-463	3" x 2-1/2"	175.02
101-464	4" x 1-1/2"	267.97
101-465	4" x 2"	267.97
101-466	4" x 2-1/2"	267.97
101-467	4" x 3"	267.97

HALF COUPLINGS



Part #	Size	List Price
101-770	1/8"	2.49
101-771	1/4"	2.79
101-772	3/8"	2.89
101-773	1/2"	3.58
101-774	3/4"	5.14
101-775	1"	7.04
101-776	1-1/4"	14.29
101-777	1-1/2"	13.96
101-778	2"	22.79
101-779	2-1/2"	33.42
101-780	3"	59.16
101-781	4"	103.32

COUPLINGS



Part #	Size	List Price
101-410	1/8"	3.16
101-411	1/4"	3.16
101-412	3/8"	3.16
101-413	1/2"	4.12
101-414	3/4"	5.36
101-415	1"	9.32
101-416	1-1/4"	15.53
101-417	1-1/2"	19.73
101-418	2"	25.07
101-419	2-1/2"	26.82
101-420	3"	94.20
101-421	4"	177.72


UNIONS




Part #	Size	List Price
101-600	1/8"	18.25
101-601	1/4"	18.06
101-602	3/8"	18.60
101-603	1/2"	17.32
101-604	3/4"	21.38
101-605	1"	27.94
101-606	1-1/4"	44.32
101-607	1-1/2"	52.86
101-608	2"	71.67
101-609	2-1/2"	181.62
101-610	3"	135.66
101-611	4"	396.54

EVERYONE YOU WILL EVER MEET KNOWS
SOMETHING YOU DON'T
- BILL NYE

NIPPLES &
FITTINGS



MALE (FITTING)



FEMALE (COPPER)

Nominal Size	Joint Ends										Metal Thickness T (in)	Inside Diameter O (in)	
	Male End					Female End							
	Outside Diameter (A) in	Average Tolerance (mm)	Actual MIN in	O.D. MAX in	Length (Min) H (in)	Inside Diameter F (in)	Average Tolerance (mm)	Actual MIN in	O.D. MAX in	Length (Min) G (in)			
1/8	2/8	0.03	2/8	2/8	3/8	2/8	0.03	2/8	2/8	3/8	0	2/8	
1/4	3/8		3/8	3/8	3/8	3/8		3/8	3/8	3/8	3/8	0	2/8
3/8	4/8		4/8	4/8	3/8	4/8		4/8	4/8	4/8	3/8	0	3/8
1/2	5/8		5/8	5/8	4/8	5/8		5/8	5/8	5/8	3/8	0	4/8
5/8	6/8		6/8	6/8	5/8	6/8		6/8	6/8	6/8	5/8	0	4/8
3/4	7/8		7/8	7/8	6/8	7/8		7/8	7/8	7/8	5/8	0	5/8
1	1-1/8	0.04	1-1/8	1-1/8	7/8	1-1/8	0.04	1-1/8	1-1/8	7/8	0	7/8	
1-1/4	1-3/8		1-3/8	1-3/8	1	1-3/8		1-3/8	1-3/8	1	0	1-1/8	
1-1/2	1-5/8	0.05	1-5/8	1-5/8	1-1/8	1-5/8	0.05	1-5/8	1-5/8	1-1/8	0	1-3/8	
2	2-1/8		2-1/8	2-1/8	1-3/8	2-1/8		2-1/8	2-1/8	1-2/8	0	1-6/8	
2-1/2	2-5/8		2-5/8	2-5/8	1-4/8	2-5/8		2-5/8	2-5/8	1-4/8	1/8	2-1/8	
3	3-1/8		3-1/8	2-1/8	1-6/8	3-1/8		3-1/8	3-1/8	1-5/8	1/8	2-5/8	
4	4-1/8	0.08	4-1/8	4-1/8	2-1/8	4-1/8	0.08	4-1/8	4-1/8	2-1/8	1/8	3-4/8	
5	5-1/8		1-1/8	5-1/8	2-6/8	5-1/8		5-1/8	5-1/8	2-5/8	1/8	4-5/8	
6	6-1/8		6-1/8	6-1/8	3-2/8	6-1/8		6-1/8	6-1/8	3-1/8	1/8	5-6/8	
8	8-1/8		8-1/8	8-1/8	4-1/8	8-1/8		8-1/8	8-1/8	3-7/8	1/8	7-4/8	
10	10-1/8	0.35	10-1/8	10-1/8	4-4/8	10-2/8	0.35	10-1/8	10-2/8	4-3/8	2/8	9-2/8	

- NSF - 61 certified
- Temp range 32° to 200°F


Pressure @100° - 1/8-1 : 500 PSI
 - 1-1/4-2 : 400 PSI
 - 2-1/2 - 3: 300 PSI

Symbol of Joint Ends

- C** Solder joint fitting end made to receive copper tube diameter
- Ftg.** Solder joint fitting end made to copper tube diameter
- F** Internal ANSI Standard Taper Pipe Thread-Female
- M** External ANSI Standard Taper Pipe Thread-Male

The above conforms to ASTM B 88 & ASTM B 306

Warranty: Seller warrants that all fittings will be free from defects in materials and construction that will impair their usefulness, provided they are used as recommended. Any fitting that proves to be defective will be replaced or a credit issued but no incidental labor charges, expenses or damages will be allowed.



COPPER FITTINGS

WROT SOLDER JOINT

90° Ell C x C



WE-500-R
607-R
107-C

* See website for larger sizes

Part#	Nominal (ID)	OD	Approx Net Wt.	Ind #	List Price
77-100	1/8"	1/4"	0.01	W 02003	4.74
77-101	1/4"	3/8"	0.01	W 02009	4.99
77-102	3/8"	1/2"	0.03	W 02017	4.74
77-104	1/2"	5/8"	0.04	W 02022	1.58
77-107	5/8"	3/4"	0.07	W 02028	9.62
77-108	3/4"	7/8"	0.09	W 02034	3.56
77-110	1"	1-1/8"	0.17	W 02047	8.73
77-113	1-1/4"	1-3/8"	0.27	W 02077	13.18
77-114	1-1/2"	1-5/8"	0.41	W 02085	20.55
77-116	2"	2-1/8"	0.73	W 02086	37.46
77-118	2-1/2"	2-5/8"	1.16	W 02087	74.95
77-119	3"	3-1/8"	1.87	W 02088	100.18
77-120	4"	4-1/8"	3.79	W 02090	256.42
77-103	3/8" x 1/4"		0.03	W 02019	8.21
77-105	1/2"x3/8"		-	W 02023	13.25
77-109	3/4" x 1/2"		0.12	W 02036	9.20
77-112	1"x1/2"		0.23	W 02051	18.84
77-111	1"x3/4"		0.23	W 02049	16.86
77-117	2"x1-1/2"		0.73	W 02078	76.05

90° Street Ell Ftg. x C



* See website for larger sizes

77-124	1/4"		0.01	W 02312	8.75
77-125	3/8"		0.03	W 02321	6.04
77-126	1/2"		0.05	W 01652	2.42
77-127	5/8"		0.07	W 02330	9.94
77-128	3/4"		0.12	W 01654	5.13
77-129	1"		0.22	W 02344	13.26
77-130	1-1/4"		0.33	W 02384	20.10
77-131	1-1/2"		0.45	W 02385	26.33
77-132	2"		0.87	W 02386	57.35
77-134	3"		1.93	W 02388	145.96

90° Long Turn Ell C x C



WE-500-L
607-LT
107-L

* See website for larger sizes

77-139	1/8"		0.01	W 02715	8.89
77-140	1/4"		0.02	W 02716	6.70
77-141	5/16"		0.03		8.31
77-142	3/8"		0.04	W 02717	8.44
77-143	1/2"		0.06	W 02722	7.20
77-144	5/8"		0.10	W 02728	7.29
77-145	3/4"		0.15	W 02734	9.32

90° Long Turn Street Ell Ftg. x C



WE-503-L
607-2LT

* See website for larger sizes

77-152	1/8"		0.01		9.97
77-153	1/4"		0.22	W 02809	7.93
77-154	3/8"		0.04	W 02817	15.50
77-155	1/2"		0.06	W 02822	10.84
77-156	5/8"		0.11	W 02828	12.81
77-157	3/4"		0.15	W 02834	12.95

Cast Fittings available upon request

45° ELL C x C

**WE-504
606
106**



Part#	Nominal	Approx Net Wt.	Ind #	List Price
77-161	1/8"	0.01	W 03005	11.91
77-162	1/4"	0.01	W 03012	8.89
77-163	3/8"	0.02	W 03021	7.61
77-164	1/2"	0.04	W 03026	2.91
77-165	5/8"	0.06	W 03030	13.78
77-166	3/4"	0.10	W 03034	5.08
77-167	1"	0.19	W 03044	12.78
77-168	1-1/4"	0.27	W 03050	17.28
77-169	1-1/2"	0.39	W 03055	20.81
77-170	2"	0.75	W 03059	34.76
77-171	2-1/2"	1.23	W 03063	74.05

* See website for larger sizes

**Street 45°
Ftg. x C**

**WE-505
606-2**




77-177	1/4"	0.01	W 03312	13.25
77-178	3/8"	0.02	W 03321	10.39
77-179	1/2"	0.06	W 03326	3.47
77-180	5/8"	0.06	W 03330	21.91
77-181	3/4"	0.10	W 03334	5.13
77-182	1"	0.18	W 03344	16.86
77-183	1-1/4"	0.27	W 03350	21.27
77-184	1-1/2"	0.38	W 03355	26.01
77-185	2"	0.75	W 03359	41.36

* See website for larger sizes

**Coupling (Socket)
w/Rolled Tube Stop
C x C**

**WC-400
100**



77-201	1/8"	0.01	W 01003	1.41
77-202	1/4"	0.01	W 01009	1.17
77-203	3/8"	0.02	W 01017	1.53
77-204	1/2"	0.03	W 01022	1.20
77-205	5/8"	0.04	W 01028	3.45
77-206	3/4"	0.06	W 01034	2.41
77-207	1"	0.10	W 01047	4.81
77-208	1-1/4"	0.15	W 01055	8.53
77-209	1-1/2"	0.22	W 01063	11.28
77-210	2"	0.39	W 01072	18.84
77-211	2-1/2"	0.71	W 01082	42.39
77-212	3"	0.98	W 01092	16.44
77-214	4"	2.01	W 10107	139.74

* See website for larger sizes

**Coupling (Socket)
Less Tube Stop
C x C**

**WC-400NS
601**



77-219	1/8"	0.01	W 01900	2.29
77-220	1/4"	0.01	W 01901	1.25
77-222	1/2"	0.03	W 01903	1.58
77-223	3/4"	0.06	W 01905	4.07
77-224	1"	0.10	W 01906	6.95
77-225	1-1/4"	0.15	W 01907	10.48
77-226	1-1/2"	0.22	W 01908	14.16
77-227	2"	0.39	W 01909	23.94

* See website for larger sizes

Cast Fittings available upon request

COPPER FITTINGS

WROT SOLDER JOINT

**Coupling (Socket)
w/Dimpled Tube Stop
C x C**



WC-400S

Part#	Nominal	Approx Net Wt.	Ind #	List Price
77-238	1/2"	0.03		1.73
77-240	3/4"	0.06		3.68
77-241	1"	0.10		6.82
77-242	1-1/4"	0.15		12.72
77-244	2"	0.39		23.26
77-247	4"	2.01		126.12

**Reducer Coupling
w/ Stop
C x C**



**WC-400R
600-R**

• 21 more sizes available -
see website

77-252	1/4" x 1/8"	0.01	W 01011	8.10
77-253	3/8" x 1/4"	0.02	W 01019	2.57
77-256	1/2" x 1/4"	0.03	W 01023	3.04
77-255	1/2" x 3/8"	0.03	W 01021	2.50
77-258	5/8" x 1/2"	0.04	W 01025	6.12
77-263	3/4" x 3/8"	0.06	W 01036	5.40
77-262	3/4" x 1/2"	0.06	W 01029	4.27
77-267	1"x1/2"	0.10	W 01049	9.36
77-265	1"x3/4"	0.12	W 01038	7.92
77-270	1 -1/4" x 1/2"	0.14	W 01058	19.21
77-269	1 -1/4" x 3/4"	0.17	W 01056	11.11
77-268	1-1/4" x 1"	0.17	W 01051	11.11
77-274	1-1/2" x 1/2"	0.19	W 01067	19.54
77-273	1 -1/2" x 3/4"	0.25	W 01065	18.40
77-272	1-1/2" x1"	0.24	W 01064	18.40
77-271	1-1/2" x 1-1/4"	0.24	W 01060	18.40
77-277	2" x 1"	0.48	W 01074	30.00
77-276	2 x 1-1/4"	0.46	W 01073	28.45
77-275	2" x 1-1/2"	0.42	W 01069	28.45
77-280	2-1/2"x2"	0.79	W 01075	62.91
77-284	3" x 2-1/2"	1.15	W 01093	78.42

Fitting Reducer

Ftg. x C



**WC-403
600-2**

• 16 more sizes available -
see website

77-292	3/8" x 1/8"	0.01	W 01314	4.29
77-291	3/8" x 1/4"	0.02	W 01312	3.49
77-294	1/2" x 1/4"	0.03	W 01317	3.13
77-293	1/2" x 3/8"	0.03	W01315	2.55
77-295	5/8" X 1/2"	0.03	W 01320	6.80
77-298	3/4" x 3/8"	0.05	W 01327	5.60
77-297	3/4" x 1/2"	0.06	W 01326	6.02
77-296	3/4" x 5/8"	0.08	W 01325	4.34
77-352	1" x 1/2"	0.10	W 01265	8.60
77-300	1"x3/4"	0.11	W 01337	6.60
77-356	1 -1/4" x 1/2"	0.14	W 01347	12.41
77-355	1 -1/4" x 3/4"	0.15	W 01345	12.41
77-354	1-1/4" x1"	0.17	W 01343	14.94
77-360	1 -1/2" x 1/2"	0.21	W 01355	15.80
77-359	1 -1/2" x 3/4"	0.21	W 01353	15.80
77-358	1-1/2"x1"	0.22	W 01351	22.00
77-357	1 -1/2" X 1-1/4"	0.21	W 01350	21.14
77-365	2" x 1/2"	0.44	W 01364	33.28
77-364	2" x 3/4"	0.39	W 01362	31.36
77-363	2" x 1"	0.40	W 01360	31.36
77-362	2" x 1 -1/4"	0.38	W 01359	29.75
77-361	2" x 1-1/2"	0.39	W 01358	29.75
77-370	3" x 2-1/2"	0.93	W 01376	76.05


Flush Bushing
Ftg. x C
WC-106
618



Part#	Nominal	Approx Net Wt.	Ind #	List Price
77-382	3/4" x 1/2"	0.08	W 01726	6.12
77-383	3/4" x 5/8"	0.04	W 01725	6.39
77-385	1" x 3/4"	0.13	W 01737	9.38
77-387	1" x 1/2"	0.22	W 01739	10.55

NIPPLES & FITTINGS

Male Adapter
C x M
WC-401
604



77-398	3/8"	0.06	W 01125	10.09
77-401	1/2"	0.08	WB01131	4.69
77-306	3/4"	0.14	WB01146	5.56
77-309	1"	0.24	WB01163	14.36
77-314	1-1/4"	0.41	W 01171	21.27
77-318	1-1/2"	0.50	W 01179	24.42
77-322	2"	0.87	W 01187	41.36
77-323	2-1/2"	0.87	W 01187	41.36
77-395	1/4" x 1/2"	0.09	W 01113	9.66
77-303	1/2" x 3/4"	0.16	W 01130	12.29
77-304	1/2" x 1"	0.16	W 01130	13.00
77-307	3/4" x 1"	0.29	W 01145	21.27
77-312	1" x 3/4"	0.18	W 01164	21.27
77-320	1-1/2" x 1-1/4"	0.44	W 01180	49.46

• 14 more reducing sizes available

* See website for larger sizes

Fitting Male Adapters

Ftg. x M
WC-404
604-2



77-331	1/2"	0.09	W 01431	14.63
77-332	1/2" x 3/4"	0.15		33.82
77-333	3/4"	0.15	W 01446	18.84
77-334	1"	0.15	W 01463	16.39
77-335	1-1/4"	0.41	W 01471	73.99
77-336	1-1/2"	0.41	W 0147X9	77.59
77-337	2"	0.86	W 01487	144.90

Send Midland all your quotes!

Can't find it here? Ask us for price & availability.



MIDLAND METAL APP

SEE INSIDE FRONT COVER



COPPER FITTINGS

WROT SOLDER JOINT

**Female Adapters
C x F
WC402
603
WC402R
603R**



• More sizes available

**Fitting Female Adapt.
Ftg. x F**



WC405
603-2

WC405R
603R

**Cap
WC-415
617**



**Unions C x C
WC-407**



**U-Type Strap
WS-1100**



Part#	Nominal	Approx Net Wt.	Ind #	List Price
77-340	3/8"	0.06	W 01225	13.86
77-343	1/2"	0.10	WB01231	6.88
77-349	3/4"	0.14	WB01246	12.83
77-402	1"	0.24	WB01263	16.69
77-406	1-1/4"	0.43	W 01271	24.42
77-410	1-1/2"	0.58	W 01279	38.21
77-413	2"	0.74	W 01287	51.89
77-416	3"	1.83	W 01297	286.49
77-341	3/8" x 1/2"	0.10	W 01224	10.75
77-347	1/2" x 1/4"	0.05	W 01233	8.19
77-346	1/2"x3/8"	0.70	W 01232	8.19
77-345	1/2" x 3/4"	0.15	WB01230	11.40
77-351	3/4" x 1/2"	0.11	W 01247	11.40
77-405	1"x 1/2"	0.29	W 01265	30.56
77-404	1"x3/4"	0.22	W 01264	24.42
77-411	1-1/4" x 1"	0.47	W01297	19.27
77-407	1-1/4" x 1-1/2"	0.52	W 01270	52.18

77-419	3/8"	0.05	W 01525	14.42
77-420	1/2"	0.11	W 01531	10.48
77-423	3/4"	0.19	W 01546	13.55
77-424	1"	0.25	W 01563	24.20
77-426	1-1/2"	0.55	W 01579	51.34
77-427	2"	0.68	W 01587	68.22

77-429	1/4"	0.01	W 07004	1.46
77-430	3/8"	0.01	W 07006	2.31
77-431	1/2"	0.02	WB07007	1.15
77-432	5/8"	0.03	W 07008	2.76
77-433	3/4"	0.04	WB07009	2.15
77-434	1"	0.08	WB07011	5.08
77-435	1-1/4"	0.11	W 07012	6.80
77-436	1-1/2"	0.18	W 07013	9.99
77-437	2"	0.30	W 07014	18.37
77-438	2-1/2"	0.78	W07015	52.81

77-453	1/4"	0.11	W 08001	88.14
77-454	3/8"	0.11	W 08002	44.82
77-455LF	1/2"	0.17	W 08003	19.83
77-456LF	3/4"	0.37	W 08004	32.38
77-457LF	1"	0.51	W 08005	54.52
77-606LF	1-1/4"	0.98	W08006	55.33
77-607LF	1-1/2"	1.21	W08007	101.09
77-608LF	2"		W08008	180.36

77-461	1/2"	0.03	A 02529	0.90
77-462	3/4"	0.03	A 02574	1.52
77-463	1"	0.04	A 02614	1.61
77-464	1-1/4"	0.04	A 02650	1.94
77-465	1-1/2"	0.05	A 02675	2.31
77-466	2"	0.06	A 02708	2.58

NIPLLES & FITTINGS

Lead Free Cast Solder Fittings available- See our Website

**Tee
C x C x C**



• See our website for more sizes

Part#	Nominal 1 x 2 x 3	Approx Net Wt.	Ind #	List Price
77-467	1/8"	0.02	W 40306	9.45
77-468	1/4"	0.03	W 04000	9.97
77-470	3/8"	0.05	W 04001	8.00
77-473	1/2"	0.08	WB04006	2.71
77-481	5/8"	0.12	W 04017	17.40
77-483	3/4"	0.18	WB04031	6.52
77-490	1"	0.35	WB04048	20.15
77-504	1-1/4"	0.58	W 04068	27.53
77-519	1-1/2"	0.72	W 04084	42.46
77-543	2"	1.35	W 40102	66.21
77-563	2-1/2"	2.21	W 40123	133.59
77-560	3"	2.75	W 40152	133.59
77-474	1/2"x1/2"x1"	0.13	W 04067	26.75
77-489	3/4"x1/2"x1/2"	0.15	WB04043	7.69
77-488	3/4" x 1/2" x 3/4"	0.19	WB04041	7.69
77-486	3/4" x 3/4" x 1/2"	0.15	WB04033	6.27
77-485	3/4"x3/4"x1"	0.25	W 04065	21.91
77-502	1"x1/2"x3/4"	0.34	W 04062	25.32
77-501	1"x1/2"x1"	0.34	W 04061	24.00
77-500	1"x3/4"x1/2"	0.27	W 04058	24.00
77-499	1"x3/4"x3/4"	0.31	W 04056	24.04
77-498	1"x3/4"x1"	0.38	W 04055	24.04
77-496	1"x1"x1/2"	0.24	WB04051	20.23
77-493	1"x1"x3/4"	0.29	WB04049	20.23
77-492	1"x1"x 1-1/4"	0.64	W 04082	44.98
77-518	1 -1/4"x 1/2" x 1-1/4"	0.58	W 04083	39.10
77-516	1-1/4"x3/4"x3/4"	0.60	W 04080	38.21
77-514	1 -1/4" x 3/4" x 1-1/4"	0.63	W 04078	38.21
77-511	1-1/4" x 1"x1"	0.50	W 04074	38.21
77-510	1-1/4" x 1"x 1-1/4"	0.62	W 04073	39.10
77-509	1-1/4"x1-1/4"x1/2"	0.33	W 04071	29.76
77-508	1-1/4" x 1-1/4" x 3/4"	0.39	W 04070	29.76
77-507	1-1/4"x1-1/4"x1"	0.47	W 04069	29.76
77-506	1 -1/4" x1 -1/4" x 1-1/2"	0.79	W 40100	64.48
77-524	1 -1/2" x 1 -1/2" x 1/2"	0.46	W 04088	31.60
77-523	1 -1/2" x 1-1/2" x 3/4"	0.51	W 04087	31.60
77-522	1-1/2" x 1-1/2" x1"	0.60	W 04086	31.60
77-521	1-1/2"x1-1/2"x 1-1/4"	0.72	W 04085	30.55
77-560	2"x1"x1"	0.98	W 40247	86.08
77-559	2"x1"x2"	1.34	W 40245	86.08
77-556	2" x 1-1/4" x 1-1/4"	1.14	W 40117	93.37
77-554	2" x 1 -1/2" x 3/4"	1.40	W 40113	86.08
77-549	2"x2"x1/2"	0.77	W 40107	50.01
77-548	2" x 2" x 3/4"	0.90	W 40106	50.01
77-547	2"x2"x1"	0.99	W 40105	51.60
77-546	2" x 2" x 1-1/4"	1.01	W 40104	57.25
77-545	2" x 2" x 1-1/2"	1.17	W 40103	51.60
77-588	3"x3"x1"	2.14	W 04075	171.51
77-587	3" x 3" x 1-1/4"	2.18	W 04074	171.51
77-585	3"x 3" x 2"	2.53	W 40150	171.51

Cast Fittings available upon request

Machined Schedule 80 PVC nipples comply fully with ASTM D2464, threads conform to ASTM F1498, and the pipe is extruded from PVC 1120-1220 meeting ASTM D1784 and meets ASTM D1785, products standard 21-70



- Dark Grey
- NSF-61 Cert.

1/2" DIAMETER

Part #	Length	List Price
55-060	X Close (1-1/8")	0.74
55-061	1-1/2"	0.87
55-062	2"	0.74
55-063	2-1/2"	0.92
55-064	3"	0.84
55-065	3-1/2"	0.94
55-066	4"	1.19
55-067	4-1/2"	1.19
55-068	5"	1.19
55-069	5-1/2"	1.31
55-070	6"	1.23
55-072	8"	1.87
55-076	12"	1.90
55-241	24"	3.70
55-243	36"	6.09

3/4" DIAMETER

Part #	Length	List Price
55-080	X Close (1-3/8")	0.75
55-081	1-1/2"	0.82
55-082	2"	0.85
55-083	2-1/2"	0.82
55-084	3"	0.84
55-085	3-1/2"	1.02
55-086	4"	1.12
55-087	4-1/2"	1.39
55-088	5"	1.28
55-089	5-1/2"	1.44
55-090	6"	1.73
55-250	18"	4.58
55-253	36"	11.08

1" DIAMETER

Part #	Length	List Price
55-100	X Close (1-1/2")	1.23
55-101	2"	1.38
55-102	2-1/2"	1.39
55-103	3"	1.95
55-104	3-1/2"	1.44
55-105	4"	1.55
55-106	4-1/2"	1.81
55-107	5"	1.93
55-108	5-1/2"	2.01
55-109	6"	2.56
55-111	8"	3.03
55-115	12"	3.56

1-1/4" DIAMETER

Part #	Length	List Price
55-120	X Close (1-5/8")	2.06
55-121	2"	1.76
55-122	2-1/2"	1.96
55-123	3"	2.68
55-124	3-1/2"	2.44
55-125	4"	2.94
55-126	4-1/2"	2.80
55-127	5"	2.82
55-128	5-1/2"	3.47
55-129	6"	3.51

1-1/2" DIAMETER

Part #	Length	List Price
55-140	X Close (1-5/8")	2.14
55-141	2"	2.04
55-142	2-1/2"	4.13
55-143	3"	2.90
55-144	3-1/2"	2.95
55-145	4"	2.91
55-146	4-1/2"	3.29
55-147	5"	3.52
55-148	5-1/2"	3.72
55-149	6"	4.26

2" DIAMETER

Part #	Length	List Price
55-160	X Close (2")	3.27
55-161	2-1/2"	2.81
55-162	3"	3.64
55-163	3-1/2"	3.66
55-164	4"	3.80
55-165	4-1/2"	4.27
55-166	5"	4.55
55-167	5-1/2"	4.95
55-168	6"	5.11
55-174	12"	8.84
55-292	30"	18.79

More sizes available...just ask!

See page 268 for sch 80 fittings

PLASTIC FITTINGS



PVC SCHEDULE 40 FITTINGS

• NSF 61 certified for use with drinking (potable) water • Max Temperature: 140°F • Max Pressure: Not Rated
Resistant to corrosion, strong and rigid - commonly used in low pressure plumbing applications. ASTM D1784 and D2466.

SLIP TEES



Part #	Size	List Price
55-710	1/2"	0.93
55-711	3/4"	0.95
55-712	3/4" x 3/4" x 1/2"	1.22
55-713	1"	1.74
55-714	1" x 1" x 1/2"	1.75
55-715	1" x 1" x 3/4"	1.92
55-716	1-1/4"	2.74
55-717	1-1/2"	3.32
55-718	2"	5.49
55-719	2-1/2"	16.99

SLIP COUPLING



Part #	Size	List Price
55-736	1/2"	0.41
55-737	3/4"	0.60
55-738	1"	1.04
55-739	1-1/4"	1.54
55-740	1-1/2"	1.52
55-741	2"	2.33
55-742	2-1/2"	5.52
55-743	3"	7.70

THREADED COUPLING



Part #	Size	List Price
55-950	1/2"	0.94
55-951	3/4"	1.44

SLIP X FEMALE ADAPTER



Part #	Size	List Price
55-744	1/2"	0.74
55-812	1/2" x 1/4"	1.25
55-813	1/2" x 3/8"	1.25
55-745	3/4"	0.95
55-746	1"	1.02
55-747	1-1/4"	1.60
55-748	1-1/2"	1.92
55-749	2"	2.57
55-807	2-1/2"	7.37
55-804	3"	8.33

MIP X SLIP ADAPTER



Part #	Size	List Price
55-750	1/2"	0.64
55-751	3/4"	0.65
55-752	1"	1.26
55-753	1-1/4"	1.54
55-754	1-1/2"	1.92
55-755	2"	2.52
55-808	2-1/2"	7.90
55-811	3"	10.35

90° SLIP ELBOW



Part #	Size	List Price
55-720	1/2"	0.65
55-721	3/4"	0.74
55-722	1"	1.48
55-723	1-1/4"	2.32
55-724	1-1/2"	3.13
55-725	2"	3.93
55-726	2-1/2"	11.36
55-727	3"	13.60

PLASTIC FITTINGS



PLASTIC FITTINGS

PVC SCHEDULE 40 FITTINGS

SLIP CAP



Part #	Size	List Price
55-756	1/2"	0.60
55-757	3/4"	0.64
55-758	1"	1.07
55-759	1-1/4"	1.73
55-760	1-1/2"	1.68
55-761	2"	2.02
55-762	2-1/2"	7.29
55-801	3"	7.02

THREADED PIPE CAP



Part #	Size	List Price
55-763	1/2"	1.41
55-764	3/4"	1.64

SLIP X FIP BUSHING



Part #	Size	List Price
55-805	1/2" x 1/4"	1.37
55-806	1/2" x 3/8"	1.37
55-781	3/4" x 1/2"	1.22
55-782	1" x 1/2"	1.74
55-783	1" x 3/4"	1.65
55-784	1-1/4" x 1/2"	2.56
55-785	1-1/4" x 3/4"	2.56
55-786	1-1/4" x 1"	2.56
55-803	1-1/2" x 1/2"	2.95
55-787	1-1/2" x 3/4"	2.95
55-788	1-1/2" x 1"	2.95
55-809	1-1/2" x 1-1/4"	2.95
55-810	2" x 1/2"	4.15
55-789	2" x 3/4"	3.95
55-790	2" x 1"	3.95
55-791	2" x 1-1/4"	3.95
55-792	2" x 1-1/2"	4.70
55-798	2-1/2" x 1-1/2"	5.72
55-796	2-1/2" x 2"	5.72
55-816	3" x 2"	6.59
55-780	3" x 2-1/2"	6.59

45° SLIP ELBOW



Part #	Size	List Price
55-728	1/2"	1.22
55-729	3/4"	1.68
55-730	1"	2.29
55-731	1-1/4"	3.20
55-732	1-1/2"	4.00
55-733	2"	4.59
55-734	2-1/2"	11.99
55-735	3"	17.66

SLIP BUSHING



Part #	Size	List Price
55-765	3/4" x 1/2"	0.72
55-766	1" x 1/2"	1.41
55-767	1" x 3/4"	1.24
55-768	1-1/4" x 1/2"	1.60
55-769	1-1/4" x 3/4"	1.90
55-770	1-1/4" x 1"	1.60
55-815	1-1/2" x 1/2"	1.69
55-771	1-1/2" x 3/4"	2.02
55-772	1-1/2" x 1"	1.69
55-773	1-1/2" x 1-1/4"	1.78
55-774	2" x 1/2"	2.79
55-775	2" x 3/4"	3.31
55-776	2" x 1"	2.93
55-777	2" x 1-1/4"	3.31
55-778	2" x 1-1/2"	2.93
55-814	2-1/2" x 1-1/2"	4.48
55-779	2-1/2" x 2"	4.48
55-797	3" x 2"	6.59
55-802	3" x 2-1/2"	6.59

PLASTIC FITTINGS

You can tell how smart people are by what they laugh at.

- Tina Fey



PVC SCHEDULE 80 FITTINGS

PLASTIC FITTINGS

PVC Material is Type 1 according to the American Society for Testing Materials (ASTM) D-1784. Fittings conform to ASTM D-2464 & ASTM D-2467. Temperature rating is 140°F. PSI is based on water at 73°F. Derate 50% at 110°F and 78% at 140°F. Not recommended for use in compressed air or gas systems.



SLIP X SLIP 90° ELBOW

Part #	Size	List Price
806-002	1/4"	4.15
806-003	3/8"	4.15
806-005	1/2"	4.38
806-007	3/4"	5.94
806-010	1"	9.01
806-012	1-1/4"	11.46
806-015	1-1/2"	12.27
806-020	2"	15.62
806-025	2-1/2"	34.71
806-030	3"	46.50
806-040	4"	59.30
806-060	6"	168.81




FIP X FIP 90° ELBOW

Part #	Size	List Price
808-002	1/4"	10.86
808-003	3/8"	10.31
808-005	1/2"	10.14
808-007	3/4"	12.62
808-010	1"	15.09
808-012	1-1/4"	16.25
808-015	1-1/2"	24.27
808-020	2"	30.96
808-025	2-1/2"	101.09
808-030	3"	163.03
808-040	4"	341.74



SLIP X SLIP 45° ELBOW

Part #	Size	List Price
817-002	1/4"	14.93
817-003	3/8"	15.71
817-005	1/2"	7.84
817-007	3/4"	12.60
817-010	1"	17.93
817-012	1-1/4"	24.05
817-015	1-1/2"	21.77
817-020	2"	36.84
817-025	2-1/2"	73.49
817-030	3"	89.44
817-040	4"	191.90
817-060	6"	202.85



SLIP X SLIP TEE

Part #	Size	List Price
801-002	1/4"	11.72
801-003	3/8"	11.72
801-005	1/2"	11.72
801-007	3/4"	12.94
801-010	1"	15.37
801-012	1-1/4"	44.45
801-015	1-1/2"	42.22
801-020	2"	59.13
801-025	2-1/2"	57.40
801-030	3"	71.74
801-040	4"	83.14
801-060	6"	283.88



FIP X FIP TEE

Part #	Size	List Price
805-002	1/4"	13.55
805-003	3/8"	13.55
805-005	1/2"	14.27
805-007	3/4"	15.09
805-010	1"	33.30
805-012	1-1/4"	35.30
805-015	1-1/2"	42.79
805-020	2"	46.01
805-025	2-1/2"	167.49
805-030	3"	174.92
805-040	4"	284.30



SLIP X SLIP COUPLING

Part #	Size	List Price
829-002	1/4"	12.03
829-003	3/8"	12.03
829-005	1/2"	7.54
829-007	3/4"	11.40
829-010	1"	11.01
829-012	1-1/4"	15.95
829-015	1-1/2"	18.08
829-020	2"	19.42
829-025	2-1/2"	45.43
829-030	3"	54.90
829-040	4"	77.82
829-060	6"	140.57



FIP X FIP COUPLING

Part #	Size	List Price
830-002	1/4"	9.50
830-003	3/8"	10.11
830-005	1/2"	8.86
830-007	3/4"	12.01
830-010	1"	12.89
830-012	1-1/4"	15.95
830-015	1-1/2"	37.35
830-020	2"	39.20
830-030	3"	104.24
830-040	4"	180.49



SLIP X SLIP REDUCING COUPLING

Part #	Size	List Price
829-101	3/4" x 1/2"	9.21
829-130	1" x 1/2"	14.39
829-131	1" x 3/4"	14.12
829-168	1-1/4" x 1"	28.68
829-211	1-1/2" x 1"	28.55
829-212	1-1/2" x 1-1/4"	35.26
829-251	2" x 1-1/2"	32.18
829-338	3" x 2"	94.17
829-422	4" x 3"	148.89
829-532	6" x 4"	303.69



FIP X FIP REDUCING COUPLING

Part #	Size	List Price
830-052	3/8" x 1/4"	13.20
830-073	1/2" x 3/8"	15.44
830-101	3/4" x 1/2"	11.19
830-130	1" x 1/2"	14.89
830-131	1" x 3/4"	14.18
830-167	1-1/4" x 3/4"	31.92
830-168	1-1/4" x 1"	22.79
830-211	1-1/2" x 1"	47.36
830-212	1-1/2" x 1-1/4"	50.66
830-251	2" x 1-1/2"	62.90



MIP X SLIP ADAPTER

Part #	Size	List Price
836002	1/4"	8.79
836003	3/8"	9.25
836005	1/2"	9.25
836007	3/4"	10.22
836010	1"	17.68
836012	1-1/4"	19.61
836015	1-1/2"	29.67
836020	2"	42.91
836025	2-1/2"	46.35
836030	3"	54.15
836040	4"	91.52



MIP X FIP BUSHING

Part #	Size	List Price
839041	1/4" x 1/8"	18.07
839050	3/8" x 1/8"	15.16
839052	3/8" x 1/4"	15.16
839072	1/2" x 1/4"	15.16
839073	1/2" x 3/8"	15.95
839099	3/4" x 3/8"	11.90
839101	3/4" x 1/2"	9.31
839130	1" x 1/2"	14.59
839131	1" x 3/4"	16.33
839166	1-1/4" x 1/2"	18.42
839167	1-1/4" x 3/4"	17.31
839168	1-1/4" x 1"	15.47
839209	1-1/2" x 1/2"	21.84
839210	1-1/2" x 3/4"	19.30
839211	1-1/2" x 1"	19.30
839212	1-1/2" x 1-1/4"	21.84
839247	2" x 1/2"	32.01
839248	2" x 3/4"	26.86
839249	2" x 1"	26.86
839250	2" x 1-1/4"	26.86
839251	2" x 1-1/2"	26.86
839338	3" x 2"	49.41
839420	4" x 2"	101.86
839422	4" x 3"	130.10

PLASTIC FITTINGS





SLIP X SLIP UNION

Part #	Size	List Price
897002	1/4"	28.45
897003	3/8"	29.95
897005	1/2"	17.02
897007	3/4"	20.37
897010	1"	23.31
897012	1-1/4"	43.89
897015	1-1/2"	52.29
897020	2"	70.94
897025	2-1/2"	107.13
897030	3"	125.39
897040	4"	173.45



FIP X FIP THREADED UNION

Part #	Size	List Price
898002	1/4"	36.54
898003	3/8"	30.66
898005	1/2"	18.60
898007	3/4"	24.71
898010	1"	34.62
898012	1-1/4"	62.77
898015	1-1/2"	92.57
898020	2"	119.58
898025	2-1/2"	160.13
898030	3"	303.36
898040	4"	354.79



MIP THREADED PLUG

Part #	Size	List Price
850002	1/4"	7.94
850003	3/8"	7.94
850005	1/2"	7.45
850007	3/4"	7.76
850010	1"	10.11
850012	1-1/4"	13.28
850015	1-1/2"	19.26
850020	2"	16.60
850025	2-1/2"	46.35
850030	3"	64.42
850040	4"	105.28



SLIP CAP

Part #	Size	List Price
847002	1/4"	10.07
847003	3/8"	10.70
847005	1/2"	7.76
847007	3/4"	8.18
847010	1"	13.78
847012	1-1/4"	16.64
847015	1-1/2"	16.64
847020	2"	32.84
847025	2-1/2"	67.06
847030	3"	78.45
847040	4"	132.31
847060	6"	329.16



FIP THREADED CAP

Part #	Size	List Price
848002	1/4"	9.21
848003	3/8"	9.21
848005	1/2"	9.21
848007	3/4"	12.28
848010	1"	15.48
848012	1-1/4"	15.47
848015	1-1/2"	17.67
848020	2"	36.53
848025	2-1/2"	69.42
848030	3"	97.37
848040	4"	171.44

BIN LABELS ON DEMAND
SEE **INTRO PAGE 4**

PLASTIC FITTINGS



AVAILABLE IN THREE TYPES OF PLASTIC

Add () letter for type of plastic required

(W) White Nylon- made from virgin grade formulated to resist physical stress and abrasion. This material meets F.D.A. requirements of Code of Federal Regulation part 177.1500 and is therefore suitable for food contact surfaces.

Temperature Range: -40°F to 200° F

Working Pressure: 125 PSI maximum.

NEW ITEMS ARE BOLDED

ELBOW



Part #	Size	List Price	
		P	W
28-701	1/4"		6.85
28-702	3/8"	9.30	
28-703	1/2"		6.72
28-704	3/4"	7.22	7.61
28-705	1"		13.48
28-706	1-1/4"		15.27
28-707	1-1/2"		17.57
28-708	2"	23.23	23.73
28-709	3"	118.84	

TEE



Part #	Size	List Price	
		P	W
28-741	1/4"	6.47	5.38
28-742	3/8"	10.80	
28-743	1/2"	6.40	8.15
28-744	3/4"	8.28	9.38
28-745	1"		18.33
28-746	1-1/4"		18.33
28-747	1-1/2"		27.48
28-748	2"	28.85	29.64
28-749	3"	139.05	

(B) Black Polyethylene- made from a high molecular weight linear polyethylene formulated for chemical compatibility and high impact resistance at lower temperatures. Polyethylene is NSF approved for potable water.

Temperature Range: -65°F to 190°F

Working Pressure: 125 PSI maximum.

MANY NEW SIZES

STREET ELBOW



Part #	Size	List Price	
		P	W
28-819	1/8"	3.25	3.36
28-720	1/4"		5.20
28-721	3/8"		7.26
28-723	1/2"	5.12	4.96
28-724	3/4"		6.89
28-725	1"		15.11
28-726	1-1/4"		16.70
28-820	2"	15.14	17.29
28-821	3"	123.29	

HEX HEAD PLUGS

• Cored



Part #	Size	List Price		
		B	P	W
28-601	1/8"	0.64	0.83	0.93
28-602	1/4"	0.68	0.73	0.98
28-603	3/8"	0.70	0.92	0.92
28-604	1/2"	0.81		2.02
28-605	3/4"	1.28		1.18
28-606	1"			1.86
28-607	1-1/4"			2.34
28-608	1-1/2"			3.63
28-609	2"			5.66
28-610	3"		38.86	

(P) Polypropylene- made from the finest polypropylene resins. Polypropylene is used for its resistance to a wide range of chemicals. Working pressures decrease as temperatures increase. Black Color

•NSF-approved materials

•FDA-approved materials

Note: Do not use with compressed air or gas.

• 10% Fiberglass fill for extra strength

HEX BUSHING



Part #	Size	List Price	
		P	W
28-659	1/4 x 1/8"	2.52	2.42
28-660	3/8 x 1/8"	2.52	1.68
28-661	3/8 x 1/4"	2.38	2.40
28-811	1/2" x 1/8"	2.05	
28-663	1/2 x 1/4"	2.47	1.98
28-664	1/2 x 3/8"	2.18	2.48
28-665	3/4 x 1/8"		3.06
28-666	3/4 x 1/4"	2.75	1.94
28-667	3/4 x 3/8"		2.63
28-668	3/4 x 1/2"	2.97	2.09
28-812	1" x 3/8"	2.53	3.12
28-671	1 x 1/2"	2.89	3.07
28-672	1 x 3/4"	3.49	2.42
28-813	1-1/4" x 1/2"	3.38	3.62
28-674	1-1/4 x 3/4"		4.64
28-675	1-1/4 x 1"		4.08
28-814	1-1/2" x 1/2"	6.70	6.93
28-678	1-1/2 x 3/4"	4.80	5.38
28-679	1-1/2 x 1"		5.92
28-680	1-1/2 x 1-1/4"	3.78	4.52
28-815	2" x 1/2"	10.64	11.17
28-682	2 x 3/4"		13.39
28-683	2 x 1"		11.90
28-816	2" x 1-1/4"	5.32	5.43
28-685	2 x 1-1/2"		5.77
28-817	3" x 1-1/2"	37.22	
28-818	3" x 2"	15.83	15.49

PLASTIC PIPE

PLASTIC FITTINGS

HEX NIPPLES



Part #	Size	List Price		
		B	P	W
28-611	1/8"	0.78		0.83
28-612	1/4"	0.78	0.96	1.42
28-613	3/8"	0.78	0.99	0.78
28-614	1/2"	1.08	1.06	1.10
28-615	3/4"		1.56	1.36
28-616	1"			2.38
28-617	1 1/4"			5.08
28-618	1 1/2"			4.98
28-619	2"		6.21	6.33
28-800	3"		28.52	
28-801	4"		44.55	

COUPLING



Part #	Size	List Price	
		P	W
28-761	1/4"	5.16	6.16
28-762	3/8"	5.39	6.78
28-763	1/2"	5.95	5.70
28-764	3/4"	6.12	5.84
28-765	1"		7.36
28-803	1-1/4"	5.23	6.30
28-767	1-1/2"		10.01
28-768	2"		12.37
28-804	3"	73.52	

PLASTIC BULKHEAD FITTINGS



20% Glass Filled Polypropylene
w/ Santropene Gasket

Part #	Fpt	Hole	List Price
28-693P	1/2"	1-3/8"	30.02
28-694P	3/4"	1-3/8"	30.02
28-695P	1"	1-3/4"	39.03
28-696P	1-1/4"	2"	42.39
28-697P	1-1/2"	3"	60.49
28-698P	2"	3"	56.43
28-699P	3"	4-1/2"	149.48

REDUCING COUPLINGS

REDUCER NIPPLES



Part #	Size	List Price		
		B	P	W
28-620	1/4 x 1/8"			1.19
28-621	3/8 x 1/8"			0.94
28-622	3/8 x 1/4"			0.99
28-627	1/2" x 1/8"			
28-623	1/2 x 1/4"	0.92		1.17
28-624	1/2 x 3/8"	0.91		1.10
28-628	3/4 x 3/8"	1.15		1.00
28-625	3/4 x 1/2"	1.32		1.32
28-626	1" x 1/2"		6.17	
28-629	1 x 3/4"		7.13	
28-631	1-1/4 x 3/4"		7.26	
28-633	1-1/4" x 1"		5.95	3.93
28-802	1-1/2" x 1"		7.13	
28-632	1-1/2" x 1-1/4"		6.33	
28-634	2 x 1-1/4"		10.61	
28-630	2" x 1-1/2"		6.98	
28-635	3 x 2"		29.73	

Part #	Size	List Price	
		P	W
28-774	1/4" x 1/8"	4.58	4.73
28-775	3/8" x 1/4"	4.58	4.73
28-776	1/2" x 3/8"	4.58	4.73
28-777	3/4" x 3/8"	4.82	4.82
28-778	3/4" x 1/2"	4.82	4.82
28-779	1" x 3/4"	13.22	
28-805	1-1/2" x 1"	22.44	
28-806	1-1/2" x 1-1/4"	22.44	
28-807	2" x 1"	23.84	
28-808	2" x 1-1/4"	23.84	
28-809	2" x 1-1/2"	23.84	
28-810	3" x 2"	84.57	

PIPE CAP



Part #	Size	List Price
		W
28-640	1/4"	0.83
28-641	3/8"	1.12
28-642	1/2"	1.12
28-643	3/4"	1.08

Available in 3 types of plastic

Add **W** at the end of the part number for White Nylon.

Add **B** for Black Polyethylene.

Add **P** for Polypropylene.

PLASTIC FITTINGS

PLASTIC BARBS

MALE ADAPTERS



Hose ID x MIP

Part #	Size	List Price		
		B	P	W
33-002	3/16 x 1/8"	0.80		0.77
33-003	3/16 x 1/4"	0.59		0.92
33-004	1/4 x 1/8"	0.68		0.89
33-005	1/4 x 1/4"	0.76		0.80
33-006	1/4 x 3/8"	0.78		1.06
33-007	1/4 x 1/2"	0.77		1.11
33-380	1/4 x 3/4"			1.31
33-008	5/16 x 1/8"	0.69		0.85
33-009	5/16 x 1/4"	0.82		0.91
33-010	5/16 x 3/8"			0.95
33-011	3/8 X 1/8"			0.89
33-012	3/8 x 1/4"	0.72	0.99	1.36
33-013	3/8 x 3/8"	0.82		1.01
33-014	3/8 x 1/2"	0.85	1.22	1.11
33-026	3/8 x 3/4"	0.76		1.31
33-317	3/8" x 1"			1.68
33-015	1/2 x 1/4"	0.72	0.94	0.89
33-016	1/2 x 3/8"	0.82	1.00	0.97
33-017	1/2 x 1/2"	0.91	0.97	0.99
33-018	1/2 x 3/4"	1.13	1.28	1.53
33-303	1/2" x 1"		1.94	1.92
33-019	5/8 x 3/8"	0.98		0.85
33-020	5/8 x 1/2"	0.90	0.94	1.27
33-021	5/8 x 3/4"	1.09		1.46
33-306	3/4" x 3/8"		1.83	1.42
33-022	3/4 x 1/2"	0.94	1.12	1.41
33-023	3/4 x 3/4"	1.11	1.34	1.39
33-000	3/4 x 1"			1.80
33-318	3/4" x 1-1/4"		2.94	2.86
33-319	3/4" x 1-1/2"		4.53	5.45
33-307	1" x 1/2"		2.66	2.34
33-024	1 x 3/4"	3.29	1.76	1.57
33-025	1 x 1"	2.13	1.74	2.05
33-029	1 x 1-1/4"			3.99
33-320	1" x 1-1/2"		4.71	5.45
33-349	1-1/4" x 3/4"		4.53	4.01
33-028	1-1/4 x 1"			3.10
33-030	1-1/4 x 1-1/4"			3.60
33-032	1-1/4 x 1-1/2"			3.28
33-321	1-1/2" x 1-1/4"		5.14	3.56
33-033	1-1/2 x 1-1/2"			4.09
33-322	2" x 1-1/2"		11.87	15.95
33-035	2 x 2"			7.01
33-323	3" x 3"		29.83	
33-324	4" x 4"		62.59	

Available in 3 types of plastic

Add **W** at the end of the part number for White Nylon.

Add **B** for Black Polyethylene.

Add **P** for Polypropylene.

ELBOWS



Hose ID x Male Pipe

Part #	Size	List Price		
		B	P	W
33-308	3/16 x 1/8	1.30		
33-381	3/16 x 1/4			1.82
33-038	1/4 x 1/8	1.32		1.49
33-039	1/4 x 1/4	1.26		1.12
33-309	1/4 x 3/8	0.97		1.82
33-351	1/4 x 1/2	1.24	1.28	1.39
33-352	1/4 x 3/4	1.46	1.48	1.62
33-036	5/16 x 1/8	1.11		1.44
33-040	5/16 x 1/4	1.12		1.70
33-310	5/16 x 3/8	1.60		2.18
33-046	3/8 x 1/8	1.26		1.68
33-041	3/8 x 1/4	1.51		1.52
33-042	3/8 x 3/8	2.48		1.34
33-047	3/8 x 1/2	1.68		1.74
33-384	3/8 x 3/4	2.41		2.35
33-048	1/2 x 1/4		1.56	1.70
33-043	1/2 x 3/8	1.54		1.66
33-311	1/2 x 1/2	1.42	1.70	1.65
33-385	1/2 x 3/4	3.10	2.54	2.16
33-327	1/2" x 1"		2.51	2.59
33-328	5/8 x 1/4		2.07	1.96
33-044	5/8 x 3/8	1.80		1.81
33-045	5/8 x 1/2	2.18		2.17
33-312	5/8 x 3/4	2.55		2.42
33-329	5/8" x 1"		2.79	2.33
33-313	3/4 x 1/2	2.34	1.97	2.21
33-314	3/4 x 3/4	2.43	2.12	2.18
33-315	3/4 x 1			2.40
33-330	3/4 x 1-1/4		5.10	5.45
33-331	3/4 x 1-1/2		5.10	5.65
33-332	1 x 1/2	2.42	2.71	2.51
33-386	1x3/4			2.99
33-316	1 x 1	3.38	2.84	2.73
33-460	1 x 1-1/4			4.70
33-333	1 x 1-1/2		5.21	6.02
33-334	1-1/4 x 1		5.91	
33-461	1-1/4 x 1-1/4		4.42	5.34
33-335	1-1/4 x 1-1/2		5.65	6.36
33-462	1-1/2 x 1-1/4		5.02	6.04
33-463	1-1/2 x 1-1/2		7.03	6.73
33-336	1-1/2 x 2		18.53	
33-464	2 x 2			8.23
33-337	3 x 3		90.57	

PLASTIC FITTINGS

PLASTIC BARBS

PLASTIC FITTINGS

HOSE BARB X FE ADAPTERS



Hose ID x FIP

Part #	Size	List Price		
		B	P	W
33-052	1/4 x 1/8"		3.12	3.27
33-053	1/4 x 1/4"	3.69		5.71
33-054	1/4 x 3/8"		3.16	3.21
33-350	1/4 x 1/2"		3.25	3.21
33-325	1/4 x 3/4"		3.66	3.82
33-057	3/8 x 1/8"		3.12	3.12
33-058	3/8 x 1/4"	5.08		1.92
33-059	3/8 x 3/8"			4.27
33-060	3/8 x 1/2"			5.86
33-442	3/8 x 3/4"	3.68		3.90
33-066	1/2 x 1/4"	3.01		3.01
33-062	1/2 x 3/8"		4.66	
33-061	1/2 x 1/2"			3.79
33-067	1/2 x 3/4"		3.80	4.10
33-444	5/8 x 3/8"		3.16	3.16
33-068	5/8 x 1/2"		3.31	3.34
33-063	5/8 x 3/4"			5.93
33-326	3/4 x 3/8"		3.29	3.38
33-064	3/4 x 1/2"			4.64
33-065	3/4 x 3/4"			15.97
33-049	1 x 3/4"		7.00	

HOSE BARB X FE ELBOW



Hose ID x Female Pipe

Part #	Size	List Price	
		P	W
33-338	1/4 x 1/8"	3.41	3.36
33-467	1/4 x 1/4"	3.41	3.62
33-339	1/4 x 3/8"	3.40	3.56
33-340	1/4 x 1/2"	3.78	3.77
33-341	3/8 x 1/8"	3.41	3.36
33-468	3/8 x 1/4"	3.27	3.40
33-469	3/8 x 3/8"	3.53	3.56
33-342	3/8 x 1/2"	3.64	3.77
33-402	1/2 x 3/8"		5.37
33-343	1/2 x 1/2"	2.80	2.38
33-403	1/2 x 3/4"		4.60
33-470	5/8 x 1/2"	3.64	3.77
33-344	5/8 x 3/4"	3.17	3.10
33-345	3/4 x 1/2"	3.78	4.06
33-471	3/4 x 3/4"	3.17	6.08

SPLICERS



Part #	Size	List Price		
		B	P	W
33-091	1/8	0.68		0.78
33-092	3/16	0.61		1.08
33-093	1/4	0.70		0.82
33-094	5/16			1.11
33-095	3/8	0.76	0.91	0.80
33-096	1/2	0.72	0.88	0.86
33-097	5/8	0.97		1.07
33-098	3/4	2.34	1.45	1.56
33-099	1		1.78	2.24
33-480	1-1/4			4.07
33-481	1-1/2			4.05
33-482	2			15.16

PLASTIC FITTINGS

REDUCING SPLICERS

UNION ELBOWS



Part #	Size	List Price		
		B	P	W
33-390	1/4	1.35		1.59
33-391	3/8	1.77		1.59
33-394	1/2	1.37		1.59
33-395	5/8	2.00	1.35	2.10
33-396	3/4	2.05	2.22	2.11
33-397	1			3.13
33-398	1-1/4			9.10
33-399	1-1/2			11.95
33-389	2			18.83

Part #	Size	List Price	
		B	W
33-079	1/4 x 1/8"		0.68
33-347	1/4 x 3/16"		0.70
33-406	3/8 x 1/4"	0.74	0.91
33-348	3/8 x 5/16"		0.76
33-407	1/2 x 1/4"	0.77	0.83
33-408	1/2 x 3/8"	0.77	0.92
33-409	5/8 x 3/8"		1.07
33-410	5/8 x 1/2"	0.78	1.02
33-089	3/4 x 1/2"		1.92

Available in 3 types of plastic

Add **W** at the end of the part

number for White Nylon.

Add **B** for Black Polyethylene.

Add **P** for Polypropylene.

REDUCING UNION ELBOWS

Part #	Size	List Price
		W
33-353	3/8 x 1/4"	2.07
33-392	1/2 x 1/4"	2.46
33-419	1/2 x 3/8"	1.31
33-346	3/4 x 5/8"	2.22

ALL HOSE BARB "Y"



Part #	Size	List Price	
		P*	W
33-300*	1/4"	7.08	
33-301*	3/8"	4.19	3.45
33-302*	1/2"	7.85	

*Natural Polypro

PLASTIC FITTINGS

PLASTIC BARBS/ GARDEN HOSE

TEES BARBED ON ALL SIDES



Part #	Size	List Price		
		B	P	W
33-415	1/8	1.30		1.77
33-417	5/32			3.32
33-418*	3/16	1.22		2.54
33-420	3/16	1.13		1.45
33-422	1/4	1.27		1.76
33-426	5/16	2.83		1.58
33-429	3/8	1.33	1.93	1.53
33-433	1/2	1.37		1.77
33-436	5/8	1.72		1.80
33-437	3/4	1.77		2.05
33-438	1	2.07		3.51
33-439	1-1/4			5.53
33-440	1-1/2		5.06	6.13
33-441	2			21.10

* single barb

REDUCING TEES

Part #	Size 3 x 1 x 2	List Price	
		B	W
33-416*	1/8 x 5/32 x 5/32		1.52
33-423	1/4 x 3/8 x 3/8	1.55	
33-424	1/4 x 1/2 x 1/2	1.51	1.62
33-430	3/8 x 1/2 x 1/2	1.71	1.90
33-431	3/8 x 5/8 x 5/8		1.80
33-432	1/2 x 3/8 x 3/8	1.88	2.11
33-434	1/2 x 1/2 x 5/8	1.83	
33-435	1/2 x 3/4 x 3/4	1.87	2.50

* single barb

MALE BRANCH TEE



Part #	Size 1 & 2 x 3	List Price	
		B	W
33-448	1/4 x 1/4	1.42	1.66
33-450	3/8 x 1/4		2.04
33-451	3/8 x 3/8		2.62
33-453	1/2 x 1/4		2.71
33-454	1/2 x 3/8		1.83
33-455	1/2 x 1/2		1.67
33-456	3/4 x 3/4		2.40

More sizes available

PLASTIC GARDEN HOSE FITTINGS

FITTINGS WITH GARDEN HOSE THREAD

GARDEN HOSE CAP

• Washer not included



• White Nylon

Part #	Size	List Price
30-103P	3/4"	1.22

GARDEN HOSE NUT



• White Nylon

Part #	Size	List Price
31-022	3/4"	1.02

GARDEN HOSE ADAPTER INSERTS

• for assembly with 31-022



• White Nylon

Part #	Size	List Price
31-030	1/4"	
31-031	3/8"	0.33
31-032	1/2"	0.90
31-033	5/8"	0.92
31-034	3/4"	0.85
31-035	1/2" MPT	2.53

GARDEN HOSE THREAD ADAPTERS



• White Nylon

Part #	Size	List Price
31-038	1/4"	1.15
31-039	3/8"	0.95
31-040	1/2"	1.90
31-041	5/8"	1.48
31-042	3/4"	1.13

MALE GARDEN HOSE X FEMALE PIPE



• White Nylon

Part #	Size	List Price
31-067	MGH X 1/4	3.38
31-068	MGH X 1/2 FIP	4.02
31-069	MGH X 3/4	2.95

FEMALE GARDEN HOSE X MALE PIPE



• White Nylon

Part #	Size	List Price
31-093	FGH X 3/4 MPT	4.21
31-095	FGH X 3/4 MGH	2.95

FEMALE GARDEN HOSE X FEMALE PIPE



• White Nylon

Part #	Size	List Price
31-096	FGH X 1/2 FIP	3.91
31-097	FGH X 3/4 FIP	4.82

ADAPTERS GARDEN TO PIPE THREAD



• White Nylon

Part #	Size	List Price
31-055	GHT X 3/8 MPT	0.91
31-058	GHT X 1/2 MPT	1.33
31-063	GHT X 3/4 MPT	1.56
31-064	GHT X 1	1.37

PLASTIC FITTINGS

PLASTIC COMPRESSION

PLASTIC FITTINGS

PLASTIC COMPRESSION FITTINGS

Corrosion resistant thermoresins designed to resist vibration, provide good electrical insulation, low flow resistance, and resistance to scale buildup.

Add letter to the end of part no. to denote the type you prefer.

N = Nylon

P = Polypropylene

Standard nut and sleeves will be provided (sleeve is integral part of nut). Other sizes available upon request.

FDA and NSF Listed

UNION & REDUCING UNION CONNECTORS



Part #	Size	List Price	
		P	N
17-064	1/4"	4.16	3.91
17-065	5/16"	4.03	3.99
17-078	5/16" x 1/4"		4.41
17-066	3/8"	7.00	5.79
17-079	3/8" x 1/4"	5.47	7.77
17-068	1/2"	6.86	9.62
17-081	1/2" x 3/8"	6.42	

BULKHEAD UNIONS



Part #	Size	List Price
17-088N	1/4"	6.51
17-090N	3/8"	9.04
17-091N	1/2"	9.19

UNION TEES



Part #	Size	List Price	
		P	N
17-103	1/4"	9.36	6.97
17-105	3/8"	11.94	13.65
17-106	1/2"	10.82	10.26

UNION ELBOWS



Part #	Size	List Price	
		P	N
17-124	1/4"	4.70	5.20
17-126	3/8"	6.87	6.82
17-127	1/2"	8.97	

FEMALE CONNECTORS



Part #	Tube x Female Pipe	List Price	
		P	N
17-145	1/4 x 1/8	3.45	
17-146	1/4 x 1/4		3.54
17-153	3/8 x 1/4	6.00	3.84
17-154	3/8 x 3/8	4.49	4.45
17-158	1/2 x 3/8	5.99	
17-159	1/2 x 1/2	4.93	

MALE CONNECTORS



Part #	Tube x Male Pipe	List Price	
		P	N
17-176	1/8 x 1/8		2.13
17-179	1/4 x 1/8	2.51	2.79
17-180	1/4 x 1/4	3.06	2.91
17-181	1/4 x 3/8	2.87	2.87
17-184	5/16 x 1/4		3.04
17-187	3/8 x 1/8	2.95	3.10
17-188	3/8 x 1/4	4.04	4.67
17-189	3/8 x 3/8	3.83	4.13
17-190	3/8 x 1/2	5.29	5.57
17-193	1/2 x 1/4	8.41	5.57
17-194	1/2 x 3/8	6.06	4.86
17-195	1/2 x 1/2	8.37	5.91

FEMALE ELBOWS



Part #	Tube x Female Pipe	List Price	
		P	N
17-254	1/4 x 1/4	6.38	
17-258	3/8 x 1/4	5.42	6.39
17-259	3/8 x 3/8	7.44	7.44
17-262	1/2 x 3/8	9.78	
17-263	1/2 x 1/2	10.10	

MALE ELBOWS



Part #	Tube x Male Pipe	List Price	
		P	N
17-224	1/4 x 1/8	4.18	4.37
17-225	1/4 x 1/4	4.22	5.15
17-226	1/4 x 3/8		4.54
17-229	5/16 x 1/4		4.71
17-233	3/8 x 1/4	5.77	6.44
17-234	3/8 x 3/8	5.77	8.61
17-237	1/2 x 3/8	6.36	5.49
17-238	1/2 x 1/2	8.88	6.00

MALE BRANCH TEES



Part #	Tube x Male Pipe	List Price	
		P	N
17-291	1/4 x 1/8	7.75	
17-292	1/4 x 1/4	6.41	8.99
17-296	3/8 x 1/4	7.13	8.20
17-297	3/8 x 3/8	8.14	
17-299	1/2 x 3/8	11.93	

Minimum QTYs may apply

PLASTIC PUSH-IN TUBE FITTINGS

Fitting Working Specifications

Operating Temperature
33°F to 140°F (1°C to 60°C)

Operating Pressure
Air: 0 - 150 lbs. psi.
Liquid: 0 - 150 lbs. psi.
Suitable for Vacuum

Material Specifications

- Bodies:** Food Grade, Polypropylene
- O'Rings:** Food Grade Nitrile Rubber or EPDM
- Collet:** Food Grade Acetal Copolymer, stainless steel teeth



Fitting Tube Types

Plastic Tube:

Polyethylene, nylon, polyurethane (for soft tubing or thin wall tube, tube supports are recommended).

Braided Tube:

For Braided Tube, the use of Tube to Hose Stems and Elbows is required. To retain braided tube on barbs, the use of clamps is also recommended.

Also available in metric sizes. Call order desk for details

MALE CONNECTOR



Part #	Tube OD	Thread NPTF	List Price
20-050P	5/32"	1/8"	3.50
20-046P	5/32"	1/4"	3.39
20-052P	3/16"	1/8"	3.06
20-054P	1/4"	1/8"	3.50
20-055P	1/4"	1/4"	3.64
20-531P	5/16"	1/4"	4.58
20-056P	1/4"	3/8"	5.05
20-532P	5/16"	3/8"	5.77
20-057P	3/8"	1/8"	6.90
20-058P	3/8"	1/4"	5.06
20-059P	3/8"	3/8"	5.15
20-062P	3/8"	1/2"	9.78
20-061P	1/2"	3/8"	7.49
20-063P	1/2"	1/2"	8.76

More sizes available upon request

Save 5% by ordering online at www.midlandindustrial.com

UNION CONNECTOR



Part #	Tube OD	List Price
20-018P	5/32"	4.22
20-702P	3/16"	4.20
20-019P	1/4"	4.16
20-703P	5/16"	5.40
20-020P	3/8"	5.76
20-021P	1/2"	6.96

CROSS



Part #	Tube OD	List Price
20-143P	3/8"	16.99

REDUCING UNION



Part #	Tube OD	Tube OD	List Price
20-750P	1/4"	3/16"	7.81
20-751P	5/16"	5/32"	7.71
20-752P	5/16"	3/16"	9.46
20-753P	5/16"	1/4"	7.89
20-754P	3/8"	3/16"	11.55
20-755P	3/8"	1/4"	7.28
20-756P	3/8"	5/16"	9.83
20-757P	1/2"	5/16"	15.26
20-758P	1/2"	3/8"	8.81

UNION ELBOW



Part #	Tube OD	List Price
20-704P	3/16"	5.00
20-152P	1/4"	5.32
20-155P	5/16"	6.84
20-153P	3/8"	8.75
20-154P	1/2"	9.67

PLASTIC FITTINGS



PLASTIC PUSH-IN

REDUCING ELBOW



Part #	Tube OD	Tube OD	List Price
20-730P	5/16"	5/32"	12.66
20-731P	5/16"	3/16"	6.41
20-732P	5/16"	1/4"	8.31
20-733P	3/8"	3/16"	16.81
20-734P	3/8"	1/4"	8.68
20-735P	3/8"	5/16"	10.79
20-736P	1/2"	3/8"	12.42

FIXED ELBOW



Part #	Tube OD	Thread NPTF	List Price
20-068P	1/4"	1/8"	5.02
20-069P	1/4"	1/4"	5.33
20-070P	1/4"	3/8"	6.05
20-072P	3/8"	1/4"	6.92
20-073P	3/8"	3/8"	9.39

PLUG-IN ELBOW



Part #	Stem OD	Tube OD	List Price
20-740P	5/32"	5/32"	5.22
20-741P	3/16"	3/16"	6.54
20-742P	1/4"	1/4"	7.13
20-743P	5/16"	5/16"	8.49
20-744P	3/8"	3/16"	9.28
20-745P	3/8"	1/4"	8.33
20-746P	3/8"	5/16"	9.28
20-747P	3/8"	3/8"	10.21
20-748P	1/2"	1/2"	11.98

More sizes available upon request

PLASTIC FITTINGS

UNION TEE



Part #	Tube OD	List Price
20-026P	5/32"	6.90
20-027P	3/16"	10.07
20-028P	1/4"	6.36
20-031P	5/16"	6.57
20-029P	3/8"	7.38
20-030P	1/2"	9.11

REDUCING BRANCH TEE



Part #	Tube OD Ends	Tube OD Branch	List Price
20-724P	1/2"	3/8"	15.44
20-725P	3/8"	1/4"	12.98

BULKHEAD UNION



Part #	Tube OD	List Price
20-125P	5/32"	11.06
20-126P	3/16"	9.91
20-127P	1/4"	8.89
20-123P	5/16"	16.92
20-128P	3/8"	10.68
20-129P	1/2"	16.12


FEMALE CONNECTOR



Part #	Tube OD	Thread NPTF	List Price
20-993P	1/4"	1/8"	8.07
20-035P	1/4"	1/4"	6.98
20-944P	3/8"	1/8"	9.22
20-036P	3/8"	1/4"	9.01

Adaptability

Products can be coupled together to form new, intergral fittings.



Use to get reducing swivel sizes you need!

STEM ADAPTER



Part #	Stem OD	Thread NPTF	List Price
20-522P	5/32"	1/8"	1.99
20-523P	5/32"	1/4"	1.90
20-700P	3/16"	1/8"	2.44
20-524P	1/4"	1/8"	1.87
20-526P	5/16"	1/8"	2.41
20-525P	1/4"	1/4"	1.87
20-527P	5/16"	1/4"	2.41
20-701P	5/16"	3/8"	3.91
20-528P	3/8"	1/4"	2.23
20-529P	3/8"	3/8"	2.82
20-530P	1/2"	3/8"	4.22
20-533P	1/2"	1/2"	4.98

REDUCER



Part #	Stem OD	Tube OD	List Price
20-760P	5/16"	3/16"	5.76
20-761P	5/16"	1/4"	6.22
20-762P	3/8"	3/16"	7.10
20-512P	3/8"	1/4"	8.01
20-763P	3/8"	5/16"	7.21
20-764P	1/2"	5/16"	8.73
20-514P	1/2"	3/8"	11.86

PLASTIC FITTINGS

PLASTIC PUSH-IN

2-WAY DIVIDER



Part #	Tube OD	List Price
20-776P	5/16"	11.28
20-777P	3/8"	9.88

TUBE TO HOSE STEM



Part #	Stem OD	Hose OD	List Price
20-853P	1/4"	3/16"	3.04
20-854P	1/4"	1/4"	3.22
20-855P	5/16"	5/16"	4.58
20-856P	1/4"	5/16"	3.68
20-857P	5/16"	3/16"	4.09
20-858P	5/16"	1/4"	4.43
20-859P	5/16"	3/8"	5.82
20-860P	3/8"	1/4"	4.62
20-861P	3/8"	5/16"	5.82
20-862P	3/8"	3/8"	5.68
20-863P	3/8"	1/2"	6.13
20-864P	1/2"	3/8"	6.91
20-865P	1/2"	1/2"	10.00

PLUG



Part #	Stem OD	List Price
20-876P	5/32"	1.37
20-877P	3/16"	1.43
20-878P	1/4"	1.44
20-879P	5/16"	2.36
20-880P	3/8"	2.33
20-881P	1/2"	3.68

TUBE SUPPORT



Part #	Tube OD	Tube ID	List Price
20-836P	5/16"	1/4"	0.68
20-837P	3/8"	5/16"	0.75
20-838P	1/2"	3/8"	0.75

Propylene push-in shut off valves for potable water

Technical Specifications

- Operating Pressure: 0 to 150 psi (0 to 10 bar)
- Operating Temp. (water): 33° F to 150° F (+1°C to 65°C)

Materials

- Body - Food grade Polypropylene
- Collet - Food grade Polypropylene with stainless steel teeth
- O-Ring - EPDM

Tube Tolerances

- Shut-off Valves are intended for use with potable water.
- The Valves are not for use with compressed air, explosive gases, petroleum spirits and other fuels or for heating systems.

PL X PL



Part #	Tube OD	List Price
20-900P	1/4"	15.47
20-901P	3/8"	16.69

CHECK VALVE



Part #	Tube OD	List Price
20-779P	3/8"	55.78

PL X MALE NPTF



Part #	Tube OD	Thread NPTF	List Price
20-904P	1/4"	1/4"	13.77
20-905P	3/8"	3/8"	17.72

Save 5% by ordering online at www.midlandindustrial.com

PLASTIC FITTINGS

CUSTOM CATALOG 

+ BIN LABELS 

+ APP 

+ DROP SHIP 

"..too CONVENIENT not to buy from."

BARB FITTINGS FOR PLASTIC PIPE

HOSE ACCESSORIES

BRONZE INSERT FITTINGS

150 PSI Genuine red brass
- for plastic pipe

- Lead Free available

HEX MALE ADAPTERS



(Barb x Male Pipe)

Part #	Barb x Male	List Price
973-927	1" x 1"	29.89
973-930	1" x 1-1/4"	25.13
973-928	1-1/4" x 1-1/4"	28.18
973-929	1-1/4" x 1"	27.89
973-948	1-1/2" x 1-1/2"	36.35
973-949	2" x 2"	52.37

BRONZE TEES ALL BARB



Part #	Size	List Price
973-965	3/4"	20.61
973-966	1"	35.71
973-967	1-1/4"	62.84

ELBOWS



(BARB X MALE PIPE)

Part #	Size	List Price
973-980	3/4" x 3/4"	18.09
973-981	1" x 3/4"	24.02
973-982	1" x 1"	29.61

ELBOWS



(Barb x Barb)

Part #	Hose Size	List Price
973-975	3/4"	21.78
973-976	1"	24.14
973-977	1-1/4" x 1"	42.31
973-978	1-1/4"	48.17
973-979	1-1/2"	113.93

STEEL INSERT FITTINGS FOR PLASTIC PIPE

MALE ADAPTER



(BARB X MALE PIPE)

Part #	Size	Box/Case	List Price
973-906	1/2"	25/100	3.66
973-907	3/4"	25/10	4.74
973-908	1"	16/48	5.05
973-909	1-1/4"	12/36	7.30
973-910	1-1/2"	6/36	10.62
973-911	2"	5/25	16.42
973-912	2-1/2"	1/3	52.03
973-877	3"	1/3	57.12
973-914	4"	1/3	65.05

STEEL INSERT FITTINGS FOR PLASTIC PIPE CONT.

REDUCING ADAPTER



(INSERT X NPT)

Part #	Size	List Price
974-264	3/4 x 1/2	6.30
974-265	1 x 3/4	5.65
974-266	1-1/4 x 1	22.01
974-267	1-1/2 x 1-1/4	26.64

COUPLINGS



Part #	Size	Box/Case	List Price
973-900	1/2	30/120	3.00
973-901	3/4	20/100	4.35
973-902	1	20/100	5.07
973-903	1-1/4	16/64	7.38
973-904	1-1/2	12/48	10.43
973-905	2	5/25	14.57

THE BEST WAY TO FIND
YOURSELF IS TO LOSE
YOURSELF IN THE SERVICE
OF OTHERS.

- MAHATMA GANDHI

• For Lead Free bronze insert fittings - add LF at the end of the part# when ordering.



STEEL HOSE NIPPLES



(Barb x Male Pipe)

Part #	Hose Size	List Price
973-850	1/2"	8.84
973-851	3/4"	4.20
973-852	1"	7.50
973-853	1-1/4"	9.71
973-854	1-1/2"	10.86
973-855	2"	9.87
973-856	2-1/2"	29.81
973-857	3"	36.31
973-858	4"	72.04

PLATED STEEL



Part #	Size	List Price
973-870	1/2"	4.90
973-871	3/4"	5.68
973-872	1"	6.65
973-873	1-1/4"	8.84
973-874	1-1/2"	10.63
973-875	2"	11.88
973-876	2-1/2"	29.33
973-877	3"	57.12
973-878	4"	48.00
973-879	5"	165.53
973-880	6"	126.45
973-881	8"	385.94

316 STAINLESS STEEL



Part #	Size	List Price
973-700	1/2"	42.17
973-701	3/4"	40.46
973-702	1"	42.29
973-703	1-1/4"	49.68
973-704	1-1/2"	60.97
973-705	2"	89.79
973-706	2-1/2"	165.55
973-707	3"	241.36
973-708	4"	335.60

BRASS

• Lead Free



Part #	Size	List Price
973-600	1/2"	28.01
973-601	3/4"	44.23
973-602	1"	40.50
973-603	1-1/4"	51.37
973-604	1-1/2"	69.52
973-605	2"	99.39
973-606	2-1/2"	166.15
973-607	3"	197.49

ALUMINUM



Part #	Size	List Price
973-620	1/2"	26.02
973-621	3/4"	24.68
973-622	1"	24.68
973-623	1-1/4"	31.61
973-624	1-1/2"	29.61
973-625	2"	37.00
973-626	2-1/2"	82.26
973-627	3"	82.26
973-628	4"	131.58

LOVE ISN'T A STATE OF PERFECT CARING. IT IS AN ACTIVE NOUN LIKE "STRUGGLE." TO LOVE SOMEONE IS TO STRIVE TO ACCEPT THAT PERSON EXACTLY THE WAY HE OR SHE IS, RIGHT HERE AND NOW - AND TO GO ON CARING EVEN THROUGH TIMES THAT MAY BRING US PAIN.

- MR. ROGERS


MENDERS

STEEL HOSE MENDERS




Part #	Hose Size	List Price
973-890	1/2"	12.61
973-891	3/4"	8.90
973-892	1"	10.48
973-893	1-1/4"	16.04
973-894	1-1/2"	15.71
973-895	2"	19.86

PLATED STEEL MENDER



Part #	Size	List Price
973-650	3/8"	13.98
973-651	1/2"	11.55
973-652	3/4"	10.37
973-653	1"	9.55
973-654	1-1/4"	9.50
973-655	1-1/2"	14.30
973-656	2"	19.00
973-657	2-1/2"	38.84
973-658	3"	36.55
973-659	4"	74.24


316 STAINLESS STEEL HOSE MENDER



Part #	Size	List Price
73-670	3/4"	107.33
73-671	1"	119.56
73-672	1-1/4"	128.79
73-673	1-1/2"	158.08
73-674	2"	160.26

BRASS HOSE MENDER

• Lead Free



Part #	Size	List Price
73-983	3/4"	26.93
73-984	1"	28.97
73-985	1-1/4"	46.92
73-986	1-1/2"	76.12
73-987	2"	82.59

CAM & GROOVE

HOSE ACCESSORIES

• Non Locking
Brass levers



TYPE A
Plug x FIP



TYPE B
Socket x MIP



TYPE C
Barb x Socket



TYPE D
Socket x FIP

ALUMINUM

Type	A		B		C		D	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	61-911	7.28	61-921	13.72	61-931	16.75	61-941	16.57
1"	61-912	7.87	61-922	20.28	61-932	15.08	61-942	20.28
1-1/4"	61-913	10.85	61-923	23.81	61-933	21.84	61-943	22.96
1-1/2"	61-914	8.55	61-924	22.67	61-934	19.99	61-944	25.61
2"	61-915	11.33	61-925	24.33	61-935	25.00	61-945	26.00
2-1/2"	61-916	22.39	61-926	42.53	61-936	32.59	61-946	47.54
3"	61-917	19.43	61-927	39.97	61-937	42.18	61-947	41.83
4"	61-918	34.08	61-928	55.59	61-938	63.65	61-948	70.01

316 STAINLESS STEEL

Type	A		B		C		D	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	63-911	25.61	63-921	44.22	63-931	41.24	63-941	46.40
1"	63-912	33.51	63-922	65.63	63-932	59.10	63-942	68.47
1-1/4"	63-913	49.34	63-923	84.88	63-933	71.86	63-943	79.29
1-1/2"	63-914	51.34	63-924	95.87	63-934	91.43	63-944	78.52
2"	63-915	60.47	63-925	103.90	63-935	113.37	63-945	101.96
2-1/2"	63-916	103.60	63-926	149.17	63-936	159.09	63-946	151.50
3"	63-917	124.61	63-927	181.97	63-937	204.33	63-947	207.54

• Compatible w/
PT Coupling
Dixon
Andrews
Evertite



TYPE E
Plug x Hose Barb



TYPE F
Plug x Male Pipe



TYPE DC
Cap



TYPE DP
Plug

ALUMINUM

Type	E		F		DC		DP	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	61-951	7.21	61-961	8.61	61-971	15.95	61-981	8.46
1"	61-952	9.34	61-962	9.70	61-972	17.95	61-982	6.79
1-1/4"	61-953	13.04	61-963	15.94	61-973	29.32	61-983	8.91
1-1/2"	61-954	9.12	61-964	11.30	61-974	17.96	61-984	7.61
2"	61-955	12.41	61-965	13.39	61-975	21.15	61-985	9.06
2-1/2"	61-956	26.26	61-966	23.90	61-976	30.06	61-986	17.38
3"	61-957	28.71	61-967	27.95	61-977	34.51	61-987	18.46
4"	61-958	43.69	61-968	41.56	61-978	45.59	61-988	31.28

316 STAINLESS STEEL

Type	E		F		DC		DP	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	63-951	24.97	63-961	31.04	63-971	38.76	63-981	19.58
1"	63-952	37.30	63-962	43.35	63-972	52.33	63-982	30.24
1-1/4"	63-953	52.87	63-963	73.98	63-973	63.86	63-983	39.32
1-1/2"	63-954	70.89	63-964	87.62	63-974	70.64	63-984	41.99
2"	63-955	86.84	63-965	125.70	63-975	87.81	63-985	53.53
2-1/2"	63-956	113.64	63-966	175.05	63-976	119.79	63-986	79.49
3"	63-957	172.18	63-967	186.72	63-977	155.80	63-987	92.41
4"	63-958	265.86	63-968	272.57	63-978	194.79	63-988	140.78

HOSE ACCESSORIES

CAM & GROOVE



TYPE A



TYPE B



TYPE C



TYPE D

BRASS

Type	A		B		C		D	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	44-911	19.47	44-921	38.86	44-931	34.80	44-941	33.08
1"	44-912	24.30	44-922	54.40	44-932	43.58	44-942	55.78
1-1/4"	44-913	31.94	44-923	58.25	44-933	54.88	44-943	67.36
1-1/2"	44-914	31.69	44-924	54.30	44-934	44.62	44-944	62.37
2"	44-915	39.86	44-925	78.44	44-935	89.83	44-945	91.09
2-1/2"	44-916	135.97	44-926	82.11	44-936	78.54	44-946	159.53
3"	44-917	57.72	44-927	104.33	44-937	130.36	44-947	102.43

POLYPROPYLENE

Type	A		B		C		D	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
1/2"	35-910	6.89	35-920	19.85	35-930	19.17	35-940	19.17
3/4"	35-911	7.53	35-921	18.26	35-931	19.98	35-941	20.90
1"	35-912	7.91	35-922	27.13	35-932	21.12	35-942	20.30
1-1/4"	35-913	9.11	35-923	23.01	35-933	24.97	35-943	29.40
1-1/2"	35-914	8.60	35-924	25.98	35-934	22.05	35-944	21.13
2"	35-915	11.18	35-925	30.39	35-935	32.28	35-945	32.28
3"	35-917	28.41	35-927	54.45	35-937	52.60	35-947	52.60



TYPE E



TYPE F



TYPE DC



TYPE DP

BRASS

Type	E		F		DC		DP	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
3/4"	44-951	24.39	44-961	24.52	44-971	30.82	44-981	17.12
1"	44-952	35.53	44-962	33.46	44-972	32.52	44-982	18.24
1-1/4"	44-953	35.83	44-963	33.61	44-973	40.75	44-983	21.20
1-1/2"	44-954	38.24	44-964	46.04	44-974	42.83	44-984	19.62
2"	44-955	55.81	44-965	67.97	44-975	76.19	44-985	39.93
2-1/2"	44-956	58.13	44-966	60.67	44-976	149.95	44-986	39.29
3"	44-957	85.18	44-967	103.30	44-977	122.74	44-987	117.92
4"	44-958	136.47	44-968	330.28	44-978	123.37	44-988	73.01

POLYPROPYLENE

Type	E		F		DC		DP	
Size	Part#	List Price	Part#	List Price	Part#	List Price	Part#	List Price
1/2"	35-950	8.38	35-960	8.38	35-970	18.10	35-980	8.19
3/4"	35-951	9.42	35-961	10.00	35-971	19.01	35-981	7.91
1"	35-952	11.21	35-962	9.65	35-972	27.02	35-982	8.00
1-1/4"	35-953	10.66	35-963	9.81	35-973	22.36	35-983	9.52
1-1/2"	35-954	11.01	35-964	9.41	35-974	30.16	35-984	9.85
2"	35-955	13.79	35-965	13.59	35-975	30.33	35-985	11.61
3"	35-957	35.56	35-967	36.81	35-977	52.60	35-987	35.32

MALE NPT ENDS

• Twist claw/ universal/ chicago



- Malleable iron
- ISO PSI

* Safety clip included

Part #	Size	List Price
66005	3/8"	7.39
66006	1/2"	6.15
66007	3/4"	6.53
66008	1"	7.34

WASHER



Part #	List Price
66000	0.60

FEMALE NPT ENDS



* Safety clip included

Part #	Size	List Price
66009	3/8"	7.39
66010	1/2"	6.15
66011	3/4"	6.53
66012	1"	8.21

HOSE END



* Safety clip included

Part #	Size	List Price
66001	3/8"	8.58
66002	1/2"	5.58
66003	3/4"	5.64
66004	1"	7.39

TRIPLE CONNECTIONS



Part #	List Price
66013	19.24

The two hardest things to say in life are hello for the first time and goodbye for the last - Moira Rogers

For high pressure air and water service, steam, sanitary, high pressure spray, LPG and anhydrous ammonia service, petroleum products and chemicals: All parts plated malleable iron. Insert and spud may be either steel or malleable iron. NPT Male and Female spud. Female wing nut-to-spud connection is NPSM ground joint.

HEAVY DUTY COUPLINGS - Ground Joint Type, Plated

Hose Stem with

Wing Nut & Female Spud



Part #	Size	List Price
73-003	1/2"	40.25
73-004	3/4"	42.78
73-005	1"	43.30
73-006	1-1/4"	74.18
73-007	1-1/2"	74.18
73-008	2"	102.29
73-009	2-1/2"	277.21
73-010	3"	294.06
73-011	4"	580.92

Hose Stem Only



Part #	Size	List Price
73-023	1/2"	11.44
73-024	3/4"	13.92
73-025	1"	13.97
73-026	1-1/4"	23.75
73-027	1-1/2"	25.76
73-028	2"	33.24
73-029	2-1/2"	89.76
73-030	3"	414.00
73-031	4"	208.90

Wing Nut Only



Part #	Size	List Price
73-033	1/2"	13.00
73-035	1"	16.22
73-036	1-1/4"	27.49
73-037	1-1/2"	29.21
73-038	2"	37.84
73-039	2-1/2"	102.58
73-040	3"	108.73
73-041	4"	238.74

Female Spud Only



Part #	Size	List Price
73-063	1/2"	19.09
73-064	3/4"	23.12
73-065	1"	23.40
73-066	1-1/4"	40.19
73-067	1-1/2"	42.55
73-068	2"	55.32
73-069	2-1/2"	145.65
73-070	3"	159.10
73-071	4"	349.14

Male Pipe Stem Only

(NPT)



Part #	Size	List Price
73-043	1/2"	9.09
73-044	3/4"	14.20
73-045	1"	21.85
73-046	1-1/4"	19.90
73-047	1-1/2"	23.75
73-048	2"	38.87
73-049	2-1/2"	65.32
73-050	3"	81.31
73-051	4"	141.85

2, 4, 6 Bolt Clamps



Part #	Size	List Price
73-056	3/4"	9.60
73-057	1"	16.50
73-058	1-1/2"	31.57
73-059	2"	40.54
73-060	3"	91.94

Danger: Failure or improper selection or improper use of hose couplings or related accessories can cause death, personal injury and property damage. Possible consequences of failure or improper selection or improper use of hose couplings or related accessories include but are not limited to:

- Coupling or parts thrown off at high speed.
- High velocity fluid discharge.
- Explosion or burning of the conveyed fluid.
- Contact with suddenly moving or falling objects that are to be held in position or moved by the conveyor fluid.
- Dangerously whipping hose.
- Contact with conveyed fluids that may be hot, cold, toxic or otherwise injurious.
- Sparking or explosion while paint or flammable liquid spraying.

Before selecting or using any of our products, it is important to check with our offices for more detailed specifications regarding use.

HYDRANT ADAPTERS - BRASS



FEMALE X MALE

Part #	Description	List Price
444-011	1-1/2" NST x 3/4" GHT	49.31
444-000	2-1/2" NST x 3/4" GHT	49.31
444-001	2-1/2" NST x 3/4" NPT	49.31
444-003	2-1/2" NST x 1" NPSH	43.56
444-002	2-1/2" NST x 1" NPT	43.56
444-004	2-1/2" NST x 1-1/2" NPSH	43.56
444-005	2-1/2" NST x 1-1/2" NPT	50.08
444-007	2-1/2" NST x 2" NPSH	49.33
444-008	2-1/2" NST x 2" NPT	53.08
444-006	2-1/2" NST x 1-1/2" NST	43.56
444-009	3" NPSH x 2-1/2" NST	125.27
444-010	3" NST x 2-1/2" NST	105.65

FEMALE TO MALE HEX ADAPTER - BRASS



FEMALE X MALE

Part #	Description	List Price
444-021	1-1/2" NST x 1-1/2" NPSH	47.86
444-023	1-1/2" NPT x 1-1/2" NPSH	47.86
444-027	2-1/2" NST x 2-1/2" NPSH	90.89
444-028	2-1/2" NPT x 2-1/2" NPSH	90.89
444-024	1-1/2" NPSH x 1-1/2" NST	49.33
444-020	1-1/2" NST x 1-1/2" NPT	29.02
444-026	2-1/2" NST x 2-1/2" NPT	97.61

DOUBLE MALE HEX NIPPLE - BRASS



Part #	Description	List Price
444-042	1-1/2" NPT x 1-1/2" NPSH	44.43
444-047	2-1/2" NPT x 2-1/2" NPSH	72.41
444-040	1-1/2" NPT x 1-1/2" NST	35.83
444-048	2" NPT x 2-1/2" NST	106.44
444-045	2-1/2" NPT x 2-1/2" NST	86.77
444-049	3" NPT x 2-1/2" NST	182.41

MALE SWIVEL ADAPTER - BRASS



Part #	Description Female x Male	List Price
444-110	1-1/2" NST x 1-1/2" NPT	180.90
444-111	2-1/2" NST x 2" NPT	272.63
444-112	2-1/2" NST x 2-1/2" NPT	210.34
444-113	2-1/2" NST x 3" NPT	348.77

CAP - BRASS



Part #	Description	List Price
444-061	1-1/2" NPSH	45.19
444-060	1-1/2" NST	45.19
444-062	2-1/2" NST	65.44

HOSE ACCESSORIES

1/2" BAND CLAMPS

57
62
HS
H
HF
015
100
500



Applications: A general purpose clamp for automobiles, plumbing, home and garden general clamping applications, with anti-corrosive properties varying with the number of components made from stainless steel.



600 Series

- 5/16" Hex Slotted Carbon Steel Screw
- 1/2" Wide 201 Stainless Steel Band
- Carbon Steel Housing

- No PSI Rating
- 50lb/ Inch Torque Rating Die Set Function

611 Series

- 5/16" Hex Slotted Carbon Steel Screw
- 1/2" Wide 201 Stainless Steel Band
- 301 Stainless Steel Housing

#	Dia. Range		Part #	List Price	Part #	List Price
	Min.	Max.				
6	3/8"	7/8"	600-006	1.57	611-006	1.58
8	7/16"	1"	600-008	1.56	611-008	1.67
10	9/16"	1-1/16"	600-010	1.47	611-010	1.43
12	9/16"	1-1/4"	600-012	1.55	611-012	1.69
16	11/16"	1-1/2"	600-016	1.46	611-016	1.86
20	3/4"	1-3/4"	600-020	1.47	611-020	1.83
24	1-1/16"	2"	600-024	1.56	611-024	1.58
28	1-5/16"	2-1/4"	600-028	1.72	611-028	2.41
32	1-9/16"	2-1/2"	600-032	1.52	611-032	2.41
36	1-13/16"	2-3/4"	600-036	1.53	611-036	1.53
40	2-1/16"	3"	600-040	1.75	611-040	1.74
44	2-5/16"	3-1/4"	600-044	2.41	611-044	2.88
48	2-9/16"	3-1/2"	600-048	2.05	611-048	1.97
52	2-13/16"	3-3/4"	600-052	3.41	611-052	2.16
56	3-1/16"	4"	600-056	3.04	611-056	2.51
60	3-5/16"	4-1/4"	600-060	2.24	611-060	2.24
64	2-1/2"	4-1/2"	600-064	2.33	611-064	2.46
72	3"	5"	600-072	2.40	611-072	3.15
80	3-1/2"	5-1/2"	600-080	2.44	611-080	3.67
88	4"	6"	600-088	3.06	611-088	3.22
96	4-1/2"	6-1/2"	600-096	3.34	611-096	3.22
104	5"	7"	600-104	3.62	611-104	2.94
116	5-3/4"	7-3/4"			611-116	4.90
128	6-1/2"	8-1/2"			611-128	4.18
152	2"	10"			611-152	4.80
164	1-3/4"	10-3/4"			611-164	6.07
176	9-1/4"	11-1/4"			611-176	4.58
188	2-1/16"	12-1/4"			611-188	5.28
200	11"	13"			611-200	5.75
212	11-3/4"	13-3/4"			611-212	7.46
224	12-1/2"	14-1/2"			611-224	5.46
248	10-3/4"	16"			611-248	5.71
270	15-3/8"	17-3/8"			611-270	8.31
312	18"	20"			611-312	8.47
332	19-1/8"	21-1/4"			611-332	6.22
390	22-7/8"	24-7/8"			611-390	9.34

CLAMPS

Send Midland all your high volume quotes!

Some product stocked in Houston and Atlanta.



67-5
63
HSS
HF-SS
035
HAS-X
300

1/2" WIDE BAND CLAMPS (12.70mm)

- 60mm Thickness
- Use for marine, underground and other high corrosive applications.



620 Series

- 5/16" Hex Slotted 305 Stainless Steel Screw
- 1/2" Wide 301 Stainless Steel Band
- 301 Stainless Steel Housing

620SS Series

- 5/16" Hex Slotted 316 Stainless Steel Screw
- 1/2" Wide 316 Stainless Steel Band
- 316 Stainless Steel Housing

CLAMPS

#	Part #	List Price	Dia. Range		All 316SS Part #	List Price
			Min.	Max.		
6	620-006	1.71	3/8"	7/8"	620-006SS	1.59
8	620-008	1.93	7/16"	1"	620-008SS	1.62
10	620-010	1.93	9/16"	1-1/16"	620-010SS	1.67
12	620-012	2.34	9/16"	1-1/4"	620-012SS	1.73
16	620-016	1.95	11/16"	1-1/2"	620-016SS	1.82
20	620-020	1.97	3/4"	1-3/4"	620-020SS	1.90
24	620-024	1.76	1-1/16"	2"	620-024SS	2.02
28	620-028	1.77	1-5/16"	2-1/4"	620-028SS	2.13
32	620-032	1.90	1-9/16"	2-1/2"	620-032SS	2.22
36	620-036	1.96	1-13/16"	2-3/4"	620-036SS	2.31
40	620-040	2.56	2-1/16"	3"	620-040SS	2.42
44	620-044	3.16	2-5/16"	3-1/4"	620-044SS	2.51
48	620-048	2.44	2-9/16"	3-1/2"	620-048SS	2.63
52	620-052	2.54	2-13/16"	3-3/4"	620-052SS	2.71
56	620-056	2.54	3-1/16"	4"	620-056SS	2.83
60	620-060	4.38	3-5/16"	4-1/4"	620-060SS	2.89
64	620-064	2.68	2-1/2"	4-1/2"	620-064SS	2.89
72	620-072	2.82	3"	5"	620-072SS	3.17
80	620-080	4.62	3-1/2"	5-1/2"		
88	620-088	3.21	4"	6"		
96	620-096	4.48	4-1/2"	6-1/2"		
104	620-104	3.50	5"	7"		
116	620-116	7.50	5-3/4"	7-3/4"		
128	620-128	4.85	6-1/2"	8-1/2"		
152	620-152	6.73	2"	10"		
164	620-164	12.06	1-3/4"	10-3/4"		
176	620-176	5.50	9-1/4"	11-1/4"		
188	620-188	7.39	2-1/16"	12-1/4"		
200	620-200	6.03	11"	13"		
212	620-212	7.80	11-3/4"	13-3/4"		
224	620-224	6.53	12-1/2"	14-1/2"		
248	620-248	7.81	10-3/4"	16"		
270	620-270	7.35	15-3/8"	17-3/8"		
312	620-312	7.55	18"	20"		
332	620-332	7.50	19-1/8"	21-1/4"		
390	620-390	13.26	22-7/8"	24-7/8"		

Some product stocked in Houston and Atlanta.



MINIATURE CLAMPS - 5/16" BAND

Applications: For marine, agricultural, industrial and automotive uses.
Corrosion resistance varies with stainless components.

Mechanically interlocked, 3 piece construction for service sealing pressure without spot welding.

52

300 Series

- 1/4" Hex Slotted Carbon Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- Carbon Steel Housing



Dia. Range		Part #	List Price
Min.	Max.		
7/32"	5/8"	300-004	1.36
7/16"	11/16"	300-005	1.19
5/16"	7/8"	300-006	1.15
7/16"	1"	300-008	1.31
1/2"	1-1/16"	300-010	1.47
9/16"	1-1/4"	300-012	1.25
11/16"	1-1/2"	300-016	1.53
7/8"	1-3/4"	300-020	1.63

62P 011
MHX 21
35
MH
MF

325 Series

- 1/4" Hex Slotted Carbon Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- 301 Stainless Steel Housing



Dia. Range		Part #	List Price
Min.	Max.		
7/32"	5/8"	325-004	1.07
7/16"	11/16"	325-005	1.17
5/16"	7/8"	325-006	0.94
7/16"	1"	325-008	1.24
1/2"	1-1/16"	325-010	1.46
9/16"	1-1/4"	325-012	1.38
11/16"	1-1/2"	325-016	2.61
7/8"	1-3/4"	325-020	1.76

350 Series

- 1/4" Hex Slotted 410 Stainless Steel Screw
- 5/16" Wide 301 Stainless Steel Band
- 301 stainless Steel Housing
- 6mm thick



350SS Series

- 1/4" Hex Slotted 316 Stainless Steel Screw
- 316 Stainless Steel Band
- 8mm wide
- 60 mm thick
- 316 stainless Steel Housing

NEW

Part #	List Price	Dia. Range		Part #	List Price
		Min.	Max.		
350-004	0.96	7/32"	5/8"	350-004SS	0.72
350-005	1.72	7/16"	11/16"	350-005SS	0.75
350-006	0.96	5/16"	7/8"	350-006SS	0.78
350-008	1.08	7/16"	1"	350-008SS	0.84
350-010	1.36	1/2"	1-1/16"	350-010SS	0.84
350-012	1.36	9/16"	1-1/4"	350-012SS	0.89
350-016	2.07	11/16"	1-1/2"	350-016SS	0.95
350-020	1.85	7/8"	1-3/4"	350-020SS	1.01

Some product stocked in Houston and Atlanta.


CLAMPS



QUICK RELEASE 500/550 SERIES


These clamps feature a unique quick release design between the one piece housing and band allowing for quick and easy installation in restricted or difficult areas.

Applications: Quick release action permits easy installation in applications where clamp must be opened to be applied. Quick release clamps are used extensively in the telecommunications industry on cable enclosures where open air application demands durability.



56
LS

Open/Close design allows easy installation.



58
LSS

- 500 Series**
- 5/16" Hex Slotted Carbon Steel Screw
 - 1/2" 301 Stainless Steel band
 - 301 Stainless Steel Housing
 - 410 Stainless Steel Bridge

- 550 Series**
- 5/16" Hex Slotted 410 Stainless Steel Screw
 - 1/2" 301 Stainless Steel band
 - 301 Stainless Steel Housing
 - 410 Stainless Steel Bridge

#	Dia. Range		Part #	List Price	Part #	List Price
	Min.	Max.				
12	1/2"	1-1/4"	500-012	2.41	550-012	3.26
20	3/4"	1-3/4"	500-020	2.45	550-020	2.59
28	1"	2-1/4"	500-028	2.51	550-028	2.78
36	1"	2-3/4"	500-036	1.90	550-036	2.88
48	1-1/2"	3-1/2"	500-048	3.20	550-048	3.41
56	1"	4"	500-056	3.65	550-056	4.95
72	2"	5"	500-072	3.08	550-072	5.70
88	2-1/16"	6"	500-088	4.58	550-088	5.91
104	1-3/4"	7"	500-104	4.82	550-104	6.95
128	1-3/4"	8-9/16"	500-128	4.28	550-128	6.13
152	2"	10"	500-152	4.53	550-152	6.66
188	2-1/16"	12-5/16"	500-188	5.04	550-188	8.49
216	10-3/16"	14"	500-216	5.43	550-216	10.23
248	10-3/4"	16"	500-248	5.61	550-248	9.45
280	14-1/4"	18"	500-280	6.79	550-280	9.08
312	14"	20"			550-312	10.78

CLAMPS

HOSE CLAMP KITS

Shipped without Clamps


DISPLAY RACK

600-000 231.00



DISPLAY RACK

600-001 231.00



KIT#	LIST
600-100	563.45

Qty	Part#
60	300-0004
60	300-0006
30	600-008
30	600-010
90	600-012
40	600-016
40	600-020
20	600-028
20	600-032
10	600-036

KIT#	LIST
600-101	113.64

Qty	Part#
10	600-040
10	600-048
10	600-052
10	600-056
10	600-072

KIT#	LIST
611-100	548.91

Qty	Part#
60	325-0004
60	325-006
30	611-006
30	611-010
90	611-012
40	611-016
40	611-020
20	611-028
20	611-032
10	311-036

KIT#	LIST
611-101	115.18

Qty	Part#
10	611-040
10	611-048
10	611-052
10	611-056
10	611-072

KIT#	LIST
620-100	662.57


Qty	Part#
60	350-004
60	350-006
30	620-006
30	620-010
90	620-012
40	620-016
40	620-020
20	620-028
20	620-032
10	620-036

KIT#	LIST
620-101	125.65



Qty	Part#
10	620-040
10	620-048
10	620-052
10	620-056
10	620-072

NOTE: Kits do not include display racks.

**WORM GEAR HOSE CLAMPS
830 Series**





MINI CLAMP
Screw: 1/4" hex-head
Band: 5/16" wide



Interlock Construction

No welds, no bumps, which strengthens under tension to ensure maximum torque application.



REGULAR CLAMP
Screw: 5/16" hex-head
Band: 1/2" wide

NEW DIMENSIONS

No.	Diameter Range		Use for General Industrial Application			
	Inch	MM	All Galvanized Steel		400 Series Stainless Steel Band, Housing and Screw	
	Min-Max	Min-Max	Part #	List Price	Part #	List Price
Mini Clamp with 8 mm wide Band (5/16")						
4	7/32"-5/8"	6-16	830-185	0.75	830-185S	0.91
6	7/16"-3/4"	11-20	830-184	0.78	830-184S	0.89
8	1/2"-7/8"	13-23	830-183	0.70	830-183S	0.92
Regular Clamp with 12.7 mm (1/2") wide Band						
10	33/64"-1-1/16"	13-27	830-188	1.21	830-188S	1.32
12	33/64"-1-1/4"	13-32	830-189	0.86	830-189S	1.41
16	23/32"-1-1/2"	18-38	830-190	1.22	830-190S	1.25
20	3/4"-1-3/4"	19-44	830-192	0.91	830-192S	1.52
24	63/64"-2"	25-51	830-193	1.22	830-193S	1.64
28	1-17/64"-2-1/4"	32-57	830-194	0.99	830-194S	1.52
32	1-1/2"-2-1/2"	38-63	830-132	1.00	830-132S	1.58
36	1-47/64"-2 3/4"	44-70	830-195	0.98	830-195S	1.82
40	2-1/64"-3"	51-76	830-182	1.18	830-182S	1.65
44	2-1/4"-3-1/4"	57-82	830-196	1.10	830-196S	2.13
48	2-17/32"-3-3/4"	64-89	830-197	1.25	830-197S	1.66
52	2-49/64"-3-3/4"	70-95	830-152	1.25	830-152S	2.16
56	3"-4"	76-101	830-198	1.05	830-198S	1.69
60	3-9/32"-4-1/4"	83-108	830-060	1.45	830-060S	1.87
64	2-17/32"-4-1/2"	64-114	830-064	1.81	830-064S	2.74
72	3"-5"	76-127	830-072	1.75	830-072S	1.85
80	3-33/64"-5-1/2"	89-140	830-080	1.49	830-080S	2.75
88	4-4/32"-6"	102-152	830-288	1.41	830-288S	2.04
96	4-1/2"-6-1/2"	114-165	830-096	2.20	830-096S	2.37

Save 5% by ordering online at www.midlandindustrial.com



T-Bolt Clamps

- All designs meet SAE J1508 specifications.
- .025" Band Thickness
- 3/4" Wide Band
- Band Material: 301 Series Stainless Steel
- Bolt Material: 304 Series Stainless Steel
- Nut Material: 304 Series Stainless Steel
- Nuts are Self-locking
- Torque Rating 75 in/lb



Purpose: To provide a quick, yet effective means of clamping a variety of fittings to a wide range of hose. T-Bolts can be applied with a standard 7/16" socket wrench. They provide 360° sealing surface by using a shoe or formed bridge.

Services: The T-Bolt clamp is a high strength, reliable clamp with numerous applications in both the commercial and industrial markets including hose and ductwork connections for air, oil, water and other types of low pressure fluid lines.

Opens 1/16" above and tightens 1/8" smaller than nominal I.D. for a total of 3/16" range for clamps sizes 150 through 250. Opens 1/16" above and tightens 7/32" smaller than nominal I.D. for clamps sizes 256 through 750.

Send Midland all your high volume quotes!

30010

Nominal Size	O.D. Range		Part#	List Price
	From:	To:		
1-1/4	1-5/32"	1-15/32"	840-131	5.06
1-1/2	1-3/8"	1-9/16"	840-150	4.63
1-3/4	1-5/8"	1-13/16"	840-175	4.40
1-7/8	1-3/4"	1-15/16"	840-188	4.80
2	1-7/8"	2-1/16"	840-200	4.88
2-1/4	2-1/8"	2-5/16"	840-225	5.67
2-3/8	2-1/4"	2-7/16"	840-238	4.84
2-1/2	2-3/8"	2-9/16"	840-250	4.73
2-9/16	2-11/32"	2-5/8"	840-256	6.77
2-5/8	2-13/32"	2-11/16"	840-263	4.82
2-3/4	2-17/32"	2-13/16"	840-275	5.78
2-7/8	2-21/32"	2-15/16"	840-288	5.35
3	2-25/32"	3-1/16"	840-300	5.47
3-1/8	2-29/32"	3-3/16"	840-312	6.72
3-1/4	3-1/32"	3-5/16"	840-325	5.45
3-1/2	3-9/32"	3-9/16"	840-350	5.40
3-3/4	3-17/32"	3-13/16"	840-375	6.38
3-53/64	3-19/32"	3-7/8"	840-382	7.15
4	3-25/32"	4-1/16"	840-400	5.80
4-1/4	4-1/32"	4-5/16"	840-425	5.85
4-1/2	4-9/32"	4-9/16"	840-450	6.24
4-3/4	4-17/32"	4-13/16"	840-475	6.34
5	4-25/32"	5-1/16"	840-500	7.04
5-1/4	5-1/32"	5-5/16"	840-525	8.15
5-1/2	5-9/32"	5-9/16"	840-550	7.26
5-3/4	5-17/32"	5-13/16"	840-575	8.18
6	5-25/32"	6-1/16"	840-600	8.32
6-1/4	6-1/32"	6-5/16"	840-625	8.56
6-1/2	6-9/32"	6-9/16"	840-650	8.68
6-3/4	6-17/32"	6-13/16"	840-675	8.80
7	6-25/32"	7-1/16"	840-700	8.92
7-1/2	7-9/32"	7-9/16"	840-750	10.39
8	7-25/32"	8-1/16"	840-800	9.43
8-1/4	8-9/32"	8-9/16"	840-850	12.09
8-7/8	8-21/32"	8-15/16"	840-888	12.54

CARBON STEEL 1-EAR CLAMPS

1-Ear Clamps are intended for low pressures applications such as automotive (not fuel lines), appliances, industrial machinery, underground irrigation systems and beverage dispensing equipment. They are specifically designed for mass production applications where inexpensive clamps are needed.

Pressure:

As a guideline, 1-Ear Clamps have held 30 bar - 441 psi.

This was done using a static water pressure test.



Material:

Hot dipped galvanized carbon steel band - G90

Part #	Ref#	Nominal Size	Inches		List Price
			Close	Open	
1050000	105	3/8"	0.350	0.414	0.48
1050001	113	7/16"	0.381	0.444	0.51
1050002	123	15/32"	0.394	0.486	0.51
1050003	133	1/2"	0.453	0.524	0.51
1050006	140	35/64"	0.472	0.551	0.55
1050007	145	9/16"	0.496	0.571	0.59
1050008	157	5/8"	0.543	0.618	0.56
1050009	170	11/16"	0.594	0.669	0.53
1050010	185	23/32"	0.618	0.728	0.56
1050011	198	3/4"	0.669	0.779	0.53
1050012	210	13/16"	0.716	0.827	0.58
1050013	226	7/8"	0.779	0.890	0.53
1050014	241	15/16"	0.839	0.949	0.70
1050015	256	1"	0.898	1.008	0.72
1050016	271	1-1/16"	0.945	1.067	0.81
1050017	286	1-1/8"	1.004	1.126	0.62
1050018	301	1-3/16"	1.063	1.185	0.69
1050020	331	1-5/16"	1.181	1.303	0.88
1050021	346	1-3/8"	1.240	1.362	0.75
1050023	376	1-15/32"	1.358	1.480	0.80
1050025	396	1-9/16"	1.437	1.559	0.78
1050026	410	1-5/8"	1.492	1.614	0.84
1050027	425	1-11/16"	1.551	1.673	0.83
1050028	440	1-23/32"	1.610	1.732	0.91
1050029	455	1-3/4"	1.669	1.791	0.91
1050030	470	1-16/16"	1.728	1.850	0.92
1050031	485	1-7/8"	1.787	1.909	0.97
1050032	500	1-15/16"	1.846	1.968	0.98
1050033	515	2"	1.905	2.028	1.02

Minimum QTYs may apply

"EDUCATION IS WHAT REMAINS AFTER ONE HAS FORGOTTEN WHAT ONE HAS LEARNED IN SCHOOL."

- ALBERT EINSTEIN

"THE TWO MOST POWERFUL WARRIORS ARE PATIENCE AND TIME."

- LEO TOLSTOY

"MOTIVATION IS WHAT GETS YOU STARTED. HABIT IS WHAT KEEPS YOU GOING."

- JIM ROHN

"ROCK BOTTOM BECAME THE SOLID FOUNDATION UPON WHICH I REBUILT MY LIFE."

- JK ROWLING

"I WONDER WHY WE THINK FASTER THAN WE SPEAK. PROBABLY SO WE CAN THINK TWICE."

- BILL WATTERSON

CLAMPS



EAR CLAMPS

2-EAR CLAMPS

2-Ear Clamps are especially suited for industrial use and with heavily vibrating equipment.

This is a medium pressure clamp and is widely used for maintenance and OEM applications. Rubber hose, plastic tubing, coaxial and electrical cable, rope, etc. are all easily clamped. These clamps are installed on air, fluid, gas and steam lines. The one piece design offers a positive, tamper-proof seal without damaging the hose.

PRESSURE:

As a guideline, 2-Ear Clamps successfully seal at 54 bar - 800 psi with 35 pulsating strokes a minute.

MATERIAL:

Zinc plated carbon steel

SAE 1008/1010 or DIN 1.0338

Stainless steel tubing

UNS S30400 or DIN 1.4301



Note: When ordering your 2-Ear Clamps select nominal clamp size nearest to, but always larger than, O.D. of material to be clamped after insert has been fitted.

ZINC PLATED CARBON STEEL

Part #	Nominal Size	Inches		List Price
		Close	Open	
1010002	3/16"	0.134	0.197	1.27
1010008	5/16"	0.276	0.354	1.48
1010011	3/8"	0.319	0.433	1.12
1010016	1/2"	0.425	0.512	0.89
1010019	9/16"	0.492	0.591	1.29
1010022	19/32"	0.551	0.669	1.46
1010024	5/8"	0.591	0.709	1.01
1010027	3/4"	0.638	0.787	1.13

STAINLESS STEEL

Part #	Nominal Size	Inches		List Price
		Close	Open	
1510003	1/4"	0.197	0.276	1.38
1510004	5/16"	0.276	0.354	1.75
1510023	3/8"	0.319	0.433	0.97
1510006	1/2"	0.425	0.512	1.38
1510007	9/16"	0.492	0.591	2.09
1510008	19/32"	0.551	0.669	2.19
1510009	5/8"	0.591	0.709	0.99
1510010	3/4"	0.638	0.787	1.88
1510011	13/16"	0.709	0.866	2.83
1510012	7/8"	0.748	0.906	1.54
1510013	15/16"	0.827	0.984	2.53
1510014	1"	0.886	1.063	2.93
1510016	1-1/8"	1.035	1.221	2.76
1510019	1-9/16"	1.260	1.457	4.15
1510020	1-1/2"	1.378	1.575	3.43

Minimum QTYs may apply

Send Midland all your quotes!

HOSE CLAMPS

GAPLESS EAR CLAMPS

Features

- Assured clamping seal
- For low durometer and/ or thin-walled hose/ tubing
- Perfect for silicon, vinyl, polyurethane or other high tech materials used in all industries.
- Once installed, smooth inner ban circumference prevents damage to the hose while the unique tongue-in-groove design provides a 360° seal
- There are no steps or gaps inside clamp



Material

- Stainless steel tubing UNS S30400 or DIN 1.4301

Part #	Nominal Size	Band Width	Inches		List Price
			Close	Open	
16700001	9/32"	5mm	0.228	0.276	1.17
16700004	3/8"	5mm	0.307	0.374	1.29
16700007	7/16"	5mm	0.378	0.445	1.64
16700010	1/2"	7mm	0.425	0.524	1.08
16700012	35/64"	7mm	0.453	0.551	1.45
16700013	9/16"	7mm	0.472	0.571	1.78
16700016	5/8"	7mm	0.520	0.618	1.66
16700017	11/16"	7mm	0.571	0.669	1.25
16700022	3/4"	7mm	0.654	0.780	1.55
16700024	13/16"	7mm	0.701	0.827	0.81

PINCERS

Model 1098 I Standard Jaw Pincers



Part #
1410118

List Price
188.01

SIDE JAW PINCERS

This dual purpose, side jaw design allows clamps to be applied or removed in confined areas with pincers held parallel to the hose. Also used like standard Pincers.

Part #
1410083

List Price
Model 1099 I
184.21

HOSE CLAMPS

F & K CLAMPS

TO ORDER the correct size Fast Lok Clamps, measure the outside diameter of the hose or article and then select the next larger inside diameter clamp by catalog number.

- Minimum Qty may apply



Preformed Clamps are double wrapped and formed to a given diameter. Used primarily where one end of the hose or article is free to allow the clamps to be slid over the hose end before the fitting is inserted. All clamps may be pulled down to a smaller diameter but cannot be adjusted to a larger diameter.

PREFORMED CLAMPS (3/8" AND 5/8" (NOMINAL) WIDTH)

Catalog Number	Band Width & Thickness	List Price	Clamp I.D. Inches	Catalog Number	Band Width & Thickness	List Price
F-3	3/8 x .025	1.35	13/16	FS-3	3/8 x .020	2.08
F-311	3/8 x .025	1.67	1 3/8	FS-311	3/8 x .020	2.19
F-4	5/8 x .025	1.23	1	FS-4	5/8 x .022	2.69
F-5	5/8 x .025	1.42	1 1/4	FS-5	5/8 x .022	2.99
HEAVY DUTY BANDS						
F-6	5/8 x .031	1.75	1 1/2	FS-6	5/8 x .022	2.95
F-7	5/8 x .031	1.44	1 3/4	FS-7	5/8 x .022	3.73
F-8	5/8 x .031	1.49	2	FS-8	5/8 x .022	3.44
F-9	5/8 x .031	1.70	2 1/4	FS-9	5/8 x .022	3.83

F-10	5/8 x .031	1.84	2 1/2	FS-10	5/8 x .022	3.85
F-11	5/8 x .031	2.14	2 3/4	FS-11	5/8 x .022	4.75
F-12	5/8 x .031	2.28	3	FS-12	5/8 x .022	4.00
F-14	5/8 x .031	2.11	3 1/2	FS-14	5/8 x .022	4.71
F-16	5/8 x .031	2.57	4	FS-16	5/8 x .022	5.23
F-18	5/8 x .031	2.89	4 1/2	FS-18	5/8 x .022	5.75
F-20	5/8 x .031	2.86	5	FS-20	5/8 x .022	5.91
F-24	5/8 x .031	3.50	6	FS-24	5/8 x .022	7.20
F-28	5/8 x .031	4.05	7	FS-28	5/8 x .022	7.42
F-32	5/8 x .031	7.32	8	FS-32	5/8 x .022	10.84

Double-wrapped, Triple Punched, Holds Permanently



Galvanized Preformed Clamps 2 1/2 inch I.D. and above, and 5/8" wide open end clamps have a stainless steel lock for greater strength and rigidity.

APPLICATION TOOLS

For 3/8", 5/8"F-38, F-40, F-100
See page 298 for these tools.

K-CLAMP PREFORMED HOSE CLAMPS

Each clamp is a double wrapped metal band formed to a given diameter. The clamp is designed to be slid over the hose end before the fitting is inserted. A punch-type or fold-up tool is then used to apply the clamp.

Punch Indentation for ease of center punching

Heavy Duty Lock for greater strength and rigidity




K-Clamps may be secured by either a punch or fold-up method.
(See cross sectioned views)

- Minimum Qty may apply

Center Punched

Less tension loss. Patented hole in inner band gives better internal mechanical locking after punching

Fold-up



PREFORMED CLAMPS (3/8" AND 5/8" (NOMINAL) WIDTH)

GALVANIZED STEEL

STAINLESS STEEL TYPE 301

Catalog Number	List Price	Clamp I.D. Inches	Band Width & Thickness	Catalog Number	List Price
K-3	1.34	13/16"	3/8" x .025	KS-3	2.03
K-311	1.33	1-3/8"	3/8" x .025	KS-311	2.05
K-4	1.72	1"	5/8" x .030	KS-4	3.33
K-5	2.01	1-1/4"	5/8" x .030	KS-5	3.25
K-6	1.93	1-1/2"	5/8" x .030	KS-6	3.50
K-7	2.19	1-3/4"	5/8" x .030	KS-7	3.45
K-8	2.11	2"	5/8" x .030	KS-8	4.08
K-9	2.39	2-1/4"	5/8" x .030	KS-9	4.10
K-10	2.30	2-1/2"	5/8" x .030	KS-10	4.74
K-11	2.40	2-3/4"	5/8" x .030	KS-11	4.78
K-12	2.83	3"	5/8" x .030	KS-12	5.55
K-14	2.99	3-1/2"	5/8" x .030	KS-14	6.74
K-16	2.87	4"	5/8" x .030	KS-16	6.23
K-18	3.09	4-1/2"	5/8" x .030	KS-18	7.33
K-20	3.26	5"	5/8" x .030	KS-20	7.76
K-24	3.69	6"	5/8" x .030	KS-24	8.14
K-28	4.85	7"	5/8" x .030	KS-28	11.13
K-32	5.54	8"	5/8" x .030	KS-32	11.51

TO ORDER the correct size Fast Lok Clamps, measure the outside diameter of the hose or article and then select the next larger inside diameter clamp by catalog number.

- Minimum Qty may apply

**FLJ-Clamp
PREFORMED HOSE CLAMPS**

J-Clamps are available in 3/8", 5/8" and 3/4" widths, from 13/16" to 8" I.D. These non punch type clamps are to be secured by the foldup method, using the Wind-Up tool, our part no. KS001 and adapter KA001.



**KA001
FOLD-UP ADAPTER**

**List Price
A001**

**KS001
WIND-UP TOOL**

**List Price:
360.13**

STAINLESS STEEL TYPE 301

3/8" (NOMINAL WIDTH)

Catalog Number	Clamp I.D. Inches	Band Width & Thickness	List Price
FLJ-301	13/16"	3/8" x .025	2.16
FLJ-343	1"	3/8" x .025	2.06
FLJ-302	1-3/8"	3/8" x .025	2.06
FLJ-345	2"	3/8" x .025	2.34
FLJ-346	3"	3/8" x .025	3.27
N/A	3-1/4"	3/8" x .025	3.95
5/8" (NOMINAL WIDTH)			
FLJ-303	1"	5/8" x 0.30	4.23
FLJ-304	1-1/4"	5/8" x 0.30	3.83
FLJ-305	1-1/2"	5/8" x 0.30	4.05
FLJ-306	1-3/4"	5/8" x 0.30	4.53
FLJ-307	2"	5/8" x 0.30	4.63
FLJ-308	2-1/4"	5/8" x 0.30	4.71
FLJ-309	2-1/2"	5/8" x 0.30	5.07
3/4" (NOMINAL WIDTH)			
FLJ-327	2"	3/4" x 0.30	6.39
FLJ-310	2-3/4"	3/4" x 0.30	7.00
FLJ-311	3"	3/4" x 0.30	8.55
FLJ-312	3-1/2"	3/4" x 0.30	8.13
FLJ-313	4"	3/4" x 0.30	9.71
FLJ-314	4-1/2"	3/4" x 0.30	10.42
FLJ-315	5"	3/4" x 0.30	10.81
FLJ-316	6"	3/4" x 0.30	12.31
FLJ-318	7"	3/4" x 0.30	14.36
FLJ-319	8"	3/4" x 0.30	15.66

Send Midland all your quotes!



TO ORDER the correct size Fast Lok Clamps, measure the outside diameter of the hose or article and then select the next larger inside diameter clamp by catalog number.

**FLJS-Clamp
SMOOTH I.D. CLAMPS**

• Minimum Qty may apply

FLJS - Clamps are double wrapped clamps with a more smooth inside diameter, intended for your thermo-plastic and other thinner wall hose clamping applications. The JS series clamps slide on the hose prior to inserting the fitting.

Preformed JS - Clamps are available in 5/8" and 3/4" widths, 1" I.D. to 8" I.D. in 1/4" increments.

The **FLJS** - Clamp is intended to be applied with a KS001 tool or other comparable fold-up locking tool.



**KA001
FOLD-UP ADAPTER**
List Price
A001


**KS001
WIND-UP TOOL**

List Price:
360.13

**STAINLESS
STEEL**

Catalog Number	5/8" (NOMINAL WIDTH)		List Price
	Clamp I.D. Inches	Band Width & Thickness	
FLJS-203	1"	5/8" x .030	3.61
FLJS-204	1-1/4"	5/8" x .030	4.19
FLJS-205	1-1/2"	5/8" x .030	3.87
FLJS-206	1-3/4"	5/8" x .030	5.28
FLJS-207	2"	5/8" x .030	4.42
FLJS-208	2-1/4"	5/8" x .030	5.07
FLJS-209	2-1/2"	5/8" x .030	4.94
3/4" (NOMINAL WIDTH)			
FLJS-227	2"	3/4" x .030	6.07
FLJS-210	2-3/4"	3/4" x .030	7.00
FLJS-211	3"	3/4" x .030	6.94
FLJS-212	3-1/2"	3/4" x .030	8.09
FLJS-213	4"	3/4" x .030	8.85
FLJS-214	4-1/2"	3/4" x .030	9.78
FLJS-215	5"	3/4" x .030	10.13
FLJS-216	6"	3/4" x .030	11.99
FLJS-218	7"	3/4" x .030	14.04
FLJS-219	8"	3/4" x .030	15.33

CLAMP-IT



CLAMP-IT

The multi-sized clamps all rolled up in one..for your unknown requirements for 1 inch to 30 feet, be they round or otherwise. Clamp-It products will fill your needs. This Strapping in widths of 3/8", 1/2", 5/8", and 3/4" stainless or galvanized steel, as are the clamps (buckles).

100' CLAMP-IT STRAPPING

Catalog Number	Width	Thickness	Material 100'/CTN.	List Price/CNT
SS-3751	3/8"	.025	301 Stainless	128.06
SS-5001	1/2"	.030	301 Stainless	194.08
SS-6251	5/8"	.030	301 Stainless	226.27
SS-7501	3/4"	.030	301 Stainless	275.10
SG-3750	3/8"	.025	Galvanized	74.94
SG-5000	1/2"	.030	Galvanized	86.09
SG-6250	5/8"	.030	Galvanized	109.17
SG-7500	3/4"	.030	Galvanized	122.32

CLAMPS (BUCKLES)

Catalog Number	Width	Material 100'/CTN.	List Price Each pc.
CS-3751	3/8"	301 Stainless	1.04
CS-5001	1/2"	301 Stainless	1.07
CS-6251	5/8"	301 Stainless	1.60
CS-7501	3/4"	301 Stainless	1.94
CG-3750	3/8"	Galvanized	0.47
CG-5000	1/2"	Galvanized	0.60
CG-6250	5/8"	Galvanized	0.79
CG-7500	3/4"	Galvanized	1.09

CLAMPS

HOSE CLAMPS

F-38 Loking Tool



List Price:
\$121.75

Portable hand tool used to apply punch Type 3/8 & 5/8 Clamps

F-40 Loking Tool



List Price:
\$205.74

Used to apply Punch Type 3/8 & 5/8 clamps.
Order mallet separately

F-100 Loking Tool



List Price:
\$496.06

Used to apply Punch Type 3/8 & 5/8 clamps.
Order mallet separately

KS001 Wind-up Tool



List Price:
\$360.13

Used to apply fold-up clamps and continuous strapping up to 3/4" width

- All designs exceed SAE J1508 specifications
- Smooth inside surface
- Even tightening torque for 360° seal
- Rolled-up band edge
- * **Non-perforated band prevents hose damage ***



GENERAL PURPOSE EMBOSSED WORM-GEAR HOSE CLAMPS

Features unique one-piece housing, rolled-up band edges and a non-perforated (embossed) band that protects the hose. For added corrosion resistance, the band in the 12mm Standard is made of Aluzinc which gives three times the protection offered by conventional galvanized steel.

- Features high clamping force and high durability torque.
- Stainless: All parts in AISI 304 Stainless Steel.

A non-perforated band with rolled up edges eliminates hose damage while increasing clamping force.

Per SAE standard J1508 Type "FEO"

Part #	List Price	SAE Size	Clamping Range		Part# 304 SS	List Price
			Inches	mm		
88-024	3.05	8	5/8-1	15-24	89-024	6.29
88-028	3.44	10	3/4-1-1/8	19-28	89-028	7.58
88-032	4.17	12	7/8-1-1/4	22-32	89-032	8.58
88-038	3.57	16	1-1/16-1-1/2	26-38	89-038	6.73
		20	1-1/4-1-3/4	32-44	89-044	7.56
88-050	4.05	24	1-1/2-2	38-50	89-050	8.29
		28	1-3/4-2-1/4	44-56	89-056	7.98
88-065	5.79	32	2-2-9/16	50-65	89-065	8.94
88-075	5.78	40	2-5/16-3	58-75	89-075	10.32
88-085	5.48	44	2-11/16-3-3/8	68-85	89-085	11.81
		52	3-3-3/4	77-95	89-095	13.65
88-112	7.49	64	3-7/16-4-7/16	87-112	89-112	12.99
		80	4-1/8-5-7/16	104-138	89-138	18.15

- Minimum Qty may apply

- Precision thread pitch for high vibration applications
- Design allows reuse
- Provides a strong seal
- Tolerates corrosive environments
- Minimum qty may apply



• marine

ULTRA

The overwhelmingly preferred 316 SS embossed design clamp for the marine market.

Made of al AISI 316 high tensile strength stainless steel, the ULTRA has one of the highest clamping force ratings of all worm-gear style clamps due to the final thread pitch and riveted housing.

ULTRA Stainless Steel: All parts are made of AISI 316 Stainless steel. 12 mm bandwidth unless other wise indicated.

A non-perforated band with rolled up edges eliminates hose damage while increasing clamping force.

Per SAE standard J1508 Type "FEO"

Part #	SAE Size	Clamping Range		List Price
		Inches	mm	
90-014	3	5/16-9/16	8-14	6.89
90-017	4	7/16-11/16	11-17	7.77
90-020	6	1/2-13/16	13-20	8.23
90-024	8	5/8-1	15-24	8.01
90-028	10	3/4-1-1/8	19-28	8.44
90-032	12	7/8-1-1/4	22-32	8.61
90-038	16	1-1/16-1-1/2	26-38	8.45
90-044	20	1-1/4-1-3/4	32-44	10.68
90-050	24	1-1/2-2	38-50	8.30
90-056	28	1-1/4-2-1/4	35-57	10.83
90-065	32	1-1/2-2-1/2	38-64	9.61
90-075	40	2-3	51-76	11.11
90-085	44	2-1/4-3-1/4	57-83	10.39
90-095	52	2-3/4-3-3/4	70-95	13.18
90-112	64	3-1/2-4-1/2	89-114	20.85
90-138	80	4-5-1/2	102-140	13.77
90-165	96	5-6-1/2	127-165	12.03
90-180	104	5-1/2-7	140-178	12.87
90-205	120	6-1/2-8	165-203	13.87
90-231	138	7-5/8-9-1/8	194-232	14.58
90-256	154	8-5/8-10-1/8	219-257	16.29
90-282	170	9-5/8-11-1/8	244-283	16.63
90-307	186	10-5/8-12-1/8	270-308	17.50

CLAMPS



MINI CLAMPS



Sure seal for small, thin walled hoses. The nut is secured to the clamp, making installation easier and the hexagonal head can be tightened with a socket wrench or screw driver.
Bandwidth is 9mm.

PAINTED ALUZINC STANDARD MINI CLAMPS

Part # Aluzinc	Clamping Range		List Price
	Inches	mm	
92-007	.26-.30	6.5-7.5	0.97
92-008	.28-.34	7-8.5	1.68
92-009	.32-.37	8-9.5	1.41
92-010	.36-.41	9-10.5	1.32
92-011	.37-.45	9.5-11.5	1.22
92-012	.41-.49	10.5-12.5	1.59
92-013	.45-.53	11.5-13.5	1.53
92-014	.49-.57	12.5-14.5	1.26
92-015	.53-.61	13.5-15.5	1.47
92-016	.55-.65	14-16.5	1.57
92-017	.59-.69	15-17.5	1.35

304 SS MINI CLAMPS

Part # 304 SS	Clamping Range		List Price
	Inches	mm	
93-008	.30-.34	7.5-8.5	3.49
93-009	.34-.37	8.5-9.5	4.11
93-010	.37-.43	9.5-11	3.06
93-011	.41-.47	10.5-12	4.24
93-012	.45-.51	11.5-13	4.19
93-013	.49-.55	12.5-14	4.36
93-014	.53-.59	13.5-15	3.59
93-015	.57-.63	14.5-16	2.95
93-016	.59-.67	15-17	4.52
93-017	.63-.71	16-18	3.68



RUBBER LINED CLAMPS

Multiple uses for holding cable, wire, pipe and hose. The rubber cushion absorbs vibration, provides protection against scratching and is made of black EPDM type rubber.

Rubber cushion clamps are used in a variety of industries and applications including automotive, truck, hydraulics and pneumatics, ship building, refrigeration, large equipment packaging etc.

Bandwidths and mounting hose sizes vary by diameter and material.

- Aluzinc clamps have a .26 hole diameter
- Stainless Steel .20 diameter

Part # Aluzinc	List Price	Clamping Range		Part# 304 SS	List Price
		Inches	mm		
95-300	1.33	1/8	3		
95-301	1.50	3/16	5	96-301	2.41
95-302	1.31	1/4	6	96-302	2.34
95-303	1.39	5/16	8	96-303	2.31
95-304	1.25	3/8	10	96-304	2.66
95-305	1.28	7/16	11	96-305	2.51
95-306	1.52	1/2	13	96-306	2.62
95-307	1.61	9/16	14	96-307	3.17
95-308	1.47	5/8	16	96-308	3.16
95-309	1.70	11/16	18		
95-310	1.59	3/4	19	96-310	3.20
95-311	2.03	13/16	21		
95-312	2.08	7/8	22	96-312	3.27
95-313	2.23	15/16	24		
95-314	1.87	1	25	96-314	4.08
95-315	2.53	1-1/16	27		
95-316	2.31	1-1/8	29	96-316	5.47
95-317	3.21	1-3/16	30		
95-318	3.56	1-1/4	32	96-318	5.78
95-319	3.76	1-5/16	33		
95-320	3.87	1-3/8	35	96-320	7.24
95-321	3.69	1-7/16	36		
95-322	4.11	1-1/2	38	96-322	7.10
95-326	6.45	1-5/8	41		
95-323	4.96	1-3/4	45	96-323	7.71
95-328	6.57	1-7/8	47		
95-324	5.11	2	51		
95-325	5.57	2-1/8	54		
95-329	6.74	2-3/8	60		
95-327	6.37	2-1/2	65		
95-330	6.63	2-15/16	74		
95-331	10.66	4-5/16	110		

CLAMPS

HOSE ACCESSORIES

HOSE FERRULES

SMOOTH BRASS HOSE FERRULES

- ASTMB36 Alloy 268
- 12 New sizes!

I.D.



Pierce/ Hole

***Available in Stainless Steel, add SS to end of part**

Part #	Ferrule #	I.D.	Length	Pierce	Gauge	List Price	
32-500	6231	0.330	0.49	0.250	0.020	0.38	
32-501	833	0.358	0.500	0.265	0.020	0.39	
NEW	32-503	833B	0.375	0.718	0.265	0.025	0.42
32-502	622	0.380	0.500	0.265	0.020	0.36	
32-550	619	0.400	0.47	0.27	0.020	0.45	
32-504	620	0.410	0.500	0.265	0.020	0.39	
32-551	769R	0.450	0.562	0.343	0.020	0.40	
32-552 *	4750	0.478	0.687	0.328	0.025	0.45	
32-553	624R	0.500	0.500	0.343	0.020	0.43	
NEW	32-506	7322A	0.500	1.000	0.343	0.025	0.61
32-554	7322	0.500	1.000	0.328	0.025	0.59	
32-555	625	0.525	0.47	0.36	0.020	0.43	
32-517	625A	0.525	0.56	0.360	0.020	0.42	
32-556	7323	0.525	1.000	0.375	0.025	0.81	
32-521	9974	0.525	1.000	0.437	0.025	0.79	
32-557 *	7324	0.531	1.000	0.375	0.025	0.70	
32-558	626	0.550	0.484	0.375	0.020	0.53	
NEW	32-507	3588	0.56	0.75	0.375	0.020	0.51
32-559 *	7325	0.56	1.000	0.437	0.025	0.77	
32-561 *	7326	0.593	1.000	0.437	0.025	0.65	
32-562	JJ	0.600	0.484	0.437	0.016	0.80	
32-563	JJ	0.600	0.500	0.500	0.020	0.52	
32-526	II	0.625	0.500	0.500	0.020	0.58	
32-564 *	7327	0.625	1.000	0.437	0.025	0.69	
32-565	HH	0.650	0.500	0.500	0.020	0.63	
32-566 *	7328	0.656	1.000	0.437	0.025	0.80	
32-567	GG	0.675	0.515	0.500	0.020	0.75	
32-568 *	7329	0.69	1.000	0.500	0.025	0.82	
32-570 *	7330	0.718	1.000	0.500	0.025	0.79	
NEW	32-508	7330A	0.718	1.000	0.625	0.025	0.85
32-571	EE	0.725	0.530	0.500	0.020	0.65	

Part #	Ferrule #	I.D.	Length	Pierce	Gauge	List Price
32-572	DD	0.750	0.531	0.500	0.020	0.64
32-510	7331B	0.75	1.00	0.500	0.025	0.89
32-573 *	7331	0.750	1.000	0.625	0.025	1.25
32-574	CC	0.775	0.531	0.500	0.020	0.74
32-533	7332B	0.781	1.000	0.500	0.025	1.20
32-575 *	7332	0.781	1.000	0.625	0.025	0.87
32-576	BB	0.800	0.546	0.562	0.020	0.76
32-577 *	7333	0.812	1.000	0.625	0.025	0.92
32-578	AA	0.825	0.546	0.562	0.020	0.76
32-535		0.85	0.968	0.687	0.025	0.86
32-579	7244	0.875	0.843	0.687	0.025	1.07
32-539	5029A	0.900	0.875	0.687	0.025	1.07
32-580	7113	0.925	0.968	0.750	0.025	1.14
32-543	5028A	0.975	0.843	0.687	0.025	1.29
32-545	5235A	1.000	0.843	0.687	0.025	1.20
32-549	7145A	1.050	0.843	0.687	0.025	1.51
32-584	5027	1.100	0.843	0.812	0.025	1.24
32-586	7104A	1.15	0.843	0.875	0.025	1.05
32-588 *	7088	1.175	0.875	0.875	0.025	1.45
32-590	875L	1.200	0.843	0.875	0.025	1.75
32-591	7291	1.225	0.968	0.875	0.025	1.97
32-592	7255	1.25	0.968	1.000	0.04	2.40
32-596	8000	1.425	0.875	1.062	0.025	1.98
32-597	1500	1.50	0.875	1.125	0.025	1.63

NEW

NEW

NEW

NEW

N

N

N

N

CLAMPS

HOSE CRIMPER

- Provides production capability and “big tool” crimping advantages at just a fraction of the cost of other tools offering comparable results.




HOSE CRIMPER COMES WITH 5 DIES

308-071 THRU # 308-075

Part #		List Price
308-070	Hose Crimper	61.84
308-071	5/8" Die	61.84
308-072	37/64" Die	61.84
308-073	12/32" Die	61.84
308-074	31/64" Die	61.84
308-075	11/16" Die	61.84

HOSE REEL



LOW PRESSURE

Reels are ideally suited for plant maintenance or many other industrial functions where hose storage is a problem. Standard hose for air, water and oxygen/ acetylene application.

- Made in the USA .
- All metal reel.
- Unitized multi-functional hub arbor.
- 8 Position guide arm.
- Minimal size envelope permits installation where space is a factor.
- Simple design incorporates fewer parts.
- Single set screw to access latch area and spring case.
- Heavy gauge base with no welds.
- Retractable w/ hose

Part #	Operating Pressure	Capacity Hose ID		Shipping Weight	List Price
		I.D.	Length		
940-350	300	3/8	50	41	658.21
940-250	300	1/4	50	44	986.58

940350 - Air/ Water

940250 - Oxygen/ Acetylene

**CORROSION RESISTANCE VALUES
for Plastic Tubing**

Ratings based on tests at 70°F and should not be exposed to higher temperature without testing

F-5000 Poly Vinyl Chloride

U-2000 Polyurethane

E-1000 Low Density Polyethylene

N-6000 Nylon

P-1100 Polypropylene

D-4000 EVA

T-7000 Teflon

U-8000 Special Plasticizers PVC

G-Good

L-Limited

P-Poor

N-Not Tested



FUELS:	F	U	E	N	P	D	T	U
Butane (1).....	G	G	L	G	L	G	G	N
Diesel Fuel.....	L	G	L	G	L	P	N	G
Gasoline (regular).....	L	G	P	G	L	N	G	G
Kerosene.....	L	G	P	G	G	P	G	G
Methane (nat. gas)(1).....	G	G	L	G	G	N	N	N
Propane (1).....	G	G	L	G	L	N	N	N
OTHERS:								
Acetylene.....	N	G	G	G	G	N	N	N
Ammonia gas.....	P	G	G	G	G	G	N	N
Ammonium salts.....	G	G	G	G	G	G	N	N
Amyl acetate.....	P	P	L	G	P	P	G	N
Aniline.....	P	P	L	L	G	P	G	N
Animal oils.....	G	G	P	G	G	N	G	G
Bleach, 7%.....	G	P	G	L	L	N	N	G
Bromine.....	L	G	P	P	P	P	G	N
Butandiol.....	G	G	G	G	G	N	N	N
Calcium salts incl. Chloride....	G	G	G	G	G	N	G	G
Chlorine gas, dry.....	G	G	P	P	P	P	N	N
Dibutyl phthalate.....	N	P	L	G	L	P	N	G
Glucose.....	G	G	G	G	G	G	G	G
Glycerine.....	G	G	G	G	G	G	N	G
Hydrogen peroxide 10%.....	G	G	G	G	G	G	G	G
Hydrogen peroxide 25%.....	L	G	G	P	G	G	G	G
Hydrogen sulfide.....	G	P	G	L	G	N	G	N
Isocyanates.....	N	G	G	G	N	P	N	N
Lead salts (3).....	G	G	G	G	G	N	N	N
Magnesium salts.....	G	G	G	G	G	N	G	N
Mercury.....	G	G	G	G	G	G	N	N
Milk.....	G	G	G	G	G	G	N	G
Mineral Oil.....	G	G	L	G	L	P	G	G
Nitrous Oxide (1).....	G	G	L	G	G	N	N	N
Oxygen (1).....	G	G	G	G	G	G	G	G
Ozone, ambient.....	G	G	L	G	L	N	N	G
Paint, oil base.....	L	G	L	G	G	N	N	G
Polyglycols.....	G	G	G	G	G	N	N	N
Potassium salts.....	G	G	G	G	G	N	G	N
Pydraul.....	P	P	P	G	N	N	N	N
Pyridine.....	P	L	G	L	G	N	G	N
Salt Water.....	G	G	G	G	G	G	G	G
Silver Nitrate.....	G	G	G	G	G	G	G	N
Skydrol.....	P	P	P	G	N	N	N	N
Soap solution (conc.).....	G	G	L	G	G	N	G	G
Sodium salts.....	G	G	G	G	G	N	G	G
Sodium thiosulphate.....	G	G	G	G	G	N	G	G
Styrene.....	P	G	P	G	N	N	N	G
Trisodium phosphate.....	G	G	N	G	G	G	N	G
Ucon oil.....	G	G	G	G	N	N	N	N
Urea.....	G	G	G	G	G	N	G	G
Vegetable oils (1).....	G	G	G	G	G	P	N	G
Water at 730F.....	G	G	G	G	G	G	G	G
Water at 1400F.....	L	G	G	G	G	G	G	G
Water at 1700F.....	P	L	N	L	G	P	N	G
Whiskey, wine (1).....	N	G	G	G	G	G	N	G
Zinc Chloride.....	G	G	G	G	G	G	G	N

ACIDS & BASES	F	U	E	N	P	D	T
Acetic, 50%.....	G	P	P	L	G	P	G
Boric.....	G	G	G	G	G	G	G
Carbolic (phenol).....	P	P	G	P	G	P	N
Fatty.....	G	G	P	G	G	N	G
Formic, 90%.....	G	P	G	P	G	G	G
Hydrochloric, 10%.....	G	G	G	L	G	G	G
Hydrochloric, 25%.....	G	L	G	P	G	L	G
Hydrochloric, 50%.....	G	L	G	P	G	L	G
Hydrocyanic, 50%.....	L	P	G	P	G	G	G
Maleic.....	G	P	G	G	G	N	N
Nitric, 10%.....	G	P	G	L	G	L	G
Nitric, 30%.....	G	P	G	P	L	L	G
Oleic.....	L	G	L	G	G	P	N
Phosphoric, 25%.....	G	L	G	G	G	G	N
Sulfuric, 30%.....	G	L	G	L	G	L	G
Sulfuric, 70%.....	L	P	P	P	G	P	G
Sulfuric, 98%.....	P	P	P	P	G	P	G
Sulfurous, 30%.....	G	P	G	L	G	N	G
Tannic.....	G	P	G	G	G	N	G
Ammonium hydroxide, 25%.....	P	G	L	G	G	G	N
Potassium hydroxide, 25%.....	L	G	G	G	G	G	G
Sodium hydroxide, 50%.....	G	G	G	G	G	L	G

SOLVENTS:	F	U	E	N	P	D	T
Acetone.....	P	P	G	G	L	P	G
Benzene.....	P	L	P	G	P	P	G
Carbon tetrachloride.....	P	L	L	L	P	P	G
Chloroform.....	P	P	P	L	P	P	G
Cyclohexanone.....	P	P	P	G	L	P	G
Dimethylformamide.....	P	P	L	N	G	N	N
Dioxane.....	N	N	P	G	L	N	N
Ethyl acetate.....	P	L	G	G	L	P	G
Ethyl alcohol (1).....	L	G	G	L	G	G	G
Ethyl ether.....	L	L	G	G	L	P	N
Ethylene glycol.....	G	G	G	G	G	G	N
Formaldehyde.....	G	G	G	G	L	N	N
Freon - 12'.....	L	L	G	G	L	N	G
Methyl alcohol.....	L	G	G	L	G	N	N
Methylene chloride.....	P	P	L	G	L	P	N
Methyl ethyl ketone.....	P	P	G	G	L	P	N
Naphthas (2).....	P	G	P	G	L	P	G
Tolulene.....	P	G	P	G	L	P	N
Triclorethylene.....	P	P	P	L	P	P	G
Turpentine.....	G	G	P	G	L	P	G
Xylene.....	P	G	P	G	L	P	N

HYDRAULIC FLUIDS:	F	U	E	N	P	D	T
Diester base grease.....	N	G	P	G	L	P	N
Petroleum base grease.....	G	G	L	G	L	P	N
Phosphate ester.....	L	P	P	G	G	N	N
Polyol ester.....	P	N	P	G	G	N	N
Water-glycol.....	G	G	G	G	G	N	N
SAE motor oils.....	G	G	G	G	G	N	N
Machine oil.....	G	G	L	G	L	N	N
MIL-L-7808 H.....	G	G	L	G	G	N	N
Brake Fluid.....	N	N	N	N	N	N	N

TUBING



LINEAR LOW DENSITY POLYETHYLENE TUBING (LLDPE)



Polyethylene is made from 100% non-toxic ingredients. It's inert nature and FDA compliant status makes it perfect for food, water and beverage piping. It is ideal for use in pneumatic, drain piping, lab use and chemical transfer applications which require an inexpensive tubing

Polyethylene is highly-resistant to stress cracking from chemicals, aging and ultraviolet exposure. For use with barb-type, push-to-connect or compression-style fittings.

Features

- Chemically Inert
- Chemical Resistant
- Lightweight & Flexible
- Good Dielectric Properties
- Impermeable to Gases
- Meets FDA Requirements
- Multiple Colors Available

Specifications

Temperature Range: -50°F to +140°F
 Hardness: Shore A 93A
 Shore D 45D

Applications

Food & Beverage Process Control
 Pneumatic Tools Laboratories
 Pneumatic Piping
 Electrical Jacketing
 Drain Lines
 Instrumentation
 Chemical Transfer

Colors Available: Black=B ,Blue = U, Green = G, Red = R, Yellow = Y, Orange = O.

To order colors, delete the 9 prefix and add color suffix. For longer lengths, add length suffix.

• Burst PSI is 3x working pressure

ID = Wall Thickness x2 - Tube O.D.

100' LENGTH

Part #	Tube O.D.	Tube Wall	Working Pressure	List Price
973-200	1/8"	0.020	400	23.54
973-201	5/32"	0.025	400	24.40
973-202	3/16"	0.030	400	26.77
973-203	1/4"	0.040	400	22.81
973-204	1/4"	0.062	600	30.50
973-205	5/16"	0.062	800	43.25
973-206	3/8"	0.062	400	49.87
973-207	1/2"	0.062	300	62.78
973-208	5/8"	0.062	250	78.99
973-211	3/4"	0.062	150	115.52
973-209	3/4"	0.094	200	143.59
973-210	1"	0.125	300	228.26

500' LENGTH

Part #	Tube O.D.	Tube Wall	Working Pressure	List Price
73-200N5	1/8"	0.020	400	103.17
73-203N5	1/4"	0.040	400	137.47
73-204N5	1/4"	0.062	800	148.45
73-206N5	3/8"	0.062	400	244.62
73-207N5	1/2"	0.062	300	308.89

1000' LENGTH

Part #	Tube O.D.	Tube Wall	Working Pressure	List Price
73-203N1	1/4"	0.040	400	218.11
73-204N1	1/4"	0.062	800	262.83
73-206N1	3/8"	0.062	400	428.64

PLASTIC TUBING

TUBING

**100' BLACK
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-200B	1/8"	23.54
73-201B	5/32"	26.87
73-202B	3/16"	26.77
73-203B	1/4"	27.81
73-204B	1/4"	28.50
73-205B	5/16"	43.25
73-206B	3/8"	47.54
73-207B	1/2"	64.45
73-208B	5/8"	78.99

**100' BLUE
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-200U	1/8"	23.54
73-201U	5/32"	26.87
73-202U	3/16"	28.09
73-203U	1/4"	27.81
73-204U	1/4"	28.50
73-205U	5/16"	43.25
73-206U	3/8"	47.54
73-207U	1/2"	64.45

**100' GREEN
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-201G	5/32"	26.87
73-203G	1/4"	27.01
73-204G	1/4"	28.50
73-205G	5/16"	43.25
73-206G	3/8"	47.54
73-207G	1/2"	64.45

**100' RED
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-203R	1/4"	27.81
73-205R	5/16"	43.25
73-206R	3/8"	47.54

**100' WHITE
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-203W	1/4"	27.81
73-206W	3/8"	47.54
73-207W	1/2"	64.45

**100' YELLOW
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-203Y	1/4"	27.81
73-205Y	5/16"	43.25
73-206Y	3/8"	47.54

**100' ORANGE
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-203O	1/4"	27.01

**100' GRAY
POLYETHYLENE TUBING**

Part #	O.D.	List Price
73-206A	3/8"	47.54

500' BLACK REEL

Part #	O.D.	List Price
73-203B5	1/4"	131.51
73-205B5	5/16"	187.98
73-206B5	3/8"	225.35
73-207B5	1/2"	308.89

500' BLUE REEL

Part #	O.D.	List Price
73-203U5	1/4"	111.96
73-206U5	3/8"	225.35

500' GREEN REEL

Part #	O.D.	List Price
73-203G5	1/4"	111.96

500' RED REEL

Part #	O.D.	List Price
73-203R5	1/4"	123.87

500' WHITE REEL

Part #	O.D.	List Price
73-207W5	1/2"	308.89

1000' BLACK REEL

Part #	O.D.	List Price
73-206B1	3/8"	428.64

1000' BLUE REEL

Part #	O.D.	List Price
73-203U1	1/4"	218.11

1000' GREEN REEL

Part #	O.D.	List Price
73-203G1	1/4"	218.11

1000' RED REEL

Part #	O.D.	List Price
73-203R1	1/4"	218.11

TUBING



NYLON 12 TUBING



Nylon 12 tubing is recognized as an industry standard for applications which require higher working pressures and higher heat and/or chemical resistance. It is ideal for outdoor use applications because of its superior stress crack resistance. Nylon 12 is strong, lightweight and has a very low moisture absorption rate compared to other nylons. By not absorbing moisture, Nylon 12 remains more flexible, which in turn extends its service life. Nylon 12 tubing can be used with standard push-to-connect fittings and compression fittings for simple installation.

Because of its semi-rigid properties, a thinner tube wall provides higher flow rates and working pressure.

Features

- Strong
- Lightweight
- Flexible
- Abrasion Resistant
- Heat Resistant
- Chemical Resistant

Specifications

Temperature Range: -60°F to +200°F
 Hardness: Rockwell 78 R
 Shore D 70
 Vacuum Rating: To 28" Hg
 Higher Flow Rates & Working Pressure
 Tolerances: 1/8"-1/4" +/- .004
 3/4"-1/2" +/- .006

Applications

- Pneumatic Tools
- Pneumatic Piping
- Instrumentation
- Lube Lines
- Coolants
- Refrigeration
- Chemical Transfer
- Vacuum
- Process Control
- Fuel Lines
- Paint Supply Lines
- Laboratories

Part #'s shown are for natural. 500' and 1000' reels available on request.

100' LENGTH

Part #	Tube O.D.	Tube Wall	Working Pressure	List Price
973-230	1/8"	.017	400	29.93
973-231	5/32"	.025	400	42.24
973-229	3/16"	.024	400	57.73
973-232	1/4"	.035	400	106.51
973-238	1/4"	.050	800	131.58
973-226	5/16"	.040	250	144.89
973-233	3/8"	.050	240	177.89
973-234	1/2"	.062	150	400.30

BLACK TUBING & MISC.

Part #	O.D.	Wall	Working Pressure	List Price
73-231B	5/32	0.025	400	45.50
73-232B	1/4	0.035	400	106.51
73-233B	3/8	0.05	300	240.00
73-232N5*	1/4	0.035	400	479.30
73-238U**	1/4	0.04	800	110.19

• 500' Natural **Blue

METRIC LENGTH - 100 ft. coils

Part #	MM O.D.	MM I.D.	MM Wall	Working Pressure	List Price
973-323	4	2.3	0.85	1800	51.65
973-325	6	4	1	1200	93.00
973-327	8	6	1	800	106.70
973-329	10	8	1	600	234.62
973-332	12	10	1	480	312.55
973-334	14	12	1	950	273.02

* Metric Sizes Natural color only*

ENDURE™ AIR BRAKE TUBING



Applications

- Truck, Bus & Commercial vehicle air brake systems.
- Trailer air brake systems.
- Auxiliary air systems.

Features

- Flexible - Retains its flexibility longer.
- Leading impact strength & vibration cracking resistance
- Exceeds Industry Performance Standards.

Service Temp. Range:

-85°F (-65°C) to + 200°F (+93°C)

Compliances:

- Meets DOT FMVSS 106.
- Meets requirements of SAE J844 Type B.

Construction

- Uses DuPont™ Hytrel®
 - Tube: Polyester elastomer
 - Reinforcement: Poly. yarn
 - Cover: Poly. elastomer (colored)
- Available in Black, Blue, Green, Orange, Red & Yellow.

Add suffix 'B' = Black, 'U' = Blue, 'G' = Green, 'O' = Orange, 'R' = Red, 'Y' = Yellow

Part #	Nominal O.D.	Nominal I.D.	Nominal Wall	Minimum Burst Pressure (PSI @ 70°F)	Standard Lengths		Standard Lengths		List Price CTN	List Price Spool
					Ctn/Spool	Ctn/Coil	Ctn/Spool	Ctn/Coil		
38604	3/8	0.251	0.062	1,400	500 ft.	100 ft.	17.0 lbs.	3.2 lbs.	233.60	1168.00
38605	1/2	0.376	0.062	950	500 ft.	100 ft.	23.0 lbs.	4.4 lbs.	312.32	1561.58
38606	5/8	0.441	0.094	900	250 ft.	100 ft.	22.0 lbs.	8.0 lbs.	605.71	1443.49
38607	3/4	0.566	0.094	850	250 ft.	100 ft.	27.0 lbs.	10.0 lbs.	802.16	2005.39

Add a '5' to the end of the part # for 500 ft. & 250 spools

AIR BRAKE TUBING

- SAE J844, Type 3 A & B & DOT FMVSS 106
- Nylon inner tube with open ply nylon fiber reinforcement and nylon cover.
- 40° F to +200° F temperature range.
- 150 P.S.I. max. working pressure.
- More colors available.



- Reinforced
- Available in black, blue, green, red, yellow

NOTE: The Synflex, Parker and Eaton tubing must be torqued at 47 in. pounds.

Any other 5/32 DOT tubing used, tubing or fitting manufacturer should be contacted for proper torque requirements.

TYPE A NON-REINFORCED

Part #	Type A	Color	Length	List Price
38-950	1/8"	Black	100'	POR
38-952	1/4"	Black	100'	POR
38-952R	1/4"	Red	100'	POR
38-952U	1/4"	Blue	100'	POR
38-952-2	1/4"	Black	500'	POR
38-952-3	1/4"	Black	1000'	POR

TYPE B REINFORCED

Part #	Type B	Color	Length	List Price
38-960	3/8"	Black	100'	POR
38-960U	3/8"	Blue	100'	POR
38-960B5	3/8"	Black	500'	POR
38-965	1/2"	Black	100'	POR
38-965R	1/2"	Red	100'	POR
38-965B5	1/2"	Black	500'	POR
38-970	5/8"	Black	100'	POR
38-975	3/4"	Black	100'	POR



PVC POLYVINYLCHLORIDE TUBING

PVC is suited for general, low-pressure, industrial applications for the conveyance of liquids and solids of suitable granular size. Made from a PVC compound that complies with FDA regulations. Although it is primarily intended for applications where pressure is not essential, it will withstand the pressures shown.

The clear PVC Tubing provides good chemical resistance, is lightweight, flexible and economically priced.

Features

- Lightweight
- Flexible
- Food Grade
- Clear Color

Specifications

Temperature Range: +25°F to +150°F
 Hardness: Shore A 75 PVC
 Meets FDA requirements
 NSF 51 Certified to 100°F(38°C)
 USP Class VI rated materials

Applications

Beverage Dispensing Distilled Water Transfer
 Drain Tubing Light Vacuum
 Potable Water Wire Harness
 Laboratory Tubing
 Wine Transfer
 Low Pressure Air Line

Colors Available: Clear

Package Lengths: 100'

100' LENGTH

Part #	Tube I.D.	Tube O.D.	Tube Wall	Min. Burst	List Price
973-222	1/8	3/16	1/32	200	34.35
973-224	1/8	1/4	1/16	400	39.90
973-223	3/16	5/16	1/16	250	41.14
973-215	1/4	3/8	1/16	200	56.56
973-252	5/16	7/16	1/16	150	68.79
973-253	5/16	1/2	3/32	250	93.23
973-216	3/8	1/2	1/16	125	72.85
973-255	3/8"	5/8"	1/8"	250	155.50
973-262	3/8	9/16	3/32	200	135.63
973-217	1/2	5/8	1/16	100	139.64
973-219	3/4	1	1/8	120	248.89
973-221	1	1-1/4	1/8	100	373.97

ALUMINUM TUBING

Alloy 3003-0
 ASTM B-483



Material to ASTM B-483

POR

900 PSI max
 3700 Burst PSI

ALUMINUM VERSATUBE 50' COILS

Part #	O.D.	Wall Thick	50' Coils
972-190	1/8	.025	POR
972-191	3/16	.028	POR
972-192	1/4	.032	POR
972-193	5/16	.035	POR
972-194	3/8	.035	POR
972-195	1/2	.035	POR

COPPER TUBING

ASTMB280



POR

REFRIGERATION COPPER TUBE 50' COILS

Part #	O.D Actual	Wt. 50' Coil	Wall Thick.
972-180	1/8	1.74	.030
972-181	3/16	2.88	.030
972-182	1/4	4.02	.030
972-183	5/16	5.45	.032
972-184	3/8	6.7	.032
972-185	1/2	9.1	.032
972-186	5/8	12.55	.035
972-187	3/4	15.25	.035

COPPER TUBING

For residential water lines



POR

TYPE L SOFT COPPER TUBING 60' COILS

Part #	O.D Nom	Wt. 50' Coil	Wall Thick.
972-171	1/4	.126	.030
972-172	3/8	.198	.035

* Add 1/8" to Nom OD to get the Actual OD

POR = Price On Request

TUBING ACCESSORIES

MINI-TUBING CUTTER

• Great for tight places



TUBING CUTTER



PLASTIC TUBE CUTTER

Range: 1/8" - 3/8" I.D. (3mm-10mm)



Part #	Size	List Price
990-571	3mm-22mm (1/8"-7/8")	6.38

Part #	Size	List Price
990-570	1/8"-1-1/8"	12.04

Part #	Description	List Price
91-707	Cutter w/Blade	9.20



- Route and secure multiple tubing lines
- Mounting versatility
 - Racks can be easily hand separated down to single holders.
 - Thru holes provided (all sizes)
- Standard color is BLACK. Other colors available on special request.

Part #	Tubing OD	Description	Channels	List Price
28-988	1/4	non-adhesive	10	3.15
28-989	1/4	adhesive	10	4.33
28-990	3/8	non-adhesive	7	10.19
28-991	1/2	non-adhesive	5	16.60

NOTE: MOUNTING SCREWS NOT PROVIDED

"WHY SPEND A DOLLAR ON A BOOKMARK? ... WHY NOT USE THE DOLLAR AS A BOOKMARK?"

- STEVEN SPIELBERG

"I JUST THINK IT'S GOOD TO BE CONFIDENT. IF I'M NOT ON MY TEAM WHY SHOULD ANYBODY ELSE BE?"

- ROBERT DOWNEY JR.

"MOST PEOPLE OVERESTIMATE WHAT THEY CAN DO IN ONE YEAR AND UNDERESTIMATE WHAT THEY CAN DO IN TEN YEARS."

- BILL GATES

1/4" BASIC SIZE

UNIVERSAL SERIES COUPLERS

1/4" BASIC SIZE

For ARO, TRU-FLATE, INDUSTRIAL INTERCHANGE

1/4" BASIC SIZE

- Automatic Coupler
- Brass body, NBR Seal, Stainless Steel spring, Steel locking balls.
- Good for low pressure fluid lines.

Working range:

Maximum operating Pressure
To 220 psi


Temperature: -4° to +176°F

Industrial

Accepts all 3 styles of plugs!

Parker

ARO



MALE COUPLER



BRASS

Part #	Size	List Price
28-579	1/4" NPTF	10.61
28-589	3/8" NPTF	10.16

FEMALE COUPLER



BRASS

Part #	Size	List Price
28-560	1/4" NPTF	13.54

HOSE BARB COUPLER



BRASS

Part #	Hose I.D. Size	List Price
28-690	1/4"	12.25
28-691	3/8"	11.52

1/4" BASIC SIZE

INDUSTRIAL INTERCHANGE

1/4" BASIC SIZE

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-4° to +176°

- Sleeve type couplings are widely used to connect compressed air and low pressure fluid lines.

Their compact and economical design uses a ball locking mechanism consisting of captive steel balls that engage the locking groove on the mating nipple. The sliding spring loaded sleeve on the coupler must be manually retracted in order to connect or disconnect the nipple. It is easy to do, but two hands are normally required.

Common applications include: compressed air, water, grease, paint, limited vacuum and limited gases.

- The standard is a brass coupler and valve with steel locking balls, NBR seat, and stainless steel springs.

MALE PIPE COUPLER

BRASS



Part #	NPT Size	List Price
28-552	1/4"	7.16
28-553	3/8"	7.69

STEEL

28552S	1/4"	5.46
28553S	3/8"	5.78

MALE PLUG

STEEL



Part #	NPT Size	List Price
28-545	1/8	1.79
28-546	1/4	1.49
28-547	3/8	2.51

360° TURNING SWIVEL PLUG

1/4" Basic size

Industrial Interchange Plug


- 360° Turning
- Swivels



Part #	Size	List Price
320-065	1/4"	11.04

FEMALE PIPE COUPLER

BRASS



Part #	NPT Size	List Price
28-540	1/4"	7.23
28-541	3/8"	7.80

STEEL

28540S	1/4"	5.34
28541S	3/8"	6.01

FEMALE PLUG


STEEL



Part #	NPT Size	List Price
28-533	1/8"	1.48
28-534	1/4"	1.33
28-535	3/8"	2.54

HOSE ID COUPLER

BRASS



Part #	Hose ID	List Price
28-562	1/4"	9.36
28-564	3/8"	9.42
28-565	1/4(Push on)	10.51
28-566	3/8(Push on)	11.40

STEEL

28-562S	1/4"	5.51
28-564S	3/8"	6.04
28-565S	1/4(Push on)	6.01
28-566S	3/8(Push on)	6.55

HOSE ID PLUG

STEEL



Part #	Hose ID	List Price
28-557	1/4"	1.43
28-559	3/8"	1.83
28-558	1/4(Push on)	1.87
28-561	3/8(Push on)	2.06

Send Midland all your quotes

Some product stocked in Houston and Atlanta.

3/8" BASIC SIZE

INDUSTRIAL INTERCHANGE

3/8" BASIC SIZE

Specifications

Body Size (in.)	3/8
Rated Pressure (PSI)	250
Temperature Range	-4° to +176°

• Sleeve type couplings are widely used to connect compressed air and low pressure fluid lines.

Their compact and economical design uses a ball locking mechanism consisting of captive steel balls that engage the locking groove on the mating nipple. The sliding spring loaded sleeve on the coupler must be manually retracted in order to connect or disconnect the nipple. It is easy to do, but two hands are normally required.

Common applications include: compressed air, water, grease, paint, limited vacuum and limited gases.

- The standard is a Steel coupler with a Steel valve, NBR seat, and stainless steel springs. Brass coupler avail. on request.
- 3/8" Basic size.

MALE COUPLER

STEEL



Part #	NPT Size	List Price
98-823	1/4"	10.82
98-824	3/8"	12.88
98-825	1/2"	16.17

FEMALE COUPLER

STEEL



Part #	NPT Size	List Price
98-810	1/4"	12.01
98-811	3/8"	11.47
98-812	1/2"	13.41

HOSE ID COUPLER

STEEL



Part #	Hose ID	List Price
98-840	1/4"	15.17
98-841	3/8"	15.36
98-842	3/8" (Push on)	15.66

MALE PLUG

STEEL



Part #	NPT Size	List Price
98-814	1/4"	2.79
98-815	3/8"	3.11

FEMALE PLUG

STEEL



Part #	NPT Size	List Price
98-801	1/4"	2.01
98-802	3/8"	2.61

HOSE ID PLUG

STEEL



Part #	Hose I.D. Size	List Price
98-828	3/8"	4.15
98-830	3/8" (Push on)	4.37

1/2" BASIC SIZE

INDUSTRIAL INTERCHANGE

1/2" BASIC SIZE

Specifications

Body Size (in.)	1/2
Rated Pressure (PSI)	250
Temperature Range	-4° to +176°

• Sleeve type couplings are widely used to connect compressed air and low pressure fluid lines.

Their compact and economical design uses a ball locking mechanism consisting of 8 captive steel balls that engage the locking groove on the mating nipple. The sliding spring loaded sleeve on the coupler must be manually retracted in order to connect or disconnect the nipple. It is easy to do, but two hands are normally required.

Common applications include: compressed air, water, grease, paint, limited vacuum and limited gases.

MALE PIPE COUPLER

STEEL



Part #	NPT Size	List Price
99-825	1/2"	15.84
99-826	3/4"	22.92

FEMALE PIPE COUPLER

STEEL



Part #	NPT Size	List Price
99-812	1/2"	16.68
99-813	3/4"	21.71

HOSE ID COUPLER

STEEL



Part #	Hose ID	List Price
99-841	3/8"	21.63
99-843	1/2"	18.90

MALE PLUG

STEEL



Part #	NPT Size	List Price
99-816	1/2"	4.26
99-817	3/4"	7.83

FEMALE PLUG

STEEL



Part #	NPT Size	List Price
99-803	1/2"	5.31
99-804	3/4"	9.36

HOSE ID PLUG

STEEL



Part #	Hose ID	List Price
99-828	3/8"	5.55
99-830	1/2"	5.10

1/4" BASIC SIZE

ARO 210 INTERCHANGE

1/4" BASIC SIZE


Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-4° to +176°

- Brass bodies and valves, steel locking balls, NBR seat, and stainless steel springs.
- Couplings have a full opening tubular valve for maximum flow and a built-in sleeve guard to minimize accidental disconnect.
- Marval connect and disconnect.

MALE PIPE COUPLER


BRASS



Part #	NPT Size	List Price
28-592	1/8"	21.39
28-593	1/4"	9.89
28-594	3/8"	14.32

FEMALE PIPE COUPLER

BRASS



Part #	NPT Size	List Price
28-583	1/8"	19.46
28-584	1/4"	9.00
28-585	3/8"	26.02

HOSE ID COUPLER

BRASS



Part #	Hose ID	List Price
28-601	1/4"	10.01
28-603	3/8"	14.13

MALE PLUG

STEEL



Part #	NPT Size	List Price
28-586	1/8"	4.07
28-587	1/4"	1.83

FEMALE PLUG

STEEL



Part #	NPT Size	List Price
28-578	1/4"	2.14

HOSE ID PLUG

STEEL



Part #	Hose ID	List Price
28-595	1/4"	4.39
28-597	3/8"	7.83

ST SERIES...HIGH FLOW

Specifications

Brass - Coupler & Steel Plug		
Temperature Range	-40° to 250°	
Rated Pressure	4650	2350

MALE PIPE COUPLER

BRASS



Part #	Body & Thread Size	List Price
28-667	1/8"	20.63
28-665	1/4"	14.25
28-666	3/8"	16.10
28-668	1/2"	19.29
28-669	3/4"	50.80
28-670	1"	79.14

FEMALE PIPE COUPLER

BRASS



Part #	Body & Thread Size	List Price
28-671	1/8"	12.81
28-651	1/4"	14.68
28-652	3/8"	15.87
28-672	1/2"	24.16
28-673	3/4"	44.90

MALE PLUG

STEEL



Part #	Size	List Price
28-675	1/8"	8.88
28-639	1/4"	6.88
28-640	3/8"	4.98
28-676	1/2"	5.97
28-677	3/4"	18.26

FEMALE PLUG

STEEL



Part #	Size	List Price
28-688	1/8"	5.71
28-619	1/4"	6.93
28-620	3/8"	5.37
28-679	1/2"	9.00
28-680	3/4"	17.32
28-681	1"	46.18

- Non-valved couplings for applications where maximum flow is required. Ideal for applications such as high pressure water and steam washers, carpet cleaners and mold coolant lines. They are often used in food processing, on fluid and dye transfer lines.

- Standard seals are Buna-N (Nitrile).

1/4" BASIC SIZE

PARKER INTERCHANGE (TRU-FLATE)

1/4" BASIC SIZE

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-4° to +176°

- The standard is a brass coupler and valve with steel locking balls, NBR seat, and stainless steel springs.
- Unique design has been field proven as a long lasting, high performance coupling especially when used with pneumatic tools.
- Marval connect and disconnect.

MALE PIPE COUPLER

BRASS



Part #	NPT Size	List Price
28-515	1/8"	19.88
28-516	1/4"	7.83
28-517	3/8"	18.10

FEMALE PIPE COUPLER

BRASS



Part #	NPT Size	List Price
28-507	1/4"	7.88
28-508	3/8"	17.54

1/4"
Body Size

HOSE ID COUPLER

BRASS



Part #	Hose ID	List Price
28-528	1/4"	23.34
28-530	3/8"	23.32
28-531	1/4"(Push on)	22.21
28-532	3/8"(Push on)	22.21

MALE PLUG

STEEL



Part #	NPT Size	List Price
28-509	1/8"	1.93
28-510	1/4"	1.43
28-511	3/8"	2.74

FEMALE PLUG

STEEL



Part #	NPT Size	List Price
28-500	1/8"	4.78
28-501	1/4"	1.61
28-502	3/8"	2.65

HOSE ID PLUG

STEEL



Part #	Hose ID	List Price
28-518	1/4"	2.46
28-520	3/8"	7.21
28-521	1/4"(Push on)	12.63
28-522	3/8"(Push on)	13.43

HAWAII.... HAWAIIANS LIVE, ON AVERAGE, FIVE YEARS LONGER THAN RESIDENTS OF ANY OTHER STATE.

IDAHOTV WAS INVENTED IN RIGBY, IDAHO, IN 1922.

ILLINOIS HAS A GOVERNOR IN JAIL, ONE PENDING JAIL, AND IS THE MOST CORRUPT STATE IN THE UNION!

INDIANAHOME TO SANTA CLAUS, INDIANA, WHICH GETS A HALF MILLION LETTERS FOR SANTA EVERY YEAR.

IOWA WINNEBAGO R.V.S GET THEIR NAME FROM WINNEBAGO COUNTY ... ALSO, IT IS THE ONLY STATE NAME THAT BEGINS WITH 2 VOWELS.

KANSASLIBERAL, KANSAS HAS AN EXACT REPLICA OF THE HOUSE IN "THE WIZARD OF OZ".

KENTUCKY HAS MORE THAN \$6 BILLION IN GOLD UNDERNEATH FORT KNOX.

LOUISIANA HAS PARISHES INSTEAD OF COUNTIES BECAUSE THEY WERE ORIGINALLY SPANISH CHURCH UNITS.

MAINEIT IS SO LARGE THAT IT COVERS AS MANY SQUARE MILES AS THE OTHER FIVE NEW ENGLAND STATES COMBINED.

MARYLANDTHE OUIJA BOARD WAS CREATED IN BALTIMORE IN 1892



MINI TYPE QUICK DISCONNECTS

Working Range: 0-145 psi
Material: Chrome Plated Brass


Send Midland all your quotes!

MALE COUPLER



Part #	Size	List Price
28-605	1/8"	7.55

FEMALE COUPLER




Part #	Size	List Price
28-606	1/8"	7.55

MALE PLUG



Part #	Size	List Price
28-607	1/8"	2.53

FEMALE PLUG



Part #	Size	List Price
28-608	1/8"	2.02

LINCOLN INTERCHANGE

- 1/4" Basic Size

Specifications

Body Size (in.)	1/4
Rated Pressure (PSI)	250
Temperature Range	-40° to +250°

- Brass body with steel sleeve and backnut. Valve material is Acetal and seal is Nitrile.

MALE PIPE COUPLER



Part #	Size	List Price
28-683	1/4"	23.50

FEMALE PIPE COUPLER



Part #	Size	List Price
28-684	1/4"	30.16

MALE PLUG

Steel



Part #	Size	List Price
28-685	1/8"	5.97
28-686	1/4"	5.62

FEMALE PLUG

Steel



Part #	Size	List Price
28-687	1/4"	5.27

MOLD COOLANT-LINE QUICK COUPLERS

OPERATING PRESSURE:

200 PSIG (14.06 Kg/sq. cm)


Standard Seal:

SILICONE: -90°F to 400°F (-68°C to +205°C)

- MIDLAND coolant couplers are engineered for optimum speed and performance in connecting coolant lines to molds used for thermoplastic, thermosetting, blow molding, diecasting and on other types of tooling and equipment utilizing a constant fluid flow pumped through cooling channels.



BRASS



STEEL

MALE PLUG (BRASS)

1/4" BASIC SIZE

Part #	Size	A	B	List Price
29-900	1/8"	0.69	0.69	3.16
29-901	1/4"	0.84	0.94	3.78
29-902	3/8"	1.00	0.97	3.35

3/8" BASIC SIZE

Part #	Size	A	B	List Price
29-906	1/4"	1.00	0.94	5.07
29-907	3/8"	1.00	1.13	4.92
29-908	1/2"	1.81	1.25	8.36

1/2" BASIC SIZE

Part #	Size	A	B	List Price
29-911	1/2"	1.25	1.50	9.89
29-912	3/4"	1.50	1.56	15.21

FEMALE PLUG (STEEL)

1/4" BASIC SIZE

Part #	Size	List Price
29-903	1/8"	3.26
29-904	1/4"	3.41
29-905	3/8"	5.12

3/8" BASIC SIZE

Part #	Size	List Price
29-909	1/4"	4.25
29-910	3/8"	5.74

1/2" BASIC SIZE

Part #	Size	List Price
29-913	1/2"	13.72
29-914	3/4"	25.40

QUICK DISCONNECTS

HYDRAULIC COUPLINGS



THREAD TO CONNECT, DRYBREAK NO-SPILL QUICK CONNECT

- Brass Body
- Steel Wing Nut
- Buna-Seal (-40° to +250°F)

Aeroquip 5100
Parker 6100
Snaptite B78



- Bonded Face Seal
- External ORing Alleviates Full Connection

Part #	Body Size	Female NPT	Max PSI	List Price
61-150	3/4	1/2	3000	80.39
61-152	3/4	3/4	3000	69.52
61-153	1	1	3000	66.31
61-154	1-1/4	1-1/4	2750	98.74
61-155	1-1/2	1-1/2	2500	164.67

Part #	Body Size	Female NPT	Max PSI	List Price
61-050	3/4	1/2	3000	58.55
61-052	3/4	3/4	3000	66.30
61-053	1	1	3000	69.53
61-054	1-1/4	1-1/4	2750	98.74
61-055	1-1/2	1-1/2	2500	151.28

NEW

NEW

FEATURES

- Poppet valves to prevent uncoupled leakage
- Critical parts are induction hardened for durability
- Dependable ball-locking mechanism holds the mating halves together
- Socket and plug are precision machined from solid barstock
- Standard nitrile seals temp range -40°F to +250°F

ISO 7241-1 ISO-A Interchange (Connected)

Body Size	Steel Coupler/ Plug			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
3/4"	4,000	275	14,800	1,000
1"	4,000	275	12,400	850

INTERCHANGE DATA:

- Parker 6600, Aeroquip/ Eaton FD56, Dixon 'K' Series.
- Hansen HA 15000, Safeway S56



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
ANV-14-F	1/4"	1/4"	10.43
ANV-38-F	3/8"	3/8"	11.75
ANV-12-F	1/2"	1/2"	15.81
ANV-34-F	3/4"	3/4"	33.06
ANV-1-F	1"	1"	42.86



FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
ANV-14-M	1/4"	1/4"	4.69
ANV-38-M	3/8"	3/8"	6.38
ANV-12-M	1/2"	1/2"	7.34
ANV-34-M	3/4"	3/4"	10.95
ANV-1-M	1"	1"	18.65



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
HNV-14-F	1/4"	1/4"	11.46
HNV-14-F-B	1/4"	1/4"	19.05
HNV-38-F	3/8"	3/8"	12.00
HNV-38-F-B	3/8"	3/8"	26.00
HNV-12-F	1/2"	1/2"	17.39
HNV-12-F-B	1/2"	1/2"	34.77
HNV-34-F	3/4"	3/4"	28.00
HNV-34-F-B	3/4"	3/4"	62.00
HNV-1-F	1"	1"	44.73
HNV-1-F-B	1"	1"	93.25



FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
HNV-14-M	1/4"	1/4"	5.27
HNV-14-M-B	1/4"	1/4"	9.01
HNV-38-M	3/8"	3/8"	6.64
HNV-38-M-B	3/8"	3/8"	13.33
HNV-12-M	1/2"	1/2"	7.81
HNV-12-M-B	1/2"	1/2"	22.61
HNV-34-M	3/4"	3/4"	13.75
HNV-34-M-B	3/4"	3/4"	26.71
HNV-1-M	1"	1"	23.63
HNV-1-M-B	1"	1"	40.95

INTERCHANGE DATA:

- Parker 60 Series, Snap-tite 72 series, Dixon 'H' series
- Hansen HK - series, Aeroquip/ Eaton FDH5

SS

- Ball
- Retaining ring
- All internal parts

SUFFIX 'B' = BRASS MATERIAL

FLUSH FACE				
Body Size	Steel Coupler/ Plug Coupled			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
5/8"	4,000	275	14,800	1,000
3/4"	4,000	275	12,400	850
1"	3,000	200	12,600	850

FEATURES

- Steel construction, zinc plated trivalent finish. Hardened Nipples and sleeves and solid barstock construction for maximum resistance to damage from hydraulic and mechanical shock.
- This Anti-Blowout Nitrile/ PTFE bonded seal is designed to prevent blow out or damage during severe service conditions.
- Durable ball-locking mechanism assures reliable connection everytime.
- Temp Rating - 65° to 250°
- **ISO 16028**

HTMC
74C



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
FF-14-F	1/4"	1/4"	46.21
FF-38-F	3/8"	3/8"	55.87
FF-12-F	3/8"	1/2"	71.00
FF-34-F	1/2"	3/4"	122.00
FF-1-F	3/4"	1"	169.27

FF Series
HTMN
74N



PLUG

Part #	Body Size	NPT	List Price
FF-14-M	1/4"	1/4"	32.02
FF-38-M	3/8"	3/8"	31.00
FF-12-M	3/8"	1/2"	25.00
FF-34-M	1/2"	3/4"	69.90
FF-1-M	3/4"	1"	101.20

• SAE O-Ring Thread available upon request

AG - Series Agricultural Interchange (Connected)				
Nominal Size	Steel Coupler/ Plug			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	4,000	275	21,000	1,500
3/8"	4,000	275	23,100	1,600
1/2"	4,000	275	16,500	1,100
3/4"	3,000	200	10,300	700
1"	3,000	200	13,000	900

FEATURES

- Heavy duty heat treated poppet: valves are standard with rugged, specially-designed seals made of nitrite for leak-free performance in the toughest application.
- High-strength steel valve guides designed for high flow rates and made extra tough for agricultural service.
- Dependable hardened chrome alloy steel locking balls. Heat treated plugs and sleeves.
- Standard seals temp range -40°F to +250°F

Snap-Tite 60 Series



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
NV-14-F	1/4"	1/4"	10.43
NV-38-F	3/8"	3/8"	11.75
NV-12-F	1/2"	1/2"	32.14
NV-34-F	3/4"	3/4"	76.52
NV-1-F	1"	1"	102.95



PLUG

Part #	Body Size	NPT	List Price
NV-14-M	1/4"	1/4"	4.69
NV-38-M	3/8"	3/8"	6.38
NV-12-M	1/2"	1/2"	14.62
NV-34-M	3/4"	3/4"	37.57
NV-1-M	1"	1"	60.88

PNEUMATICS



PNEUMATICS

PNEUMATIC ACCESSORIES

BRASS MUFFLERS



Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F

Part #	Size	List Price
300-020	10/32"	2.31
300-021	1/8"	2.54
300-022	1/4"	4.02
300-023	3/8"	5.39
300-024	1/2"	7.83
300-026	3/4"	15.95
300-028	1"	43.95

40 Micron element

STAINLESS MUFFLERS



Materials:
Body: 303 Grade Stainless Steel
Element: 316 Grade Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 392°F

Part #	Size	List Price
300-032	1/8"	18.15
300-033	1/4"	18.45
300-034	3/8"	22.04
300-035	1/2"	31.16
300-036	3/4"	91.67


BRASS BREATHER VENT



Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 150PSI
Temperature: 35° to 300°F
 40 Micron element

Part #	Size	List Price
300-000	10-32"	3.03
300-001	1/8"	2.41
300-002	1/4"	3.55
300-003	3/8"	4.38
300-004	1/2"	5.87
300-006	3/4"	16.36
300-008	1"	28.48


STAINLESS BREATHER VENT



Materials:
Body: 303 Grade Stainless Steel
Element: 316 Grade Stainless Steel
Max Operating Pressure: 150PSI
Temperature: 35° to 390°F

Part #	Size	List Price
300-014	1/8"	10.02
300-015	1/4"	15.65
300-017	3/8"	23.59
300-018	1/2"	29.72
300-019	3/4"	72.01
300-007	1"	92.63

PRESSURE SNUBBER




Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 9000PSI
Temperature: 35° to 300°F

Part #	Size	Porosity	List Price
28-354	1/4"	40 um	17.26
28-353	1/4"	30 um	16.24
28-352	1/4"	25 um	14.95
28-351	1/4"	20 um	16.24
28-350	1/4"	10 um	14.62

Part #	Size	Porosity	List Price
28-359	3/8"	40 um	16.24
28-358	3/8"	30 um	15.69
28-357	3/8"	25 um	14.94
28-356	3/8"	20 um	16.24
28-355	3/8"	10 um	16.24

Recommended Element Porosity Rating		
Porosity Rating	Color Code	Recommended Application
40 um	None	Viscous Fluids (over 500 ssu)
30 um	Black	Med. Type Oils (225 to 500 ssu)
25 um	Brown	Water & L.T. Oils (30 to 25 ssu)
20 um	Green	Low Viscosity Fluids (under 30 ssu)
10 um	Red	
5 um	Purple	Air and Other Gases


SPEED CONTROL VALVE



Materials:
Body: Brass
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F

Part #	Size	List Price
940-800	1/8"	9.04
940-801	1/4"	10.63
940-803	3/8"	15.05
940-804	1/2"	19.38
940-805	3/4"	35.77
940-806	1"	58.11


STAINLESS SPEED CONTROL VALVE



Materials:
Body: 303 Grade Stainless Steel
Element: 316 Grade Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 392°F

Part #	Size	List Price
940-810	1/8"	48.32
940-811	1/4"	53.09
940-812	3/8"	58.06
940-813	1/2"	76.01
940-814	3/4"	109.05
940-815	1"	148.39

MUFFLER W/ FLOW ADJUSTMENT



Materials:
Body: Brass
Element: Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F


Part #	Size	List Price
28-379	1/8"	7.62
28-380	1/4"	9.09
28-381	3/8"	13.27
28-382	1/2"	14.16

PNEUMATICS



HIGH FLOW ALUMINUM MUFFLER


• hole pattern



Materials:
Body: Aluminum
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F

Part #	Size	List Price
940-822	1/8"	13.64
940-823	1/4"	6.29
940-824	3/8"	8.51
940-825	1/2"	9.98
940-826	3/4"	17.29
940-827	1"	20.36

HIGH FLOW STEEL MUFFLER




Materials:
Body: Steel
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F

Part #	Size	List Price
28-373	1/8"	6.11
28-374	1/4"	7.50
28-375	3/8"	10.27
28-376	1/2"	12.19
28-377	3/4"	21.37
28-378	1"	23.72

ALUMINUM HIGH FLOW MUFFLER


• slit pattern



Materials:
Body: Aluminum
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 300PSI
Temperature: 35° to 160°F

Part #	Size	List Price
28-367	1/8"	20.42
28-368	1/4"	18.57
28-369	3/8"	26.46
28-370	1/2"	24.32
28-371	3/4"	50.13
28-372	1"	51.84


PLASTIC HIGH FLOW MUFFLER



Materials:
Body: Black Nylon
Element: 50 Mesh Stainless Steel
Max Operating Pressure: 150PSI
Temperature: 35° to 120°F

Part #	Size	List Price
28-363	1/8"	7.23
28-364	1/4"	7.22
28-365	3/8"	15.03
28-366	1/2"	15.03


NIPPLE INLINE FILTER



Materials:
Body: Brass
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 300°F

Part #	Size	List Price
940-845	1/8"	14.17
940-846	1/4"	13.54
940-847	3/8"	21.18
940-848	1/2"	20.38

SLIDING HAND VALVES



Materials:
Body: Zinc/ Aluminum
Cover: Zinc
Rotary Disk: Teflon
Pressure Range: 0 to 140PSI
Proof Pressure: 213 PSI
Temperature: 41°F to 140°F
Media: Air
Valve Function: 4-Way, 3 Position
Operation Method: Manually operated 90°, Rotary Disk, Direct-Acting type


Body: Zinc

Part #	Size	List Price
28-360	1/4"	167.62

Body: Aluminum

28-361	3/8"	158.37
28-362	1/2"	182.16

REPAIRABLE AIR/ OIL INLINE FILTER



Materials:
Body: Anodized Aluminum
Element: 40 Micron Sintered Bronze
Max Operating Pressure: 300PSI
Temperature: 35° to 200°F

Part #	Size	List Price
940-840	1/8"	21.95
940-841	1/4"	18.54
940-842	3/8"	29.34
940-843	1/2"	68.57
940-844	3/4"	68.57



MANIFOLDS

PNEUMATIC ACCESSORIES

Materials:

Aluminum with black anodizing for corrosion resistance.


Specifications:

Max Operating Pressure: 1000PSI

Temperature: -10° to 200°F

Media: Air and liquids compatible with materials of construction.

• Ports column = # of ports in top of manifold



THREADED PORTS

Part #	Ports	List Price	A - out NPT	B - in NPT	C	D	E	F	G	H	J	K	M	R
28-448	2	57.48	1/8"	1/4"	1.00	0.50	0.75	N/A	0.17	1.75	0.70	0.50	0.88	0.15
28-449	3	44.99						0.75						
28-450	4	19.27						1.5						
28-451	5	52.94						2.25						
28-452	6	62.45						3.00						
28-453	7	59.13						3.75						
28-454	8	62.18						4.50						
28-455	9	64.47						5.25						
28-456	10	25.96						6.00						
28-457	2	17.57						N/A		1/4"				
28-458	3	19.13	0.88											
28-459	4	20.52	1.75											
28-460	5	22.08	2.63											
28-461	6	23.49	3.50											
28-462	7	73.73	4.38											
28-463	8	77.95	5.25											
28-464	9	27.37	6.13											
28-465	10	28.29	7.00											
28-466	2	67.39	N/A	3/8"	3/8"	1.25	1.00	1.13	0.20		3.13	0.89	0.63	1.56
28-467	3	28.92	1.13											
28-468	4	30.48	2.25											
28-469	5	31.87	3.38											
28-470	6	65.00	4.50											
28-471	7	102.25	5.63											
28-472	8	111.25	6.75											
28-473	9	113.74	7.88											
28-474	10	133.08	9.00											
										N/A				

3 IN 1 ALUMINUM AIR MANIFOLD

No need to connect and disconnect every time you want to change tools. Supply 3 air tools from one outlet. These manifolds have one inlet with three 1/4 outlets.

S685-4	D3406
S685-6	D3408
S685-8	3104
D3404	3106



Part #	Size	List Price
320-120	1/4" Inlet	10.94
320-121	3/8" Inlet	28.00
320-122	1/2" Inlet	42.90
three 1/4" Outlets		

SAFETY BLOW GUN

- N/P steel handle with plastic sleeve
 - Brass Valve
 - Zinc body
 - Aluminum nozzle
- 90 PSI**
- | | |
|---------|---------|
| 20430AD | S148 |
| 5114 | D204-30 |
| 51-124 | 6475 |
| 401 | |



1/8" Outlet

Part #	Size	List Price
320-050	1/4" Inlet	9.29

PISTOL GRIP BLOW-GUN

Material

- Body: POM (engineering plastic)
- Nozzle: nickel plated carbon steel
- Blue Handle Color

Features

- Simple construction, economic
- Global thread connection
- Durable and versatile applications
- 4 inch nozzle

150 PSI



Part #	Size	List Price
320-035	1/4"	8.92

RUBBER TIPPED NOZZLE



51-521
2058
D201RT
411R

Makes positive seal between gun and fuel line or other openings. Use only on air line regulated to 30 PSI or less

Part #	Thread Size	List Price
320-070	1/8 - 27	9.42

HIGH FLOW SAFETY NOZZLE



51-338
SST10
411BT
2056

Meets OSHA regulations of 30 PSI maximum outlet pressure when line pressure is 150 PSI or less. Has an air pressure bypass which prevent build up of tip pressure even if nozzle is blocked. Adapts to any blow gun with a 1/8" NPT nozzle port

Part #	List Price
320-075	2.98

PNEUMATICS

MULTI-PURPOSE AIR VENT



705

Part #	Size	List Price
46-048	1/8"	3.56

BRASS BICYCLE PUMP FITTING

Screw on swivel chuck for most hand operated tire pumps.

Buna-N-Seal • Deflator



Part #	Size	List Price
32-782	3/16"	3.62

INFLATOR



Part #	Size	List Price
32-783	3/16"	3.49

360° Turning Swivel Fitting

1/4" Basic size •360° Turning
Industrial Interchange Plug •Swivels
Flexible Bend



Part #	Size	List Price
320-065	1/4"	11.04

Save 5% by ordering online at www.midlandindustrial.com

SWIVEL FITTING

Flexible Bend •360° Turning
•Swivels
Male NPT x Female NPT



Part #	Size	List Price
320-061	1/4"	10.99

AIR CHUCKS

HEX BALL FOOT CHUCK



Part #	List Price
46-600 1/4 FPT Live Air	3.51

BALL FOOT CHUCK WITH 1/4 I.D. HOSE BARB



Part #	List Price
46-607 1/4 ID Live Air	3.50

DUAL FOOT CHUCKS

6999 DTC-02	99941
693	50-065
108	6569



Part #	List Price
320-000	32.13

ANGLE CHUCK



Part #	List Price
320-005	10.48

TANK & VENT VALVES

Three standard styles of valve bodies, complete with short core, for air lifts, water pumps, vacuum, pressurized containers, air jacks, and other pneumatic devices.
REGULAR: 300 PSI and cracking pressure 80 PSI

1/8" NPT, .9" LONG SPRING CORD

Thread - .302 x 32 w/ Black cap



7/16" Hex

Part #	List Price
46-620 REGULAR	7.51

1/8" NPT 1.207" LONG SPRING CORD

7/16" Hex w/ Black cap



Part #	List Price
46-621 REGULAR	5.84

1/4" NPT 1" LONG SPRING CORD

1.46 Long

w/ Black cap

9/16" Hex



Part #	List Price
46-622 REGULAR	7.85

TANK VALVE ACCESSORIES

BLACK PLASTIC CAP

No Gasket



Part #	List Price
46-630	0.22

SHORT NICKEL PLATED DOME CAP



Dome skirted type

Part #	List Price
46-631	1.14

GAUGES

DUAL ANGLE-FOOT TRUCK PENCIL GAUGE



High pressure 20-120 PSI, in 2lb unit

Part #	List Price
320-023	30.12

DUAL STRAIGHT-FOOT PENCIL GAUGE




Identical to above except has straight chuck with 30° reverse angle chuck.

Part #	List Price
320-027	----

PNEUMATIC SLIDE VALVES

- Max Operating Pressure: 200 psig
- Temperatures: -20°F to +200°F

Manually operated slide valves provide simple on/off airflow control. They can be mounted horizontally, vertically or at any angle.



MALE X FEMALE

Part #	Size	L	Hex	List Price
20-780	1/8"	2.15	9/16"	9.27

PNEUMATICS ACCESSORIES

TEFLON TAPE

Chemical Properties: Min. of 99% Polytrafluoroethylene

Thickness: .0035", +0.001 or -0.0005"

Elongation: Min. of 50% (most times it far exceeds)

Width: Nominal width +0.02, -0.02

Length: Nominal length + 20", -0"

Density: -0.35 to 0.40

Incompatibility: Avoid using on Moten Alkali, certain Halogen products & Flourine at high temperatures and pressures

Temperature: When heated to over 260 degrees Centigrade, it will thermally degrade and decompose and produce toxic fumes.

Government standard: Meets military specification T-27730a

Usage: To be used on all types of threaded fittings for passage of water; potable and non-potable, most chemicals, oxygen, gas, hydraulic and high pressure lines.

TEFLON TAPE



Thread Sealant

Part #	Size	List Price
982-107	1/2" x 260"	1.34
982-108	1/2" x 520"	1.50
982-109	3/4" x 260"	2.50
982-110	3/4" x 520"	2.50

POP OUT COVERED SPOOL

COPPER FITTING BRUSHES

- Extra thick mass of steel wire insures perfect cleaning job with minimum effort. Twisted wire handle - for copper fittings. Carbon steel brush
- Sold in boxes of 12 only



Part #	Size	List Price
990-540	3/8"	4.26
990-541	1/2"	4.40
990-542	3/4"	6.06
990-543	1"	5.24

SCRUBS IN A BUCKET



Truly portable Scrubs in a Bucket® provide, fast, easy and effective hand cleaning. Can be used anywhere, anyplace, anytime on the toughest soils, greases, tar, etc. Each dispensing canister contains 10-1/2" x 12-1/4" perforated absorbent cleaning towels. Containing a germ-fighting chemical known as Triclosan. No rinsing, no drying, no residue. Also can be used for cleaning tools and spills. On-the-spot hand cleaning when there is no sink around.

Part #	PSI	List Price
980-100	30 Scrubs™/container	30.36
980-101	72 Scrubs™/container	59.13



STANDARD DRY GAUGES

STEEL CASE



All the gauges supplied by Midland Metal Mfg. are designed for long, reliable service under rugged conditions. Typical applications include compressors, filter regulators, water pumps, beverage dispensing equipment, hydraulic and pneumatic systems, and other applications, where the media does not corrode brass

**1-1/2" FACE
1/8" NPT LOWER MOUNT**


Part #	PSI	List Price
80-501	0-15	9.40
80-502	0-30	9.40
80-503	0-60	9.40
80-504	0-100	9.40
80-505	0-160	9.40
80-506	0-200	9.40

**2" FACE
1/4" LOWER MOUNT**

Part #	PSI	List Price
80-001	0-15	10.45
80-002	0-30	9.50
80-003	0-60	10.45
80-004	0-100	10.45
80-005	0-160	10.45
80-006	0-200	10.45
80-007	0-300	9.50
80-020	30-0 Vacuum	16.00

**2-1/2" FACE
1/4" LOWER MOUNT**

Part #	PSI	List Price
80-031	0-15	13.48
80-032	0-30	13.48
80-033	0-60	11.84
80-034	0-100	13.48
80-035	0-160	11.55
80-036	0-200	10.50



CENTER BACK MOUNT

**1-1/2" FACE
1/8" NPT CENTER BACK MOUNT**

Part #	PSI	List Price
80-511	0-15	9.45
80-512	0-30	9.45
80-513	0-60	9.45
80-514	0-100	9.45
80-515	0-160	9.45
80-516	0-200	9.45

**2" FACE
1/4" CENTER BACK MOUNT**

Part #	PSI	List Price
80-301	0-15	10.85
80-302	0-30	10.85
80-303	0-60	10.85
80-304	0-100	10.85
80-305	0-160	10.85
80-306	0-200	10.85
80-307	0-300	10.85

**2-1/2" FACE
1/4" CENTER BACK MOUNT**

Part #	PSI	List Price
80-331	0-15	12.15
80-332	0-30	12.15
80-333	0-60	12.15
80-334	0-100	12.15
80-335	0-160	12.15
80-336	0-200	12.15

MISC



LIQUID FILLED GAUGES

STAINLESS CASE



- Liquid Filled Gauges with a stainless case are used for protection in harsh environments.
- Stainless Steel Case
- Copper Alloy Wetted parts
- Polycarbonate window
- ± 1.5% of span accuracy
- Temp. Range -104°F to 158°F

Liquid filled gauges enhance the reliability and integrity of the measuring system for long periods. The glycerine filling helps dampen the effects of vibration and pulsation. It also lubricates the movement which extends the life of the gauge.

**1-1/2" FACE
1/8" LOWER MOUNT**


Part #	PSI	List Price
80-601	0-15	24.95
80-602	0-30	24.95
80-603	0-60	24.95
80-604	0-100	24.95
80-605	0-160	24.95
80-606	0-200	24.95

**2-1/2" FACE
1/4" LOWER MOUNT**

Part #	PSI	List Price
80-061	0-15	28.05
80-062	0-30	28.05
80-063	0-60	28.05
80-064	0-100	28.05
80-065	0-160	28.05
80-066	0-200	28.05
80-067	0-300	28.05
80-068	0-400	28.05
80-069	0-600	28.05
80-100	0-1000	28.05
80-101	0-1500	28.05
80-102	0-2000	28.05
80-103	0-3000	28.05
80-104	0-5000	28.05
80-080	30-0 Vacuum	28.05
80-081	-30 to +30	28.05

**4" FACE
1/4" LOWER MOUNT**

Part #	PSI	List Price
80-463	0-100	75.35



CENTER BACK MOUNT

**1-1/2" FACE
1/8" CENTER BACK MOUNT**

Part #	PSI	List Price
80-611	0-15	25.05
80-612	0-30	25.05
80-613	0-60	25.05
80-614	0-160	25.05
80-615	0-100	25.05
80-616	0-200	25.05

**2-1/2" FACE
1/4" CENTER BACK MOUNT**

Part #	PSI	List Price
80-201	0-15	29.43
80-202	0-30	29.43
80-204	0-60	29.43
80-203	0-160	26.75
80-205	0-100	29.43
80-206	0-200	29.43
80-207	0-300	29.43
80-208	0-400	29.43
80-209	0-600	29.43

STAINLESS FITTINGS

SPECIFICATIONS

• Our stainless steel fittings are made from a combination of 303 and 304 materials. Type 303 is certified to either ASTM A581/A582 or AMS 5640. Type 304 is certified to AMS 5639 or ASTM A479. In cases where tubing is used, it is 304 stainless steel certified to ASTM A269.

• All stainless steel fittings are passivated to meet the standards of major food and beverage companies.

• All fittings are made of stainless steel except the swivel nuts which are nickel plated brass.

• All male threads are rolled rather than cut. No exceptions.

SWIVEL NUT (NICKEL PLATED BRASS)



Part #	Size	Net Price
34-500	1/4"	1.22
34-512	3/8"	2.05
34-513	1/2"	2.80

SWIVEL HOSE STEM FOR 1/4" SWIVEL NUT

• 1/4" Barb



Part #	Size	Net Price
34-503	1/4"	2.47
34-515	3/8"	3.00
34-516	1/2"	5.20

BEVERAGE FITTINGS

SWIVEL ELBOWS

90° SWIVEL ELBOW



HOSE ID x FEMALE 45° FLARE

Part #	Size	Net Price
34-525	1/4" x 1/4"	5.44
34-529	3/8" x 3/8"	11.06

BARB SPLICERS

HOSE SPLICER (STRAIGHT)



ID HOSE

Part #	Size	Net Price
34-533	1/4"	3.84
34-535	3/8"	4.67
34-543	3/8" x 1/4"	4.67

90° BARB SPLICER



Part #	Size	Net Price
34-551	1/4"	4.54
34-552	3/8"	7.22

TEES

BARB HOSE TEES



Part #	Size	Net Price
34-562	1/4"	12.59
34-563	3/8"	14.12

BEVERAGE FITTINGS

STAINLESS FITTINGS

ADAPTERS

MALE FLARE TO BARB ADAPTER



HOSE ID x 45° FLARE

Part #	Size	Net Price
34-579	1/4" x 1/4"	5.12
34-583	3/8" x 1/4"	7.99
34-584	1/4" x 3/8"	5.63
34-585	3/8" x 3/8"	7.92

NPT TO BARB ADAPTER



HOSE ID x MALE NPT

Part #	Size	Net Price
34-587	1/4" x 1/8"	7.15
34-588	1/4" x 1/4"	6.78
34-589	1/4" x 3/8"	9.15
34-590	3/8" x 1/8"	9.19
34-591	3/8" x 1/4"	7.42
34-592	3/8" x 3/8"	9.15
34-595	3/8" x 1/2"	14.44
34-597	1/2" x 3/4"	21.03

SWIVEL ELBOWS

SWIVEL TO BARB ELBOW



HOSE ID x FEMALE 45° FLARE

Part #	Size	Net Price
34-600	1/4" x 1/4"	11.83

ADAPTERS

NPT ELBOWS



HOSE ID x MALE NPTF

Part #	Size	Net Price
34-610	1/4" x 1/8"	14.41
34-611	3/8" x 1/4"	14.41
34-612	3/8" x 3/8"	16.05
34-613	1/2" x 1/2"	33.10

**PLEASE CALL US FOR
ANY STAINLESS STEEL
BEVERAGE FITTINGS**

*If you don't see what you
need, ask us!*



MISC

HYDRAULIC FITTINGS & ACCESSORIES



STEEL ADAPTERS

Steel Pipe Swivels	327
37° JIC Flare Straights.....	331
37° JIC Flare Shapes	334
Bulkhead Adapters	337
Steel Pipe Fittings.....	340
O-Ring Adapters	346
Flange Adapter Pads	357
O-Ring Face Seal	362
BSPT/ BSPP Adapters.....	367
Metric Adapters.....	369
3000 PSI Live Swivels.....	371
Beaded Hose Inserts.....	373

HYDRAULIC QUICK DISCONNECTS

Thread to Connect - Wing	379
ISO A Interchange	379
ISO B Interchange.....	379
Flush Face ISO	380
VEP Series	380
AG Interchange	381
Hydraulic Jack Q/D.....	381
Dust Caps & Plugs	381

HYDRAULIC VALVES & ACCESSORIES

Carbon Ball Valves	382
Flow Counter Valve	383
Needle Valve.....	383
Variable Flow Counter	384
Hydraulic Motor	385
Hydraulic Gear Pump.....	386
Carbon Steel Check Valve.....	388
Spiral Hose Wrap.....	388
Air Breathers.....	389
Nylon Hose Cover.....	389

“I CHOOSE A LAZY PERSON TO DO A HARD JOB. BECAUSE A LAZY PERSON WILL FIND AN EASY WAY TO DO IT.”

- BILL GATES

CONFORMANCE

- SAE J514
- 30-Degree Chamfers - Most NPSM pipe swivel union fittings have 30-degree chamfers on NPTF male end of fittings. This chamfer is optional per SAE J514. If chamfer is mandatory, consult with our customer service department to verify chamfer exists on items you are requesting.
- Temperature Range: -65°F to +400°F

MATERIALS

- Steel - Carbon steel trivalent zinc plating per ASTM B633-98 (Type II SC-2).

Torque Values: The torque values provide benchmarks that we believe give optimum results for leak free connections. Actual torque values should be based on individual applications.

Caution: NPSM pipe swivel unions are not designed to provide structural support for other components

WORKING PRESSURES

The following table lists the recommended working pressures for steel NPSM pipe swivel union hydraulic fittings made in accordance with SAE standard J514. Many factors such as impulsing, vibration, mechanical shock and overtightening may affect the integrity of the fitting and swivel union connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or thread type, use the lower pressure rating of the two threads.

SAE J514 NPSM PRESSURE RATINGS

Dash Size	NPSM Thread Size	4 TO 1 Minimum Burst PSI
-2	1/8-27	5000
-4	1/4-18	5000
-6	3/8-18	4000
-8	1/2-14	3500
-12	3/4-14	2250
-16	1-11 1/2	2000
-20	1 1/4-11 1/2	1625
-24	1 1/2-11 1/2	1250
-32	2-11 1/2	1125

STEEL PIPE SWIVEL ASSEMBLY INSTRUCTIONS

RECOMMENDED

- Step 1.** Inspect male pipe fitting connecting to swivel and confirm that it has an internal 30-degree chamfer. Do not install into union if chamfer is missing.
- Step 2.** Lubricate the threads and the entire chamfered area of male fitting with hydraulic fluid or other light weight lubricant.
- Step 3.** Install lubricated pipe fitting into swivel nut and turn nut until finger tight.
- Step 4.** Place wrench on hex of male fitting to prevent male fitting from turning, and torque swivel nut to the values in the following table.

Caution: When torquing swivel nut on straight swivel union fittings, it may be necessary to also place a wrench on the fitting wrench pad to prevent the fitting from backing out of its port while torquing the swivel nut.

Dash Size	NPSM Thread Size	Torque Foot/LBS
-2	1/8-27	13
-4	1/4-18	20
-6	3/8-18	25
-8	1/2-14	47
-12	3/4-14	84
-16	1-11 1/2	129
-20	1 1/4-11 1/2	152
-24	1 1/2-11 1/2	152
-32	2-11 1/2	300

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Place wrench on hex of male pipe fitting and consider this wrench in the 12 o'clock position.
- Step 3.** Lightly wrench tighten the swivel union nut so that the wrench is as near the 3 o'clock position as possible.
- Step 5.** Rotate wrench in 3 o'clock position counterclockwise to no less than the 1 o'clock position, but no more than the 12 o'clock position.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.



HYDRAULIC ADAPTERS

SMALL PIPE SWIVELS NPSM

STEEL PIPE SWIVEL ADAPTERS

MALE PIPE SWIVEL ADAPTER

SAE 140130



1404
2045R
1210
9205R
0107

Part #	Male Pipe 1	Female NPSM 2	List Price
1404-2-2	1/8	1/8	1.68
1404-2-4	1/8	1/4	2.64
1404-4-2	1/4	1/8	2.27
1404-4-4	1/4	1/4	1.77
1404-4-6	1/4	3/8	2.95
1404-4-8	1/4	1/2	3.58
1404-6-4	3/8	1/4	3.33
1404-6-6	3/8	3/8	3.55
1404-6-8	3/8	1/2	3.49
1404-8-4	1/2	1/4	3.60
1404-8-6	1/2	3/8	5.03
1404-8-8	1/2	1/2	3.13
1404-8-12	1/2	3/4	7.11
1404-12-6	3/4	3/8	8.52
1404-12-8	3/4	1/2	5.53
1404-12-12	3/4	3/4	4.72
1404-12-16	3/4	1	11.83
1404-16-12	1	3/4	11.36
1404-16-16	1	1	8.38
1404-16-20	1	1-1/4	21.06
1404-20-16	1-1/4	1	18.92
1404-20-20	1-1/4	1-1/4	15.35
1404-24-24	1-1/2	1-1/2	22.29
1404-32-32	2	2	36.66

-4, -6, -8, -12 Available in a Restrictor

FEMALE PIPE SWIVEL ADAPTER

SAE 140131



1405
2046R
1212
9255
C207

Part #	Female Pipe 1	Female NPSM 2	List Price
1405-2-2	1/8	1/8	1.97
1405-2-4	1/8	1/4	3.24
1405-4-2	1/4	1/8	3.24
1405-4-4	1/4	1/4	2.45
1405-4-6	1/4	3/8	4.26
1405-6-4	3/8	1/4	2.90
1405-6-6	3/8	3/8	3.25
1405-6-8	3/8	1/2	3.72
1405-8-4	1/2	1/4	5.06
1405-8-6	1/2	3/8	3.72
1405-8-8	1/2	1/2	3.40
1405-12-12	3/4	3/4	4.88
1405-16-12	1	3/4	13.10
1405-16-16	1	1	7.53
1405-20-20	1-1/4	1-1/4	12.84
1405-24-24	1-1/2	1-1/2	19.81
1405-32-32	2	2	41.52

STEEL PIPE SWIVELS NPSM

HYDRAULIC ADAPTERS

MALE PIPE ELBOW SWIVEL ADAPTER SAE 140230



1501
2047R
1218
9405
2107

Part #	Male Pipe 1	Female NPSM 2	List Price
1501-2-2	1/8	1/8	2.69
1501-2-4	1/8	1/4	5.53
1501-4-2	1/4	1/8	2.79
1501-4-4	1/4	1/4	2.26
1501-4-6	1/4	3/8	4.44
1501-6-4	3/8	1/4	6.56
1501-6-6	3/8	3/8	3.45
1501-6-8	3/8	1/2	4.38
1501-8-4	1/2	1/4	4.54
1501-8-6	1/2	3/8	4.10
1501-8-8	1/2	1/2	4.34
1501-8-12	1/2	3/4	9.52
1501-12-6	3/4	3/8	11.36
1501-12-8	3/4	1/2	7.76
1501-12-12	3/4	3/4	7.20
1501-12-16	3/4	1	18.21
1501-16-8	1	1/2	19.81
1501-16-12	1	3/4	17.20
1501-16-16	1	1	11.96
1501-20-12	1-1/4	3/4	41.68
1501-20-16	1-1/4	1	41.61
1501-20-20	1-1/4	1-1/4	26.64
1501-20-24	1-1/4	1-1/2	60.92
1501-24-20	1-1/2	1-1/4	57.45
1501-24-24	1-1/2	1-1/2	38.03
1501-32-32	2	2	77.49

-4, -6, -8 Available in a Restrictor

FEMALE UNION ELBOW SWIVEL ADAPTER SAE 140231



1502
2207
1216
94SSR

Part #	Female Pipe 1	Female NPSM 2	List Price
1502-2-2	1/8	1/8	3.60
1502-2-4	1/8	1/4	6.62
1502-4-4	1/4	1/4	3.80
1502-4-6	1/4	3/8	7.88
1502-6-4	3/8	1/4	6.14
1502-6-6	3/8	3/8	4.79
1502-6-8	3/8	1/2	13.15
1502-8-4	1/2	1/4	13.84
1502-8-6	1/2	3/8	5.47
1502-8-8	1/2	1/2	6.00
1502-12-8	3/4	1/2	12.79
1502-12-12	3/4	3/4	9.26
1502-12-16	3/4	1	19.55
1502-16-12	1	3/4	27.94
1502-16-16	1	1	24.44
1502-20-20	1-1/4	1-1/4	28.66
1502-24-24	1-1/2	1-1/2	57.61
1502-32-32	2	2	88.62

MALE 45° PIPE ELBOW SWIVEL ADAPTER

SAE 140330




1503
2049R
3107
1214
9355R

Part #	Male Pipe 1	Female NPSM 2	List Price
1503-2-2	1/8	1/8	2.38
1503-4-4	1/4	1/4	2.74
1503-4-6	1/4	3/8	7.18
1503-6-4	3/8	1/4	3.78
1503-6-6	3/8	3/8	3.76
1503-6-8	3/8	1/2	7.22
1503-8-4	1/2	1/4	6.71
1503-8-6	1/2	3/8	4.88
1503-8-8	1/2	1/2	4.82
1503-8-12	1/2	3/4	15.46
1503-12-8	3/4	1/2	10.42
1503-12-12	3/4	3/4	6.63
1503-12-16	3/4	1	21.45
1503-16-12	1	3/4	13.11
1503-16-16	1	1	13.21
1503-16-20	1	1-1/4	42.04
1503-20-16	1-1/4	1	27.19
1503-20-20	1-1/4	1-1/4	20.63
1503-24-24	1-1/2	1-1/2	41.50
1503-32-32	2	2	81.02

HYDRAULIC ADAPTERS

FEMALE 45° UNION ELBOW SWIVEL ADAPTER

SAE 140331



1504
2050R
1249
9385R

Part #	Female Pipe 1	Female NPSM 2	List Price
1504-2-2	1/8	1/8	4.09
1504-4-4	1/4	1/4	5.09
1504-6-4	3/8	1/4	9.42
1504-6-6	3/8	3/8	5.56
1504-8-6	1/2	3/8	8.70
1504-8-8	1/2	1/2	8.01
1504-12-12	3/4	3/4	10.67
1504-16-16	1	1	15.98
1504-20-20	1-1/4	1-1/4	36.30
1504-24-24	1-1/2	1-1/2	65.69

MALE SWIVEL BRANCH TEE




1601
2254R
1258
9406R

Part #	Female NPSM 1 & 2	Male Pipe 3	List Price
1601-2-2	1/8	1/8	6.89
1601-4-4	1/4	1/4	6.83
1601-6-4	3/8	1/4	10.78
1601-6-6	3/8	3/8	10.35
1601-8-4	1/4	1/2	12.78
1601-8-6	3/8	1/2	9.95
1601-8-8	1/2	1/2	11.86
1601-12-8	1/2	3/4	21.68
1601-12-12	3/4	3/4	26.91
1601-16-12	3/4	1	80.00
1601-16-16	1	1	38.55
1601-20-20	1-1/4	1-1/4	50.64
1601-24-24	1-1/2	1-1/2	87.48

Many Pipe Fitting sizes pgs. are available in Stainless Steel, call or email for a quote.

STEEL PIPE SWIVELS NPSM

FEMALE SWIVEL TEE




1602
2253R
1259
9456R

Part #	Female NPSM 1 & 2	Female Pipe 3	List Price
1602-2-2	1/8	1/8	7.78
1602-4-4	1/4	1/4	5.63
1602-6-4	1/4	3/8	13.42
1602-6-6	3/8	3/8	9.41
1602-8-6	3/8	1/2	13.78
1602-8-8	1/2	1/2	10.67
1602-12-8	1/2	3/4	14.68
1602-12-12	3/4	3/4	19.37
1602-16-12	3/4	1	44.85
1602-16-16	1	1	32.44
1602-20-20	1-1/4	1-1/4	64.89


Send Midland all your high volume quotes!

FEMALE SWIVEL UNION TEE



1603
2255
1223
9705R

Part #	Female NPSM 1,2 & 3	List Price
1603-4-4	1/4	8.06
1603-6-6	3/8	9.33
1603-8-8	1/2	13.61
1603-12-12	3/4	19.14
1603-16-16	1	43.41
1603-20-20	1-1/4	88.44



DROP SHIP PROGRAM

SEE
INTRO PAGE 5

HYDRAULIC

37° JIC ADAPTERS

Straights Pg. 283-285
 Shapes Pg. 285-290
 Bulkheads Pg. 290-291
 Female Swivels Pg. 304-306
 O-Ring Fittings Pg. 307-312

Caution: 37-Degree flared fittings are not designed to provide structural support for other components.

CONFORMANCE

- SAE J514
- MS51500-MS51534
- Temperature Range: -65°F to +400°F

MATERIALS

- Carbon Steel trivalent zinc plating

WORKING PRESSURES

The following table lists the recommended working pressures for steel 37° flare hydraulic tube fittings manufactured in accordance with SAE standard J514. Many factors such as impulsing, vibration, mechanical shock, and overtightening may affect the integrity of the fitting connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or thread type, use the lower pressure rating of the two threads.

**SAE J514 37-DEGREE FLARED FITTINGS
 PRESSURE RATING**

Dash Size	Flared Thread Size	4 TO 1 Minimum Burst PSI
-2	5/16-24	5000
-3	3/8-24	5000
-4	7/16-20	5000
-5	1/2-20	5000
-6	9/16-18	5000
-8	3/4-16	4500
-10	7/8-14	3500
-12	1-1/16-12	3500
-14	1-3/16-12	3000
-16	1-5/16-12	3000
-20	1-5/8-12	2500
-24	1-7/8-12	2000
-32	2-1/2-12	1500

**37° FLARED FITTING
 ASSEMBLY INSTRUCTIONS**

RECOMMENDED

- Step 1.** Inspect for possible contamination or damage from shipping or handling. Sealing surface should be smooth. Annular tool marks of (100uin) concentric with thread permissible.
- Step 2.** Lubricate the threads and the entire surface of the cone with hydraulic fluid or a light lubricant.
- Step 3.** Align mating components for hand connection and turn flare nut until sealing surfaces make full contact.
- Step 4.** Torque nut to the values shown on the following table. If a wrench pad is provided next to nut, place a second wrench on pad to prevent flare from rotating while being torqued.
- Step 5.** When torquing nut onto a straight flared fitting, it may be necessary to also place a wrench on the flared fitting wrench pad to prevent it from turning during assembly.

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Lightly wrench tighten the nut until there is firm resistance.
- Step 3.** Place a wrench on wrench pad next to nut as near the 6 o'clock position as possible.
- Step 4.** Place second wrench on nut as near the 3 o'clock position as possible.
- Step 5.** Turn nut clockwise to no less than the 4 o'clock position and no more than the 6 o'clock position. Required rotation generally decreases as size increases.

Dash Size	Flared Thread Size	Torque Foot/Lbs.
-2	5/16-24	6-7
-3	3/8-24	6-9
-4	7/16-20	9-12
-5	1/2-20	14-15
-6	9/16-18	18-20
-8	3/4-16	27-39
-10	7/8-1/4	36-63
-12	1-1/16-12	65-88
-14	1-3/16-12	75-103
-16	1-5/16-12	85-113
-20	1-5/8-12	115-133
-24	1-7/8-12	125-167
-32	2-1/2-12	190-258

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.



HYDRAULIC ADAPTERS

STRAIGHTS STEEL 37° JIC FLARE

LONG JIC TUBE NUT

SAE 070111



304
221000
0304

Part #	Tube O.D	JIC Thread Size	List Price
0304-4	1/4	7/16-20	1.09
0304-5	5/16	1/2-20	1.11
0304-6	3/8	9/16-18	1.94
0304-8	1/2	3/4-16	1.71
0304-10	5/8	7/8-14	2.78
0304-12	3/4	1-1/16-12	3.49
0304-14	7/8	1-3/16-12	17.69
0304-16	1	1-5/16-12	4.07
0304-20	1-1/4	1-5/8-12	7.14

Save 5% by ordering online at
www.midlandindustrial.com

JIC CAP

SAE 070112
MS 51532



820
304
210292
FNTX
1329
C5129

Part #	Tube O.D.	JIC Thread Size	List Price
0304-C-2	1/8	5/16-24	1.15
0304-C-3	3/16	3/8-24	1.15
0304-C-4	1/4	7/16-20	0.78
0304-C-5	5/16	1/2-20	0.75
0304-C-6	3/8	9/16-18	0.97
0304-C-8	1/2	3/4-16	0.85
0304-C-10	5/8	7/8-14	1.53
0304-C-12	3/4	1-1/16-12	1.69
0304-C-14	7/8	1-3/16-12	3.15
0304-C-16	1	1-5/16-12	2.96
0304-C-20	1-1/4	1-5/8-12	6.03
0304-C-24	1-1/2	1-7/8-12	10.66
0304-C-32	2	2-1/2-12	20.83

Some available in Stainless Steel

JIC TUBE NUT (SLEEVE REQUIRED)

SAE 070110
MS 51531



318
1290
BTX
1311
C5105

Part #	Tube O.D	JIC Thread Size	List Price
0318-2	1/8	5/16-24	0.64
0318-3	3/16	3/8-24	0.64
0318-4	1/4	7/16-20	0.44
0318-5	5/16	1/2-20	0.65
0318-6	3/8	9/16-18	0.74
0318-8	1/2	3/4-16	1.06
0318-10	5/8	7/8-14	1.39
0318-12	3/4	1-1/16-12	2.40
0318-14	7/8	1-3/16-12	2.47
0318-16	1	1-5/16-12	3.33
0318-20	1-1/4	1-5/8-12	6.99
0318-24	1-1/2	1-7/8-12	10.46
0318-32	2	2-1/2-12	29.06

JIC TUBE SLEEVE

SAE 070115
MS 51533



319
900605
TX
1253
C5165

Part #	Tube O.D	List Price
0319-2	1/8	0.51
0319-3	3/16	0.51
0319-4	1/4	0.42
0319-5	5/16	0.42
0319-6	3/8	0.46
0319-8	1/2	0.60
0319-10	5/8	0.72
0319-12	3/4	0.95
0319-14	7/8	1.80
0319-16	1	1.94
0319-20	1-1/4	2.86
0319-24	1-1/2	5.59
0319-32	2	9.63

*Send Midland all your
high volume quotes!*

STRAIGHTS STEEL 37° JIC FLARE

HYDRAULIC ADAPTERS

JIC TUBE UNION

SAE 070101
MS 51501



2403
2027
HTX
1204
C5305

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2403-2	5/16-24	5/16-24	2.06
2403-3	3/8-24	3/8-24	1.34
2403-4	7/16-20	7/16-20	1.02
2403-5	1/2-20	1/2-20	1.91
2403-6	9/16-18	9/16-18	1.63
2403-6-4	9/16-18	7/16-20	1.97
2403-6-5	9/16-18	1/2-20	5.35
2403-8	3/4-16	3/4-16	1.80
2403-8-4	3/4-16	7/16-20	4.14
2403-8-6	3/4-16	9/16-18	1.98
2403-10	7/8-14	7/8-14	2.85
2403-10-6	7/8-14	9/16-18	5.55
2403-10-8	7/8-14	3/4-16	2.50
2403-12	1-1/16-12	1-1/16-12	3.00
2403-12-6	1-1/16-12	9/16-18	4.90
2403-12-8	1-1/16-12	3/4-16	4.00
2403-12-10	1-1/16-12	7/8-14	4.98
2403-14	1-3/16-12	1-3/16-12	8.16
2403-16	1-5/16-12	1-5/16-12	4.23
2403-16-12	1-5/16-12	1-1/16-12	8.14
2403-20	1-5/8-12	1-5/8-12	10.61
2403-20-16	1-5/8-12	1-5/16-12	10.53
2403-24	1-7/8-12	1-7/8-12	14.35
2403-24-20	1-7/8-12	1-5/8-12	19.54
2403-32	2-1/2-12	2-1/2-12	46.62

*Some sizes available in Stainless Steel
More jump sizes available*

JIC LARGE HEX TUBE UNION



2403-LH
202712
LHTX
1204-LH
C5306

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2403-LH-4	7/16-20	7/16-20	4.15
2403-LH-6	9/16-18	9/16-18	4.00
2403-LH-8	3/4-16	3/4-16	5.16
2403-LH-10	7/8-14	7/8-14	12.30
2403-LH-12	1-1/16-12	1-1/16-12	10.49
2403-LH-16	1-5/16-12	1-5/16-12	16.64
2403-LH-20	1-5/8-12	1-5/8-12	45.44

More Sizes Available

JIC MALE CONNECTOR

SAE 070102
MS 51500



2404
2021R
FTX
1202R
C5205
816

Part #	JIC Thread Size 1	Male Pipe Thread 2	List Price
2404-2-2	5/16-24	1/8	2.16
2404-2-4	5/16-24	1/4	1.68
2404-3-2	3/8-24	1/8	1.38
2404-4-2	7/16-20	1/8	0.83
2404-4-4	7/16-20	1/4	1.38
2404-4-6	7/16-20	3/8	1.53
2404-4-8	7/16-20	1/2	3.00
2404-5-2	1/2-20	1/8	1.84
2404-5-4	1/2-20	1/4	2.01
2404-5-6	1/2-20	3/8	2.54
2404-6-2	9/16-18	1/8	1.65
2404-6-4	9/16-18	1/4	1.09
2404-6-6	9/16-18	3/8	1.57
2404-6-8	9/16-18	1/2	1.67
2404-6-12	9/16-18	3/4	4.22
2404-8-4	3/4-16	1/4	2.48
2404-8-6	3/4-16	3/8	2.10
2404-8-8	3/4-16	1/2	1.55
2404-8-12	3/4-16	3/4	2.59
2404-8-16	3/4-16	1	3.98
2404-10-4	7/8-14	1/4	3.92
2404-10-8	7/8-14	1/2	2.66
2404-10-12	7/8-14	3/4	3.93
2404-10-16	7/8-14	1	7.01
2404-12-6	1-1/16-12	3/8	3.97
2404-12-8	1-1/16-12	1/2	2.67
2404-12-12	1-1/16-12	3/4	5.05
2404-12-16	1-1/16-12	1	5.66
2404-12-20	1-1/16-12	1-1/4	7.96
2404-14-12	1-3/16-12	3/4	6.24
2404-16-12	1-5/16-12	3/4	4.27
2404-16-16	1-5/16-12	1	5.38
2404-16-20	1-5/16-12	1-1/4	7.36
2404-16-24	1-5/16-12	1-1/2	51.84
2404-20-12	1-5/8-12	3/4	21.18
2404-20-16	1-5/8-12	1	16.99
2404-20-20	1-5/8-12	1-1/4	6.23
2404-20-24	1-5/8-12	1-1/2	23.59
2404-24-16	1-7/8-12	1	45.80
2404-24-20	1-7/8-12	1-1/4	15.76
2404-24-24	1-7/8-12	1-1/2	11.00
2404-24-32	1-7/8-12	2	41.09
2404-32-20	2-1/2-12	1-1/4	62.35
2404-32-24	2-1/2-12	1-1/2	60.68
2404-32-32	2-1/2-12	2	33.11
2404-40-40	3-12	2-1/2	77.27

*Some sizes available in Stainless Steel
-Available in a Restrictor-*

HYDRAULIC



HYDRAULIC ADAPTERS

STRAIGHTS STEEL 37° JIC FLARE

JIC LONG MALE CONNECTOR

SAE 070102
MS 51500

1  2
2404L
202113R
1202L0R

Part #	JIC Thread Size 1	Male Pipe Size 2	Length end-end	List Price
2404-L-4-2	7/16-20	1/8"	1.81"	16.50
2404-L-4-4	7/16-20	1/4"	2.35"	21.77
2404-L-6-4	9/16-18	1/4"	2.35"	23.40
2404-L-6-6	9/16-18	3/8"	2.50"	16.46
2404-L-8-6	3/4-16	3/8"	2.75"	21.45
2404-L-8-8	3/4-16	1/2"	3.13"	29.48
2404-L-10-8	7/8-14	1/2"	3.13"	26.10
2404-L-12-12	1-1/16-12	3/4"	3.50"	29.69
2404-L-16-16	1-5/16-12	1"	4"	46.98

Also available in extra long lengths

JIC FEMALE CONNECTOR


SAE 070103
MS 51503

1  2
2405
2022R
GTX
1230R
C5255

Part #	JIC Thread Size 1	Female Pipe Size 2	List Price
2405-2-2	5/16-24	1/8	1.77
2405-3-2	3/8-24	1/8	1.95
2405-4-2	7/16-20	1/8	1.48
2405-4-4	7/16-20	1/4	1.81
2405-5-2	1/2-20	1/8	4.00
2405-5-4	1/2-20	1/4	3.23
2405-6-2	9/16-18	1/8	4.39
2405-6-4	9/16-18	1/4	1.67
2405-6-6	9/16-18	3/8	2.04
2405-6-8	9/16-18	1/2	6.13
2405-8-4	3/4-16	1/4	3.71
2405-8-6	3/4-16	3/8	1.87
2405-8-8	3/4-16	1/2	3.79
2405-8-12	3/4-16	3/4	11.16
2405-10-6	7/8-14	3/8	4.79
2405-10-8	7/8-14	1/2	5.40
2405-10-12	7/8-14	3/4	28.44
2405-12-8	1-1/16-12	1/2	6.05
2405-12-12	1-1/16-12	3/4	5.28
2405-12-16	1-1/16-12	1	14.04
2405-14-12	1-3/16-12	3/4	9.21
2405-16-12	1-5/16-12	3/4	18.50
2405-16-16	1-5/16-12	1	7.78
2405-16-20	1-5/16-12	1-1/4	22.03
2405-20-20	1-5/8-12	1-1/4	11.37
2405-24-24	1-7/8-12	1-1/2	17.64
2405-32-32	2-1/2-12	2	72.19

Some sizes available in Stainless Steel

JIC REDUCER/ EXPANDER

1  2
2406
C5015
2215
TRTX
1246

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2406-6-4	9/16-18	7/16-20	2.36
2406-6-8	9/16-18	3/4-16	2.93
2406-8-4	3/4-16	7/16-20	2.84
2406-8-6	3/4-16	9/16-18	2.60
2406-8-12*	3/4-16	1-1/16-12	4.52
2406-10-4	7/8-14	7/16-20	5.15
2406-10-6	7/8-14	9/16-18	4.48
2406-10-8	7/8-14	3/4-16	2.90
2406-12-4	1-1/16-12	7/16-20	6.00
2406-12-6	1-1/16-12	9/16-18	5.46
2406-12-8	1-1/16-12	3/4-16	3.48
2406-12-10	1-1/16-12	7/8-14	4.90
2406-14-6	1-3/16-12	9/16-18	8.84
2406-14-8	1-3/16-12	3/4-16	8.84
2406-14-10	1-3/16-12	7/8-14	12.59
2406-14-12	1-3/16-12	1-1/16-12	7.98
2406-16-4	1-5/16-12	7/16-20	9.95
2406-16-6	1-5/16-12	9/16-18	10.69
2406-16-8	1-5/16-12	3/4-16	7.98
2406-16-12	1-5/16-12	1-1/16-12	8.55
2406-16-20*	1-5/16-12	1-5/8-12	12.24
2406-20-8	1-5/8-12	3/4-16	56.98
2406-20-12	1-5/8-12	1-1/16-12	15.66
2406-20-16	1-5/8-12	1-5/16-12	15.67
2406-24-16	1-7/8-12	1-5/16-12	44.19
2406-24-20	1-7/8-12	1-5/8-12	25.24
2406-32-24	2-1/2-12	1-7/8-12	66.95

***Tube Expander**

More expanding sizes available

Send Midland all your high volume quotes!

Save 5% by ordering online at
www.midlandindustrial.com

STRAIGHTS STEEL 37° JIC FLARE

SAE 070109
MS 51518



PLUG

2408
430549
PNTX
1254
C5229

Part #	Tube O.D.	JIC Thread Size	List Price
2408-2	1/8	5/16-24	2.32
2408-3	3/16	3/8-24	1.01
2408-4	1/4	7/16-20	1.06
2408-5	5/16	1/2-20	0.95
2408-6	3/8	9/16-18	0.93
2408-8	1/2	3/4-16	1.20
2408-10	5/8	7/8-14	1.39
2408-12	3/4	1-1/16-12	2.50
2408-14	7/8	1-3/16-12	3.63
2408-16	1	1-5/16-12	3.56
2408-20	1-1/4	1-5/8-12	7.82
2408-24	1-1/2	1-7/8-12	11.81
2408-32	2	2-1/2-12	25.32

Some available in Stainless Steel

SAE 070201
MS 51505

JIC UNION ELBOW



2500
2039
1234
C5505
821

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2500-2-2	5/16-24	5/16-24	4.73
2500-4-4	7/16-20	7/16-20	1.81
2500-5-5	1/2-20	1/2-20	3.15
2500-6	9/16-18	9/16-18	2.23
2500-6-4	9/16-18	7/16-20	3.11
2500-8-8	3/4-16	3/4-16	2.96
2500-8-6	3/4-16	9/16-18	3.68
2500-10	7/8-14	7/8-14	6.33
2500-10-8	7/8-14	3/4-16	5.48
2500-12	1-1/16-12	1-1/16-12	6.71
2500-12-8	1-1/16-12	3/4-16	8.15
2500-14	1-3/16-12	1-3/16-12	10.83
2500-16	1-5/16-12	1-5/16-12	15.86
2500-16-12	1-5/16-12	1-1/16-12	17.33
2500-20	1-5/8-12	1-5/8-12	22.96
2500-24	1-7/8-12	1-7/8-12	45.68
2500-32	2-1/2-12	2-1/2-12	78.13

*Some available in Stainless Steel
More sizes available*

HYDRAULIC ADAPTERS

STEEL 37° JIC FLARE SHAPES

SAE 070202
MS 51504

JIC MALE ELBOW



1208R
C5405
2501
2024R
CTX
822

Part #	JIC Thread Size 1	Male Pipe Size 2	List Price
2501-2-2	5/16-24	1/8	4.90
2501-4-2	7/16-20	1/8	1.82
2501-4-4	7/16-20	1/4	1.95
2501-4-6	7/16-20	3/8	3.95
2501-4-8	7/16-20	1/2	4.57
2501-5-2	1/2-20	1/8	3.75
2501-6-2	9/16-18	1/8	2.71
2501-6-4	9/16-18	1/4	2.14
2501-6-6	9/16-18	3/8	2.90
2501-6-8	9/16-18	1/2	3.84
2501-6-12	9/16-18	3/4	7.48
2501-8-4	3/4-16	1/4	3.53
2501-8-6	3/4-16	3/8	3.32
2501-8-8	3/4-16	1/2	3.08
2501-8-12	3/4-16	3/4	6.16
2501-10-6	7/8-14	3/8	4.61
2501-10-8	7/8-14	1/2	3.81
2501-10-12	7/8-14	3/4	7.06
2501-12-6	1-1/16-12	3/8	9.57
2501-12-8	1-1/16-12	1/2	7.15
2501-12-12	1-1/16-12	3/4	5.02
2501-12-16	1-1/16-12	1	8.64
2501-16-12	1-5/16-12	3/4	7.84
2501-16-16	1-5/16-12	1	7.27
2501-16-20	1-5/16-12	1-1/4	19.21
2501-20-16	1-5/8-12	1	29.70
2501-20-20	1-5/8-12	1-1/4	16.86
2501-20-24	1-5/8-12	1-1/2	32.20
2501-24-20	1-7/8-12	1-1/4	31.91
2501-24-24	1-7/8-12	1-1/2	26.06
2501-32-24	2-1/2-12	1-1/2	77.73
2501-32-32	2-1/2-12	2	69.71

Some sizes available in Stainless Steel



CUSTOM CATALOGS

SEE INSIDE BACK

COVER


HYDRAULIC

HYDRAULIC ADAPTERS

SHAPES STEEL 37° JIC FLARE

JIC LONG MALE ELBOW

SAE 071502



25012
202411R
CCTX
1208-LR
C5425

JIC FEMALE ELBOW

SAE 070203
MS 51506



2502
2025R
DTX
1240R
C5455

Part #	JIC Thread Size 1	Male Pipe Size 2	Length*	List Price
2501-L-4-2	7/16-20	1/8	1.17"	5.08
2501-L-4-4	7/16-20	1/4	1.58"	5.90
2501-L-5-2	1/2-20	1/8	1.22"	5.44
2501-L-5-4	1/2-20	1/4	1.55"	7.73
2501-L-6-4	9/16-18	1/4	1.58"	8.54
2501-L-6-6	9/16-18	3/8	1.83"	5.67
2501-L-8-6	3/4-16	3/8	1.83"	6.17
2501-L-8-8	3/4-16	1/2	2.17"	6.67
2501-L-10-8	7/8-14	1/2	2.17"	16.19
2501-L-12-12	1-1/16-12	3/4	2.44"	11.70
2501-L-14-12	1-3/16-12	3/4	2.66"	18.87
2501-L-16-16	1-5/16-12	1	3.02"	20.27

* Length = mid-JIC to end of threads

Many JIC Fittings are available in Stainless Steel.
Call or email sales@midlandindustrial.com
for pricing

Part #	JIC Thread Size 1	Female Pipe Size 2	List Price
2502-4-2	7/16-20	1/8	3.63
2502-4-4	7/16-20	1/4	2.80
2502-4-6	7/16-20	3/8	6.06
2502-5-2	1/2-20	1/8	3.83
2502-6-2	9/16-18	1/8	5.16
2502-6-4	9/16-18	1/4	3.12
2502-6-6	9/16-18	3/8	3.78
2502-6-8	9/16-18	1/2	6.62
2502-8-4	3/4-16	1/4	5.50
2502-8-6	3/4-16	3/8	5.26
2502-8-8	3/4-16	1/2	4.47
2502-8-12	3/4-16	3/4	9.77
2502-10-6	7/8-14	3/8	8.24
2502-10-8	7/8-14	1/2	6.69
2502-12-8	1-1/16-12	1/2	8.52
2502-12-12	1-1/16-12	3/4	8.43
2502-14-12	1-3/16-12	3/4	15.83
2502-16-12	1-5/16-12	3/4	16.94
2502-16-16	1-5/16-12	1	14.60
2502-20-20	1-5/8-12	1-1/4	34.62
2502-24-24	1-7/8-12	1-1/2	60.89
2502-32-32	2-1/2-12	2	143.61

*Send Midland all your
high volume quotes!*

**BIN LABELS
ON DEMAND**
SEE
INTRO PAGE 4

Save 5% by ordering online at
www.midlandindustrial.com

SHAPES STEEL 37° JIC FLARE

SAE 070302
MS 51508

JIC MALE 45° ELBOW



2503
2023R
VTX
1206R
C5355
823

Part #	JIC Thread Size 1	Male Pipe Size 2	List Price
2503-2-2	5/16-24	1/8	2.58
2503-3-2	3/8-24	1/8	3.06
2503-4-2	7/16-20	1/8	2.34
2503-4-4	7/16-20	1/4	2.64
2503-4-6	7/16-20	3/8	3.80
2503-5-2	1/2-20	1/8	4.07
2503-5-4	1/2-20	1/4	3.75
2503-6-2	9/16-18	1/8	4.30
2503-6-4	9/16-18	1/4	2.70
2503-6-6	9/16-18	3/8	3.34
2503-6-8	9/16-18	1/2	3.99
2503-6-12	9/16-18	3/4	11.11
2503-8-4	3/4-16	1/4	9.05
2503-8-6	3/4-16	3/8	3.43
2503-8-8	3/4-16	1/2	4.59
2503-8-12	3/4-16	3/4	7.94
2503-10-6	7/8-14	3/8	5.29
2503-10-8	7/8-14	1/2	5.09
2503-10-12	7/8-14	3/4	7.64
2503-12-8	1-1/16-12	1/2	6.62
2503-12-12	1-1/16-12	3/4	6.44
2503-12-16	1-1/16-12	1	11.14
2503-14-12	1-3/16-12	3/4	12.82
2503-16-12	1-5/16-12	3/4	13.11
2503-16-16	1-5/16-12	1	8.60
2503-16-20	1-5/16-12	1-1/4	24.91
2503-20-16	1-5/8-12	1	30.79
2503-20-20	1-5/8-12	1-1/4	23.80
2503-24-24	1-7/8-12	1-1/2	38.31
2503-32-32	2-1/2-12	2	58.66

JIC 45° UNION ELBOW



2504

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2504-4	7/16-20	7/16-20	4.15
2504-6	9/16-18	9/16-18	8.88
2504-8	3/4-16	3/4-16	6.34
2504-10	7/8-14	7/8-14	11.94
2504-12	1-1/16-12	1-1/16-12	12.76
2504-16	1-5/16-12	1-5/16-12	14.66

HYDRAULIC ADAPTERS

JIC 45° FEMALE ELBOW



2505
2044-R

Part #	JIC Thread Size 1	Female Pipe Size 2	List Price
2505-4-4	7/16-20	1/4	4.81
2505-6-4	9/16-18	1/4	5.65
2505-8-6	3/4-16	3/8	8.20
2505-8-8	3/4-16	1/2	7.18
2505-10-8	7/8-14	1/2	10.05
2505-12-12	1-1/16-12	3/4	11.62

More sizes available

JIC MALE BRANCH TEE



2601
2030R
STX
1221R
C5605

Part #	JIC Thread Size 1&2	Pipe Thread Size 3	List Price
2601-3-2	3/8-24	1/8	6.09
2601-4-2	7/16-20	1/8	3.81
2601-4-4	7/16-20	1/4	3.78
2601-5-2	1/2-20	1/8	6.53
2601-5-4	1/2-20	1/4	6.53
2601-6-4	9/16-18	1/4	4.22
2601-6-6	9/16-18	3/8	6.10
2601-8-6	3/4-16	3/8	5.57
2601-8-8	3/4-16	1/2	5.54
2601-10-6	7/8-14	3/8	33.33
2601-10-8	7/8-14	1/2	7.59
2601-12-8	1-1/16-12	1/2	15.43
2601-12-12	1-1/16-12	3/4	11.15
2601-14-12	1-3/16-12	3/4	24.94
2601-16-12	1-5/16-12	3/4	22.04
2601-16-16	1-5/16-12	1	18.52
2601-20-20	1-5/8-12	1-1/4	45.62
2601-24-24	1-7/8-12	1-1/2	75.91

Many JIC Fittings are available in Stainless Steel.
Call or email sales@midlandindustrial.com
for pricing


HYDRAULIC



HYDRAULIC ADAPTERS

JIC FEMALE BRANCH TEE

SAE 070427
MS 51513




2602
2031R
OTX
1228R
C6566

Part #	JIC Thread Size 1 & 2	Female Pipe Size 3	List Price
2602-4-2	7/16-20	1/8	4.04
2602-4-4	7/16-20	1/4	5.56
2602-6-4	9/16-18	1/4	7.78
2602-6-6	9/16-18	3/8	5.94
2602-8-8	3/4-16	1/2	8.21
2602-12-12	1-1/16-12	3/4	12.13
2602-16-16	1-5/16-12	1	25.79
2602-20-20	1-5/8-12	1-1/4	38.70
2602-24-24	1-7/8-12	1-1/2	86.16

JIC UNION TEE

SAE 070401
MS 51510



2603
2033
JTX
1220
C5705

Part #	JIC Thread Size 1 & 2	JIC Thread Size 3	List Price
2603-2-2	5/16-24	5/16-24	3.97
2603-3-3	3/8-24	3/8-24	6.77
2603-4-4	7/16-20	7/16-20	3.24
2603-5-5	1/2-20	1/2-20	4.28
2603-6	9/16-18	9/16-18	3.21
2603-8	3/4-16	3/4-16	4.23
2603-10	7/8-14	7/8-14	6.67
2603-12	1-1/16-12	1-1/16-12	8.72
2603-16	1-5/16-12	1-5/16-12	11.57
2603-20	1-5/8-12	1-5/8-12	40.32
2603-24	1-7/8-12	1-7/8-12	42.69
2603-32	2-1/2-12	2-1/2-12	94.07

*Send Midland all your
high volume quotes!*

SHAPES STEEL 37° JIC FLARE

STEEL BULKHEAD FITTINGS

SAE 070118
MS 51860



1306
894
210212
WLN
1332
C5624

* Lock Nut no longer included on fittings

Part #	Thread Size	List Price
0306-2	5/16-24	0.46
0306-4	7/16-20	0.65
0306-5	1/2-20	0.56
0306-6	9/16-18	0.56
0306-8	3/4-16	1.05
0306-10	7/8-14	1.02
0306-12	1-1/16-12	1.39
0306-14	1-3/16-12	3.18
0306-16	1-5/16-12	1.85
0306-20	1-5/8-12	2.78
0306-24	1-7/8-12	5.24
0306-32	2-1/2-12	7.08

JIC BULKHEAD UNION

SAE 070601
MS 51520



2700
2041R
WTX
1260
C5325

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2700-2-2	5/16-24	5/16-24	2.95
2700-4-4	7/16-20	7/16-20	2.54
2700-5-5	1/2-20	1/2-20	2.60
2700-6-6	9/16-18	9/16-18	2.67
2700-8	3/4-16	3/4-16	3.61
2700-10	7/8-14	7/8-14	4.64
2700-12	1-1/16-12	1-1/16-12	5.03
2700-14	1-3/16-12	1-3/16-12	23.81
2700-16	1-5/16-12	1-5/16-12	9.44
2700-20	1-5/8-12	1-5/8-12	22.14
2700-24	1-7/8-12	1-7/8-12	24.20
2700-32	2-1/2-12	2-1/2-12	92.39

* Lock Nuts sold separately

JIC BULKHEAD UNION ELBOW

SAE 070701
MS 51507



2701
2043R
WETX
1262
C5525

Part #	JIC Thread Size 1	JIC Bulkhead Thread 2	List Price
2701-4	7/16-20	7/16-20	2.60
2701-5	1/2-20	1/2-20	5.49
2701-6	9/16-18	9/16-18	4.89
2701-8	3/4-16	3/4-16	5.58
2701-10	7/8-14	7/8-14	8.95
2701-12	1-1/16-12	1-1/16-12	14.60
2701-16	1-5/16-12	1-5/16-12	14.81
2701-20	1-5/8-12	1-5/8-12	25.65
2701-24	1-7/8-12	1-7/8-12	53.21


* Lock Nuts sold separately

SHAPES STEEL 37° JIC FLARE

HYDRAULIC ADAPTERS

JIC BULKHEAD UNION 45° ELBOW

SAE 070801
MS 51509



2702
2042
WNTX
1261
C5375

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
2702-4	7/16-20	7/16-20	3.30
2702-6	9/16-18	9/16-18	5.90
2702-8	3/4-16	3/4-16	4.97
2702-10	7/8-14	7/8-14	7.05
2702-12	1-1/16-12	1-1/16-12	8.18
2702-16	1-5/16-12	1-5/16-12	15.29
2702-20	1-5/8-12	1-5/8-12	34.58

JIC BULKHEAD BRANCH TEE

SAE 070959
MS 51515



2703
203002
WJT
1283
C5725

Part #	JIC Thread Size 1&2	JIC Thread Size 3	List Price
2703-4	7/16-20	7/16-20	4.97
2703-6	9/16-18	9/16-18	6.52
2703-8	3/4-16	3/4-16	5.76
2703-10	7/8-14	7/8-14	12.76
2703-12	1-1/16-12	1-1/16-12	18.48
2703-16	1-5/16-12	1-5/16-12	27.75
2703-20	1-5/8-12	1-5/8-12	127.25

JIC BULKHEAD RUN TEE

SAE 070958
MS 51516



2704
203008
WJJT
1284
C5726

Part #	JIC Thread Size 1&3	JIC Thread Size 2	List Price
2704-4	7/16-20	7/16-20	4.97
2704-6	9/16-18	9/16-18	6.86
2704-8	3/4-16	3/4-16	9.02
2704-10	7/8-14	7/8-14	12.76
2704-12	1-1/16-12	1-1/16-12	20.70
2704-16	1-5/16-12	1-5/16-12	25.72

JIC TO FEMALE PIPE BULKHEAD



2705
2239
WGTX
C5275

Part #	JIC Thread Size 1	Female Pipe Size 2	List Price
2705-4-2	7/16-20	1/8	3.95
2705-4-4	7/16-20	1/4	3.43
2705-5-2	1/2-20	1/8	3.94
2705-6-4	9/16-18	1/4	4.64
2705-6-6	9/16-18	3/8	5.02
2705-8-6	3/4-16	3/8	6.22
2705-8-8	3/4-16	1/2	6.73
2705-10-8	7/8-14	1/2	19.41
2705-12-12	1-1/16-12	3/4	8.89
2705-16-16	1-5/16-12	1	18.52
2705-20-20	1-5/8-12	1-1/4	28.45
2705-24-24	1-7/8-12	1-1/2	44.32

JIC TO MALE PIPE BULKHEAD



2706
2240

Part #	JIC Thread Size 1	Pipe Thread Size 2	List Price
2706-4-2	7/16-20	1/8	3.90
2706-4-4	7/16-20	1/4	2.98
2706-6-4	9/16-18	1/4	3.75
2706-6-6	9/16-18	3/8	4.50
2706-8-6	3/4-16	3/8	5.77
2706-8-8	3/4-16	1/2	4.39
2706-10-8	7/8-14	1/2	7.87
2706-12-12	1-1/16-12	3/4	11.25
2706-16-16	1-5/16-12	1	15.49
2706-20-20	1-5/8-12	1-1/4	55.45
2706-24-24	1-7/8-12	1-1/2	38.42

*** Lock Nuts sold separately - pg. 335**

Many JIC Fittings are available in Stainless Steel.
Call or email sales@midlandindustrial.com
for pricing

STEEL PIPE ADAPTERS

CONFORMANCE

- SAE J514 for hex nipples, expanders, elbows, tees and crosses.
- SAE J514, J530 and J531 for bushings and plugs.
- Temperature Range: -65°F to +400°F

MATERIALS

- Steel- SAE 12L14 carbon steel trivalent zinc plated or bright silver finish.

STYLES

- Forged
- Chamfered - male ends have an internal 30-degree chamfer to mate with NPSM female swivel union connections. Many pipe fittings do not have this chamfer, as it is not required per SAE J514 standard.

Caution: Although most pipe fittings have sufficient structural integrity to support the weight of many components, consult our technical support department for guidance in selection of parts for this purpose

WORKING PRESSURES

The following table lists the recommended working pressures for steel NPTF hydraulic pipe fittings manufactured in accordance with SAE standard J514. Many factors such as number of threads engaged, impulsing, vibration, mechanical shock, removal and reassembly, thermal expansion and contraction may affect the integrity of the fitting or fitting connection. For these reasons, the recommended working pressures are actually lower than the capacity of the fittings. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions.

SAE J514 NPTF PIPE WORKING PRESSURES

Dash Size	NPTF Thread Size	4 TO 1 Minimum Burst PSI
-1	1/16-27	5000
-2	1/8-27	5000
-4	1/4-18	5000
-6	3/8-18	4000
-8	1/2-14	3000
-12	3/4-14	2500
-16	1-11 1/2	2000
-20	1-1/4-11-1/2	1150
-24	1-1/2-11-1/2	1000
-32	2-11-1/2	750

NPTF DRY SEAL PIPE ASSEMBLY INSTRUCTIONS

- Step 1.** Inspect port and fitting to ensure that both are free of contaminants and excessive burrs and nicks.
- Step 2.** Apply a stripe of an anaerobic liquid pipe sealant around the male threads leaving the first two threads uncovered. If no liquid sealant is available, wrap Teflon tape 1 1/2 to 2 turns in a clockwise direction, viewed from the pipe end, leaving the first two threads uncovered. **Caution: Teflon tape and some pipe sealants are destructive to hydraulic components. Always use extreme caution and follow manufacturers recommendations for proper application of any sealant in order to prevent contamination**
- Step 3.** Screw finger tight into the port.
- Step 4.** Wrench tighten the fitting to the correct turns past finger tight position. (See following table) When installing elbows or tees, consider final orientation position as to not exceed the recommended TPFT

Caution: Never back off an installed pipe fitting to achieve proper alignment. Loosening installed pipe fittings will corrupt the seal and contribute to leakage and failure.

Dash Size	NPTF Thread Size	Turns Past Finger Tight
-1	1/16-27	2.0 - 3.0
-2	1/8-27	2.0 - 3.0
-4	1/4-18	2.0 - 3.0
-6	3/8-18	2.0 - 3.0
-8	1/2-14	2.0 - 3.0
-12	3/4-14	2.0 - 3.0
-16	1-11 1/2	1.5 - 2.5
-20	1-1/4-11-1/2	1.5 - 2.5
-24	1-1/2-11-1/2	1.5 - 2.5
-32	2-11-1/2	1.5 - 2.5

Torque installation of pipe fittings is not a recommended practice. Thread taper and quality, different port and fitting materials, plating thickness and types, varying threads sealants, orientation, and other factors reduce the reliability of a torqued connection. If torque installation is required, refer to the following table for suggested torque values.

Dash Size	NPTF Thread Size	Torque Foot/LBS
-2	1/8-27	12
-4	1/4-18	25
-6	3/8-18	40
-8	1/2-14	54
-12	3/4-14	78
-16	1-11-1/2	112
-20	1-1/4-11-1/2	154
-24	1-1/2-11-1/2	211
-32	2-11-1/2	300


See STRAIGHT THREAD O-RING FITTING SECTION for assembly instructions and torque values for

STEEL PIPE FITTINGS

SAE 140138

PIPE COUPLING

5000 910
2096
GG
1273
C3309



Part #	Female Pipe 1	Female Pipe 2	List Price
5000-2	1/8	1/8	1.81
5000-4-2	1/4	1/8	3.28
5000-4	1/4	1/4	1.66
5000-6-4	3/8	1/4	2.45
5000-6-6	3/8	3/8	1.93
5000-8-4	1/2	1/4	4.45
5000-8-6	1/2	3/8	3.16
5000-8	1/2	1/2	3.30
5000-12-6	3/4	3/8	9.14
5000-12-8	3/4	1/2	8.75
5000-12-12	3/4	3/4	3.90
5000-16-12	1	3/4	9.72
5000-16	1	1	6.25
5000-20-16	1-1/4	1	24.64
5000-20-20	1-1/4	1-1/4	12.72
5000-24	1-1/2	1-1/2	29.61
5000-32	2	2	43.45

SAE 140137

HEX PIPE NIPPLES

5404 C3069
2083 911
FF
1252




Part #	Male Pipe 1	Male Pipe 2	List Price
5404-2	1/8	1/8	0.93
5404-4-2	1/4	1/8	1.30
5404-4	1/4	1/4	1.34
5404-6-2	3/8	1/8	2.08
5404-6-4	3/8	1/4	1.69
5404-6	3/8	3/8	1.56
5404-8-4	1/2	1/4	2.43
5404-8-6	1/2	3/8	2.22
5404-8	1/2	1/2	1.77
5404-12-6	3/4	3/8	4.88
5404-12-8	3/4	1/2	3.14
5404-12	3/4	3/4	3.28
5404-16-12	1	3/4	10.90
5404-16	1	1	5.79
5404-20-16	1-1/4	1	11.60
5404-20	1-1/4	1-1/4	10.33
5404-24-16	1-1/2	1	23.38
5404-24-20	1-1/2	1-1/4	27.22
5404-24	1-1/2	1-1/2	15.62
5404-32-24	2	1-1/2	45.45
5404-32	2	2	38.69

HYDRAULIC ADAPTERS

EXPANDING PIPE ADAPTER

SAE 140139

920
5405
2040
FG-(R)
1274
C3209(R)



Part #	Male Pipe 1	Female Pipe 2	List Price
5405-2-2	1/8	1/8	4.64
5405-2-4	1/8	1/4	1.65
5405-4-2	1/4	1/8	2.39
5405-4-4	1/4	1/4	1.71
5405-4-6	1/4	3/8	2.19
5405-4-8	1/4	1/2	5.97
5405-6-4	3/8	1/4	3.61
5405-6-6	3/8	3/8	2.59
5405-6-8	3/8	1/2	3.10
5405-8-8	1/2	1/2	5.59
5405-8-12	1/2	3/4	5.73
5405-12-6	3/4	3/8	8.67
5405-12-8	3/4	1/2	7.95
5405-12-12	3/4	3/4	8.70
5405-16-16	1	1	14.36
5405-16-20	1	1-1/4	17.05
5405-20-20	1-1/4	1-1/4	24.03
5405-20-24	1-1/4	1-1/2	26.58
5405-24-24	1-1/2	1-1/2	34.05
5405-24-32	1-1/2	2	57.39
5405-32-32	2	2	62.79



**MIDLAND METAL
APP**

**SEE INSIDE FRONT
COVER**

HYDRAULIC

HYDRAULIC ADAPTERS

HEX REDUCER BUSHING

SAEF1
140140



5406
2081
PTR
1250
C3109
912

Part #	Male Pipe	Female Pipe	List Price
5406-4-2	1/4	1/8	0.92
5406-6-2	3/8	1/8	1.83
5406-6-4	3/8	1/4	2.25
5406-8-2	1/2	1/8	2.10
5406-8-4	1/2	1/4	1.40
5406-8-6	1/2	3/8	2.52
5406-12-2	3/4	1/8	3.02
5406-12-4	3/4	1/4	4.36
5406-12-6	3/4	3/8	2.87
5406-12-8	3/4	1/2	3.99
5406-16-4	1	1/4	6.00
5406-16-6	1	3/8	7.16
5406-16-8	1	1/2	5.89
5406-16-12	1	3/4	6.18
5406-20-4	1-1/4	1/4	9.47
5406-20-6	1-1/4	3/8	8.98
5406-20-8	1-1/4	1/2	10.00
5406-20-12	1-1/4	3/4	11.33
5406-20-16	1-1/4	1	10.87
5406-24-6	1-1/2	3/8	19.64
5406-24-8	1-1/2	1/2	17.40
5406-24-12	1-1/2	3/4	13.68
5406-24-16	1-1/2	1	18.71
5406-24-20	1-1/2	1-1/4	17.90
5406-32-6	2	3/8	86.29
5406-32-8	2	1/2	29.93
5406-32-12	2	3/4	38.51
5406-32-16	2	1	28.12
5406-32-20	2	1-1/4	27.25
5406-32-24	2	1-1/2	22.75

*Some sizes available in Stainless Steel
Also available in short pattern*

SAE 130109E

HEX HEAD PLUG



933
5406P
2082
HP
1251
C3159

Part #	Male Pipe	List Price
5406-P-2	1/8	0.64
5406-P-4	1/4	0.96
5406-P-6	3/8	0.93
5406-P-8	1/2	1.53
5406-P-12	3/4	2.85
5406-P-16	1	4.44
5406-P-20	1-1/4	8.75
5406-P-24	1-1/2	15.03
5406-P-32	2	24.61

Also available in Stainless Steel

STEEL PIPE FITTINGS

HOLLOW HEX PLUG

SAE 130109



C3169
2222

Part #	Male Pipe	List Price
5406-HHP-1	1/16	0.36
5406-HHP-2	1/8	0.41
5406-HHP-4	1/4	0.32
5406-HHP-6	3/8	0.43
5406-HHP-8	1/2	0.74
5406-HHP-12	3/4	1.27
5406-HHP-16	1	3.24
5406-HHP-20	1-1/4	7.20
5406-HHP-24	1-1/2	17.58

FLUSH HOLLOW HEX PLUG W/ 7/8 TAPER



Part #	Male Pipe	List Price
5406-FLP-1	1/16	0.69
5406-FLP-2	1/8	0.42
5406-FLP-4	1/4	0.65
5406-FLP-6	3/8	0.98
5406-FLP-8	1/2	1.27
5406-FLP-12	3/4	3.54

SQUARE HEAD PLUG

SAE 130109A



C3179

Part #	Male Pipe	List Price
5406-SHP-2	1/8	0.50
5406-SHP-4	1/4	0.52
5406-SHP-6	3/8	0.81
5406-SHP-8	1/2	1.32
5406-SHP-12	3/4	1.41
5406-SHP-16	1	5.63
5406-SHP-20	1-1/4	24.19
5406-SHP-24	1-1/2	24.98
5406-SHP-32	2	31.79

Save 5% by ordering online at
www.midlandindustrial.com

STEEL PIPE FITTINGS

PIPE CAP

HPC



Part #	Female Pipe	List Price
5406-C-2	1/8	1.51
5406-C-4	1/4	1.16
5406-C-6	3/8	1.99
5406-C-8	1/2	2.56
5406-C-12	3/4	5.71
5406-C-16	1	6.41
5406-C-24	1-1/2	21.61

Also available in Stainless Steel

MALE ELBOW

919

SAE 140237



5500
2085
CR
1275
C3529

Part #	Male Pipe 1	Male Pipe 2	List Price
5500-2	1/8	1/8	2.73
5500-4-2	1/4	1/8	2.62
5500-4	1/4	1/4	2.45
5500-6-4	3/8	1/4	3.09
5500-6	3/8	3/8	3.19
5500-8-4	1/2	1/4	5.83
5500-8-6	1/2	3/8	4.88
5500-8	1/2	1/2	4.37
5500-12-8	3/4	1/2	6.93
5500-12-12	3/4	3/4	7.15
5500-16	1	1	10.60
5500-16-12	1	3/4	14.78
5500-20-20	1-1/4	1-1/4	21.70
5500-24	1-1/2	1-1/2	33.98
5500-32	2	2	67.83

Also available in Stainless Steel

DROP SHIP PROGRAM

SEE **INTRO PAGE 5**

HYDRAULIC ADAPTERS

45° MALE ELBOW

5501
2247




Part #	Male Pipe 1	Male Pipe 2	List Price
5501-2-2	1/8	1/8	4.73
5501-4-4	1/4	1/4	3.39
5501-6-6	3/8	3/8	4.65
5501-8	1/2	1/2	4.60
5501-12-12	3/4	3/4	8.98
5501-16-16	1	1	25.09
5501-20-20	1-1/4	1-1/4	31.44

90° STREET ELBOW

5502
2089
CD
1234R
C3409
914

SAE 140239



Part #	Male Pipe 1	Female Pipe 2	List Price
5502-2	1/8	1/8	2.12
5502-4-2	1/4	1/8	2.76
5502-4	1/4	1/4	2.75
5502-4-6	1/4	3/8	4.72
5502-4-8-8	1/4	1/2	30.25
5502-6-2	3/8	1/8	6.27
5502-6-4	3/8	1/4	3.72
5502-6	3/8	3/8	3.84
5502-6-8	3/8	1/2	6.25
5502-8-4	1/2	1/4	7.50
5502-8-6	1/2	3/8	6.00
5502-8-8	1/2	1/2	5.74
5502-8-12	1/2	3/4	9.47
5502-12-8	3/4	1/2	10.43
5502-12	3/4	3/4	6.63
5502-12-16	3/4	1	18.73
5502-16-12	1	3/4	11.77
5502-16-16	1	1	12.44
5502-16-20	1	1-1/4	28.33
5502-20-16	1-1/4	1	37.46
5502-20	1-1/4	1-1/4	21.04
5502-24	1-1/2	1-1/2	73.55
5502-32	2	2	110.32

*Also available in Stainless Steel
More sizes available*

Send Midland all your high volume quotes!

HYDRAULIC




HYDRAULIC ADAPTERS

STEEL PIPE FITTINGS

45° STREET ELBOW

SAE 140339



5503
CD45
1244

Part #	Male Pipe 1	Female Pipe 2	List Price
5503-2	1/8	1/8	2.62
5503-4	1/4	1/4	2.65
5503-6	3/8	3/8	4.18
5503-8	1/2	1/2	5.42
5503-12-12	3/4	3/4	6.54
5503-16	1	1	16.57
5503-20	1-1/4	1-1/4	33.49
5503-24	1-1/2	1-1/2	46.48

FEMALE ELBOW

SAE 140238



5504
2087
DD
1245
C3509
916


Part #	Female Pipe 1	Female Pipe 2	List Price
5504-2	1/8	1/8	2.59
5504-4-2	1/4	1/8	3.83
5504-4	1/4	1/4	3.15
5504-6-4	3/8	1/4	4.28
5504-6	3/8	3/8	3.93
5504-8-6	1/2	3/8	5.97
5504-8	1/2	1/2	6.41
5504-12-8	3/4	1/2	10.60
5504-12	3/4	3/4	8.17
5504-16-12	1	3/4	16.93
5504-16	1	1	12.08
5504-20	1-1/4	1-1/4	29.76
5504-24	1-1/2	1-1/2	69.76
5504-32	2	2	81.21

More sizes available

**Email Pat@midlandindustrial.com
For domestic Hydraulic Adapter pricelist!**

45° FEMALE ELBOW


SAE 140338



5505
DD45
1241
C3559

Part #	Female Pipe 1	Female Pipe 2	List Price
5505-2	1/8	1/8	4.50
5505-4	1/4	1/4	4.31
5505-6	3/8	3/8	6.06
5505-8	1/2	1/2	8.89
5505-12	3/4	3/4	10.94
5505-16	1	1	17.53
5505-20	1-1/4	1-1/4	25.34

Many PIPE ADAPTERS are available in 316 SS
Call or email sales@midlandindustrial.com
for pricing



**CUSTOM
CATALOGS**

**SEE INSIDE BACK
COVER**

Save 5% by ordering online at
www.midlandindustrial.com

STEEL PIPE FITTINGS

HYDRAULIC ADAPTERS

SAE 140437 **MALE PIPE TEE** 5600
2257
RRS



Part #	Male Pipe 1 & 2	Male Pipe 3	List Price
5600-2-2	1/8	1/8	4.54
5600-4-4	1/4	1/4	4.58
5600-6-6	3/8	3/8	6.54
5600-8-8	1/2	1/2	8.05
5600-12	3/4	3/4	14.78
5600-16	1	1	24.23
5600-20	1-1/4	1-1/4	57.84
5600-24	1-1/2	1-1/2	115.95

SAE 1404276 **FEMALE RUN PIPE TEE** 5603
2093
MMO
1277



Part #	Male Pipe 1 & 3	Female Pipe 2	List Price
5603-2-2	1/8	1/8	5.82
5603-4-4	1/4	1/4	5.11
5603-6-6	3/8	3/8	5.81
5603-8-8	1/2	1/2	9.12
5603-12	3/4	3/4	16.73
5603-16	1	1	21.65
5603-20	1-1/4	1-1/4	62.56
5603-24	1-1/2	1-1/2	79.17

SAE 140427 **FEMALE BRANCH PIPE TEE** 901
5601
2256




Part #	Male Pipe 1 & 2	Female Pipe 3	List Price
5601-2-2	1/8	1/8	4.91
5601-4-4	1/4	1/4	5.70
5601-6-6	3/8	3/8	6.62
5601-8	1/2	1/2	10.19
5601-12	3/4	3/4	15.62
5601-16	1	1	26.15
5601-20	1-1/4	1-1/4	56.62
5601-24	1-1/2	1-1/2	125.56

MALE BRANCH PIPE TEE 904
5604
2091
MMS
1278
C3609



Part #	Female Pipe 1 & 2	Male Pipe 3	List Price
5604-2-2	1/8	1/8	4.54
5604-4-4	1/4	1/4	6.51
5604-6-6	3/8	3/8	7.52
5604-8-8	1/2	1/2	9.47
5604-12	3/4	3/4	12.91
5604-16	1	1	24.39
5604-20	1-1/4	1-1/4	48.34
5604-24	1-1/2	1-1/2	75.45

SAE 140424 **STREET PIPE TEE** 902
5602
2092
MRO
1276
C3759



Part #	Male Pipe 1	Female Pipe 2 & 3	List Price
5602-2-2	1/8	1/8	3.61
5602-4-4	1/4	1/4	3.92
5602-6-6	3/8	3/8	6.02
5602-8-8	1/2	1/2	8.62
5602-12	3/4	3/4	10.93
5602-16	1	1	22.55
5602-20	1-1/4	1-1/4	35.00
5602-24	1-1/2	1-1/2	108.52

SAE 140438 **FEMALE PIPE TEE** 917
5605
2090
1225
C3709



Part #	Female Pipe	List Price
5605-2-2	1/8	3.97
5605-4-4	1/4	5.24
5605-6-6	3/8	6.02
5605-8	1/2	6.83
5605-12	3/4	11.09
5605-16	1	23.28
5605-20	1-1/4	41.44
5605-24	1-1/2	105.38
5605-32	2	84.66

More sizes available

HYDRAULIC

STEEL STRAIGHT THREAD O-RING ADAPTERS

Straights Pg. 283-285
 Shapes Pg. 285-290
 Bulkheads Pg. 290-291
 Female Swivels Pg. 304-306
 O-Ring Fittings Pg. 307-312

CONFORMANCE

- SAE J514
- SAE J1926/1, SAE J1926/3
- ISO 11926-1, ISO 11926-3

MATERIALS

- Steel- SAE 12L14 Carbon steel trivalent zinc plated or bright silver finish.
- Buna Nitrile O-Ring

WORKING PRESSURES

The following table lists the recommended working pressures for steel O-ring Straight Thread Fittings made in accordance with SAE standard J514. Many factors such as surging, vibration, mechanical shock and over tightening may affect the integrity of the fitting connections. SAE recommends sufficient testing be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using the fittings with different size or thread type, use the lower pressure rating of the two threads.

Caution: Although most O-ring Straight Thread Fittings have sufficient structural integrity to support the weight of many components, consult with our technical support department for guidance in selection of parts for this purpose.

SAE J514 O-RING STRAIGHT THREAD FITTING PRESSURE RATINGS FOR STRAIGHT AND ADJUSTABLE THREAD PORT STUDS

Dash Size	Straight Thread	4 to 1 Minimum Burst PSI Straight O-ring	4 to 1 Minimum Burst PSI Adjustable O-ring
-2	5/16-24	5000	5000
-3	3/8-24	5000	5000
-4	7/16-20	5000	4500
-5	1/2-20	5000	4000
-6	9/16-16	5000	4000
-8	3/4-16	4500	4000
-10	7/8-14	3500	3000
-12	1-1/16-12	3500	3000
-14	1-3/16-12	3000	2500
-16	1-5/16-12	3000	2500
-20	1-5/8-12	2500	2000
-24	1-7/8-12	2000	1500
-32	2-1/2-12	1500	1125

STEEL STRAIGHT THREAD O-RING

RECOMMENDED ASSEMBLY INSTRUCTIONS

NON-ADJUSTABLE STUD

- Step 1.** Inspect port area to be free of any contaminant.
- Step 2.** Lubricate o-ring and threads on fitting.
- Step 3.** Turn fitting into port finger tight, then torque to the value shown in the following tables.

J514 & J1926/3 TORQUE VALUES

Dash Size	Straight Thread	Straight Stud Torque	Adjustable Stud Torque
-2	5/16-24	6	6
-3	3/8-24	6	6
-4	7/16-20	9	8
-5	1/2-20	14	9
-6	9/16-18	18	12
-8	3/4-16	27	20
-10	7/8-14	36	30
-12	1-1/16-12	65	44
-14	1-3/16-12	75	53
-16	1-5/16-12	85	59
-20	1-5/8-12	115	75
-24	1-7/8-12	125	105
-32	2-1/2-12	290	225

ADJUSTABLE STUD

- Step 1.** Follow steps 1 and 2 from the foregoing instructions, then proceed to the following steps below.
- Step 2.** Looking at fitting from end with nut/washer/o-ring assembly, turn nut clockwise as far as possible.
- Step 3.** Using wrench pad, turn fitting into port until the washer touches the port spot face. Continue turning fitting until washer touches the thread nearest wrench pad.
- Step 4.** Back off fitting counterclockwise not exceeding one revolution until it is orientated in the correct position.
- Step 5.** Place wrench on the wrench pad of fitting to prevent fitting from turning, and torque nut to the value shown in the following table.

J1453 & J1926/2 TORQUE VALUES

Dash Size	Straight Thread	Straight Stud Torque	Adjustable Stud Torque
-2	5/16-24	NA	NA
-3	3/8-24	NA	NA
-4	7/16-20	14	11
-5	1/2-20	18	14
-6	9/16-18	24	18
-8	3/4-16	40	28
-10	7/8-14	55	44
-12	1-1/16-12	95	65
-14	1-3/16-12	105	75
-16	1-5/16-12	120	85
-20	1-5/8-12	160	115
-24	1-7/8-12	175	125

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

STEEL O-RING ADAPTERS

JIC TO O-RING CONNECTOR

SAE 070120
MS 51525



6400
202702R
F50X
1231
C5315

Part #	JIC Thread Size 1	O-Ring Thread 2	List Price
6400-2	5/16-24	5/16-24	4.59
6400-3	3/8-24	3/8-24	4.41
6400-4	7/16-20	7/16-20	0.82
6400-4-2	7/16-20	5/16-24	1.83
6400-4-3	7/16-20	3/8-24	1.89
6400-4-5	7/16-20	1/2-20	2.18
6400-4-6	7/16-20	9/16-18	1.18
6400-4-8	7/16-20	3/4-16	3.31
6400-4-10	7/16-20	7/8-14	3.33
6400-5	1/2-20	1/2-20	1.38
6400-5-4	1/2-20	7/16-20	1.94
6400-5-6	1/2-20	9/16-18	2.96
6400-6	9/16-18	9/16-18	1.43
6400-6-4	9/16-18	7/16-20	1.51
6400-6-5	9/16-18	1/2-20	1.90
6400-6-8	9/16-18	3/4-16	1.76
6400-6-10	9/16-18	7/8-14	2.83
6400-6-12	9/16-18	1-1/16-12	4.62
6400-6-16	9/16-18	1-5/16-12	6.85
6400-8	3/4-16	3/4-16	1.41
6400-8-4	3/4-16	7/16-20	3.05
6400-8-6	3/4-16	9/16-18	1.76
6400-8-10	3/4-16	7/8-14	2.25
6400-8-12	3/4-16	1-1/16-12	3.06
6400-8-16	3/4-16	1-5/16-12	8.53
6400-10	7/8-14	7/8-14	2.48
6400-10-6	7/8-14	9/16-18	3.45
6400-10-8	7/8-14	3/4-16	2.67
6400-10-12	7/8-14	1-1/16-12	3.80
6400-10-16	7/8-14	1-5/16-12	5.89
6400-12	1-1/16-12	1-1/16-12	3.08
6400-12-6	1-1/16-12	3/8	4.39
6400-12-8	1-1/16-12	3/4-16	5.12
6400-12-10	1-1/16-12	7/8-14	3.48
6400-12-14	1-1/16-12	1-3/16-12	3.77
6400-12-16	1-1/16-12	1-5/16-12	5.32
6400-14	1-3/16-12	1-3/16-12	5.69
6400-16	1-5/16-12	1-5/16-12	4.67
6400-16-8	1-5/16-12	3/4-16	6.16
6400-16-10	1-5/16-12	7/8-14	5.93
6400-16-12	1-5/16-12	1-1/16-12	3.02
6400-16-14	1-5/16-12	1-3/16-12	18.96
6400-16-20	1-5/16-12	1-5/8-12	10.28
6400-16-24	1-5/16-12	1-7/8-12	17.31
6400-20	1-5/8-12	1-5/8-12	9.37
6400-20-12	1-5/8-12	1-1/16-12	20.33
6400-20-16	1-5/8-12	1-5/16-12	11.81
6400-20-24	1-5/8-12	1-7/8-12	16.74
6400-24	1-7/8-12	1-7/8-12	17.18
6400-24-20	1-7/8-12	1-5/8-12	18.85
6400-24-32	1-7/8-12	2-1/2-12	74.91
6400-32	2-1/2-12	2-1/2-12	39.91

Some Restrictors available on a special order basis.

HYDRAULIC ADAPTERS

LONG JIC TO O-RING CONNECTOR



6400L
202713R
FF50X
1231L0
C5316

Part #	JIC Thread Size 1	O-Ring Thread 2	Length*	List Price
6400-L-4	7/16-20	7/16-20	2.12"	3.40
6400-L-6	9/16-18	9/16-18	2.31"	4.81
6400-L-8	3/4-16	3/4-16	2.68"	5.43
6400-L-10	7/8-14	7/8-14	3.00"	7.69
6400-L-12	1-1/16-12	1-1/16-12	3.56"	21.23
6400-L-16	1-5/16-12	1-5/16-12	4.00"	13.13
6400-L-20	1-5/8-12	1-5/8-12	4.62"	18.06

*Length= Overall length of fitting

O-RING TO PIPE ADAPTER



6401
F5X
1264R
C3249

Part #	O-Ring Thread 1	Male Pipe Thread 2	List Price
6401-4-2	7/16-20	1/8	1.59
6401-4-4	7/16-20	1/4	1.56
6401-4-6	7/16-20	3/8	2.56
6401-5-2	1/2-20	1/8	5.03
6401-5-4	1/2-20	1/4	2.95
6401-6-4	9/16-18	1/4	1.89
6401-6-6	9/16-18	3/8	1.94
6401-6-8	9/16-18	1/2	2.78
6401-8-6	3/4-16	3/8	2.70
6401-8-8	3/4-16	1/2	2.69
6401-10-6	7/8-14	3/8	5.00
6401-10-8	7/8-14	1/2	2.96
6401-12-6	1-1/16-12	3/8	7.06
6401-12-8	1-1/16-12	1/2	4.10
6401-12-12	1-1/16-12	3/4	4.90
6401-16-12	1-5/16-12	3/4	12.73
6401-16-16	1-5/16-12	1	6.95
6401-20-20	1-5/8-12	1-1/4	14.49
6401-24-24	1-7/8-12	1-1/2	24.00
6401-32-32	2-1/2-12	2	49.49

Send Midland all your high volume quotes!

HYDRAULIC

HYDRAULIC ADAPTERS

O-RING TO 37° JIC SWIVEL ADAPTER



6402
2266
F65X
1213
9316

Part #	O-Ring Thread 1	JIC Thread Size 2	List Price
6402-O-4-4	7/16-20	7/16-20	3.31
6402-O-4-6	7/16-20	9/16-18	4.11
6402-O-6-6	9/16-18	9/16-18	2.77
6402-O-6-8	9/16-18	3/4-16	6.86
6402-O-8-8	3/4-16	3/4-16	3.88
6402-O-8-6	3/4-16	9/16-18	4.17
6402-O-10-10	7/8-14	7/8-14	7.82
6402-O-12-12	1-1/16-12	1-1/16-12	7.05
6402-O-14-14	1-3/16-12	1-3/16-12	16.61
6402-O-16-12	1-5/16-12	1-1/16-12	17.30
6402-O-16-16	1-5/16-12	1-5/16-12	11.38
6402-O-20-20	1-5/8-12	1-5/8-12	25.48
6402-O-24-24	1-7/8-12	1-7/8-12	38.83

O-RING HEX NIPPLE UNION



Part #	O-Ring Thread 1	O-Ring Thread 2	List Price
6403-O-6	9/16-18	9/16-18	5.12
6403-O-8	3/4-16	3/4-16	4.87
6403-O-10	7/8-14	7/8-14	7.62
6403-O-12	1-1/16-12	1-1/16-12	8.49
6403-O-16	1-5/16-12	1-5/16-12	18.19

STEEL O-RING ADAPTERS

FEMALE O-RING TO MALE PIPE ADAPTER



6404
2246R
1267R
C3239
FHG5

Part #	O-Ring Thread 1	Male Pipe Thread 2	List Price
6404-4-2	7/16-20	1/8	6.41
6404-4-4	7/16-20	1/4	3.35
6404-6-4	9/16-18	1/4	6.64
6404-6-6	9/16-18	3/8	2.88
6404-6-8	9/16-18	1/2	3.92
6404-8-6	3/4-16	3/8	4.45
6404-8-8	3/4-16	1/2	3.81
6404-10-6	7/8-14	3/8	6.61
6404-10-8	7/8-14	1/2	5.46
6404-12-12	1-1/16-12	3/4	7.13
6404-16-16	1-5/16-12	1	21.73
6404-20-20	1-5/8-12	1-1/4	17.96
6404-24-24	1-7/8-12	1-1/2	40.74

**Call Midland for a Domestic
Hydraulic Adapter pricelist!**

STEEL O-RING ADAPTERS

O-RING TO FEMALE PIPE ADAPTER



6405
2216R
F50G
1268R
C3269

Part #	O-Ring Thread 1	Female Pipe Thread 2	List Price
6405-O-2-2	5/16-24	1/8	31.92
6405-O-4-2	7/16-20	1/8	1.86
6405-O-4-4	7/16-20	1/4	2.67
6405-O-4-6	7/16-20	3/8	2.22
6405-O-6-2	9/16-18	1/8	6.63
6405-O-6-4	9/16-18	1/4	2.60
6405-O-6-6	9/16-18	3/8	1.76
6405-O-8-4	3/4-16	1/4	3.20
6405-O-8-6	3/4-16	3/8	2.59
6405-O-8-8	3/4-16	1/2	4.46
6405-O-8-12	3/4-16	3/4	14.68
6405-O-10-4	7/8-14	1/4	3.43
6405-O-10-6	7/8-14	3/8	3.60
6405-O-10-8	7/8-14	1/2	5.69
6405-O-10-12	7/8-14	3/4	6.14
6405-O-12-6	1-1/16-12	3/8	12.63
6405-O-12-8	1-1/16-12	1/2	6.82
6405-O-12-12	1-1/16-12	3/4	5.22
6405-O-12-16	1-1/16-12	1	7.06
6405-O-14-12	1-3/16-12	3/4	10.21
6405-O-16-8	1-5/16-12	1/2	10.43
6405-O-16-12	1-5/16-12	3/4	8.41
6405-O-16-16	1-5/16-12	1	12.05
6405-O-16-20	1-5/16-12	1-1/4	21.55
6405-O-20-20	1-5/8-12	1-1/4	15.66
6405-O-20-24	1-5/8-12	1-1/2	46.10
6405-O-24-16	1-7/8-12	1	35.41
6405-O-24-20	1-7/8-12	1-1/4	26.39
6405-O-24-24	1-7/8-12	1-1/2	30.31
6405-O-32-32	2-1/2-12	2	43.21

HYDRAULIC ADAPTERS

O-RING HEX HEAD PLUG

SAE 090109A



6408
900598
P50N
1265
7237

Part #	O-Ring Thread	List Price
6408-O-2	5/16-24	0.78
6408-O-3	3/8-24	0.81
6408-O-4	7/16-20	0.65
6408-O-5	1/2-20	0.81
6408-O-6	9/16-18	0.88
6408-O-8	3/4-16	1.10
6408-O-10	7/8-14	1.54
6408-O-12	1-1/16-12	2.39
6408-O-14	1-3/16-20	3.73
6408-O-16	1-5/16-12	3.27
6408-O-20	1-5/8-12	6.67
6408-O-24	1-7/8-12	9.39
6408-O-32	2-1/2-12	39.26

O-RING HOLLOW HEX HEAD PLUG

SAE 090109B



6408HHP
FF2138
HP50N
1256
7238
6409

Part #	O-Ring Thread	List Price
6408-H-O-2	5/16-24	1.10
6408-H-O-3	3/8-24	0.69
6408-H-O-4	7/16-20	0.70
6408-H-O-5	1/2-20	1.01
6408-H-O-6	9/16-18	0.74
6408-H-O-8	3/4-16	1.28
6408-H-O-10	7/8-14	1.85
6408-H-O-12	1-1/16-12	3.32
6408-H-O-14	1-3/16-20	5.81
6408-H-O-16	1-5/16-12	3.95
6408-H-O-20	1-5/8-12	8.24
6408-H-O-24	1-7/8-12	10.55
6408-H-O-32	2-1/2-12	30.92

Send Midland all your high volume quotes!

HYDRAULIC ADAPTERS

O-RING PORT REDUCER/EXPANDER



6410
FF1010
F50G5
1270
7033

Part #	O-Ring Thread 1	O-Ring Thread 2	List Price
6410-O-4-4	7/16-20	7/16-20	6.89
6410-O-4-6	7/16-20	9/16-18	3.58
6410-O-6-4	9/16-18	7/16-20	2.73
6410-O-6-8	9/16-18	3/4-16	5.01
6410-O-8-4	3/4-16	7/16-20	2.75
6410-O-8-6	3/4-16	9/16-18	2.54
6410-O-8-8	3/4-16	3/4-16	3.84
6410-O-8-10	3/4-16	7/8-14	5.29
6410-O-8-12	3/4-16	1-1/16-12	6.16
6410-O-10-4	7/8-14	7/16-20	6.02
6410-O-10-6	7/8-14	9/16-18	3.00
6410-O-10-8	7/8-14	3/4-16	3.66
6410-O-12-4	1-1/16-12	7/16-20	2.27
6410-O-12-6	1-1/16-12	9/16-18	10.44
6410-O-12-8	1-1/16-12	3/4-16	5.89
6410-O-12-10	1-1/16-12	7/8-14	9.04
6410-O-12-12	1-1/16-12	1-1/16-12	8.84
6410-O-14-12	1-3/16-12	1-1/16-12	7.68
6410-O-16-6	1-5/16-12	9/16-18	15.42
6410-O-16-8	1-5/16-12	3/4-16	10.48
6410-O-16-10	1-5/16-12	7/8-14	11.81
6410-O-16-12	1-5/16-12	1-1/16-12	7.91
6410-O-16-20	1-5/16-12	1-5/8-12	18.52
6410-O-20-12	1-5/8-12	1-1/16-12	9.95
6410-O-20-16	1-5/8-12	1-5/16-12	10.27
6410-O-20-24	1-5/8-12	1-7/8-12	20.46
6410-O-24-12	1-7/8-12	1-1/16-12	27.99
6410-O-24-16	1-7/8-12	1-5/16-12	15.35
6410-O-24-20	1-7/8-12	1-5/8-12	38.55
6410-O-32-20	2-1/2-12	1-5/8-12	39.91
6410-O-32-24	2-1/2-12	1-7/8-12	39.91



**MIDLAND METAL
APP**

**SEE INSIDE FRONT
COVER**

STEEL O-RING ADAPTERS/ SWIVELS

FEMALE SWIVELS JIC

JIC SWIVEL NUT ELBOW

SAE 070221
MS 51521



6500
2071R
C6X
1236
G5506

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
6500-4	7/16-20	7/16-20	2.67
6500-4-6	7/16-20	9/16-18	6.56
6500-5	1/2-20	1/2-20	4.56
6500-6	9/16-18	9/16-18	3.56
6500-6-8	9/16-18	3/4-16	6.39
6500-8	3/4-16	3/4-16	4.30
6500-8-6	3/4-16	9/16-18	5.55
6500-10	7/8-14	7/8-14	7.34
6500-10-8	7/8-14	3/4-16	11.42
6500-12	1-1/16-12	1-1/16-12	7.59
6500-12-8	1-1/16-12	3/4-16	13.39
6500-12-10	1-1/16-12	7/8-14	25.29
6500-14	1-3/16-12	1-3/16-12	14.40
6500-16	1-5/16-12	1-5/16-12	13.38
6500-20	1-5/8-12	1-5/8-12	29.30
6500-24	1-7/8-12	1-7/8-12	50.75
6500-32	2-1/2-12	2-1/2-12	79.38

JIC SWIVEL TO MALE PIPE ELBOW



6501
2250
1247R
TF5406

Part #	JIC Thread Size 1	Male Pipe Thread 2	List Price
6501-4-2	7/16-20	1/8	4.24
6501-4-4	7/16-20	1/4	3.96
6501-6-4	9/16-18	1/4	3.99
6501-6-6	9/16-18	3/8	5.84
6501-8-6	3/4-16	3/8	5.39
6501-8-8	3/4-16	1/2	6.95
6501-10-8	7/8-14	1/2	7.57
6501-12-12	1-1/16-12	3/4	8.99
6501-16-16	1-5/16-12	1	12.91
6501-20-20	1-5/8-12	1-1/4	38.57
6501-24-24	1-7/8-12	1-1/2	59.41
6501-32-32	2-1/2-12	2	101.44

FEMALE SWIVELS

JIC SWIVEL 45° ELBOW

SAE 070321
MS 51522



6502
2070R
V6X
1237
C5356

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
6502-4	7/16-20	7/16-20	3.11
6502-5	1/2-20	1/2-20	6.04
6502-6	9/16-18	9/16-18	4.26
6502-8	3/4-16	3/4-16	5.01
6502-10	7/8-14	7/8-14	5.93
6502-12	1-1/16-12	1-1/16-12	6.91
6502-16	1-5/16-12	1-5/16-12	14.40
6502-20	1-5/8-12	1-5/8-12	24.63
6502-24	1-7/8-12	1-7/8-12	43.61
6502-32	2-1/2-12	2-1/2-12	112.33

JIC SWIVEL TO FEMALE PIPE ELBOW



Part #	JIC Thread Size 1	Female Pipe Thread 2	List Price
6503-4-4	7/16-20	1/4	11.00
6503-6-4	9/16-18	1/4	12.25
6503-6-6	9/16-18	3/8	10.56
6503-8-6	3/4-16	3/8	12.58
6503-8-8	3/4-16	1/2	11.43
6503-12-12	1-1/16-12	3/4	22.68

*Also available in Stainless Steel
More sizes available*

JIC SWIVEL CONNECTOR




6504
1205

Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
6504-4-4	7/16-20	7/16-20	3.81
6504-6-4	9/16-18	7/16-20	3.70
6504-6-6	9/16-18	9/16-18	3.81
6504-8-6	3/4-16	9/16-18	5.84
6504-8-8	3/4-16	3/4-16	4.59
6504-10-10	7/8-14	7/8-14	5.69
6504-12-12	1-1/16-12	1-1/16-12	6.98
6504-16-16	1-5/16-12	1-5/16-12	10.27
6504-20-20	1-5/8-12	1-5/8-12	29.05
6504-24-24	1-7/8-12	1-7/8-12	40.22

HYDRAULIC ADAPTERS


JIC SWIVEL TO MALE PIPE ADAPTER



6505
2018
F6X
1211
9100R

Part #	JIC Thread Size 1	Male Pipe Thread 2	List Price
6505-2-4	5/16-24	1/4	1.52
6505-4-2	7/16-20	1/8	3.71
6505-4-4	7/16-20	1/4	2.32
6505-5-4	1/2-20	1/4	8.58
6505-6-4	9/16-18	1/4	2.70
6505-6-6	9/16-18	3/8	3.32
6505-8-6	3/4-16	3/8	4.91
6505-8-8	3/4-16	1/2	4.26
6505-10-8	7/8-14	1/2	4.51
6505-12-8	1-1/16-12	1/2	6.93
6505-12-12	1-1/16-12	3/4	5.74
6505-16-12	1-5/16-12	3/4	11.33
6505-16-16	1-5/16-12	1	10.27
6505-20-20	1-5/8-12	1-1/4	21.75
6505-24-24	1-7/8-12	1-1/2	60.11
6505-32-32	2-1/2-12	2	73.19

JIC SWIVEL TO FEMALE PIPE ADAPTER



6506
2242
1215

Part #	JIC Thread Size 1	Female Pipe Thread 2	List Price
6506-4-2	7/16-20	1/8	4.81
6506-4-4	7/16-20	1/4	3.89
6506-4-6	7/16-20	3/8	4.56
6506-6-4	9/16-18	1/4	4.22
6506-6-6	9/16-18	3/8	4.35
6506-6-8	9/16-18	1/2	7.44
6506-8-6	3/4-16	3/8	4.94
6506-8-8	3/4-16	1/2	4.53
6506-10-6	7/8-14	3/8	7.21
6506-10-8	7/8-14	1/2	5.97
6506-12-8	1-1/16-12	1/2	24.22
6506-12-12	1-1/16-12	3/4	9.67
6506-16-16	1-5/16-12	1	12.93
6506-20-20	1-5/8-12	1-1/4	25.31
6506-24-24	1-7/8-12	1-1/2	62.17
6506-32-32	2-1/2-12	2	111.36

HYDRAULIC ADAPTERS

JIC SWIVEL BRANCH TEE

SAE 070433
MS 51524



6600
203101R
65X
1227
C5707

Part #	JIC Thread Size 1 & 2	JIC Female Thread 3	List Price
6600-3-3	3/8-24	3/8-24	7.00
6600-4-4	7/16-20	7/16-20	3.78
6600-5-5	1/2-20	1/2-20	8.41
6600-6-6	9/16-18	9/16-18	5.86
6600-8-8	3/4-16	3/4-16	4.78
6600-10	7/8-14	7/8-14	9.69
6600-12	1-1/16-12	1-1/16-12	12.48
6600-14	1-3/16-12	1-3/16-12	28.29
6600-16	1-5/16-12	1-5/16-12	23.66
6600-20	1-5/8-12	1-5/8-12	35.17
6600-24	1-7/8-12	1-7/8-12	54.71

More sizes available

JIC SWIVEL RUN TEE

SAE 070432
MS 51523



6602
203102R
R6X
1248
C5706

Part #	JIC Thread Size 1 & 3	JIC Female Thread 2	List Price
6602-3	3/8-24	3/8-24	7.39
6602-4	7/16-20	7/16-20	3.46
6602-5	1/2-20	1/2-20	5.01
6602-6	9/16-18	9/16-18	4.00
6602-8	3/4-16	3/4-16	5.81
6602-10	7/8-14	7/8-14	10.69
6602-12	1-1/16-12	1-1/16-12	10.23
6602-14	1-3/16-12	1-3/16-12	19.91
6602-16	1-5/16-12	1-5/16-12	18.66
6602-20	1-5/8-12	1-5/8-12	36.44
6602-24	1-7/8-12	1-7/8-12	39.66

More sizes available

Also available in Stainless Steel

NWO = Nut, Washer & O-Ring

STEEL O-RING ADAPTERS/ SWIVELS

STEEL SAE O-RING FITTINGS

JIC TO O-RING ELBOW CONNECTOR

SAE 070220
MS 51527




6801
2062R
C50X
1238L
C5515

Part #	JIC Thread Size 1	O-Ring Thread Size 2	List Price
6801-NWO-2	5/16-24	5/16-24	3.98
6801-NWO-3	3/8-24	3/8-24	5.46
6801-NWO-4	7/16-20	7/16-20	2.35
6801-NWO-4-5	7/16-20	1/2-20	4.63
6801-NWO-4-6	7/16-20	9/16-18	3.33
6801-NWO-4-8	7/16-20	3/4-16	4.44
6801-NWO-5	1/2-20	1/2-20	3.40
6801-NWO-5-4	1/2-20	7/16-20	4.99
6801-NWO-5-6	1/2-20	8/16-18	4.11
6801-NWO-6	9/16-18	9/16-18	2.19
6801-NWO-6-4	9/16-18	7/16-20	3.35
6801-NWO-6-5	9/16-18	1/2-20	3.81
6801-NWO-6-8	9/16-18	3/4-16	4.56
6801-NWO-6-10	9/16-18	7/8-14	6.96
6801-NWO-6-12	9/16-18	1-1/16-12	10.97
6801-NWO-8	3/4-16	3/4-16	4.15
6801-NWO-8-4	3/4-16	7/16-20	6.06
6801-NWO-8-6	3/4-16	9/16-18	3.70
6801-NWO-8-10	3/4-16	7/8-14	4.96
6801-NWO-8-12	3/4-16	1-1/16-12	9.66
6801-NWO-8-16	3/4-16	1-5/16-12	13.10
6801-NWO-10	7/8-14	7/8-14	5.93
6801-NWO-10-6	7/8-14	9/16-18	6.16
6801-NWO-10-8	7/8-14	3/4-16	5.34
6801-NWO-10-12	7/8-14	1-1/16-12	7.42
6801-NWO-10-16	7/8-14	1-5/16-12	22.65
6801-NWO-12	1-1/16-12	1-1/16-12	7.37
6801-NWO-12-8	1-1/16-12	3/4-16	9.07
6801-NWO-12-10	1-1/16-12	7/8-14	8.22
6801-NWO-12-14	1-1/16-12	1-3/16-12	19.81
6801-NWO-12-16	1-1/16-12	1-5/16-12	12.31
6801-NWO-12-20	1-1/16-12	1-5/8-12	30.75
6801-NWO-14	1-3/16-12	1-3/16-12	17.78
6801-NWO-14-12	1-3/16-12	1-1/16-12	14.38
6801-NWO-16	1-5/16-12	1-5/16-12	12.98
6801-NWO-16-12	1-5/16-12	1-1/16-12	11.69
6801-NWO-16-14	1-5/16-12	1-3/16-12	12.55
6801-NWO-16-20	1-5/16-12	1-5/8-12	29.58
6801-NWO-20	1-5/8-12	1-5/8-12	22.82
6801-NWO-20-12	1-5/8-12	1-1/16-12	25.85
6801-NWO-20-16	1-5/8-12	1-5/16-12	28.78
6801-NWO-20-24	1-5/8-12	1-7/8-12	43.35
6801-NWO-24	1-7/8-12	1-7/8-12	39.74
6801-NWO-24-20	1-7/8-12	1-5/8-12	36.15
6801-NWO-32	2-1/2-12	2-1/2-12	93.15

STEEL SAE O-RING


LONG JIC TO O-RING ELBOW



1238-LOR

Part #	JIC Thread Size 1	O-Ring Thread Size 2	List Price
6801-L-NWO-4	7/16-20	7/16-20	5.02
6801-L-NWO-6	9/16-18	9/16-18	5.44
6801-L-NWO-8	3/4-16	3/4-16	7.30
6801-L-NWO-8-10	3/4-16	7/8-14	11.74
6801-L-NWO-10	7/8-14	7/8-14	11.61
6801-L-NWO-12	1-1/16-12	1-1/16-12	14.97
6801-L-NWO-16	1-5/16-12	1-5/16-12	24.13
6801-L-NWO-20	1-5/8-12	1-5/8-12	33.67

EXTRA LONG JIC TO O-RING ELBOW



6801-LL
206209R
1238-LLR

Part #	JIC Thread Size 1	O-Ring Thread Size 2	List Price
6801-LL-NWO-4	7/16-20	7/16-20	5.99
6801-LL-NWO-6	9/16-18	9/16-18	6.39
6801-LL-NWO-6-8	9/16-18	3/4-16	11.25
6801-LL-NWO-8	3/4-16	3/4-16	9.16
6801-LL-NWO-10	7/8-14	7/8-14	12.52
6801-LL-NWO-12	1-1/16-12	1-1/16-12	13.38
6801-LL-NWO-16	1-5/16-12	1-5/16-12	25.94
6801-LL-NWO-20	1-5/8-12	1-5/8-12	52.22

Many JIC & O-Ring Fittings are available in 316 SS on Special Order. Call or email sales@midlandindustrial.com for pricing



HYDRAULIC

HYDRAULIC ADAPTERS

JIC TO O-RING 45° ELBOW

SAE 070320
MS 51528



6802
2061
V50X
1240R
C5365

Part #	JIC Thread Size 1	O-Ring Thread Size 2	List Price
6802-NWO-2	5/16-24	5/16-24	5.45
6802-NWO-4	7/16-20	7/16-20	3.33
6802-NWO-4-6	7/16-20	9/16-18	5.95
6802-NWO-4-8	7/16-20	3/4-16	16.24
6802-NWO-5	1/2-20	1/2-20	5.04
6802-NWO-6	9/16-18	9/16-18	3.41
6802-NWO-6-4	9/16-18	7/16-20	4.61
6802-NWO-6-8	9/16-18	3/4-16	4.85
6802-NWO-6-10	9/16-18	7/8-14	7.99
6802-NWO-8	3/4-16	3/4-16	4.74
6802-NWO-8-6	3/4-16	9/16-18	5.16
6802-NWO-8-10	3/4-16	7/8-14	6.78
6802-NWO-8-12	3/4-16	1-1/16-12	8.53
6802-NWO-10	7/8-14	7/8-14	7.07
6802-NWO-10-8	7/8-14	3/4-16	6.82
6802-NWO-10-12	7/8-14	1-1/16-12	12.96
6802-NWO-12	1-1/16-12	1-1/16-12	12.83
6802-NWO-12-14	1-1/16-12	1-3/16-12	14.12
6802-NWO-12-16	1-1/16-12	1-5/16-12	15.77
6802-NWO-14	1-3/16-12	1-3/16-12	22.03
6802-NWO-16	1-5/16-12	1-5/16-12	16.14
6802-NWO-16-12	1-5/16-12	1-1/16-12	20.09
6802-NWO-16-20	1-5/16-12	1-5/8-12	33.22
6802-NWO-20	1-5/8-12	1-5/8-12	30.16
6802-NWO-20-16	1-5/8-12	1-5/16-12	41.59
6802-NWO-24	1-7/8-12	1-7/8-12	38.23
6802-NWO-32	2-1/2-12	2-1/2-12	106.86

JIC TO O-RING BRANCH TEE

SAE 070429
MS 51529



6803
203003X
S50X
1265R
C5715


Part #	JIC Thread Size 1 & 2	O-Ring Thread Size 3	List Price
6803-NWO-2	5/16-24	5/16-24	5.56
6803-NWO-4	7/16-20	7/16-20	5.30
6803-NWO-5	1/2-20	1/2-20	7.48
6803-NWO-6	9/16-18	9/16-18	5.64
6803-NWO-6-8	9/16-18	3/4-16	9.75
6803-NWO-8	3/4-16	3/4-16	7.35
6803-NWO-8-10	3/4-16	7/8-14	15.87
6803-NWO-10	7/8-14	7/8-14	10.57
6803-NWO-12	1-1/16-12	1-1/16-12	12.61
6803-NWO-16	1-5/16-12	1-5/16-12	22.68
6803-NWO-16-12	1-5/16-12	1-1/16-12	26.02
6803-NWO-20	1-5/8-12	1-5/8-12	33.73
6803-NWO-24	1-7/8-12	1-7/8-12	106.37

HYDRAULIC ADAPTERS

STEEL O-RING

SAE 070428
MS 51530

JIC TO O-RING RUN TEE



6804
203005R
R50X
1266R
C5716

Part #	JIC Thread Size 1 & 3	O-Ring Thread Size 2	List Price
6804-NWO-4	7/16-20	7/16-20	5.17
6804-NWO-5	1/2-20	1/2-20	6.80
6804-NWO-6	9/16-18	9/16-18	5.85
6804-NWO-6-8	9/16-18	3/4-16	6.63
6804-NWO-8	3/4-16	3/4-16	7.66
6804-NWO-8-10	3/4-16	7/8-14	25.90
6804-NWO-10	7/8-14	7/8-14	12.83
6804-NWO-12	1-1/16-12	1-1/16-12	12.99
6804-NWO-16	1-5/16-12	1-5/16-12	23.81
6804-NWO-16-12	1-5/16-12	1-1/16-12	30.00
6804-NWO-20	1-5/8-12	1-5/8-12	39.86
6804-NWO-24	1-7/8-12	1-7/8-12	70.52
6804-NWO-32	2-1/2-12	2-1/2-12	164.31

O-RING TO FEMALE PIPE ELBOW



6805
206801R
AE0G
1264
C3459

Part #	O-Ring Thread Size 1	Pipe Thread Size 2	List Price
6805-NWO-4-2	7/16-20	1/8	4.09
6805-NWO-4-4	7/16-20	1/4	4.62
6805-NWO-5-2	1/2-20	1/8	7.80
6805-NWO-6-4	9/16-18	1/4	4.63
6805-NWO-6-6	9/16-18	3/8	5.63
6805-NWO-8-6	3/4-16	3/8	8.18
6805-NWO-8-8	3/4-16	1/2	7.61
6805-NWO-10-6	7/8-14	3/8	16.50
6805-NWO-10-8	7/8-14	1/2	8.63
6805-NWO-12-8	1-1/16-12	1/2	17.37
6805-NWO-12-12	1-1/16-12	3/4	28.38
6805-NWO-14-12	1-3/16-12	3/4	36.84
6805-NWO-16-16	1-5/16-12	1	21.59
6805-NWO-20-20	1-5/8-12	1-1/4	42.42
6805-NWO-24-24	1-7/8-12	1-1/2	75.97

O-RING TO MALE PIPE ELBOW



6806
1263
TF3569

Part #	O-Ring Thread Size 1	Pipe Thread Size 2	List Price
6806-NWO-4-2	7/16-20	1/8	5.09
6806-NWO-4-4	7/16-20	1/4	3.59
6806-NWO-6-4	9/16-18	1/4	3.78
6806-NWO-6-6	9/16-18	3/8	6.90
6806-NWO-8-6	3/4-16	3/8	5.11
6806-NWO-8-8	3/4-16	1/2	5.47
6806-NWO-10-8	7/8-14	1/2	8.19
6806-NWO-12-12	1-1/16-12	3/4	10.00
6806-NWO-16-16	1-5/16-12	1	23.28
6806-NWO-20-20	1-5/8-12	1-1/4	41.81
6806-NWO-24-24	1-7/8-12	1-1/2	64.91
6806-NWO-32-32	2-1/2-12	2	87.31

37° JIC SWIVEL NUT TO O-RING ELBOW



Part #	O-Ring Thread Size 1	JIC Thread Size 2	List Price
6809-NWO-4-4	7/16-20	7/16-20	4.46
6809-NWO-6-6	9/16-18	9/16-18	5.79
6809-NWO-8-8	3/4-16	3/4-16	8.92
6809-NWO-10-10	7/8-14	7/8-14	10.09
6809-NWO-12-12	1-1/16-12	1-1/16-12	13.22
6809-NWO-16-16	1-5/16-12	1-5/16-12	21.55
6809-NWO-20-20	1-5/8-12	1-5/8-12	51.53
6809-NWO-24-24	1-7/8-12	1-7/8-12	76.77

FEMALE O-RING TO MALE O-RING ELBOW



Part #	O-Ring Thread Size 1	O-Ring Thread Size 2	List Price
6815-NWO-4-4	7/16-20	7/16-20	4.77
6815-NWO-6-6	9/16-18	9/16-18	5.42
6815-NWO-6-8	9/16-18	3/4-16	11.62
6815-NWO-8-8	3/4-16	3/4-16	10.00
6815-NWO-10-10	7/8-14	7/8-14	22.20
6815-NWO-12-12	1-1/16-12	1-1/16-12	15.56
6815-NWO-16-16	1-5/16-12	1-5/16-12	19.40

Send Midland all your high volume quotes!

STEEL SAE O-RING

HYDRAULIC ADAPTERS

MALE O-RING SWIVEL ADAPTER

SAE 140157

1



6900
2066R
1235
9315

Part #	O-Ring Thread Size 1	Female NPSM Size 2	List Price
6900-O-4-2	7/16-20	1/8	5.08
6900-O-4-4	7/16-20	1/4	1.98
6900-O-4-6	7/16-20	3/8	5.17
6900-O-5-4	1/2-20	1/4	3.81
6900-O-6-4	9/16-18	1/4	2.18
6900-O-6-6	9/16-18	3/8	2.60
6900-O-6-8	9/16-18	1/2	4.16
6900-O-8-4	3/4-16	1/4	4.39
6900-O-8-6	3/4-16	3/8	3.01
6900-O-8-8	3/4-16	1/2	2.70
6900-O-8-12	3/4-16	3/4	5.52
6900-O-10-6	7/8-14	3/8	4.49
6900-O-10-8	7/8-14	1/2	4.22
6900-O-10-12	7/8-14	3/4	6.06
6900-O-12-6	1-1/16-12	3/8	7.25
6900-O-12-8	1-1/16-12	1/2	6.11
6900-O-12-12	1-1/16-12	3/4	5.49
6900-O-12-16	1-1/16-12	1	17.30
6900-O-14-12	1-3/16-12	3/4	12.53
6900-O-16-12	1-5/16-12	3/4	13.19
6900-O-16-16	1-5/16-12	1	13.07
6900-O-16-20	1-5/16-12	1-1/4	32.37
6900-O-20-16	1-5/8-12	1	15.56
6900-O-20-20	1-5/8-12	1-1/4	22.06
6900-O-24-20	1-7/8-12	1-1/4	22.05
6900-O-24-24	1-7/8-12	1-1/2	17.33
6900-O-32-32	2-1/2-12	2	62.92

90° O-RING SWIVEL ADAPTER

SAE 140257

1



6401
2068R
1271
9515


Part #	O-Ring Thread Size 1	Female NPSM Size 2	List Price
6901-NWO-4-2	7/16-20	1/8	9.32
6901-NWO-4-4	7/16-20	1/4	3.49
6901-NWO-4-6	7/16-20	3/8	6.51
6901-NWO-5-4	1/2-20	1/4	5.72
6901-NWO-6-4	9/16-18	1/4	3.66
6901-NWO-6-6	9/16-18	3/8	4.87
6901-NWO-6-8	9/16-18	1/2	7.53
6901-NWO-8-4	3/4-16	1/4	7.14
6901-NWO-8-6	3/4-16	3/8	4.71
6901-NWO-8-8	3/4-16	1/2	5.90
6901-NWO-8-12	3/4-16	3/4	11.31
6901-NWO-10-4	7/8-14	1/4	17.01
6901-NWO-10-6	7/8-14	3/8	6.34
6901-NWO-10-8	7/8-14	1/2	7.08
6901-NWO-10-12	7/8-14	3/4	12.75
6901-NWO-12-6	1-1/16-12	3/8	12.22
6901-NWO-12-8	1-1/16-12	1/2	10.26
6901-NWO-12-12	1-1/16-12	3/4	13.38
6901-NWO-12-16	1-1/16-12	1	17.62
6901-NWO-14-12	1-3/16-12	3/4	19.40
6901-NWO-16-12	1-5/16-12	3/4	19.44
6901-NWO-16-16	1-5/16-12	1	20.63
6901-NWO-16-20	1-5/16-12	1-1/4	37.14
6901-NWO-20-12	1-5/8-12	3/4	50.69
6901-NWO-20-16	1-5/8-12	1	29.80
6901-NWO-20-20	1-5/8-12	1-1/4	29.56
6901-NWO-24-24	1-7/8-12	1-1/2	111.33
6901-NWO-32-32	2-1/2-12	2	93.06

HYDRAULIC ADAPTERS

STEEL SAE O-RING

45° O-RING SWIVEL ADAPTER

SAE 140357



6902
2067R
1272
9365

Part #	O-Ring Thread Size 1	Female NPSM Size 2	List Price
6902-NWO-4-4	7/16-20	1/4	8.03
6902-NWO-4-6	7/16-20	3/8	17.32
6902-NWO-5-4	1/2-20	1/4	10.67
6902-NWO-6-4	9/16-18	1/4	7.48
6902-NWO-6-6	9/16-18	3/8	6.37
6902-NWO-8-6	3/4-16	3/8	7.13
6902-NWO-8-8	3/4-16	1/2	7.13
6902-NWO-8-12	3/4-16	3/4	15.83
6902-NWO-10-6	7/8-14	3/8	23.05
6902-NWO-10-8	7/8-14	1/2	12.17
6902-NWO-10-12	7/8-14	3/4	19.00
6902-NWO-12-8	1-1/16-12	1/2	14.20
6902-NWO-12-12	1-1/16-12	3/4	15.00
6902-NWO-16-12	1-5/16-12	3/4	17.35
6902-NWO-16-16	1-5/16-12	1	20.00
6902-NWO-20-20	1-5/8-12	1-1/4	30.14

NITRILE 90 SAE BOSS O-RING



Part #	O-Ring Thread	O-Ring I.D.	List Price
4000-2-2	5/16-24	.239	0.24
4000-3-3	3/8-24	.301	0.24
4000-4-4	7/16-20	.351	0.27
4000-5-5	1/2-20	.414	0.34
4000-6-6	9/16-18	.468	0.34
4000-8-8	3/4-16	.644	0.34
4000-10	7/8-14	.755	0.36
4000-12	1-1/16-12	.924	1.54
4000-14	1-3/16-12	1.048	0.55
4000-16	1-5/16-12	1.171	0.77
4000-20	1-5/8-12	1.475	0.92
4000-24	1-7/8-12	1.720	1.08
4000-32	2-1/2-12	2.337	1.47

O-RINGS

VITON 75 SAE BOSS O-RING



Fluorocarbon

Part #	O-Ring Thread	O-Ring I.D.	List Price
4001-2-2	5/16-24	.239	0.78
4001-3-3	3/8-24	.301	0.59
4001-4-4	7/16-20	.351	0.83
4001-5-5	1/2-20	.414	0.88
4001-6-6	9/16-18	.468	0.89
4001-8-8	3/4-16	.644	1.17
4001-10	7/8-14	.755	1.41
4001-12	1-1/16-12	.924	1.86
4001-16	1-5/16-12	1.171	2.15
4001-20	1-5/8-12	1.475	3.67
4001-24	1-7/8-12	1.720	9.89
4001-32	2-1/2-12	2.337	13.65



BIN LABELS ON DEMAND

SEE **INTRO PAGE 4**

HYDRAULIC

STEEL FLANGE ADAPTERS

CONFORMANCE

- SAE J518

MATERIALS

- Steel per SAE J518 with either black phosphate finish or plated zinc finish or iridite dip. Stainless Steel available upon request.

WORKING PRESSURES

The following table lists the recommended working pressures for steel Four-bolt Solid and Split Flange Fittings and Hose Ends manufactured in accordance with SAE standards J518 and J517. SAE recommends sufficient testing to be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using Flanged Fittings that have a threaded connection on one end, use the lower pressure rating of the two.

Caution: Although many Four-bolt Flanged Fittings have sufficient structural integrity to support the weight of many components, we recommend consulting with our technical support department for guidance in selection of parts for this purpose.

**SAE J518 FOUR-BOLT CODE 61
FLANGE PRESSURE RATINGS**

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1-3/16 - 1.188	5000
-12	1-1/2 - 1.500	5000
-16	1-3/4 - 1.750	5000
-20	2 - 2.000	4000
-24	2-3/8 - 2.375	3000
-32	2-13/16 - 2.812	3000
-40	3-5/16 - 3.312	2500
-48	4 - 4.000	2000
-56	4-1/2 - 4.500	500
-64	5 - 5.000	500
-80	6 - 6.000	500

**SAE J518 FOUR-BOLT CODE 62
FLANGE PRESSURE RATINGS**

Dash Size	Flange Head OD Inches	4 TO 1 Minimum Burst PSI
-8	1-1/4 - 1.250	6000
-12	1-5/8 - 1.625	6000
-16	1-7/8 - 1.875	6000
-20	2-1/8 - 2.125	6000
-24	2-1/2 - 2.500	6000
-32	3-1/8 - 3.125	6000

**STEEL FLANGE ADAPTERS
ASSEMBLY INSTRUCTIONS**

RECOMMENDED SOLID FOUR-BOLT

- Step 1.** Inspect port area to be smooth and free of nicks, burrs, scratches, or contaminants.
- Step 2.** Lubricate the o-ring and place in flange head groove.
- Step 3.** Lubricate screw threads, slip lock washers onto screws, and insert screws into flange
- Step 4.** Position flange on port and finger tighten all screws.
- Step 5.** Torque the screws in a figure eight sequence, incrementally until the appropriate torque value in the following table is achieved.

**J518 CODE 61 AND CODE 62
FLANGE MINIMUM TORQUE VALUES**

Dash Size	Port Size	Code 61 Foot/Lbs.	Code 62 Foot/Lbs.
-8	1/2"	15-19	15-19
-12	3/4"	20-29	25-33
-16	1"	27-35	41-50
-20	1-1/4"	35-46	62-75
-24	1-1/2"	46-58	116-133
-32	2"	53-67	200-217
-40	2-1/2"	79	NA
-48	3"	137	NA
-56	3-1/2"	116	NA
-64	4"	116	NA
-80	5"	116	NA

RECOMMENDED SPLIT FOUR-BOLT

- Step 1.** Follow steps 1 through 3 above, then proceed to the following steps.
- Step 2.** Position both flanges on port and turn one screw in each flange about three turns.
- Step 3.** Rotate each flange away from the port for sufficient clearance to position hose or fitting flange head on port.
- Step 4.** Close each flange until it properly captures flange head. Insert remaining screws and finger tighten.
- Step 5.** Torque the screws in a figure eight sequence incrementally until the appropriate torque value in the preceding table is achieved.

WHY WET TORQUE?


Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.



HYDRAULIC ADAPTERS

JIC FLANGE ADAPTER CODE 61

6840
503



3000 PSI

Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1700-8-8	3/4-16	1/2	1.18	34.35
1700-8-12	3/4-16	3/4	1.50	28.14
1700-12-12	1-1/16-12	3/4	1.50	22.99
1700-12-16	1-1/16-12	1	1.75	22.99
1700-16-16	1-5/16-12	1	1.75	25.92
1700-16-20	1-5/16-12	1-1/4	2.00	43.12
1700-16-24	1-5/16-12	1-1/2	2.37	69.37
1700-20-16	1-5/8-12	1	1.75	35.23
1700-20-20	1-5/8-12	1-1/4	2.00	36.62
1700-20-32	1-5/8-12	2	2.81	106.24
1700-24-24	1-7/8-12	1-1/2	2.37	122.12
1700-32-32	2-1/2-12	2	2.81	85.35
1700-40-40	3-12	2-1/2	3.31	302.39

JIC FLANGE 45° ADAPTER CODE 61

6845
505



3000 PSI

Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1703-8-8	3/4-16	1/2	1.18	36.39
1703-8-12	3/4-16	3/4	1.50	65.86
1703-12-12	1-1/16-12	3/4	1.50	30.96
1703-12-16	1-1/16-12	1	1.75	82.63
1703-16-16	1-5/16-12	1	1.75	135.28
1703-16-20	1-5/16-12	1-1/4	2.00	74.75
1703-20-16	1-5/8-12	1	1.75	62.00
1703-20-20	1-5/8-12	1-1/4	2.00	68.93
1703-20-24	1-5/8-12	1-1/2	2.37	82.00
1703-32-32	2-1/2-12	2	2.81	175.91

*Send Midland all your
high volume quotes!*

FLANGE ADAPTERS

JIC FLANGE 90° ADAPTER CODE 61

6890
504



3000 PSI

Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1704-8-8	3/4-16	1/2	1.18	56.62
1704-8-12	3/4-16	3/4	1.50	65.54
1704-10-16	7/8-14	1	1.75	271.81
1704-12-12	1-1/16-12	3/4	1.50	28.58
1704-12-16	1-1/16-12	1	1.75	61.98
1704-12-20	1-1/16-12	1-1/4	2.00	56.22
1704-16-12	1-5/16-12	3/4	1.50	53.53
1704-16-16	1-5/16-12	1	1.75	30.75
1704-16-20	1-5/16-12	1-1/4	2.00	126.69
1704-16-24	1-5/16-12	1-1/2	2.37	105.86
1704-20-16	1-5/8-12	1	1.75	52.91
1704-20-20	1-5/8-12	1-1/4	2.00	41.75
1704-20-24	1-5/8-12	1-1/2	2.37	54.66
1704-24-16	1-7/8-12	1	1.75	140.86
1704-24-20	1-7/8-12	1-1/4	2.00	121.09
1704-24-32	1-7/8-12	2	2.81	140.59
1704-32-32	2-1/2-12	2	2.81	93.02

JIC FLANGE ADAPTER CODE 62

6842




6000 PSI

Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1800-8-8	3/4-16	1/2	1.25	34.46
1800-12-12	1-1/16-12	3/4	1.62	34.51
1800-12-16	1-1/16-12	1	1.88	50.58
1800-16-16	1-5/16-12	1	1.88	29.14
1800-16-20	1-5/16-12	1-1/4	2.12	54.15
1800-20-16	1-5/8-12	1	1.88	38.37
1800-20-20	1-5/8-12	1-1/4	2.12	37.78
1800-20-24	1-5/8-12	1-1/2	2.50	90.59
1800-24-24	1-7/8-12	1-1/2	2.50	68.62
1800-32-32	2-1/2-12	2	3.12	171.48

Save 5% by ordering online at
www.midlandindustrial.com

FLANGE ADAPTERS

JIC FLANGE 45° ADAPTER



Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1803-12-12	1-1/16-12	3/4	1.62	79.58
1803-12-16	1-1/16-12	1	1.88	104.05
1803-16-16	1-5/16-12	1	1.88	90.76
1803-16-20	1-5/16-12	1-1/4	2.12	75.48
1803-20-16	1-5/8-12	1	1.88	112.48
1803-20-20	1-5/8-12	1-1/4	2.12	80.19
1803-20-24	1-5/8-12	1-1/2	2.50	98.07
1803-24-24	1-7/8-12	1-1/2	2.50	151.25
1803-32-32	2-1/2-12	2	3.12	261.48

JIC FLANGE 90° ADAPTER



Part #	JIC Thread Size 1	Flange Size 2	Flange Head OD	List Price
1804-8-8	3/4-16	1/2	1.25	120.53
1804-12-12	1-1/16-12	3/4	1.62	52.45
1804-12-16	1-1/16-12	1	1.88	45.94
1804-16-16	1-5/16-12	1	1.88	83.18
1804-16-20	1-5/16-12	1-1/4	2.12	66.77
1804-20-16	1-5/8-12	1	1.88	101.29
1804-20-20	1-5/8-12	1-1/4	2.12	60.35
1804-20-24	1-5/8-12	1-1/2	2.50	158.91
1804-24-24	1-7/8-12	1-1/2	2.50	215.29
1804-32-32	2-1/2-12	2	3.12	294.00


BRAZE TO SPLIT FLANGE



Part #	Flange Size	Tube O.D.	List Price
1861-8	1/2	1/2	10.95
1861-12	3/4	3/4	8.34
1861-16	1	1	25.12
1861-20	1-1/4	1-1/4	13.05
1861-24	1-1/2	1-1/2	17.62
1861-32	2	2	13.88
1861-40	2-1/2	2-1/2	42.52


HYDRAULIC ADAPTERS

BRAZE TO SPLIT FLANGE



Part #	Flange Size	Tube O.D.	List Price
1862-8	1/2	1/2	70.67
1862-12	3/4	3/4	25.29
1862-16	1	1	25.72
1862-20	1-1/4	1-1/4	25.21
1862-24	1-1/2	1-1/2	46.27
1862-32	2	2	59.10

SPLIT FLANGE PLUG



Part #	Flange Size	List Price
1961-8	1/2	10.95
1961-12	3/4	11.10
1961-16	1	11.10
1961-20	1-1/4	12.07
1961-24	1-1/2	14.94
1961-32	2	37.41

SPLIT FLANGE PLUG



Part #	Flange Size	List Price
1962-8	1/2	50.07
1962-12	3/4	25.17
1962-16	1	25.78
1962-20	1-1/4	28.57
1962-24	1-1/2	34.10
1962-32	2	72.40

HYDRAULIC ADAPTERS

FLANGE ADAPTERS

NITRILE 90 FLANGE O-RING



Viton Available upon request
90DF

Part #	Flange Size	O-Ring Number	List Price
4004-8-8	1/2	210	0.59
4004-12	3/4	214	0.63
4004-16	1	219	0.77
4004-20	1-1/4	222	1.02
4004-24	1-1/2	225	1.04
4004-32	2	228	1.22
4004-40	2-1/2	232	1.90
4004-48	3	237	2.01

FLANGE CONNECTOR PLATES CODE 61



CP

Part #	Flange Size	List Price
1900-8	1/2	15.24
1900-12	3/4	20.11
1900-16	1	26.94
1900-20	1-1/4	29.49
1900-24	1-1/2	21.40
1900-32	2	22.95
1900-40	2-1/2	17.10

SPLIT FLANGE KIT CODE 61

SFK



3000 PSI

Part #	Flange Size	Flange Head Dia.	List Price
1901-8	1/2	1.19	24.35
1901-12	3/4	1.50	20.46
1901-16	1	1.75	29.31
1901-20	1-1/4	2.00	33.30
1901-24	1-1/2	2.38	28.28
1901-32	2	2.81	37.41
1901-40	2-1/2	3.31	44.54
1901-48	3	4.00	82.85

SPLIT FLANGE KIT

SFXX

CODE 62



6000 PSI

Part #	Flange Size	Flange Head Diameter	List Price
1902-8	1/2	1.25	64.61
1902-12	3/4	1.63	48.22
1902-16	1	1.88	35.78
1902-20	1-1/4	2.12	44.12
1902-24	1-1/2	2.50	63.52
1902-32	2	3.12	141.00

SPLIT FLANGE HALF CODE 61

SF



3000 PSI

Part #	Flange Size	Flange Head Diameter	List Price
2061-8	1/2	1.19	4.00
2061-12	3/4	1.50	3.67
2061-16	1	1.75	3.32
2061-20	1-1/4	2.00	9.22
2061-24	1-1/2	2.38	6.14
2061-32	2	2.81	7.26
2061-40	2-1/2	3.31	12.00
2061-48	3	4	19.00

SPLIT FLANGE HALF CODE 62

SFX



6000 PSI

Part #	Flange Size	Flange Head Diameter	List Price
2062-8	1/2	1.25	17.69
2062-12	3/4	1.63	6.67
2062-16	1	1.88	7.84
2062-20	1-1/4	2.12	13.57
2062-24	1-1/2	2.50	17.14
2062-32	2	3.12	35.60

FLANGE ADAPTERS

PIPE WELD FLANGE PAD CODE 61

W4



3000 PSI

Part #	Pipe Size	List Price
2161-8-8	1/2	33.79
2161-12-12	3/4	26.30
2161-16-16	1	29.06
2161-20-20	1-1/4	34.60
2161-24-24	1-1/2	46.08
2161-32-32	2	71.34

PIPE WELD FLANGE PAD CODE 62

W42



6000 PSI

Part #	Pipe Size	List Price
2162-8-8	1/2	99.09
2162-12-12	3/4	53.97
2162-16-16	1	101.68
2162-20-20	1-1/4	97.01
2162-24-24	1-1/2	129.62
2162-32-32	2	193.97

PIPE THREAD FLANGE PAD CODE 61

W43



3000 PSI

Part #	Pipe Size	List Price
2261-8-8	1/2	33.15
2261-12-12	3/4	28.78
2261-16-16	1	29.46
2261-20-20	1-1/4	40.41
2261-24-24	1-1/2	38.60
2261-32-32	2	45.89

HYDRAULIC ADAPTERS

PIPE THREAD FLANGE PAD CODE 62

W44



6000 PSI

Part #	Pipe Size	List Price
2262-8-8	1/2	137.97
2262-12-12	3/4	105.77
2262-16-16	1	65.17
2262-20-20	1-1/4	96.05
2262-24-24	1-1/2	111.23
2262-32-32	2	141.88

O-RING FLANGE PAD CODE 61

W46



3000 PSI

Part #	O-Ring Thread Size	Pad Size	List Price
2361-12-12	1-1/16-12	3/4	43.31
2361-16-16	1-5/16-12	1	42.45
2361-20-20	1-5/8-12	1-1/4	49.17
2361-24-24	1-7/8-12	1-1/2	57.78

O-RING FLANGE PAD CODE 62

W48



6000 PSI

Part #	O-Ring Thread Size	Pad Size	List Price
2362-12-12	1-1/16-12	3/4	64.99
2362-16-16	1-5/16-12	1	84.08
2362-20-20	1-5/8-12	1-1/4	93.02
2362-24-24	1-7/8-12	1-1/2	161.95

O-RING FACE SEAL ADAPTER

CONFORMANCE

- SAE J1453

MATERIALS

- Steel- SAE 12L14 carbon steel trivalent zinc plated or clear silver finish.

WORKING PRESSURES

The following table lists the recommended working pressures for steel O-ring Face Seal tube fittings made in accordance with SAE standard J1943. Many factors such as impulsing, vibration, mechanical shock and overtightening may affect the integrity of fitting connections. SAE recommends sufficient testing be conducted to assure that performance levels will be safe and satisfactory, especially if installed in systems operating at elevated pressures or in severe conditions. When using fittings with different size or thread type, use lower pressure rating of the two threads.

Caution: O-ring Face Seal fittings are not designed to provide structural support for other components.

SAE J1453 O-RING FACE SEAL FITTINGS PRESSURE RATINGS

Dash Size	Flared Thread Size	4 TO 1 Minimum Burst PSI
-4	9/16-18	6000
-6	11/16-16	6000
-8	13/16-16	6000
-10	1-14	6000
-12	1-3/16-12	6000
-16	1-7/16-12	6000
-20	1-11/16-12	4000
-24	2-12	4000

SAE J1453 O-RING FACE SEAL PRESSURE RATINGS FOR STRAIGHT THREAD PORT

Dash Size	Flared Thread Size	4 TO 1 Minimum Burst Straight	Adjustable Burst
-4	9/16-18	6000	6000
-6	11/16-16	6000	6000
-8	13/16-16	6000	6000
-10	1-14	6000	6000
-12	1-3/16-12	6000	6000
-16	1-7/16-12	6000	5000
-20	1-11/16-12	4000	4000
-24	2-12	4000	3000

O-RING FACE SEAL ASSEMBLY INSTRUCTIONS

RECOMMENDED

- Step 1.** Lubricate the threads and the entire surface of the face seal o-ring
- Step 2.** Install o-ring into face seal groove.
- Step 3.** Place matting face seal flange against o-ring and finger tighten face seal flange nut.
- Step 4.** Torque flange nut to the value in the following table.

Dash Size	Flared Thread Size	Torque Foot/Lbs.
-4	9/16-20	10
-6	11/16-16	20
-8	13/16-16	32
-10	1-14	46
-12	1-3/16-12	65
-16	1-7/16-12	92
-20	1-7/8-12	125
-24	2-12	150

Torque Values: The torque values provided are to provide benchmarks that we believe give optimum results for leak free connections. Actual torque val-

ALTERNATE ASSEMBLY METHOD

- Step 1.** If torque method not possible, follow steps 1-3 above, then proceed to the steps below.
- Step 2.** Lightly wrench tighten the nut until there is firm resistance.
- Step 3.** Place a wrench on wrench pad next to nut as near the 6 o'clock as possible.
- Step 4.** Place second wrench on nut as near the 3 o'clock position as possible.
- Step 5.** Turn nut clockwise to no less than half way to the 4 o'clock position and no more than the 6 o'clock position.

WHY WET TORQUE?

Due to the difference in plating types and thickness, materials, and thread quality of different components, the coefficient of friction varies greatly on any given assembly. Lubrication not only produces a more consistent coefficient of friction, it increases clamping force on sealing area with less torque on the threads. Overtightening causes threads to yield, deform and lose their ability to maintain an adequate load or clamping force on the seating area. Extended operation and severe conditions cause further yielding which results in leaks. Overtightening is the single greatest cause for leaks in metal to metal seat hydraulic connections. It is our firm position, that to not wet torque, is to compromise consistency and quality for convenience.

HYDRAULIC



O-RING FACE SEAL ADAPTERS

HYDRAULIC ADAPTERS

BRAZE TUBE NUT (SLEEVE REQUIRED)

SAE 520110



FF318
FF1311

Part #	Tube O.D.	Braze Tube O.D.	List Price
FSO318-4	1/4	.25	0.83
FSO318-6	3/8	.38	1.45
FSO318-8	1/2	.50	1.18
FSO318-10	5/8	.62	2.77
FSO318-12	3/4	.72	3.99
FSO318-16	1	1.00	5.62
FSO318-20	1 1/4	1.25	5.98
FSO318-24	1 1/2	1.50	9.37

BRAZE TUBE SLEEVE

SAE 520115




FF319
FF3019

Part #	Tube O.D.	List Price
FSO319-4	1/4	0.68
FSO319-6	3/8	0.83
FSO319-8	1/2	1.00
FSO319-10	5/8	1.09
FSO319-12	3/4	1.68
FSO319-16	1	2.54
FSO319-20	1-1/4	3.76
FSO319-24	1-1/2	4.58

See Page 320 for JIC Nut and Sleeve

BRAZE TUBE UNION

SAE 520104




FF403

Part #	Braze Port	Flat Face Thread	List Price
FSO403-4-4	1/4	9/16-18	4.84
FSO403-6-6	3/8	11/16-16	5.77
FSO403-8-8	1/2	13/16-16	6.61
FSO403-10-10	5/8	1-14	10.98
FSO403-12-12	3/4	1-3/8-12	7.94
FSO403-16-16	1	1-7/16-12	8.67
FSO403-20-20	1-1/4	1-11/16-12	28.72
FSO403-24-24	1-1/2	2-12	34.88

More sizes available

CAP

SAE 520112




FF304C

• Two Piece
Nut/ Insert Construction

Part #	Tube O.D.	Flat Face Thread	List Price
FSO304-C-4	1/4	9/16-18	1.46
FSO304-C-6	3/8	11/16-16	2.04
FSO304-C-8	1/2	13/16-16	3.52
FSO304-C-10	5/8	1-14	3.80
FSO304-C-12	3/4	1-3/16-12	4.63
FSO304-C-16	1	1-7/16-12	7.16
FSO304-C-20	1-1/4	1-11/16-12	10.56
FSO304-C-24	1-1/2	2-12	13.43

BULKHEAD LOCKNUT

SAE 520118



Part #	Thread Size	List Price
FSO306-4	9/16-18	0.61
FSO306-6	11/16-16	0.78
FSO306-8	13/16-16	1.23
FSO306-10	1-14	1.34
FSO306-12	1-3/16-12	2.23
FSO306-16	1-7/16-12	3.67
FSO306-20	1-11/16-12	4.39
FSO306-24	2-12	6.17

MALE UNION CONNECTOR

SAE 520102



FF2403
FF1203

Part #	Tube O.D.	Flat Face Thread 1	List Price
FSO2403-4-4	1/4	9/16-18	2.71
FSO2403-6-6	3/8	11/16-16	3.67
FSO2403-8-8	1/2	13/16-16	4.13
FSO2403-12-12	3/4	1-3/16-12	6.95
FSO2403-16-16	1	1-7/16-12	11.96
FSO2403-20-20	1-1/4	1-11/16-12	15.56
FSO2403-24-24	1-1/2	2-12	26.45

HYDRAULIC ADAPTERS

O-RING FACE SEAL ADAPTERS

MALE O-RING FACE SEAL ADAPTER

1  2

FF2404
4205
FLO

Part #	Flat Face Thread 1	Male Pipe Size 2	List Price
FSO2404-4-2	9/16-18	1/8-27	1.90
FSO2404-4-4	9/16-18	1/4-18	1.71
FSO2404-4-6	9/16-18	3/8-18	2.81
FSO2404-4-8	9/16-18	1/2-14	3.71
FSO2404-6-2	11/16-16	1/8-27	2.33
FSO2404-6-4	11/16-16	1/4-18	2.26
FSO2404-6-6	11/16-16	3/8-18	2.94
FSO2404-6-8	11/16-16	1/2-14	2.57
FSO2404-8-4	13/16-16	1/4-18	3.38
FSO2404-8-6	13/16-16	3/8-18	3.18
FSO2404-8-8	13/16-16	1/2-14	2.57
FSO2404-8-12	13/16-16	3/4-14	4.81
FSO2404-10-8	1-14	1/2-14	7.50
FSO2404-10-12	1-14	3/4-14	6.61
FSO2404-12-8	1-3/16-12	1/2-14	5.57
FSO2404-12-12	1-3/16-12	3/4-14	5.91
FSO2404-12-16	1-3/16-12	1-11-1/2	7.39
FSO2404-16-12	1-7/16-12	3/4-14	6.10
FSO2404-16-16	1-7/16-12	1-11-1/2	7.85
FSO2404-16-20	1-7/16-12	1-1/4-11-1/2	13.24
FSO2404-20-16	1-11/16-12	1-11-1/2	14.00
FSO2404-20-20	1-11/16-12	1-1/4-11-1/2	10.38
FSO2404-24-24	2-12	1-1/2-11-1/2	23.00

FEMALE ORFS TO MALE ORFS REDUCER


1  2

FF2406
TRLON

Part #	Flat Face Size 1	Flat Face Thread 2	List Price
FSO2406-6-4	11/16-16	9/16-18	4.29
FSO2406-8-4	13/16-16	9/16-18	5.95
FSO2406-8-6	13/16-16	11/16-16	5.29
FSO2406-10-6	1-14	11/16-16	5.48
FSO2406-10-8	1-14	13/16-16	5.48
FSO2406-12-6	1-3/16-12	11/16-16	8.33
FSO2406-12-8	1-3/16-12	13/16-16	8.33
FSO2406-12-10	1-3/16-12	1-14	8.93
FSO2406-16-8	1-7/16-12	13/16-16	12.86
FSO2406-16-12	1-7/16-12	1-3/16-12	12.86
FSO2406-20-12	1-11/16-12	1-3/16-12	21.00
FSO2406-20-16	1-11/16-12	1-7/16-12	23.33
FSO2406-24-20	2-12	1-11/16-12	32.01

SAE 520109

PLUG



FF2408
FF1254
4229
PNLO

Part #	Tube O.D.	Flat Face Thread	List Price
FSO2408-4	1/4	9/16-18	1.21
FSO2408-6	3/8	11/16-16	1.59
FSO2408-8	1/2	13/16-16	1.67
FSO2408-10	5/8	1-14	2.18
FSO2408-12	3/4	1-3/8-12	3.49
FSO2408-16	1	1-7/16-12	5.90
FSO2408-20	1-1/4	1-11/16-12	9.07
FSO2408-24	1-1/2	2-12	9.63

ORFS UNION ELBOW 90°



FF2500
4505
ELO

Part #	Flat Face Thread 1	Flat Face Thread 2	List Price
FS2500-4-4	9/16-18	9/16-18	3.34
FS2500-6-6	11/16-16	11/16-16	4.24
FS2500-8-8	13/16-16	13/16-16	5.05
FS2500-10-10	1-14	1-14	6.86
FS2500-12-12	1-3/16-12	1-3/16-12	10.00
FS2500-16-16	1-7/16-12	1-7/16-12	13.00
FS2500-20-20	1-11/16-12	1-11/16-12	25.29
FS2500-24-24	2-12	2-12	62.75

ORFS TO MALE ELBOW

SAE 520202



FF2501
FF1208
4405
CLO

Part #	Flat Face Thread 1	Male Pipe Thread 2	List Price
FS2501-4-4	9/16-18	1/4	4.07
FS2501-6-4	11/16-16	1/4	4.22
FS2501-6-6	11/16-16	3/8	4.21
FS2501-8-6	13/16-16	3/8	5.14
FS2501-8-8	13/16-16	1/2	5.58
FS2501-8-12	13/16-16	3/4	8.26
FS2501-10-8	1-14	1/2	7.09
FS2501-10-12	1-14	3/4	12.75
FS2501-12-8	1-3/8-12	1/2	8.84
FS2501-12-12	1-3/8-12	3/4	10.39
FS2501-12-16	1-3/8-12	1	12.41
FS2501-16-12	1-7/16-12	3/4	12.41
FS2501-16-16	1-7/16-12	1	14.26
FS2501-20-20	1-11/16-12	1-1/4	25.83
FS2501-24-24	2-12	1-1/2	35.97

More sizes available

O-RING FACE SEAL ADAPTERS


ORFS TO PIPE ELBOW 45°



FF2503
4355
VLO

Part #	Flat Face Thread 1	Male Pipe Thread 2	List Price
FS2503-4-2	9/16-18	1/8	3.76
FS2503-4-4	9/16-18	1/4	4.87
FS2503-6-4	11/16-16	1/4	3.71
FS2503-6-6	11/16-16	3/8	6.94
FS2503-8-6	13/16-16	3/8	5.38
FS2503-8-8	13/16-16	1/2	5.05
FS2503-10-8	1-14	1/2	6.98
FS2503-12-12	1-3/16-12	3/4	8.84
FS2503-16-16	1-7/16-12	1	12.98


ORFS TO PIPE BRANCH TEE



FF2601

Part #	Flat Face Thread 1+2	Male Pipe Thread 3	List Price
FS2601-4-4	9/16-18	1/4-18	6.86
FS2601-6-6	11/16-16	3/8-18	7.33
FS2601-8-8	13/16-16	1/2-14	7.95
FS2601-12-12	1-3/16-12	3/4-14	15.00
FS2601-16-16	1-7/16-12	1-11-1/2	29.19

ORFS UNION TEE




FF2603
4705
JLO

Part #	Flat Face Thread 1+2+3	List Price
FS2603-4-4	9/16-18	----
FS2603-6-6	11/16-16	7.05
FS2603-8-8	13/16-16	7.43
FS2603-10-10	1-14	13.49
FS2603-12-12	1-3/16-12	16.14
FS2603-16-16	1-7/16-12	21.14
FS2603-20-20	1-11/16-12	32.29
FS2603-24-24	2-12	70.45

HYDRAULIC ADAPTERS

ORFS BULKHEAD UNION




FF2700
WLO

• Locknut not included on Bulkhead fittings

Part #	Flat Face Thread 1+2	List Price
FS2700-4-4	9/16-18	2.10
FS2700-6-6	11/16-16	3.29
FS2700-8-8	13/16-16	4.24
FS2700-10-10	1-14	7.57
FS2700-12-12	1-3/16-12	8.81
FS2700-16-16	1-7/16-12	14.72
FS2700-20-20	1-11/16-12	18.90
FS2700-24-24	2-12	28.10

ORFS BULKHEAD UNION 90°




FF2701
4525
WELO

• Locknut not included on Bulkhead fittings

Part #	Flat Face Thread 1+2	List Price
FS2701-4-4	9/16-18	4.19
FS2701-6-6	11/16-16	5.24
FS2701-8-8	13/16-16	6.29
FS2701-10-10	1-14	7.62
FS2701-12-12	1-3/16-12	12.14
FS2701-16-16	1-7/16-12	14.76
FS2701-20-20	1-11/16-12	28.05
FS2701-24-24	2-12	45.29

ORFS BULKHEAD UNION 45°




FF2702
4375
WNLO

• Locknut not included on Bulkhead fittings

Part #	Flat Face Thread 1+2	List Price
FS2702-4-4	9/16-18	4.19
FS2702-6-6	11/16-16	5.48
FS2702-8-8	13/16-16	5.95
FS2702-10-10	1-14	14.09
FS2702-12-12	1-3/16-12	11.62
FS2702-16-16	1-7/16-12	17.96
FS2702-20-20	1-11/16-12	28.05

HYDRAULIC ADAPTERS


ORFS BULKHEAD UNION BRANCH TEE



• Locknut not included

Part #	Flat Face Thread 1+2+3	List Price
FS2703-4	9/16-18	6.38
FS2703-6	11/16-16	8.48
FS2703-8	13/16-16	10.86
FS2703-10	1-14	15.86
FS2703-12	1-3/16-12	19.95
FS2703-16	1-7/16-12	26.57
FS2703-20	1-11/16-12	44.95


ORFS BULKHEAD UNION RUN TEE



• Locknut not included

Part #	Flat Face Thread 1+2+3	List Price
FS2704-4-4	9/16-18	6.38
FS2704-6-6	11/16-16	9.43
FS2704-8-8	13/16-16	10.86
FS2704-10-10	1-14	15.86
FS2704-12-12	1-3/16-12	20.14
FS2704-16-16	1-7/16-12	27.95
FS2704-20-20	1-11/16-12	44.95


ORFS TO FEMALE SWIVEL BRANCH TEE



Part #	Flat Face Thread 1+2	Female JIC 3	List Price
FS6600-4-4	9/16-18	9/16-18	7.05
FS6600-6-6	11/16-16	11/16-16	8.38
FS6600-8-8	13/16-16	13/16-16	25.17
FS6600-10-10	1-14	1-14	16.10
FS6600-12-12	1-3/16-12	1-3/16-12	21.38
FS6600-16-16	1-7/16-12	1-7/16-12	30.67
FS6600-20-20	1-11/16-12	1-11/16-12	47.57
FS6600-24-24	2-12	2-12	66.81


O-RING FACE SEAL ADAPTERS

ORFS TO JIC SWIVEL RUN TEE




Part #	Flat Face Thread 1+3	Female Flat Face 2	List Price
FS6602-4-4	9/16-18	9/16-18	6.81
FS6602-6-6	11/16-16	11/16-16	10.11
FS6602-8-8	13/16-16	13/16-16	9.81
FS6602-10-10	1-14	1-14	15.86
FS6602-12-12	1-3/16-12	1-3/16-12	21.33
FS6602-16-16	1-7/16-12	1-7/16-12	31.05
FS6602-20-20	1-11/16-12	1-11/16-12	44.90
FS6602-24-24	2-12	2-12	75.81

STRAIGHT THREAD CONNECTOR



Part #	Flat Face Thread 1	O-Ring Thread 2	List Price
FS6400-O-4-4	9/16-18	7/16-20	1.93
FS6400-O-4-6	9/16-18	9/16-18	1.99
FS6400-O-6-4	11/16-16	7/16-20	4.03
FS6400-O-6-6	11/16-16	9/16-18	1.72
FS6400-O-6-8	11/16-16	3/4-16	2.95
FS6400-O-8-6	13/16-16	9/16-18	2.36
FS6400-O-8-8	13/16-16	3/4-16	3.41
FS6400-O-8-10	13/16-16	7/8-14	4.02
FS6400-O-10-8	1-14	3/4-16	3.60
FS6400-O-10-10	1-14	7/8-14	5.76
FS6400-O-10-12	1-14	1-1/16-12	4.66
FS6400-O-12-8	1-3/16-12	3/4-16	5.05
FS6400-O-12-10	1-3/16-12	7/8-14	5.61
FS6400-O-12-12	1-3/16-12	1-1/16-12	4.35
FS6400-O-12-16	1-3/16-12	1-5/16-12	8.71
FS6400-O-16-12	1-7/16-12	1-1/16-12	8.97
FS6400-O-16-16	1-7/16-12	1-5/16-12	8.19
FS6400-O-16-20	1-7/16-12	1-5/8-12	23.40
FS6400-O-20-20	1-11/16-12	1-5/8-12	15.35
FS6400-O-20-24	1-11/16-12	1-7/8-12	25.52
FS6400-O-24-20	2-12	1-5/8-12	95.79
FS6400-O-24-24	2-12	1-7/8-12	20.74

MALE FLAT FACE TO FEMALE 37° SWIVEL



Part #	Flat Face Thread 1	JIC Thread 2	List Price
FS6402-4-4	9/16-18	7/16-20	3.81
FS6402-6-6	11/16-16	9/16-18	4.66
FS6402-8-8	13/16-16	3/4-16	5.61
FS6402-10-10	1-14	7/8-14	7.10
FS6402-12-12	1-3/16-12	1-1/16-12	49.52
FS6402-16-16	1-7/16-12	1-5/16-12	29.58

More sizes available

O-RING FACE SEAL ADAPTERS

SWIVEL NUT ELBOW



FF6500
FF1236

Part #	Flat Face Thread 1	Flat Face Thread 2	List Price
FS6500-4-4	9/16-18	9/16-18	4.97
FS6500-6-6	11/16-16	11/16-16	6.24
FS6500-8-8	13/16-16	13/16-16	7.80
FS6500-10-10	1-14	1-14	10.03
FS6500-12-12	1-3/16-12	1-3/16-12	15.56
FS6500-16-16	1-7/16-12	1-7/16-12	24.23
FS6500-20-20	1-11/16-12	1-11/16-12	34.66
FS6500-24-24	2-12	2-12	50.22

MALE JIC 37° FLARE TO FEMALE FLAT FACE SWIVEL



FF6504
FF1296

Part #	JIC Thread Size 1	Flat Face Thread 2	List Price
FS6504-4-4	7/16-20	9/16-18	6.36
FS6504-6-6	9/16-18	11/16-16	5.22
FS6504-8-8	3/4-16	13/16-16	6.46
FS6504-10-10	7/8-14	1-14	30.70
FS6504-12-12	1-1/16-12	1-3/16-12	11.07
FS6504-16-16	1-5/16-12	1-7/16-12	53.74

O-RING ELBOW CONNECTOR



FF6801
FF1238
4515

Part #	Flat Face Thread 1	O-Ring Thread 2	List Price
FS6801-4-4	9/16-18	7/16-20	4.23
FS6801-4-6	9/16-18	9/16-18	5.26
FS6801-6-4	11/16-16	7/16-20	4.63
FS6801-6-6	11/16-16	9/16-18	5.44
FS6801-6-8	11/16-16	3/4-16	6.46
FS6801-8-6	13/16-16	9/16-18	5.37
FS6801-8-8	13/16-16	3/4-16	5.58
FS6801-8-10	13/16-16	7/8-14	9.44
FS6801-10-8	1-14	3/4-16	9.00
FS6801-10-10	1-14	7/8-14	10.21
FS6801-10-12	1-14	1-1/16-12	15.47
FS6801-12-10	1-3/16-12	7/8-14	10.83
FS6801-12-12	1-3/16-12	1-1/16-12	12.29
FS6801-12-16	1-3/16-12	1-5/16-12	26.51
FS6801-16-12	1-7/16-12	1-1/16-12	18.04
FS6801-16-16	1-7/16-12	1-5/16-12	20.95
FS6801-16-20	1-7/16-12	1-5/8-12	31.67
FS6801-20-16	1-11/16-12	1-5/16-12	27.62
FS6801-20-20	1-11/16-12	1-5/8-12	24.51
FS6801-24-24	2-12	1-7/8-12	34.58

More sizes available

HYDRAULIC ADAPTERS

ORFS TO O-RING ELBOW 45°



FF6802
4365
VSOLO

Part #	Flat Face Thread 1	O-Ring Size 2	List Price
FS6802-4-4	9/16-18	7/16-20	4.18
FS6802-4-6	9/16-18	9/16-18	4.52
FS6802-6-4	11/16-16	7/16-20	4.76
FS6802-6-6	11/16-16	9/16-18	4.76
FS6802-6-8	11/16-16	3/4-16	5.48
FS6802-8-6	13/16-16	9/16-18	5.48
FS6802-8-8	13/16-16	3/4-16	5.48
FS6802-8-10	13/16-16	7/8-14	9.10
FS6802-10-8	1-14	3/4-16	11.71
FS6802-10-10	1-14	7/8-14	9.14
FS6802-10-12	1-14	1-1/16-12	12.67
FS6802-12-8	1-3/16-12	3/4-16	11.90
FS6802-12-10	1-3/16-12	7/8-14	11.90
FS6802-12-12	1-3/16-12	1-1/16-12	13.34
FS6802-12-16	1-3/16-12	1-5/16-12	16.38
FS6802-16-12	1-7/16-12	1-1/16-12	16.33
FS6802-16-16	1-7/16-12	1-5/16-12	18.00
FS6802-16-20	1-7/16-12	1-5/8-12	24.29
FS6802-20-20	1-11/16-12	1-5/8-12	23.76
FS6802-24-24	2-12	1-7/8-12	38.76


ORFS TO O-RING BRANCH TEE



FF6803
4715
SJOLO

Part #	Face Seal Thread 1 + 2	O-Ring Size 3	List Price
FS6803-4-4	9/16-18	7/16-20	6.62
FS6803-6-6	11/16-16	9/16-18	8.10
FS6803-8-8	13/16-16	3/4-16	9.24
FS6803-10-10	1-14	7/8-14	12.43
FS6803-12-12	1-3/16-12	1-1/16-12	20.13
FS6803-16-16	1-7/16-12	1-5/16-12	28.52
FS6803-20-20	1-11/16-12	1-5/8-12	46.52
FS6803-24-24	2-12	1-7/8-12	70.48

ORFS TO O-RING RUN TEE



FF6804
4716
KJOLO

Part #	Face Seal Thread 1	O-Ring Size 2	Thread Size 3	List Price
FS6804-4-4	9/16-18	9/16-18	7/16-20	6.62
FS6804-6-6	11/16-16	11/16-16	9/16-18	8.10
FS6804-8-8	13/16-16	13/16-16	3/4-16	9.24
FS6804-10-10	1-14	1-14	7/8-14	13.33
FS6804-12-12	1-3/16-12	1-3/16-12	1-1/16-12	21.05
FS6804-16-16	1-7/16-12	1-7/16-12	1-5/16-12	28.52
FS6804-20-20	1-11/16-12	1-11/16-12	1-5/8-12	46.52
FS6804-24-24	2-12	2-12	1-7/8-12	70.40

HYDRAULIC ADAPTERS

STRAIGHT THREAD SWIVEL NUT ELBOW



FF6809
FF1239
4535
AOELC

Part #	O-Ring Thread 1	Flat Face Thread 2	List Price
FS6809-4-4	7/16-20	9/16-18	7.25
FS6809-6-6	9/16-18	11/16-16	8.24
FS6809-8-8	3/4-16	13/16-16	9.72
FS6809-10-10	7/8-14	1-14	16.61
FS6809-12-12	1-1/16-12	1-3/16-12	20.85
FS6809-16-16	1-5/16-12	1-7/16-12	25.13

STEEL BSPT ADAPTERS

JIC MALE CONNECTOR BSPT



3404
305

Part #	JIC Thread Size 1	Male BSPT 2	List Price
7000-4-2	7/16-20	1/8-28	7.86
7000-4-4	7/16-20	1/4-19	8.09
7000-6-4	9/16-18	1/4-19	12.26
7000-6-6	9/16-18	3/8-19	16.28
7000-6-8	9/16-18	1/2-14	22.55
7000-8-6	3/4-16	3/8-19	12.35
7000-8-8	3/4-16	1/2-14	14.91
7000-8-12	3/4-16	3/4-14	50.32
7000-10-8	7/8-14	1/2-14	18.10
7000-10-12	7/8-14	3/4-14	21.77
7000-12-8	1-1/16-12	1/2-14	31.96
7000-12-12	1-1/16-12	3/4-14	24.19
7000-16-16	1-5/16-12	1-11	45.75
7000-20-20	1-5/8-12	1-1/4-11	67.86

JIC MALE ELBOW BSPT



3501
315

Part #	JIC Thread Size 1	Male BSPT 2	List Price
7200-4-2	7/16-20	1/8-28	20.35
7200-4-4	7/16-20	1/4-19	24.00
7200-6-4	9/16-18	1/4-19	18.52
7200-6-6	9/16-18	3/8-19	22.76
7200-6-8	9/16-18	1/2-14	41.73
7200-8-6	3/4-16	3/8-19	28.53
7200-8-8	3/4-16	1/2-14	27.71
7200-12-12	1-1/16-12	3/4-14	51.20
7200-16-16	1-5/16-12	1-11	80.86

STEEL BSPT ADAPTERS

BSPT HEX NIPPLE



3520
MBT

Part #	Male BSPT 1	Male BSPT 2	List Price
7520-2-2	1/8-28	1/8-28	20.86
7520-4-4	1/4-19	1/4-19	15.00
7520-6-6	3/8-19	3/8-19	18.69
7520-8-8	1/2-14	1/2-14	25.40
7520-10-10	5/8-14	5/8-14	39.46
7520-12-12	3/4-14	3/4-14	39.46

More sizes available

BSPT PLUG



100B-Y
KA-RM
MHL
296

Part #	BSPT	List Price
9508-2	1/8-28	8.26
9508-4	1/4-19	8.70
9508-6	3/8-19	12.65
9508-8	1/2-14	11.11
9508-12	3/4-14	24.18
9508-16	1-11	27.33

More sizes available

STEEL BSPP ADAPTERS

BSPP HEX NIPPLE




3420
MB
9022

Part #	Male BSPP 1	Male BSPP 2	List Price
7420-2-2	1/8-28	1/8-28	14.64
7420-4-2	1/4-19	1/8-28	10.88
7420-6-4	3/8-19	1/4-19	10.88
7420-6-6	3/8-19	3/8-19	14.22
7420-8-6	1/2-14	3/8-19	14.29
7420-8-8	1/2-14	1/2-14	18.19
7420-10-8	5/8-14	1/2-14	24.49
7420-12-8	3/4-14	1/2-14	24.04
7420-12-12	3/4-14	3/4-14	31.42
7420-16-12	1-11	3/4-14	36.04
7420-16-16	1-11	1-11	42.13

STEEL BSPP ADAPTERS

BSPP COUPLING



3425
FB

Part #	BSPP	List Price
7425-2	1/8-28	21.77
7425-4	1/4-19	13.29
7425-8	1/2-14	16.19
7425-10	5/8-14	27.21
7425-12	3/4-14	38.55
7425-16	1-11	64.63

Reducing sizes available

JIC TO FEMALE BSPP STRAIGHT SWIVEL



3240
MJFBS

Part #	JIC Thread Size 1	Female BSPP Swivel 2	List Price
7240-4	7/16-20	1/4-19	21.54
7240-6	9/16-18	3/8-19	19.47
7240-8	3/4-16	1/2-14	26.53
7240-10	7/8-14	5/8-14	38.55
7240-12	1-1/16-12	3/4-14	40.59
7240-16	1-5/16-12	1-11	54.42

More sizes available

JIC TO BSPP MALE ELBOW



3801
315

Part #	JIC Thread Size 1	Male BSPP 2	List Price
7202-NWO-4-2	7/16-20	1/8-28	40.67
7202-NWO-4-4	7/16-20	1/4-19	31.93
7202-NWO-6-4	9/16-18	1/4-19	23.00
7202-NWO-6-6	9/16-18	3/8-19	36.93
7202-NWO-6-8	9/16-18	1/2-14	32.25
7202-NWO-8-6	3/4-16	3/8-19	33.79
7202-NWO-8-8	3/4-16	1/2-14	45.15
7202-NWO-8-12	3/4-16	3/4-14	75.55
7202-NWO-10-8	7/8-14	1/2-14	40.04
7202-NWO-12-12	1-1/16-12	3/4-14	58.32
7202-NWO-12-16	1-1/16-12	1-11	91.43
7202-NWO-16-16	1-5/16-12	1-11	56.92

HYDRAULIC ADAPTERS

JIC TO BSPP 45° ELBOW



3802
35J

Part #	JIC Thread Size 1	Male BSPP 2	List Price
7802-4	7/16-20	1/4-19	36.12
7802-6	9/16-18	3/8-19	55.56
7802-8	3/4-16	1/2-14	73.70
7802-12	1-1/16-12	3/4-14	99.77
7802-16	1-5/16-12	1-11	103.40

BSPP TO MALE PIPE NIPPLE



MBMP
3825

Part #	Male BSPP Size 1	Male Pipe Thread Size 2	List Price
7825-2	1/8-28	1/8	10.15
7825-4	1/4-19	1/4	8.00
7825-6	3/8-19	3/8	11.02
7825-8	1/2-14	1/2	12.67
7825-12	3/4-14	3/4	15.92
7825-16	1-11	1	30.57

More sizes available

JIC TO BSPP MALE CONNECTOR



30J
3800

Part #	JIC Thread Size 1	Male BSPP 2	List Price
7002-4-2	7/16-20	1/8-28	13.13
7002-4-4	7/16-20	1/4-19	8.33
7002-4-6	7/16-20	3/8-19	8.08
7002-4-8	7/16-20	1/2-14	25.62
7002-6-4	9/16-18	1/4-19	8.13
7002-6-6	9/16-18	3/8-19	9.50
7002-6-8	9/16-18	1/2-14	8.73
7002-8-6	3/4-16	3/8-19	10.15
7002-8-8	3/4-16	1/2-14	16.90
7002-8-12	3/4-16	3/4-14	25.95
7002-10-8	7/8-14	1/2-14	19.11
7002-12-12	1-1/16-12	3/4-14	22.79
7002-12-16	1-1/16-12	1-11	31.84
7002-16-16	1-5/16-12	1-11	30.10

More sizes available

HYDRAULIC ADAPTERS

JIC TO BSPP STRAIGHT SWIVEL



3402
3055

Part #	JIC Thread Size 1	Male BSPP 2	List Price
7022-4-2	7/16-20	1/8-28	20.41
7022-4-4	7/16-20	1/4-19	13.61
7022-6-4	9/16-18	1/4-19	24.27
7022-6-6	9/16-18	3/8-19	17.67
7022-8-6	3/4-16	3/8-19	17.46
7022-8-8	3/4-16	1/2-14	17.91
7022-10-8	7/8-14	1/2-14	20.18
7022-12-12	1-1/16-12	3/4-14	50.15
7022-16-16	1-5/16-12	1-11	89.94

HEX HEAD PLUG BSPP



3408

Part #	Male BSPP	List Price
9522-P-2	1/8-28	5.74
9522-P-4	1/4-19	6.05
9522-P-6	3/8-19	7.13
9522-P-8	1/2-14	11.83
9522-P-12	3/4-14	13.34
9522-P-16	1-11	20.39

HOLLOW HEX PLUG BSPP



3408 HHP

Part #	Male BSPP	List Price
9522-H-2	1/8-28	10.20
9522-H-4	1/4-19	9.98
9522-H-6	3/8-19	12.24
9522-H-8	1/2-14	16.60
9522-H-12	3/4-14	20.14
9522-H-16	1-11	43.58

Save 5% by ordering online at
www.midlandindustrial.com

STEEL BSPP ADAPTERS

FEMALE ADAPTER BSPP



3455
MMFP

Part #	Female Pipe 1	Male BSPP 2	List Price
7042-2-2	1/8	1/8-28	14.02
7042-4-2	1/4	1/8-28	20.95
7042-4-4	1/4	1/4-19	14.53
7042-6-6	3/8	3/8-19	31.56
7042-8-8	1/2	1/2-14	28.57
7042-12-12	3/4	3/4-14	31.43
7042-16-16	1	1-11	52.97

More sizes available

STEEL METRIC ADAPTERS

MALE CONNECTOR



7400
30J (R)
7011


Port-seal crush washer
and O-ring included

Part #	JIC Thread Size 1	Metric Thread 2	List Price
7005-4-10	7/16-20	10x1.0	11.37
7005-4-12	7/16-20	12x1.5	13.75
7005-4-14	7/16-20	14x1.5	11.84
7005-4-18	7/16-20	18x1.5	24.94
7005-5-12	1/2-20	12x1.5	12.38
7005-5-14	1/2-20	14x1.5	65.76
7005-6-14	9/16-18	14x1.5	13.06
7005-6-16	9/16-18	16x1.5	17.87
7005-6-18	9/16-18	18x1.5	22.35
7005-8-16	3/4-16	16x1.5	14.38
7005-8-18	3/4-16	18x1.5	15.17
7005-8-22	3/4-16	22x1.5	22.48
7005-10-18	7/8-14	18x1.5	22.72
7005-10-20	7/8-14	20x1.5	20.72
7005-10-22	7/8-14	22x1.5	17.61
7005-12-22	1-1/16-12	22x1.5	30.77
7005-12-27	1-1/16-12	27x2.0	47.91
7005-14-26	1-3/16-12	26x1.5	57.10
7005-16-27	1-5/16-12	27x2.0	57.10
7005-16-33	1-5/16-12	33x2.0	18.27

HYDRAULIC


STEEL METRIC ADAPTERS

MALE ELBOW



Part #	JIC Thread Size 1	Metric Thread 2	List Price
7205-NWO-4-10	7/16-20	10x1.0	29.93
7205-NWO-4-12	7/16-20	12x1.5	36.38
7205-NWO-4-14	7/16-20	14x1.5	23.13
7205NWO-5-12	1/2-20	12x1.5	59.81
7205-NWO-6-14	9/16-18	14x1.5	44.76
7205-NWO-6-16	9/16-18	16x1.5	33.91
7205-NWO-8-16	3/4-16	16x1.5	39.69
7205-NWO-8-18	3/4-16	18x1.5	13.10
7205-NWO-8-22	3/4-16	22x1.5	33.51
7205-NWO-10-18	7/8-14	18x1.5	36.28

STRAIGHT SWIVEL



Part #	JIC Thread Size 1	Metric Thread 2	List Price
7025-4-10	7/16-20	10x1.0	24.94
7025-4-12	7/16-20	12x1.5	24.40
7025-5-12	1/2-20	12x1.5	29.75
7025-6-14	9/16-18	14x1.5	29.36
7025-6-16	9/16-18	16x1.5	27.21
7025-8-16	3/4-16	16x1.5	27.30
7025-10-22	7/8-14	22x1.5	61.22
7025-12-27	1-1/16-12	27x2.0	42.36
7025-16-33	1-5/16-12	33x2.0	52.24

Send Midland all your high volume quotes!

HYDRAULIC ADAPTERS

HEX HEAD PLUG METRIC PARALLEL



Part #	Metric Thread	List Price
8555-P-10	10x1.0	8.29
8555-P-12	12x1.5	8.69
8555-P-14	14x1.5	12.11
8555-P-16	16x1.5	11.14
8555-P-18	18x1.5	20.64
8555-P-20	20x1.5	17.55
8555-P-22	22x1.5	17.91
8555-P-26	26x1.5	20.72
8555-P-30	30x1.5	56.01

HOLLOW HEX HEAD PLUG METRIC PARALLEL



Part #	Metric Thread	List Price
8555-H-10	10x1.0	7.56
8555-H-12	12x1.5	16.39
8555-H-14	14x1.5	10.91
8555-H-16	16x1.5	19.81
8555-H-18	18x1.5	19.14
8555-H-20	20x1.5	17.95
8555-H-22	22x1.5	18.41
8555-H-26	26x1.5	55.65
8555-H-30	30x1.5	35.78

More sizes available

FEMALE ADAPTER MMFP (R)



Part #	Female Pipe Thread 1	Metric Thread 2	List Price
7045-2-10	1/8	10x1.0	35.12
7045-4-12	1/4	12x1.5	19.89
7045-4-14	1/4	14x1.5	21.77
7045-6-12	3/8	12x1.5	33.06
7045-6-16	3/8	16x1.5	27.21
7045-6-18	3/8	18x1.5	31.73
7045-8-16	1/2	16x1.5	52.96
7045-8-18	1/2	18x1.5	27.65
7045-8-22	1/2	22x1.5	36.54
7045-12-27	3/4	27x2.0	51.88
7045-16-33	1	33x2.0	76.98

More sizes available

HYDRAULIC ADAPTERS

HIGH PRESSURE SWIVELS 3000 PSI

HIGH PRESSURE SWIVELS

MALE CONNECTOR



Part #	JIC Thread Size 1	Male Pipe Thread 2	List Price
HP2404-6-4	9/16-18	1/4	104.38
HP2404-8-6	3/4-16	3/8	86.49
HP2404-10-8	7/8-14	1/2	94.38
HP2404-12-12	1-1/16-12	3/4	140.45
HP2404-16-16	1-5/16-12	1	189.61
HP2404-20-20	1-5/8-12	1-1/4	362.63
HP2404-24-24	1-7/8-12	1-1/2	761.04

FEMALE CONNECTOR



Part #	JIC Thread Size 1	Female Pipe Thread 2	List Price
HP2405-6-4	9/16-18	1/4	120.56
HP2405-8-6	3/4-16	3/8	86.12
HP2405-10-8	7/8-14	1/2	98.10
HP2405-12-12	1-1/16-12	3/4	100.63
HP2405-16-16	1-5/16-12	1	189.21
HP2405-20-20	1-5/8-12	1-1/4	362.63
HP2405-24-24	1-7/8-12	1-1/2	1016.92

TUBE ADAPTER



Part #	JIC Thread Size 1	JIC Thread Size 2	List Price
HP2406-6-6	9/16-18	9/16-18	114.38
HP2406-8-8	3/4-16	3/4-16	89.48
HP2406-10-10	7/8-14	7/8-14	100.86
HP2406-12-12	1-1/16-12	1-1/16-12	223.65
HP2406-14-14	1-3/16-12	1-3/16-12	181.27
HP2406-16-16	1-5/16-12	1-5/16-12	262.59
HP2406-20-20	1-5/8-12	1-5/8-12	362.63
HP2406-24-24	1-7/8-12	1-7/8-12	778.55
HP2406-32-32	2-1/2-12	2-1/2-12	1235.56

MALE ELBOW




Part #	JIC Thread Size 1	Male Pipe Thread 2	List Price
HP2501-6-4	9/16-18	1/4	142.49
HP2501-6-6	9/16-18	3/8	105.35
HP2501-8-6	3/4-16	3/8	105.35
HP2501-8-8	3/4-16	1/2	150.84
HP2501-10-8	7/8-14	1/2	155.21
HP2501-12-12	1-1/16-12	3/4	239.66
HP2501-16-16	1-5/16-12	1	276.37
HP2501-20-20	1-5/8-12	1-1/4	437.60
HP2501-24-24	1-7/8-12	1-1/2	825.71
HP2501-32-32	2-1/2-12	2	2011.38

FEMALE ELBOW



Part #	JIC Thread Size 1	Female Pipe Thread 2	List Price
HP2502-6-4	9/16-18	1/4	104.94
HP2502-6-6	9/16-18	3/8	142.50
HP2502-8-6	3/4-16	3/8	166.24
HP2502-10-8	7/8-14	1/2	112.74
HP2502-12-12	1-1/16-12	3/4	232.97
HP2502-16-16	1-5/16-12	1	262.27
HP2502-20-20	1-5/8-12	1-1/4	437.60
HP2502-24-24	1-7/8-12	1-1/2	839.46
HP2502-32-32	2-1/2-12	2	1685.67

PIPE ADAPTER



Part #	Male Pipe Thread 1	Female Pipe Thread 2	List Price
HP5405-4-4	1/4	1/4	121.78
HP5405-6-6	3/8	3/8	140.66
HP5405-8-8	1/2	1/2	170.33
HP5405-12-12	3/4	3/4	147.48
HP5405-16-16	1	1	318.45
HP5405-20-20	1-1/4	1-1/4	361.77
HP5405-24-24	1-1/2	1-1/2	1745.04
HP5405-32-32	2	2	1539.55

HIGH PRESSURE SWIVELS 3000 PSI

HYDRAULIC ADAPTERS

PIPE COUPLING



Part #	Female Pipe Thread 1	Female Pipe 2	List Price
HP5000-4-4	1/4	1/4	148.77
HP5000-6-6	3/8	3/8	109.62
HP5000-8-8	1/2	1/2	147.48
HP5000-12-12	3/4	3/4	195.58
HP5000-16-16	1	1	275.72
HP5000-20-20	1-1/4	1-1/4	406.63
HP5000-24-24	1-1/2	1-1/2	1067.76
HP5000-32-32	2	2	1539.55

MALE SWIVEL ELBOW



• Live Swivel is on Female end

Part #	Male Pipe Thread 1	Female NPSM 2	List Price
HP1501-4-4	1/4	1/4	126.91
HP1501-4-6	1/4	3/8	103.08
HP1501-6-4	3/8	1/4	105.35
HP1501-6-6	3/8	3/8	236.10
HP1501-8-8	1/2	1/2	229.63
HP1501-12-12	3/4	3/4	235.47
HP1501-16-16	1	1	327.23
HP1501-20-20	1-1/4	1-1/4	437.60
HP1501-24-24	1-1/2	1-1/2	437.60
HP1501-32-32	2	2	1841.59

FEMALE SWIVEL ELBOW



Part #	Female Pipe Thread 1	Female NPSM 2	List Price
HP1502-4-4	1/4	1/4	105.17
HP1502-4-6	1/4	3/8	108.34
HP1502-6-4	3/8	1/4	126.89
HP1502-6-6	3/8	3/8	138.54
HP1502-8-8	1/2	1/2	151.16
HP1502-12-12	3/4	3/4	183.67
HP1502-16-16	1	1	231.16
HP1502-20-20	1-1/4	1-1/4	435.69
HP1502-24-24	1-1/2	1-1/2	839.46
HP1502-32-32	2	2	1841.59

STREET ELBOW



• Live Swivel is on Male end

Part #	Male Pipe Thread 1	Female Pipe Thread 2	List Price
HP5502-4-4	1/4	1/4	171.80
HP5502-4-6	1/4	3/8	126.89
HP5502-6-4	3/8	1/4	105.35
HP5502-6-6	3/8	3/8	142.49
HP5502-8-8	1/2	1/2	207.74
HP5502-12-12	3/4	3/4	275.59
HP5502-16-16	1	1	275.38
HP5502-20-20	1-1/4	1-1/4	444.28
HP5502-24-24	1-1/2	1-1/2	955.60
HP5502-32-32	2	2	1200.45

JIC TO O-RING ELBOW CONNECTOR



Part #	JIC Thread Size 1	O-Ring Thread 2	List Price
HP6801-6-6	9/16-18	9/16-18	171.65
HP6801-6-8	9/16-18	3/4-16	179.61
HP6801-8-8	3/4-16	3/4-16	126.91
HP6801-10-10	7/8-14	7/8-14	189.52
HP6801-12-12	1-1/16-12	1-1/16-12	191.88
HP6801-16-16	1-5/16-12	1-5/16-12	275.46
HP6801-20-20	1-5/8-12	1-5/8-12	437.60
HP6801-24-24	1-7/8-12	1-7/8-12	997.73
HP6801-32-32	2-1/2-12	2-1/2-12	1685.67

* Live swivel is on the 2 side as pictured.

HYDRAULIC ADAPTERS

STEEL BEADED HOSE INSERTS

STEEL BEADED HOSE INSERTS

MALE PIPE HOSE INSERT

SAE 430160




Part #	Hose I.D.		List Price
	1	2	
4404-4-2	1/4	1/8	3.95
4404-4-4	1/4	1/4	2.65
4404-5-2	5/16	1/8	11.34
4404-6-4	3/8	1/4	3.86
4404-6-6	3/8	3/8	3.44
4404-8-6	1/2	3/8	5.13
4404-8-8	1/2	1/2	3.14
4404-10-8	5/8	1/2	6.72
4404-12-12	3/4	3/4	6.72
4404-16-12	1	3/4	9.77
4404-16-16	1	1	10.26
4404-20-16	1-1/4	1	19.06
4404-20-20	1-1/4	1-1/4	18.83
4404-24-24	1-1/2	1-1/2	26.67

More sizes available

90° PIPE HOSE INSERT

SAE 430260



Part #	Hose I.D.		List Price
	1	2	
4501-4-4	1/4	1/4	5.24
4501-6-6	3/8	3/8	4.76
4501-8-6	1/2	3/8	5.02
4501-8-8	1/2	1/2	7.04
4501-10-8	5/8	1/2	6.25
4501-12-12	3/4	3/4	6.33
4501-16-12	1	3/4	11.26
4501-16-16	1	1	9.11
4501-20-16	1-1/4	1	20.68
4501-20-20	1-1/4	1-1/4	24.88
4501-24-24	1-1/2	1-1/2	40.59
4501-32-32	2	2	100.56

More sizes available

45° PIPE HOSE INSERT


SAE 430360



Part #	Hose I.D.		List Price
	1	2	
4503-8-6	1/2	3/8	8.20
4503-10-8	5/8	1/2	17.73
4503-12-12	3/4	3/4	9.07
4503-16-16	1	1	17.13
4503-20-20	1-1/4	1-1/4	35.79

More sizes available

90° O-RING HOSE INSERT



Part #	Hose I.D.		List Price
	1	O-Ring Thread 2	
4601-NWO-4	1/4	7/16-20	4.00
4601-NWO-5	5/16	1/2-20	8.05
4601-NWO-6	3/8	9/16-18	3.25
4601-NWO-8	1/2	3/4-16	6.57
4601-NWO-10	5/8	7/8-14	11.93
4601-NWO-10-8	5/8	3/4-16	11.62
4601-NWO-12	3/4	1-1/16-12	10.83
4601-NWO-16	1	1-5/16-12	14.76
4601-NWO-16-12	1	1-1/16-12	15.91
4601-NWO-20	1-1/4	1-5/8-12	26.92
4601-NWO-24	1-1/2	1-7/8-12	48.47

More sizes available

MIDLAND METAL APP

SEE INSIDE FRONT COVER

HYDRAULIC

45° O-RING HOSE INSERT



Part #	Hose I.D. 1	O-Ring Thread 2	List Price
4603-NWO-4	1/4	7/16-20	6.43
4603-NWO-6	3/8	9/16-18	6.39
4603-NWO-8	1/2	3/4-16	5.06
4603-NWO-10	5/8	7/8-14	9.55
4603-NWO-12	3/4	1-1/12-12	9.49
4603-NWO-16	1	1-5/16-12	15.25
4603-NWO-20	1-1/4	1-5/8-12	32.14
4603-NWO-24	1-1/2	1-7/8-12	39.21

More sizes available

O-RING HOSE INSERT



Part #	Hose I.D. 1	O-Ring Thread 2	List Price
4604-O-4	1/4	7/16-20	3.92
4604-O-6	3/8	9/16-18	4.39
4604-O-8	1/2	3/4-16	3.27
4604-O-10	5/8	7/8-14	5.81
4604-O-10-8	5/8	3/4-16	7.11
4604-O-12	3/4	1-1/16-12	12.70
4604-O-16	1	1-5/16-12	7.61
4604-O-16-12	1	1-1/16-12	7.74
4604-O-20	1-1/4	1-5/8-12	19.38
4604-O-20-16	1-1/4	1-5/16-12	20.42
4604-O-24	1-1/2	1-7/8-12	38.52
4604-O-24-20	1-1/2	1-5/8-12	32.16

More sizes available

HYDRAULIC ADAPTERS

FLARELESS BITE-TYPE STEEL

TUBE NUT

SAE 080110



7105
BU-S

Part #	Tube O.D	JIC Thread Size	List Price
C318-2	1/8	5/16-24	2.45
C318-4	1/4	7/16-20	4.20
C318-6	3/8	9/16-18	1.52
C318-8	1/2	3/4-16	2.28
C318-12	3/4	1-1/16-12	4.03
C318-16	1	1-5/16-12	11.80

TUBE SLEEVE

SAE 08011SA



TU-S
7165

Part #	Tube O.D	List Price
C319-2	1/8	2.45
C319-4	1/4	3.92
C319-6	3/8	2.81
C319-8	1/2	3.08
C319-12	3/4	21.63
C319-16	1	8.40

UNION

SAE 080101



7305
HBU-S

Part #	Tube Size	List Price
C2403-2-2	1/8	58.74
C2403-4-4	1/4	13.14
C2403-6-6	3/8	16.94
C2403-8-8	1/2	19.18
C2403-12-12	3/4	24.34
C2403-16-16	1	52.90

• Fittings are single ferrule

MALE CONNECTOR

SAE 080102



FBU-S
7205

Part #	Tube Size 1	Male Pipe Thread 2	List Price
C2404-2-2	1/8	1/8	9.22
C2404-4-4	1/4	1/4	3.72
C2404-6-4	3/8	1/4	10.43
C2404-6-6	3/8	3/8	5.00
C2404-8-6	1/2	3/8	12.08
C2404-8-8	1/2	1/2	7.50
C2404-12-12	3/4	3/4	26.00
C2404-16-16	1	1	35.12

UNION ELBOW

SAE 080201



7505
EBU-S

Part #	Tube Size	List Price
C2500-2-2	1/8	26.48
C2500-4-4	1/4	12.95
C2500-6-6	3/8	18.57
C2500-8-8	1/2	20.07
C2500-12-12	3/4	49.31
C2500-16-16	1	65.96

MALE ELBOW

SAE 080202
ms 51504



7405
CBU-S

Part #	Tube Size 1	Male Pipe Size 2	List Price
C2501-4-2	1/4	1/8	10.31
C2501-4-4	1/4	1/4	12.73
C2501-6-2	3/8	1/8	16.75
C2501-6-4	3/8	1/4	11.27
C2501-6-6	3/8	3/8	15.75
C2501-6-8	3/8	1/2	23.39
C2501-8-4	1/2	1/4	17.27
C2501-8-6	1/2	3/8	19.70
C2501-8-8	1/2	1/2	23.59
C2501-12-12	3/4	3/4	38.61
C2501-16-16	1	1	48.42

FLARELESS BITE-TYPE STEEL

FEMALE ELBOW

SAE 080203



7455
DBU-S

Part #	Tube Size 1	Female Pipe Size 2	List Price
C2502-4-4	1/4	1/4	15.05
C2502-6-4	3/8	1/4	18.57
C2502-6-6	3/8	3/8	21.60
C2502-8-8	1/2	1/2	27.30
C2502-12-12	3/4	3/4	41.83
C2502-16-16	1	1	77.88

MALE BRANCH TEE

SAE 080425




SBU-S
7605

Part #	Tube Size 1&2	Pipe Thread Size 3	List Price
C2601-2-2	1/8	1/8	33.78
C2601-4-2	1/4	1/8	18.16
C2601-4-4	1/4	1/4	27.48
C2601-6-4	3/8	1/4	42.77
C2601-6-6	3/8	3/8	52.55
C2601-8-8	1/2	1/2	31.80
C2601-12-12	3/4	3/4	55.93
C2601-16-16	1	1	133.53

FEMALE BRANCH TEE

SAE 080427



7655
OBU-S

Part #	Tube Size 1+2	Female Pipe Size 3	List Price
C2602-4-4	1/4	1/4	28.25
C2602-6-4	3/8	1/4	30.21
C2602-6-6	3/8	3/8	47.48
C2602-8-8	1/2	1/2	35.00
C2602-12-12	3/4	3/4	60.73
C2602-16-16	1	1	200.25

• Fittings are single ferrule

HYDRAULIC ADAPTERS

UNION TEE

SAE 080401



7705
JBU-S

Part #	Tube Size	List Price
C2603-2-2	1/8	55.65
C2603-4-4	1/4	21.86
C2603-6-6	3/8	26.08
C2603-8-8	1/2	34.18
C2603-12-12	3/4	61.78
C2603-16-16	1	119.19

MALE O-RING CONNECTOR

SAE 080120



7315
F5B-J

Part #	Tube Size	O-Ring Thread 2	List Price
C6400-4-4	1/4	7/16-20	7.05
C6400-6-6	3/8	9/16-18	11.22
C6400-8-8	1/2	3/4-16	19.96
C6400-8-10	1/2	7/8-14	16.10
C6400-12-12	3/4	1-1/16-12	28.18
C6400-16-16	1	1-5/16-12	54.08

O-RING ELBOW CONNECTOR

SAE 080220



7515
C5BU-S

Part #	Tube Size 1	O-Ring Thread Size 2	List Price
C6801-2-2	1/8	5/16-24	10.50
C6801-4-4	1/4	7/16-20	12.43
C6801-6-6	3/8	9/16-18	17.38
C6801-8-8	1/2	3/4-16	17.38
C6801-12-12	3/4	1-1/16-12	34.05
C6801-16-16	1	1-5/16-12	45.80

MALE O-RING BRANCH TEE

SAE 080429



7715
S5BU-S

Part #	Tube Size Size 1 & 2	O-Ring Thread Size 3	List Price
C6803-4-4	1/4	7/16-20	33.48
C6803-6-6	3/8	9/16-18	26.43
C6803-8-8	1/2	3/4-16	41.83
C6803-12-12	3/4	1-1/16-12	86.44
C6803-16-16	1	1-5/16-12	95.81

HYDRAULIC ADAPTERS

STAINLESS STEEL FLARELESS BITE-TYPE

- Double Ferule bite-type
- Material 316SS
- Metal to Metal

TUBE NUT



STAINLESS STEEL

Part #	Tube O.D	Thread Size	List Price
SSC318-2	1/8	5/16-24	5.31
SSC318-4	1/4	7/16-20	4.81
SSC318-6	3/8	9/16-18	6.67
SSC318-8	1/2	3/4-16	10.98
SSC318-12	3/4	1-1/16-12	18.15
SSC318-16	1	1-5/16-12	34.61

SLEEVE SET



STAINLESS STEEL

- Front and Back sold as a set

Part #	Tube O.D	List Price
SSC320-2	1/8	7.93
SSC320-4	1/4	3.76
SSC320-6	3/8	5.06
SSC320-8	1/2	5.91
SSC320-12	3/4	12.42
SSC320-16	1	24.82

TUBE UNION



STAINLESS STEEL

Part #	Tube Size	List Price
SSC2403-4-4	1/4	23.95
SSC2403-6-6	3/8	34.43
SSC2403-8-8	1/2	92.13
SSC2403-12-12	3/4	82.82
SSC2403-16-16	1	143.95

- Reducers available upon request

SS = Stainless Steel (316)


MALE CONNECTOR



STAINLESS STEEL

Part #	Tube Size 1	Male Pipe Thread 2	List Price
SSC2404-4-2	1/4	1/8	14.97
SSC2404-4-4	1/4	1/4	20.96
SSC2404-4-8	1/4	1/2	26.72
SSC2404-6-4	3/8	1/4	33.40
SSC2404-6-6	3/8	3/8	48.68
SSC2404-6-8	3/8	1/2	49.48
SSC2404-8-8	1/2	1/2	35.70
SSC2404-12-12	3/4	3/4	54.38
SSC2404-16-16	1	1	95.56

FEMALE CONNECTOR



STAINLESS STEEL

Part #	Tube O.D. 1	Thread Size 2	List Price
SSC2405-4-2	1/4	1/8	19.96
SSC2405-4-4	1/4	1/4	25.22
SSC2405-6-2	3/8	1/8	26.44
SSC2405-6-6	3/8	3/8	34.20
SSC2405-6-8	3/8	1/2	44.90
SSC2405-8-4	1/2	1/4	71.11
SSC2405-8-6	1/2	3/8	82.18
SSC2405-8-8	1/2	1/2	124.23
SSC2405-12-12	3/4	3/4	175.38
SSC2405-16-16	1	1	143.95

UNION ELBOW




STAINLESS STEEL

Part #	Tube Size	List Price
SSC2500-2-2	1/8	32.70
SSC2500-4-4	1/4	69.10
SSC2500-6-6	3/8	42.91
SSC2500-8-8	1/2	153.18
SSC2500-12-12	3/4	124.22
SSC2500-16-16	1	237.74

STAINLESS STEEL BITE-TYPE

MALE ELBOW




STAINLESS STEEL

Part #	Tube Size 1	Male Pipe Size 2	List Price
SSC2501-4-2	1/4	1/8	32.02
SSC2501-4-4	1/4	1/4	29.71
SSC2501-6-2	3/8	1/8	37.92
SSC2501-6-4	3/8	1/4	36.92
SSC2501-6-6	3/8	3/8	44.40
SSC2501-6-8	3/8	1/2	56.88
SSC2501-8-4	1/2	1/4	52.16
SSC2501-8-6	1/2	3/8	52.16
SSC2501-8-8	1/2	1/2	64.86
SSC2501-12-12	3/4	3/4	79.14
SSC2501-16-16	1	1	154.15

FEMALE ELBOW


STAINLESS STEEL



Part #	Tube Size 1	Female Pipe Size 2	List Price
SSC2502-4-4	1/4	1/4	36.42
SSC2502-6-4	3/8	1/4	42.91
SSC2502-6-6	3/8	3/8	42.18
SSC2502-8-8	1/2	1/2	78.33
SSC2502-12-12	3/4	3/4	136.97
SSC2502-16-16	1	1	154.63

MALE BRANCH TEE

STAINLESS STEEL




Part #	Tube Size 1&2	Pipe Thread Size 3	List Price
SSC2601-2-2	1/8	1/8	52.88
SSC2601-4-2	1/4	1/8	50.39
SSC2601-4-4	1/4	1/4	60.86
SSC2601-6-4	3/8	1/4	64.36
SSC2601-6-6	3/8	3/8	69.12
SSC2601-8-8	1/2	1/2	104.54

HYDRAULIC ADAPTERS

FEMALE BRANCH TEE


STAINLESS STEEL



Part #	Tube Size 1+2	Female Pipe Size 3	List Price
SSC2602-4-4	1/4	1/4	70.84
SSC2602-12-12	3/4	3/4	204.67

* Additional Sizes Available

UNION TEE



STAINLESS STEEL

Part #	Tube Size	List Price
SSC2603-2-2	1/8	52.88
SSC2603-4-4	1/4	101.55
SSC2603-6-6	3/8	64.36
SSC2603-8-8	1/2	169.55
SSC2603-12-12	3/4	146.44
SSC2603-16-16	1	313.79

O-RING ELBOW CONNECTOR

SAE 080220




C5BU-SS

STAINLESS STEEL

Part #	Tube Size 1	O-Ring Thread Size 2	List Price
SSC6801-4-4	1/4	7/16-20	63.85
SSC6801-6-6	3/8	9/16-18	63.86
SSC6801-8-8	1/2	3/4-16	97.28
SSC6801-12-12	3/4	1-1/16-12	166.90
SSC6801-16-16	1	1-5/16-12	243.36

MALE O-RING BRANCH TEE



STAINLESS STEEL

Part #	Tube Size 1 & 2	O-Ring Thread Size 3	List Price
SSC6803-4-4	1/4	7/16-20	91.57
SSC6803-6-6	3/8	9/16-18	91.57
SSC6803-8-8	1/2	3/4-16	159.41
SSC6803-12-12	3/4	1-1/16-12	199.27

HYDRAULIC ADAPTERS

QUICK DISCONNECT



- Brass Body
- Steel Wing Nut
- Buna-Seal (-40° to +250°F)

Aeroquip 5100
Parker 6100
Snaptite B78



- Bonded Face Seal
- External ORing Alleviates Full Connection

Part #	Body Size	Female NPT	Max PSI	List Price
61-150	3/4	1/2	3000	80.39
61-152	3/4	3/4	3000	69.52
61-153	1	1	3000	66.31
61-154	1-1/4	1-1/4	2750	98.74
61-155	1-1/2	1-1/2	2500	164.67

Part #	Body Size	Female NPT	Max PSI	List Price
61-050	3/4	1/2	3000	58.55
61-052	3/4	3/4	3000	66.30
61-053	1	1	3000	69.53
61-054	1-1/4	1-1/4	2750	98.74
61-055	1-1/2	1-1/2	2500	151.28

FEATURES - ISO A and ISO B

- Poppet valves to prevent uncoupled leakage
- Critical parts are induction hardened for durability
- Dependable ball-locking mechanism holds the mating halves together
- Socket and plug are precision machined from solid barstock
- Standard nitrile seals temp range -40°F to +250°F

ISO 7241-1 ISO-A Interchange (Connected)				
Body Size	Steel Coupler/ Plug			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
3/4"	4,000	275	14,800	1,000
1"	4,000	275	12,400	850

INTERCHANGE DATA:

- Parker 6600, Aeroquip/ Eaton FD56, Dixon 'K' Series.
- Hansen HA 15000, Safeway S56

ISO 7241-1 Series B ISO-B Interchange (Connected)								
Body Size	Steel Coupler/ Plug				Brass Coupler/ Plug			
	Max. Working		Burst		Max. Working		Burst	
	PSI	Bar	PSI	Bar	PSI	Bar	PSI	Bar
1/4"	5,000	345	22,500	1,550	3,000	200	15,000	1,000
3/8"	4,000	275	16,500	1,150	2,500	175	12,000	800
1/2"	4,000	275	16,000	1,100	2,500	175	11,500	750
3/4"	4,000	275	16,500	1,150	2,000	150	12,000	800
1"	4,000	275	16,000	1,100	1,500	100	8,500	800

INTERCHANGE DATA:

- Parker 60 Series, Snap-tite 72 series, Dixon 'H' series
- Hansen HK - series, Aeroquip/ Eaton FDH5

Suffix 'B' = Brass Material



ISO-A FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
ANV-14-F	1/4"	1/4"	10.43
ANV-38-F	3/8"	3/8"	11.75
ANV-12-F	1/2"	1/2"	15.81
ANV-34-F	3/4"	3/4"	33.06
ANV-1-F	1"	1"	42.86



ISO-A FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
ANV-14-M	1/4"	1/4"	4.69
ANV-38-M	3/8"	3/8"	6.38
ANV-12-M	1/2"	1/2"	7.34
ANV-34-M	3/4"	3/4"	10.95
ANV-1-M	1"	1"	18.65



ISO-B FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
HNV-14-F	1/4"	1/4"	11.46
HNV-14-F-B	1/4"	1/4"	19.05
HNV-38-F	3/8"	3/8"	12.00
HNV-38-F-B	3/8"	3/8"	26.00
HNV-12-F	1/2"	1/2"	17.39
HNV-12-F-B	1/2"	1/2"	34.77
HNV-34-F	3/4"	3/4"	28.00
HNV-34-F-B	3/4"	3/4"	62.00
HNV-1-F	1"	1"	44.73
HNV-1-F-B	1"	1"	93.25



ISO-B FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
HNV-14-M	1/4"	1/4"	5.27
HNV-14-M-B	1/4"	1/4"	9.01
HNV-38-M	3/8"	3/8"	6.64
HNV-38-M-B	3/8"	3/8"	13.33
HNV-12-M	1/2"	1/2"	7.81
HNV-12-M-B	1/2"	1/2"	22.61
HNV-34-M	3/4"	3/4"	13.75
HNV-34-M-B	3/4"	3/4"	26.71
HNV-1-M	1"	1"	23.63
HNV-1-M-B	1"	1"	40.95

QUICK DISCONNECT

HYDRAULIC ADAPTERS

FEATURES

- Steel construction, zinc plated trivalent finish. Hardened Nipples and sleeves and solid barstock construction for maximum resistance to damage from hydraulic and mechanical shock.
- This Anti-Blowout Nitrile/ PTFE bonded seal is designed to prevent blow out or damage during severe service conditions.
- Durable ball-locking mechanism assures reliable connection everytime.
- Temp Range -65° to +250°

ISO 16028

Body Size	FLUSH FACE			
	Steel Coupler/ Plug Coupled			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	5,000	345	18,270	1,200
3/8"	4,000	275	18,270	1,200
1/2"	4,000	275	16,500	1,100
5/8"	4,000	275	14,800	1,000
3/4"	4,000	275	12,400	850
1"	3,000	200	12,600	850

FF Series
HTMC
74C



FF Series
HTMN
74N



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
FF-14-F	1/4"	1/4"	46.21
FF-38-F	3/8"	3/8"	55.87
FF-12-F	3/8"	1/2"	71.00
FF-34-F	1/2"	3/4"	122.00
FF-1-F	3/4"	1"	169.27

FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
FF-14-M	1/4"	1/4"	32.02
FF-38-M	3/8"	3/8"	31.00
FF-12-M	3/8"	1/2"	25.00
FF-34-M	1/2"	3/4"	69.90
FF-1-M	3/4"	1"	101.20



FLAT FACE THREAD LOCK - VEP QUICK COUPLING

APPLICATIONS

- Widely used in public equipment
- Portable construction equipment.
- Hydraulic tools
- Vehicles

SPECIFICATIONS

Body Size (in)	1/2(12)	3/4(34)	1(1)	1-1/2(24)
Rated Pressure (PSI)	7000	7000	6000	5000
Rated Flow (GPM)	12	50	88	152
Temperature Range	-20°C +120°C			
Standard seal material is NBR				

Test Fluid-Oil = 200 SUS

FEATURES



- New valve design provides better resistance from high flow and the pressure of impulse, thus providing advanced performance.
- Special nipple design for connecting under pressure, allows connection and disconnection with high residual pressures.
- The LSQ-VEP series employs a threaded sleeve locking mechanism, mates with matching male threads on the coupler.
- New plating treatment provides advanced anti-rust performance.
- LSQ-VEP series couplings employ flush valving when connecting or disconnecting, therefore only a small amount of fluid can be lost during disconnecting or air inclusion during reconnection.
- The Anti-Blowout bonded seal is designed to prevent blow-out or damage during severe service conditions.
- Machined form solid steel barstock for durability. Compatible with most other VEP series.

FEMALE COUPLER

Part #	LS	D	A	NPT	List Price
LSQ-VEP-12-SF	4.09	1.13	0.67	1/2	168.37
LSQ-VEP-34-SF	4.49	2.13	0.79	3/4	218.97
LSQ-VEP-1-SF	5.28	2.33	0.83	1	277.48
LSQ-VEP-20-SF	5.71	2.72	0.83	1-1/4	320.85
LSQ-VEP-24-SF	7.41	3.63	0.83	1-1/2	682.91

FEMALE PLUG

Part #	LS	D	A	NPT	List Price
LSQ-VEP-12-PF	4.09	1.13	0.67	1/2	168.37
LSQ-VEP-34-PF	4.49	2.13	0.79	3/4	197.30
LSQ-VEP-1-PF	5.28	2.33	0.83	1	227.63
LSQ-VEP-20-PF	5.71	2.72	0.83	1-1/4	320.85
LSQ-VEP-24-PF	7.41	3.63	0.83	1-1/2	652.73



HYDRAULIC

HYDRAULIC ADAPTERS

QUICK DISCONNECT

AG - Series Agricultural Interchange (Connected)

Nominal Size	Steel Coupler/ Plug			
	Maximum Working		Burst	
	PSI	Bar	PSI	Bar
1/4"	4,000	275	21,000	1,500
3/8"	4,000	275	23,100	1,600
1/2"	4,000	275	16,500	1,100
3/4"	3,000	200	10,300	700
1"	3,000	200	13,000	900

Snap-Tite 60 Series



FEMALE PIPE COUPLER

Part #	Body Size	NPT	List Price
NV-14-F	1/4"	1/4"	10.43
NV-38-F	3/8"	3/8"	11.75
NV-12-F	1/2"	1/2"	32.14
NV-34-F	3/4"	3/4"	76.52
NV-1-F	1"	1"	102.95

FEMALE PIPE PLUG

Part #	Body Size	NPT	List Price
NV-14-M	1/4"	1/4"	11.48
NV-38-M	3/8"	3/8"	13.91
NV-12-M	1/2"	1/2"	14.62
NV-34-M	3/4"	3/4"	37.57
NV-1-M	1"	1"	60.88

FEATURES



- Heavy duty heat treated poppet: valves are standard with rugged, specially-designed seals made of nitrite for leak-free performance in the toughest application.
- High-strength steel valve guides designed for high flow rates and made extra tough for agricultural service.
- Dependable hardened chrome alloy steel locking balls. Heat treated plugs and sleeves.
- Standard seals temp range -40°F to +250°F

THREAD LOCK HYDRAULIC QUICK COUPLING

NEW

APPLICATIONS

- Thread lock couplings with their threaded union locking system and precision ball-type check valves are designed for extreme high pressure applications such as portable hydraulic jacks.
- **Ball Type.**



SPECIFICATIONS

Body Size	1/4(14)	3/8(38)
Rated Pressure	10.000	
Rated Flow (GPM)	3	6
Temperature Range	-20°C +120°C	
Standard seal material is NBR		

MALE COUPLER

Part #	LS	D	Hex	A	NPT	List Price
KZE-B-14-SM	2.40	1.14	0.87	0.55	1/4	22.60
KZE-B-38-SM	2.91	1.38	0.98	0.57	3/8	23.74

FEMALE COUPLER

Part #	LS	D	Hex	A	NPT	List Price
KZE-B-14-PF	1.30	0.44	0.75	0.51	1/4	10.74
KZE-B-38-PF	1.38	0.63	1.26	0.55	3/8	11.34

HYDRAULIC QUICK DISCONNECT DUST CAPS AND PLUGS



ISO-A INTERCHANGE COUPLER DUST PLUG

Part #	Body Size	Material	Weight Lb	List Price
ANV14PLUG	1/4"	Elastomer	0.02	4.20
ANV38PLUG	3/8"	Elastomer	0.03	4.22
ANV12PLUG	1/2"	Elastomer	0.06	3.82
ANV34PLUG	3/4"	Elastomer	0.09	6.57
ANV1PLUG	1"	Elastomer	0.08	9.29



ISO-B INTERCHANGE COUPLER DUST PLUG

Part #	Body Size	Material	Weight Lb	List Price
HNV14PLUG	1/4"	Santoprene	0.02	4.20
HNV38PLUG	3/8"	Santoprene	0.03	4.22
HNV12PLUG	1/2"	Santoprene	0.06	3.82
HNV34PLUG	3/4"	Santoprene	0.09	7.39
HNV1PLUG	1"	Santoprene	0.08	9.29



ISO-A INTERCHANGE NIPPLE DUST CAP

Part #	Body Size	Material	Weight Lb	List Price
ANV14CAP	1/4"	Elastomer	0.03	4.20
ANV38CAP	3/8"	Elastomer	0.04	4.22
ANV12CAP	1/2"	Elastomer	0.08	3.82
ANV34CAP	3/4"	Elastomer	0.09	6.57
ANV1CAP	1"	Elastomer	0.10	9.29



ISO-B INTERCHANGE NIPPLE DUST CAP

Part #	Body Size	Material	Weight Lb	List Price
HNV14CAP	1/4"	Santoprene	0.03	4.20
HNV38CAP	3/8"	Santoprene	0.04	4.22
HNV12CAP	1/2"	Santoprene	0.08	3.82
HNV34CAP	3/4"	Santoprene	0.09	7.39
HNV1CAP	1"	Santoprene	0.10	9.29

**FULL PORT
Two-Way**



BKH

Part Number	Thread	Working Pressure	List Price
GE2-14-NPT	1/4" NPT	7250 PSI	53.81
GE2-38-NPT	3/8" NPT	7250 PSI	52.65
GE2-12-NPT	1/2" NPT	7250 PSI	66.95
GE2-34-NPT	3/4" NPT	5800 PSI	128.15
GE2-1-NPT	1" NPT	5075 PSI	160.20
GE2-114T-NPT*	1-1/4" NPT	5000 PSI	188.10
GE2-112T-NPT*	1-1/2" NPT	5000 PSI	188.10
GE2-2T-NPT	2" NPT	5000 PSI	428.57

Part Number	Thread	Working Pressure	List Price
GE2-04-SAE	7/16-20 UNF	7250 PSI	53.80
GE2-06-SAE	9/16-18 UNF	7250 PSI	54.82
GE2-08-SAE	3/4-16 UNF	7250 PSI	75.53
GE2-12-SAE	1-1/16-12 UNF	5800 PSI	115.52
GE2-16-SAE	1-5/16-12 UNF	5000 PSI	145.31
GB2-20T-SAE	1-5/8-12 UNF	5000 PSI	251.32
GB2-24T-SAE	1-7/8-12 UNF	5000 PSI	309.52
GB2-32T-SAE	2-1/2-12 UNF	5000 PSI	575.20

* Reduced Port

Construction: Steel Body, Ball, Stem
Zinc Chromate Plate
Buna "O" Rings (Viton on request)
Delrin Ball Seats

Temp Rating = -22° - 212°F

**FULL PORT
Three-Way**



BK3

Part Number	Thread	Working Pressure	List Price
GE3L-14-NPT	1/4" NPT	5880 PSI	142.86
GE3L-38-NPT	3/8" NPT	5880 PSI	108.84
GE3L-12-NPT	1/2" NPT	5145 PSI	116.10
GE3L-34-NPT	3/4" NPT	5145 PSI	167.62
GE3L-1-NPT	1" NPT	5145 PSI	203.17
GE3L-114T-NPT	1 1/4" NPT	4500 PSI	1073.92
GE3L-112T-NPT	1 1/2" NPT	4500 PSI	1362.36
GE3L-2T-NPT	2" NPT	4500 PSI	1456.69

Part Number	Thread	Working Pressure	List Price
GE3L-04-SAE	7/16-20 UNF	5880 PSI	177.72
GE3L-06-SAE	9/16-18 UNF	5880 PSI	185.79
GE3L-08-SAE	3/4-16 UNF	5145 PSI	222.15
GE3L-12-SAE	1-1/16-12 UNF	5145 PSI	179.95
GE3L-16-SAE	1-5/16-12 UNF	5145 PSI	214.06
GB3L-20T-SAE	1-5/8-12 UNF	4500 PSI	1654.09
GB3L-24T-SAE	1-7/8-12 UNF	4500 PSI	1630.00
GB3L-32T-SAE	2-1/2-12 UNF	4500 PSI	2054.00

Construction: Steel Body, Ball, Stem
Zinc Chromate Plate
Buna "O" Rings (Viton on request)
Delrin Ball Seats

Temp Rating = -22° - 212°F

Also Available in Stainless Steel



MM-FC SERIES FLOW CONTROL VALVES

FEATURES:


- Micrometer adjustment knob for accurate valve setting.
- Rugged construction.

TECHNICAL DATA:

• Materials

Body: Carbon steel w/ black oxide plating
 Handle: Zinc Alloy
 Set Screw: Steel
 Packing: Buna O-Ring/ PTFE stem packing

Maximum Pressure: 5000PSI
 Temperature Ratings: -4°F to 176°F (-20°C to 80°C)
 Flow Rate: 0-42 GPM



Part#	B	D1	D2	D3	H1	H2	H3	L1	L2	WEIGHT (lbs)	List Price
MMFC4NPT	1.10	0.76	1.18	1/4 NPT	0.55	2.41	2.67	1.54	2.52	0.90	65.09
MMFC6NPT	1.10	0.76	1.18	3/8 NPT	0.55	2.41	2.67	1.69	2.75	0.90	58.96
MMFC8NPT	1.50	0.95	1.46	1/2 NPT	0.75	3.07	3.41	2.05	3.27	2.00	65.99
MMFC12NPT	1.50	0.95	1.46	3/4 NPT	0.75	3.08	3.41	2.19	3.50	2.00	76.19
MMFC16NPT	1.89	1.38	1.89	1 NPT	0.94	4.03	4.50	2.79	4.60	4.20	143.52
MMFC20NPT	2.38	1.96	2.28	1-1/4 NPT	1.18	5.25	5.88	3.39	6.07	9.55	249.44

MM-NV SERIES NEEDLE VALVES

FEATURES:


- Micrometer adjustment knob for accurate valve setting.
- Rugged construction.

TECHNICAL DATA:

• Materials

Body: Carbon steel w/ black oxide plating
 Handle: Zinc Alloy
 Set Screw: Steel
 Packing: Buna O-Ring/ PTFE stem packing

Maximum Pressure: 5000PSI
 Temperature Ratings: -4°F to 176°F (-20°C to 80°C)
 Flow Rate: 0-42 GPM



Part#	B	D1	D2	D3	H1	H2	H3	L1	L2	WEIGHT (lbs)	List Price
MMNV4NPT	1.10	0.76	1.18	1/4 NPT	0.55	2.41	2.67	1.07	2.13	0.90	54.88
MMNV6NPT	1.10	0.76	1.18	3/8 NPT	0.55	2.41	2.67	1.07	2.13	0.90	72.22
MMNV8NPT	1.50	0.95	1.46	1/2 NPT	0.75	3.07	3.41	1.34	2.38	2.00	83.06
MMNV12NPT	1.50	0.95	1.46	3/4 NPT	0.75	3.08	3.41	1.54	3.09	2.00	73.70
MMNV16NPT	1.89	1.38	1.89	1 NPT	0.94	4.03	4.50	1.81	3.62	4.20	117.24




PRESSURE COMPENSATING VARIABLE FLOW CONTROL

FEATURES:

MFC-51 model is a full range pressure compensating variable flow control. It is designed so that the orifice area varies as the lever is rotated. The outlet flow is smooth and constant regardless of the pressure on the control flow or excess flow ports. An adjustable ball spring relief allows for pressure compensated flow up to the pressure setting on the relief. Relief valves are preset at 1500 PSI and field adjustable from 750 to 3000 PSI.

- Materials: Cast Iron Body, Heat Treated Compensator Spool, Stainless Steel Rotary Spool, Buna N "O" Rings (Standard)

- **ALL ARE STANDARD FLOW CONTROL**
- **ALL HAVE ADJUSTABLE BALL SPRING RELIEF**
- **SAE PORT AVAILABLE. MINIMUM ORDER REQUIRED**



Part#	Size	Flow	List Price
MFC-38-N	3/8" - NPT	0-8 gpm	194.11
MFC-12-N	1/2" - NPT	0-16 gpm	194.11
MFC-34-N	3/4" - NPT	0-30 gpm	194.11

STATES AND THEIR CLAIM TO FAME PART 3

RHODE ISLAND THE NATION'S OLDEST BAR, THE WHITE HORSE TAVERN, OPENED HERE IN 1673.

SOUTH CAROLINASUMTER COUNTY IS HOME TO THE WORLD'S LARGEST GINGKO FARM.

SOUTH DAKOTA IS THE ONLY STATE THAT'S NEVER HAD AN EARTHQUAKE.

TENNESSEE ...NASHVILLE 'S GRAND OLE OPRY IS THE LONGEST RUNNING LIVE RADIO SHOW IN THE WORLD.

TEXASDR. PEPPER WAS INVENTED IN WACO IN 1885. THE HAMBURGER WAS INVENTED IN AR-LINGTON IN 1906.

UTAHTHE FIRST KENTUCKY FRIED CHICKEN RESTAURANT OPENED HERE IN 1952.

(Charlynn 101 / Danfoss DH / White HS / Parker ME-MB-TE-TJ / -RR-USA HP)

The MMPH series gear set, shaft distribution flow, hydraulic motor is a compact, high efficient, low speed high torque design which can be used in either parallel or series systems.



Part #		MMPH50	MMPH80	MMPH100	MMPH125	MMPH160	MMPH200	MMPH250	MMPH315	MMPH400
List Price		348.39	350.48	362.99	376.55	386.98	395.33	405.76	415.15	449.57
Displacement cm ³ /rev(cu.in/rev)		51.7 (3.15)	77.7 (4.75)	96.2 (5.9)	118 (7.2)	156 (9.5)	190 (11.6)	231 (14.1)	312 (19)	387 (23.6)
Max Speed rpm	Cont.	880	740	590	475	370	295	240	190	150
	Int.	975	825	675	595	465	370	295	235	185
Max Torque NW (in.lbs)	Cont.	81 (717)	129(1140)	161(1425)	202(1790)	245(2170)	286(2530)	360(3185)	406(3575)	435(3850)
	Int.	108(956)	171(1514)	213(1885)	268(2372)	342(3026)	390(3450)	456(4035)	505(4470)	533(4717)
Max performance KW/ (HP)	Cont.	7(9.4)	9.1(12.2)	9(12.1)	9.1(12.2)	8.7(11.65)	8.1(10.85)	8.2(11)	7.2(9.7)	6.1(8.2)
	Int.	8.9(12)	11.8(15.8)	11.9(15.95)	11.8(15.8)	11.9(15.95)	10.9(14.7)	10.1(13.5)	8.6(11.5)	7.2(9.65)
Max Differential Mpa/ (PSI)	Cont.	12.5(1840)	12.5(1840)	12.5(1840)	12.5(1840)	12.5(1840)	11(1625)	11(1625)	11(1625)	10(1450)
	Int.	16.5(2425)	16.5(2425)	16.5(2425)	16.5(2425)	16.5(2425)	16.5(2425)	14(2060)	12.5(1840)	10.5(1540)
Max flow L/min. / (gpm)	Cont.	45(11.85)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)
	Int.	50(13.15)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)
Weight	lb.	5.6	5.7	5.9	6	6.2	6.4	6.6	6.9	7.4

ORDERING INFORMATION

MMPH

50

H2

K

P

MODEL SERIES

FRAME SIZE

**MOUNTING
FLANGE TYPE**

DRIVE SHAFT

PORT SIZE

MMPH (GEROTOR)

(cu.in/rev)

K - 1 Inch Woodruff Key

P - 1/2 NPTF

MMRS (GEROTOR)

MMPH

MMRS

H4 - 4 Bolt

S - SAE - 6B Spline

S - 7/8-14 SAE "O" Ring

50 (3.15)

50 (3.13)

H2 - SAE "A" 2 Bolt

H - 1 Inch parallel

F - Manifold

80 (4.74)

80 (4.92)

H6 - Magneto

0.40 dia. crosshole

100 (5.87)

100 (6.15)

H1 - 1 Inch parallel

0.31 dia. crosshole

125 (7.19)

125 (7.62)

160 (9.49)

160 (9.59)

200 (11.59)

200 (12.15)

250 (15.25)

250 (15.38)

315 (19.02)

315 (19.2)

400 (23.57)

375 (22.58)

(Charlynn 103 & 158 / Danfoss DS / Parker ME-MB-TE-TJ / RR-USA HR)

The MMRS series advanced gear set, shaft distribution flow, hydraulic motor is a compact, low noise, highly efficient torque low speed design. The gear set also affords a reliable smooth start-up at low pressure. The special design of the drive linkage and high pressure capability of the shaft seal provides a long life and these motors can be used in either series or parallel operation.



Part #		MMRS50	MMRS80	MMRS100	MMRS125	MMRS160	MMRS200	MMRS250	MMRS315	MMRS375
List Price		438.10	455.83	460.00	476.69	492.34	499.64	524.67	528.84	559.09
Displacement cm ³ /rev(cu.in/rev)		51.3 (3.13)	80.6 (4.92)	100.8 (6.15)	124.9 (7.62)	157.2 (9.59)	199.2 (12.15)	252 (15.38)	314.5 (19.2)	370 (22.58)
Max Speed rpm	Rated	755	750	600	475	375	300	240	190	160
	Cont.	970	940	750	600	470	375	300	240	200
Max Torque NW (in.lbs)	Cont.	100(885)	190(1682)	240(2124)	292(2584)	363(3273)	358(3168)	352(3115)	360(3186)	420(3717)
	Int.	126(1115)	220(1947)	280(2478)	340(3010)	430(3806)	448(3965)	470(4159)	470(4159)	548(4850)
Max performance KW/ (HP)	Cont.	7.7(10.3)	15(20.10)	15(20.10)	14(18.75)	14(18.75)	11(14.75)	9(12.10)	7.2(9.7)	6.1(8.2)
	Int.	9.7(13)	17(22.8)	17(22.8)	16(21.45)	16(21.45)	14(18.75)	12(16.10)	9(12.10)	12(16.10)
Max Differential Mpa/ (PSI)	Cont.	14(2061)	17.5(2576)	17.5(2576)	17.5(2576)	16.5(2429)	13(1914)	11(1619)	8.5(1251)	8.5(1251)
	Int.	17.5(2576)	20(2944)	20(2944)	20(2944)	20(2944)	17.5(2576)	14(2061)	11.5(1693)	11.5(1693)
Max flow L/min. / (gpm)	Cont.	40(10.5)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)	60(15.8)
	Int.	50(13.1)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)	75(19.75)
Weight	lb.	6.7	6.9	6.9	7.2	7.5	8.0	8.5	9.0	9.3

MODEL # MGP-F10

- All Aluminium construction.
- 7 Displacement sizes from 0.07 to 0.37 cu. in/rev.
- Mounting flange is SAE AA-2 bolt.
- Ports are SAE-8 inlet and SAE-6 outlet.
- Drive shaft is a 1/2 inch straight shaft with 1/8 key.

Recommended working conditions:


- Filtration 25 micron or better.
- Oil Viscosity 6 to 200 cSt.
- Inlet pressure 12 to 32 psi abs.
- Oil Temperature -25 to 55 degrees C (-12 to 175 F°).
- Ambient -22 to 55 C° (-8 to 130 F°).



Part #	Displacement cu.in/rev	PSI	Speed RPM		Weight Lbs	List Price
			Rated	Max		
MGP-F10-13	0.07	3625	2000	5000	2.02	223.30
MGP-F10-20	0.12	3625	2000	5000	2.31	232.86
MGP-F10-27	0.16	3625	2000	5000	2.68	232.86
MGP-F10-34	0.20	3625	2000	5000	2.99	232.86
MGP-F10-41	0.25	3625	2000	4000	3.34	291.08
MGP-F10-51	0.31	3625	2000	4000	3.78	291.08
MGP-F10-61	0.37	3625	2000	4000	4.18	291.08

- Displacement (cu.in/ rev) x speed (RPM)/ 231 Volumetric efficiency % \geq 93
- GPM X 231/ RPM = CU.IN

INSTALLATION DATA



Part #	A		B	
	Millimeters	Inches	Millimeters	Inches
MGP-F10-13	82	3.23	42	1.65
MGP-F10-20	84	3.3	43	1.69
MGP-F10-27	86	3.39	44	1.73
MGP-F10-34	88	3.46	45	1.77

Part #	A		B	
	Millimeters	Inches	Millimeters	Inches
MGP-F10-41	90	3.54	46	1.81
MGP-F10-51	93	3.66	47.5	1.87
MGP-F10-61	96	3.78	49	1.93

ORDERING INFORMATION

MGP

Aluminum
Gear Pump

F10

High
Pressure
Series

16

Displacement
cm³/rev
(see chart)
13/20/27/34
41/51/61

P

Drive
Shaft
P-1/2 Dia

C

Rotation
Direction
C-Clockwise
A-Counter Clockwise
(viewed from drive shaft
end)

MODEL # MGP-F20

- Aluminium construction.
- 8 Displacement sizes from 0.36 to 1.52 cu. in/rev.
- Mounting flange is SAE A-2 bolt.
- Ports are SAE-12 inlet and SAE-10 outlet.
- Drive shaft is a 5/8 inch diameter straight with 5/32 straight key.



Recommended working conditions:

- Filtration 25 micron or better.
- Oil Viscosity 6 to 200 cSt.
- Inlet pressure 12 to 32 psi abs.
- Oil Temperature -25 to 55 degrees C (-12 to 175 F°).
- Ambient -22 to 55 C° (-8 to 130 F°).



Part #	Displacement cu.in/rev	PSI	Speed RPM		Weight Lbs	List Price
			Rated	Max		
MGP-F20-06	0.36	3650	2000	3000	5.35	291.60
MGP-F20-08	0.48	3650	2000	3600	5.61	291.60
MGP-F20-10	0.61	3650	2000	3600	5.72	291.60
MGP-F20-12	0.73	3650	2000	3600	5.91	291.60
MGP-F20-14	0.85	3650	2000	3600	6.00	308.34
MGP-F20-16	0.97	2900	2000	3600	6.27	308.34
MGP-F20-20	1.22	2900	2000	3600	6.73	308.34
MGP-F20-25	1.52	2900	2000	3600	7.19	277.50

INSTALLATION DATA



Port Sizes
Inlet - SAE-12 (1 1/16-12)
Outlet - SAE-10 (7/8-14)

Part #	A		B	
	Millimeters	Inches	Millimeters	Inches
MGP-F20-06	98	3.87	45	1.77
MGP-F20-08	100	3.95	47	1.85
MGP-F20-10	104	4.12	48	1.89
MGP-F20-12	108	4.25	50	1.97

Part #	A		B	
	Millimeters	Inches	Millimeters	Inches
MGP-F20-14	110	4.35	51	2
MGP-F20-16	114	4.50	52.5	2.07
MGP-F20-20	120	4.72	56	2.2
MGP-F20-25	128	5.05	60	2.36

ORDERING INFORMATION


<u>MGP</u> Aluminum Gear Pump	<u>F20</u> High Pressure Series	<u>16</u> Displacement cm3/rev (see chart) 06/08/10/12/14/16 20/25	<u>P</u> Drive Shaft P-5/8 Dia Straight P1-3/4 Dia Straight S9-Spline 9 tooth	<u>C</u> Rotation Direction C-Clockwise A-Counter Clockwise (viewed from drive shaft end)
--	---	--	---	--

ACCESSORIES

CHECK VALVE

HARD SEAT CARBON STEEL CONSTRUCTION - 5lb or 65lb Cracking Pressure Available

- Available w/ NPT or SAE threads



A (NPT Female both ends)

- Soft Seat available by special quote


Part #	A Size	B Inches	C Inches	Rated Flow gpm	List Price
1000-2-5 or 65	1/4 NPT	2.44	.87	6	38.52
1000-3-5 or 65	3/8 NPT	2.87	1.00	10	40.95
1000-4-5 or 65	1/2 NPT	3.76	1.26	18	60.35
1000-6-5 or 65	3/4 NPT	4.30	1.50	30	77.14
1000-8-5 or 65	1 NPT	5.12	1.69	36	108.75
1000-10-5 or 65	1-1/4 NPT	5.56	2.40	50	281.14
1000-12-5 or 65	1-1/2 NPT	5.56	2.56	60	138.86
1001-4-5 or 65	7/16-20 SAE	2.56	.87	6	32.00
1001-6-5 or 65	9/16-18 SAE	2.91	.94	10	45.45
1001-8-5 or 65	3/4-16 SAE	3.74	1.18	18	55.16
1001-12-5 or 65	1-1/6-12 SAE	4.29	1.50	30	103.84
1001-16-5 or 65	1-5/16-12 SAE	5.00	1.81	36	113.09
1001-20-5 or 65	1-5/8-12 SAE	5.20	2.41	50	235.83
1001-24-5 or 65	1-7/8-12 SAE	5.20	2.56	60	161.96

Rated Pressure: Sizes 2 thru 8 - 5000 psi / Sizes 10 thru 24 - 3000 psi

SAFEGUARD SPIRALS - PROTECTION FOR HYDRAULIC HOSES

- **WHAT IS SPIRAL WRAP:** Spiral wrap is the proven way to protect hose, wire, cable , etc... against chaffing, rubbing, crushing, ultraviolet and other environmental hazards that cause premature failure.
- **COST SAVINGS:** Used effectively on all types of hoses, ropes, wires and cables. Users have realized a dramatic increase in serviceable life and reduction in costly repairs and down time.
- **MATERIAL:** Heavy wall, high Grade HDPE, polyethylene resin, high tensile strength, thermal plastic.
- **RESILIENCE:** Has a high resistance against ultra violet weathering and a wide temperature range. (-60 - + 175°F)

Proprietary extrusion method gives the final product smooth round, edges, which are non-abrasive, greater strength & durability.




Part #		Spiral Size	Pitch (C)	Inches		Coil Wt. lbs.	Coil Lgth feet	List Price
Black	Yellow			OD (A)	ID (B)			
25C100B	25C100Y	1/4" (#4) HYDRAULIC HOSE	0.47	2/3	0.50	4.0	100	227.51
38C100B	38C100Y	3/8" (#6) HYDRAULIC HOSE	0.78	3/4	0.65	6.0	100	243.80
50C100B	50C100Y	1/2" (#8) & 5/8" (#10) HYDRAULIC HOSE	0.98	1	0.80	10.1	100	253.97
75C100B	75C100Y	3/4" (#12) HYDRAULIC HOSE	0.87	1-1/4	1.10	12.8	100	306.88
100C100B	100C100Y	1" (#16) & 1-1/4" (#20) HYDRAULIC HOSE	1.39	1-3/5	1.40	20.1	100	476.20

- * More sizes & colors available.
- * Shipped in 100'FT coils only.

SCREW-ON TYPE AIR BREATHERS



- Chrome Plated Steel
- 1/4 To 1 Inch NPT
- 40 Micron Breather




Part Number	Flow cfm	NPT	A	B	C	D	CH	Micron	List Price
MB40-04	10	1/4	1.85	1.60	.50	.30	.63	40	16.96
MB40-06	10	3/8	1.85	1.70	.50	.30	.75	40	22.68
MB40-08	10	1/2	2.54	1.88	.68	.29	.95	40	23.78
MB40-12	25	3/4	3.13	2.00	.82	.35	1.12	40	27.77
MB40-16	25	1	3.13	2.11	.90	.42	1.35	40	36.11

FILTER FILLER BREATHERS



- Chrome Plated Cap
- 40 Micron Breather
- 3" Basket Length
- Lockable Options
- Plastic Basket Standard



Part Number	A	B	C	D	E	List Price
MFB40-03	2.95	1.97	1.97	1.97	1.90	36.11

PROTECTIVE HOSE COVERINGS



Material: Cordura or Anso-tex bulk nylon fiber yarn. Cordura is a registered trademark of Dupont. Anso-tex is a registered trademark of Allied Fibers.

Thickness: .090" ± .020"
Doubled Flat

Color: Black

Flammability: Passes FMVSS 302 horizontal flame test, MSHA accepted.

Temperature: Maximum ambient temperature 250°F

Packaging: 300ft. rolls. **Only**

Part Number	Flat Width	ID	List Price
MHS-077	1-1/3"	0.79"	328.57
MHS-090	1-1/2"	0.90"	396.83
MHS-100	1-2/3"	1.00"	277.00
MHS-114	1-7/8"	1.06"	380.96
MHS-130	2-1/8"	1.22"	591.00
MHS-138	2-1/4"	1.38"	624.66
MHS-153	2-1/2"	1.42"	503.41
MHS-159	2-5/8"	1.59"	448.22
MHS-175	2-7/8"	1.75"	440.45
MHS-185	3"	1.81"	688.27
MHS-225	3-5/8"	2.19"	727.27
MHS-238	3-7/8"	2.38"	802.73
MHS-264	4-1/4"	2.63"	870.75
MHS-296	4-3/4"	2.88"	978.12
MHS-366	5-7/8"	3.66"	1460.32

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
0304-10	331	10-017LF	170	1010008	294	101-431	257	10-211	53	10-286	56
0304-12	331	10-018	48	1010011	294	101-432	257	10-212	53	10-286B	56
0304-14	331	100-181	256	1010016	294	101-433	257	10-213	53	10-286LF	171
0304-16	331	100-182	256	1010019	294	101-434	257	10-214	53	10-287	56
0304-20	331	100-183	256	1010022	294	101-435	257	10-215	53	10-287B	56
0304-4	331	100-184	256	1010024	294	101-437	257	10-216	53	10-287LF	171
0304-5	331	1001-8-5	388	1010027	294	101-438	257	10-217	53	10-288	56
0304-6	331	100-186	256	10-104	51	101-440	257	10-218	53	10-288LF	171
0304-8	331	100-187	256	10-105	51	101-441	257	10-219	53	10-289	56
0304-C-10	331	100-188	256	10-106	51	101-442	257	10-220	53	10-290	56
0304-C-12	331	100-189	256	10-106L	51	101-443	257	10-221	53	10-290B	56
0304-C-14	331	10-019	48	10-106LF	171	101-444	257	10-222	54	10-291	56
0304-C-16	331	100-190	256	10-107	51	101-445	257	10-223	54	10-291B	56
0304-C-2	331	100-191	256	10-108	51	101-446	257	10-224	54	10-292	56
0304-C-20	331	10-019L	48	10-108L	51	101-447	257	10-225	54	10-293	56
0304-C-24	331	10-019LF	170	10-108LF	171	101-449	257	10-226	54	10-293B	56
0304-C-3	331	10-020	48	10-109	51	101-450	257	10-227	54	10-294	56
0304-C-32	331	10-020L	48	10-109L	51	101-451	257	10-228	54	10-294B	56
0304-C-4	331	10-021	48	10-109LF	171	101-452	257	10-229	54	10-294LF	171
0304-C-5	331	10-022	48	10-110	51	101-453	257	10-230	54	10-295	56
0304-C-6	331	10-023	48	101-100	256	101-454	257	10-231	54	10-295B	56
0304-C-8	331	10-024	48	101-101	256	101-458	257	10-232	54	10-295LF	171
0306-10	337	10-025	48	101-102	256	101-459	257	10-233	54	10-296	56
0306-12	337	100-251	256	101-103	256	101-460	257	10-234	54	10-296LF	171
0306-14	337	100-252	256	101-104	256	101-461	257	10-235	54	10-297	56
0306-16	337	100-253	256	101-105	256	101-462	257	10-236	54	10-298	56
0306-2	337	100-254	256	101-106	256	101-463	257	10-236LF	171	10-298B	56
0306-20	337	100-255	256	101-107	256	101-464	257	10-237	54	10-299	56
0306-24	337	100-256	256	101-108	256	101-465	257	10-237LF	171	10-299B	56
0306-32	337	100-257	256	101-109	256	101-466	257	10-238	54	10-299LF	171
0306-4	337	100-258	256	10-110L	51	101-467	257	10-239	54	10-300	56
0306-5	337	100-259	256	10-110LF	171	101-470	257	10-240	54	10-300B	56
0306-6	337	10-026	48	10-111	51	101-471	257	10-240L	54	10-300LF	171
0306-8	337	100-260	256	101-110	256	101-472	257	10-240LF	171	10-301	56
0318-10	331	100-261	256	101-111	256	101-473	257	10-241	54	10-301LF	171
0318-12	331	10-028	49	10-112	51	101-474	257	10-241L	54	10-302	56
0318-14	331	10-030	49	101-161	256	101-475	257	10-241LF	171	10-302B	56
0318-16	331	10-031	49	101-162	256	101-476	257	10-242	54	10-303	56
0318-2	331	10-032	49	101-163	256	101-477	257	10-242LF	171	10-303B	56
0318-20	331	10-033	49	101-164	256	101-478	257	10-243	54	10-304	56
0318-24	331	10-038	49	101-165	256	101-479	257	10-244	54	10-305	56
0318-3	331	10-039	49	101-166	256	101-480	257	10-245	54	10-306	56
0318-32	331	100-392	256	101-167	256	101-481	257	10-246	54	10-306B	56
0318-4	331	100-393	256	101-168	256	10-157	52	10-247	54	10-307	56
0318-5	331	100-394	256	10-117	52	10-158	52	10-248	54	10-308	56
0318-6	331	100-395	256	10-118	52	10-159	52	10-253	55	10-309	56
0318-8	331	100-396	256	101-180	256	10-159B	52	10-254	55	103-100	225
0319-10	331	100-397	256	101-181	256	10-160	52	10-255	55	103-101	225
0319-12	331	100-398	256	101-182	256	101-600	257	10-255L	55	103-102	225
0319-14	331	10-040	49	101-183	256	101-601	257	10-255LF	171	103-103	225
0319-16	331	10-041	49	101-184	256	101-602	257	10-256	55	103-104	225
0319-2	331	10-041LF	170	101-185	256	101-603	257	10-256L	55	103-105	225
0319-20	331	10-042	49	101-186	256	101-604	257	10-256LF	171	103-106	225
0319-24	331	10-042LF	170	101-187	256	101-605	257	10256WC	51	103-107	225
0319-3	331	10-043	49	101-188	256	101-606	257	10-256WC	185	103-108	225
0319-32	331	10-044	49	101-189	256	101-607	257	10-257	55	10-311	56
0319-4	331	10-045	49	10-119	52	101-608	257	10-258	55	10-312	57
0319-5	331	10-046	49	101-190	256	101-609	257	10-258LF	171	10-313	57
0319-6	331	10-047	49	10-120	52	10-161	52	10-259	55	10-313B	57
0319-8	331	10-048	49	10-121	52	101-610	257	10-259L	55	10-314	57
10-001	48	10-049	49	10-122	52	101-611	257	10-260	55	10-315	57
1000-10-5	388	10-051	49	10-123	52	10-162	52	10-260L	55	10-316	57
1000-12-5	388	10-052	49	101-250	256	10-163	52	10-261	55	103-160	225
10-002	48	10-053	49	101-251	256	10-164	52	10-262	55	103-161	225
1000-2-5	388	10-054	49	101-252	256	10-165	52	10-262LF	171	103-162	225
10-003	48	10-055	49	101-253	256	10-170	52	10-263	55	103-163	225
1000-3-5	388	10-056	49	101-254	256	10-171	52	10-263L	55	103-164	225
10-004	48	10-058	49	101-255	256	10-172	52	10-263LF	171	103-165	225
1000-4-5	388	10-063	50	101-256	256	10-173	52	10-264	55	103-166	225
10-005	48	10-064	50	101-257	256	10-174	52	10-264L	55	103-167	225
10-006	48	10-065	50	101-258	256	10-175	52	10-264LF	171	10-317	57
1000-6-5	388	10-066	50	101-259	256	10-176	52	10-265	55	10-318	57
10-007	48	10-067	50	101-260	256	101-770	257	10-265L	55	103-180	225
10-008	48	10-068	50	101-261	256	101-771	257	10-265LF	171	103-181	225
1000-8-5	388	10-069	50	10-133	51	101-772	257	10-266	55	103-182	225
100-100	256	10-074	50	10-135	60	101-773	257	10-267	55	103-183	225
100-101	256	10-075	50	10-136	60	101-774	257	10-268	55	103-184	225
100-102	256	10-075LF	171	10-137	60	101-775	257	10-268L	55	103-185	225
100-103	256	10-076	50	101-390	257	101-776	257	10-268LF	171	103-186	225
100-104	256	10-077	50	101-391	257	101-777	257	10-269	55	103-187	225
100-105	256	10-077LF	171	101-392	257	101-778	257	10-269L	55	103-188	225
100-106	256	10-078	50	101-393	257	101-779	257	10-269LF	171	103-189	225
100-107	256	10-078LF	171	101-394	257	10-178	52	10-270	55	10-319	57
100-108	256	10-079	50	101-395	257	101-780	257	10-270LF	171	103-190	225
100-109	256	10-079LF	171	101-396	257	101-781	257	10-271	55	10-319B	57
100-110	256	10-080	50	101-397	257	10-179	52	10-272	55	10-320	57
100-111	256	10-081	50	101-398	257	10-180	52	10-272L	55	10-321	57
1001-12-5	388	10-084	50	101-399	257	10-181	52	10-273	55	10-322	57
1001-16-5	388	10-085	50	101-400	257	10-182	52	10-273L	55	10-323	57
1001-20-5	388	10-086	50	101-401	257	10-187	52	10-274	55	10-324	57
1001-24-5	388	10-087	50	101-410	257	10-188	52	10-275	55	10-325	57
10-013	48	10-088	50	101-411	257	10-189	52	10-276	55	103-250	225
10-014	48	10-089	50	101-412	257	10-197	52	10-276LF	171	103-251	225
1001-4-5	388	10-090	50	101-413	257	10-203	53	10-277	55	103-252	225
10-015	48	10-094	51	101-414	257	10-204	53	10-278	55	103-253	225
10-015L	48	10-095	51	101-415	257	10-204B	53	10-279	55	103-254	225
10-015LF	170	10-097	51	101-416	257	10-205	53	10-280	55	103-255	225
10-016	48	10-098	51	101-417	257	10-206	53	10-283	56	103-256	225
1001-6-5	388	10-099	51	101-418	257	10-207	53	10-283B	56	103-257	225
10-017	48	100C100B	388	101-419	257	10-208	53	10-284	56	103-258	225
100-179	256	10-100	51	101-420	257	10-209	53	10-284B	56	10-326	57
10-017L</											

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
10-328	57	103-774	226	1050033	293	105-603	226	107-550	255	12-101	67
10-329	57	103-775	226	105-100	225	105-604	226	107-630	255	12-102	67
10-330	57	103-776	226	105-101	225	105-605	226	107-631	255	12-103	67
10-331	57	103-777	226	105-102	225	105-606	226	107-632	255	12-110	67
10-333	57	103-778	226	105-103	225	105-607	226	107-633	255	12-111	67
10-340	57	103-779	226	105-104	225	105-608	226	107-634	255	12-112	67
103-410	226	103-780	226	105-105	225	105-609	226	107-635	255	12-118	67
103-411	226	103-781	226	105-106	225	105-610	226	107-636	255	12-119	67
103-412	226	10-382	58	105-107	225	105-650	227	107-637	255	12-120	67
103-413	226	10-383	58	105-108	225	105-651	227	107-638	255	12-121	67
103-414	226	10-404	58	105-109	225	105-652	227	107-639	255	12-127	68
103-415	226	10-405	58	105-110	225	105-653	227	107-640	255	12-129	68
103-416	226	10-406	58	105-180	225	105-654	227	107-641	255	12-130	68
103-417	226	10-407	58	105-181	225	105-655	227	107-670	255	12-144	68
103-418	226	10-408	58	105-182	225	105-656	227	107-671	255	12-145	68
103-419	226	10-409	58	105-183	225	105-657	227	107-672	255	12-146	68
103-420	226	10-410	58	105-184	225	105-658	227	107-673	255	12-147	68
103-421	226	10-411	58	105-185	225	105-770	226	107-674	255	12-148	68
10-343	57	10-412	58	105-186	225	105-771	226	107-675	255	12-149	68
103-434	226	10-416	58	105-187	225	105-772	226	107-676	255	12-150	68
103-435	226	10-419	58	105-188	225	105-773	226	107-677	255	12-151	68
103-437	226	10-421	58	105-189	225	105-774	226	107-678	255	12-200	68
103-438	226	10-429	59	105-190	225	105-775	226	107-679	255	12-202	68
10-344	57	10-430	59	105-250	225	105-776	226	107-680	255	12-210	69
103-440	226	10-431	59	105-251	225	105-777	226	12-000	64	12-212	69
103-441	226	10-432	59	105-252	225	105-778	226	12-001	64	12-214	69
103-442	226	10-434	59	105-253	225	105-779	226	12-002	64	12-216	69
103-443	226	10-440	60	105-254	225	105-780	226	12-003	64	12-218	69
103-444	226	10-441	60	105-255	225	10-602	61	12-004	64	12-220	69
103-445	226	10-442	60	105-256	225	10-611	61	12-005	64	12-222	69
103-446	226	10-443	60	105-257	225	10-615	61	12-006	64	12-224	69
103-447	226	10-444	60	105-258	225	107-000	252	12-007	64	12-230	69
103-448	226	10-448	59	105-259	225	107-001	252	12-008	64	12-250	69
103-449	226	10-448B	59	105-260	225	107-002	252	12-009	64	12-252	69
10-345	57	10-449	59	105-410	226	107-003	252	12-010	64	12-254	69
103-450	226	10-450	59	105-411	226	107-004	252	12-011	64	12-256	69
103-451	226	10-451	59	105-412	226	107-005	252	12-012	64	12-257	69
103-452	226	10-452	59	105-413	226	107-006	252	12-013	64	12-310	69
103-453	226	10-452B	59	105-414	226	107-007	252	12-014	64	12-326	70
103-454	226	10-453	59	105-415	226	107-009	252	12-015	64	12-327	70
103-458	226	10-454	59	105-416	226	107-011	252	12-016	64	12-328	70
10-347	57	10-455	59	105-417	226	107-012	252	12-017	64	12-333	70
103-470	227	10-455B	59	105-418	226	107-013	252	12-022	65	12-335	70
103-471	227	10-456	59	105-419	226	107-014	252	12-023	65	12-337	70
103-472	227	10-457	59	105-420	226	107-040	252	12-024	65	12-339	70
103-473	227	10-458	59	105-434	226	107-041	252	12-025	65	12-341	70
103-474	227	10-459	59	105-435	226	107-042	252	12-026	65	12-343	70
103-475	227	10-460	59	105-437	226	107-043	252	12-027	65	1404-12-12	327
103-477	227	10-461	60	105-438	226	107-044	252	12-032	65	1404-12-16	327
10-348	57	10-462	60	105-440	226	107-045	252	12-033	65	1404-12-6	327
10-350	57	10-463	60	105-441	226	107-046	252	12-034	65	1404-12-8	327
103-504	227	10-464	60	105-442	226	107-047	252	12-035	65	1404-16-12	327
103-505	227	10-467	60	105-443	226	107-049	252	12-036	65	1404-16-16	327
103-508	227	10-468	60	105-444	226	107-051	252	12-038	65	1404-16-20	327
103-509	227	10-469	60	105-445	226	107-052	252	12-040	65	1404-20-16	327
10-351	57	10-470	60	105-446	226	107-053	252	12-041	65	1404-20-20	327
103-511	227	10-471	60	105-447	226	107-054	252	12-042	65	1404-2-2	327
103-512	227	10-473	60	105-448	226	107-060	251	12-043	65	1404-2-4	327
103-513	227	10-481	61	105-449	226	107-061	251	12-044	65	1404-24-24	327
103-515	227	10-482	61	105-450	226	107-062	251	12-045	65	1404-32-32	327
103-516	227	10-483	61	105-451	226	107-063	251	12-046	65	1404-4-2	327
103-517	227	10-483LF	171	105-452	226	107-064	251	12-047	65	1404-4-4	327
103-518	227	10-484	61	105-453	226	107-065	251	12-048	65	1404-4-6	327
10-352	57	10-484LF	171	105-454	226	107-066	251	12-049	65	1404-4-8	327
103-520	227	10-485	61	105-458	226	107-067	251	12-050	65	1404-6-4	327
103-521	227	10-485LF	171	105-470	227	107-069	251	12-051	65	1404-6-6	327
103-522	227	10-486	61	105-471	227	107-071	251	12-052	65	1404-6-8	327
103-523	227	10-487	61	105-472	227	107-072	251	12-054	66	1404-8-12	327
103-524	227	10-488	61	105-473	227	107-073	251	12-056	66	1404-8-4	327
103-526	227	10-489	61	105-474	227	107-074	251	12-057	66	1404-8-6	327
103-527	227	10-493	61	105-475	227	107-500	255	12-058	66	1404-8-8	327
103-528	227	10-494	61	105-476	227	107-501	255	12-059	66	1405-12-12	327
103-529	227	10-495	60	105-477	227	107-502	255	12-060	66	1405-16-12	327
10-353	57	10-500	60	105-478	227	107-503	255	12-061	66	1405-16-16	327
103-530	227	1050000	293	105-479	227	107-504	255	12-062	66	1405-20-20	327
103-531	227	1050001	293	105-480	227	107-505	255	12-063	66	1405-2-2	327
10-354	57	1050002	293	105-500	227	107-508	255	12-064	66	1405-2-4	327
10-355	57	1050003	293	105-502	227	107-509	255	12-065	66	1405-24-24	327
10-355LF	171	1050006	293	105-504	227	107-510	255	12-066	66	1405-32-32	327
10-357	57	1050007	293	105-505	227	107-511	255	12-067	66	1405-4-2	327
10-359	57	1050008	293	105-508	227	107-512	255	12-068	66	1405-4-4	327
10-360	57	1050009	293	105-509	227	107-513	255	12-069	66	1405-4-6	327
103-600	226	1050010	293	105-511	227	107-515	255	12-072	66	1405-6-4	327
103-601	226	1050011	293	105-512	227	107-516	255	12-073	66	1405-6-6	327
103-602	226	1050012	293	105-513	227	107-517	255	12-074	66	1405-6-8	327
103-603	226	1050013	293	105-515	227	107-518	255	12-075	66	1405-8-4	327
103-604	226	1050014	293	105-516	227	107-521	255	12-076	66	1405-8-6	327
103-605	226	1050015	293	105-517	227	107-522	255	12-077	66	1405-8-8	327
103-606	226	1050016	293	105-518	227	107-523	255	12-079	66	1410083	294
103-607	226	1050017	293	105-521	227	107-524	255	12-080	66	1410118	294
103-608	226	1050018	293	105-522	227	107-527	255	12-081	66	1501-12-12	328
103-609	226	1050020	293	105-523	227	107-528	255	12-085	66	1501-12-16	328
10-361	57	1050021	293	105-524	227	107-529	255	12-086	66	1501-12-6	328
103-610	226	1050023	293	105-525	227	107-530	255	12-087	66	1501-12-8	328
10-373	58	1050025	293	105-527	227	107-531	255	12-088	66	1501-16-12	328
10-374	58	1050026	293	105-528	227	107-532	255	12-089	66	1501-16-16	328
10-375	58	1050027	293	105-529	227	107-533	255	12-090	66	1501-16-20	328
10-376	58	1050028	293	105-530	227	107-534	255	12-091	67	1501-16-8	328
103-770	226	1050029	293	105-531	227	107-535	255	12-092	67	1501-20-12	328
103-771	226	1050030	293	105-600	226	107-537					

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
1501-2-2	328	1602-2-2	329	17-189	276	18-055	74	18-147LF	172	18-223	81
1501-2-4	328	1602-4-4	329	17-190	276	18-056	74	18-148	79	18-224	81
1501-24-20	328	1602-6-4	329	17-193	276	18-057	74	18-148LF	172	18-224B	81
1501-24-24	328	1602-6-6	329	17-194	276	18-062	76	18-149	79	18-224LF	173
1501-32-32	328	1602-8-6	329	17-195	276	18-063	76	18-150	79	18-225	81
1501-4-2	328	1602-8-8	329	17-224	276	18-064	76	18-152	79	18-225B	81
1501-4-4	328	1603-12-12	329	17-225	276	18-064LF	76	18-153	79	18-225LF	173
1501-4-6	328	1603-16-16	329	17-226	276	18-065	76	18-153LF	79	18-226	81
1501-6-4	328	1603-20-20	329	17-229	276	18-066	76	18-153LF	172	18-226LF	173
1501-6-6	328	1603-4-4	329	17-233	276	18-066	76	18-154	79	18-227	81
1501-6-8	328	1603-6-6	329	17-234	276	18-066LF	76	18-154L	79	18-228	81
1501-8-12	328	1603-8-8	329	17-237	276	18-066LF	172	18-154LF	172	18-228B	81
1501-8-4	328	16-090	75	17-238	276	18-067	76	18-155	79	18-229	81
1501-8-6	328	16-117	85	17-254	276	18-068	76	18-155LF	172	18-229B	81
1501-8-8	328	16-118	85	17-258	276	18-068L	76	18-156	79	18-230	81
1502-12-12	328	16-119	85	17-259	276	18-068LF	172	18-157	79	18-231	81
1502-12-16	328	16-121	85	17-262	276	18-069	76	18-158	79	18-232	81
1502-12-8	328	16-122	85	17-263	276	18-069L	76	18-158L	79	18-232B	81
1502-16-12	328	16-123	85	17-291	276	18-069LF	172	18-158LF	172	18-232LF	173
1502-16-16	328	16-127	85	17-292	276	18-070	76	18-159	79	18-233	81
1502-20-20	328	16-128	85	17-296	276	18-071	76	18-159L	79	18-233B	81
1502-2-2	328	16-129	85	17-297	276	18-071L	76	18-159LF	172	18-233LF	173
1502-2-4	328	16-130	85	17-299	276	18-071LF	172	18-160	79	18-234	81
1502-24-24	328	16700001	294	18-001	73	18-076	76	18-161	79	18-234B	81
1502-32-32	328	16700004	294	1800-12-12	357	18-077	76	18-162	79	18-234LF	173
1502-4-4	328	16700007	294	1800-12-16	357	18-078	76	18-162L	79	18-235	81
1502-4-6	328	16700010	294	1800-16-16	357	18-079	76	18-162LF	172	18-235B	81
1502-6-4	328	16700012	294	1800-16-20	357	18-079LF	172	18-163	79	18-235LF	173
1502-6-6	328	16700013	294	18-002	73	18-080	76	18-163LF	172	18-236	81
1502-6-8	328	16700016	294	1800-20-16	357	18-081	76	18-164	79	18-237	81
1502-8-4	328	16700017	294	1800-20-20	357	18-081LF	172	18-165	79	18-237B	81
1502-8-6	328	16700022	294	1800-20-24	357	18-082	76	18-166	79	18-237LF	173
1502-8-8	328	16700024	294	1800-24-24	357	18-082LF	172	18-166LF	172	18-238	81
1503-12-12	328	1700-12-12	357	18-002LF	171	18-083	76	18-167	79	18-238B	81
1503-12-16	328	1700-12-16	357	18-003	73	18-083LF	172	18-171	78	18-238LF	173
1503-12-8	328	1700-16-16	357	1800-32-32	357	18-084	76	18-171LF	173	18-239	81
1503-16-12	328	1700-16-20	357	18-003LF	171	18-088	76	18-175	80	18-240	81
1503-16-16	328	1700-16-24	357	18-004	73	18-090	76	18-176	80	18-241	81
1503-16-20	328	1700-20-16	357	18-004LF	171	18-092	77	18-177	80	18-241B	81
1503-20-16	328	1700-20-20	357	18-005	73	18-094	77	18-178	80	18-241LF	173
1503-20-20	328	1700-20-32	357	18-005LF	171	18-096	77	18-179	80	18-242	81
1503-2-2	328	1700-24-24	357	18-006	73	18-097	76	18-179L	80	18-243	81
1503-24-24	328	1700-32-32	357	18-007	73	18-099	76	18-179LF	173	18-245	81
1503-32-32	328	1700-40-40	357	18-007LF	171	18-100	76	18-180	80	18-246	81
1503-4-4	328	1700-8-12	357	18-008	73	18-101	77	18-180L	80	18-247	81
1503-4-6	328	1700-8-8	357	1800-8-8	357	18-101B	77	18-180LF	173	18-248	81
1503-6-4	328	1703-12-12	357	18-008LF	171	18-102	77	18-181	80	18-250	83
1503-6-6	328	1703-12-16	357	18-009	73	18-102B	77	18-181LF	173	18-251	83
1503-6-8	328	1703-16-16	357	18-010	73	18-103	77	18-182	80	18-252	83
1503-8-12	328	1703-16-20	357	18-010LF	171	18-103B	77	18-182LF	173	18-253	83
1503-8-4	328	1703-20-16	357	18-015	73	18-103LF	172	18-183	80	18-253B	83
1503-8-6	328	1703-20-20	357	18-016	73	18-104	77	18-184	80	18-254	83
1503-8-8	328	1703-20-24	357	18-017	73	18-104B	77	18-184L	80	18-255	83
1504-12-12	329	1703-32-32	357	18-018	73	18-105	77	18-185	80	18-256	83
1504-16-16	329	1703-8-12	357	18-019	73	18-105B	77	18-186	80	18-257	83
1504-20-20	329	1703-8-8	357	18-029	75	18-105LF	172	18-187	80	18-258	83
1504-2-2	329	1704-10-16	357	18-030	75	18-106	77	18-187L	80	18-259	83
1504-24-24	329	1704-12-12	357	1803-12-12	358	18-106B	77	18-188	80	18-260	83
1504-4-4	329	1704-12-16	357	1803-12-16	358	18-106LF	172	18-188L	80	18-261	83
1504-6-4	329	1704-12-20	357	1803-16-16	358	18-107	77	18-188LF	173	18-262	83
1504-6-6	329	1704-16-12	357	1803-16-20	358	18-107LF	172	18-189	80	18-263	83
1504-8-6	329	1704-16-16	357	1803-20-16	358	18-108	77	18-189L	80	18-264	83
1504-8-8	329	1704-16-20	357	1803-20-20	358	18-109	77	18-189LF	173	18-265	83
1510003	294	1704-16-24	357	1803-20-24	358	18-110	77	18-190	80	18-266	83
1510004	294	1704-20-16	357	1803-24-24	358	18-111	77	18-190L	80	18-267	83
1510006	294	1704-20-20	357	18-033	74	18-114	77	18-190LF	173	18-268	83
1510007	294	1704-20-24	357	1803-32-32	358	18-115	77	18-191	80	18-269	83
1510008	294	1704-24-16	357	18-034	74	18-116	77	18-192	80	18-270	83
1510009	294	1704-24-20	357	18-035	74	18-117	77	18-193	80	18-271	83
1510010	294	1704-24-32	357	18-035L	74	18-118	77	18-193L	80	18-272	82
1510011	294	1704-32-32	357	18-035LF	172	18-119	77	18-194	80	18-273	82
1510012	294	1704-8-12	357	18-036	74	18-122B	78	18-194L	80	18-274	82
1510013	294	1704-8-8	357	18-037	74	18-123	78	18-194LF	173	18-275	82
1510014	294	17-064	276	18-037L	74	18-123B	78	18-195	80	18-276	82
1510016	294	17-065	276	18-037LF	172	18-124	78	18-195L	80	18-277	82
1510019	294	17-066	276	18-038	74	18-124B	78	18-195LF	173	18-278	82
1510020	294	17-068	276	18-039	74	18-124LF	172	18-196	80	18-279	82
1510023	294	17-078	276	18-039L	74	18-125	78	18-196LF	173	18-280	82
16-001	85	17-079	276	18-039LF	172	18-125B	78	18-197	80	18-281	82
16-002	85	17-081	276	18-040	74	18-126	78	18-198	80	18-282	82
16-003	85	17-088N	276	18-040L	74	18-126LF	172	18-198LF	173	18-283	82
16-004	85	17-090N	276	18-041	74	18-127	78	18-199	80	18-284	82
16-005	85	17-091N	276	1804-12-12	358	18-127B	78	18-199LF	173	18-290	82
16-010	75	17-103	276	1804-12-16	358	18-127LF	172	18-200	80	18-291	82
1601-12-12	329	17-105	276	1804-16-16	358	18-128	78	18-201	80	18-291B	82
1601-12-8	329	17-106	276	1804-16-20	358	18-128LF	172	18-202	80	18-292	82
1601-16-12	329	17-124	276	18-042	74	18-129	78	18-203	80	18-293	82
1601-16-16	329	17-126	276	1804-20-16	358	18-129LF	172	18-203LF	173	18-294	82
1601-20-20	329	17-127	276	1804-20-20	358	18-130	78	18-204	80	18-295	82
1601-2-2	329	17-145	276	1804-20-24	358	18-135	78	18-205	80	18-296	82
1601-24-24	329	17-146	276	1804-24-24	358	18-136	78	18-208	78	18-296B	82
1601-4-4	329	17-153	276	1804-32-32	358	18-137	78	18-209	78	18-297	82
1601-6-4	329	17-154	276	18-047	75	18-137LF	172	18-210	78	18-298	82
1601-6-6	329	17-158	276	18-047LF	172	18-142	79	18-211	78	18-299	82
1601-8-4	329	17-159	276	18-048	75	18-143	79	18-212	78	18-299B	82
1601-8-6	329	17-176	276	1804-8-8	358	18-144	79	18-213	78	18-300	82
1601-8-8	329	17-179	276	18-048LF	172	18-145	79	18-214	78	18-301	82
1602-12-12	329	17-180	276	18-049	75	18-145L	79	18-215	78	18-302	82
1602-12-8	329	17-181	276	18-049LF	172	18-146	79	18-220	81	1	

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
18-316	84	20-026	98	20-067	99	20-120	102	20-250	92
18-321	84	20-026N	104	20-068	99	20-121C	114	20-251	92
18-322	84	20-026P	278	20-068N	104	20-123N	106	20-252	92
18-323	84	20-027	98	20-068P	278	20-123P	278	20-253	92
18-324	84	20-027P	278	20-069	99	20-124	103	20-256	92
18-325	84	20-028	98	20-069N	104	20-125	103	20-257	92
18-326	84	20-028C	113	20-069P	278	20-125P	278	20-258	92
18-327	84	20-028N	104	20-070	99	20-126	103	20-259	92
18-328	84	20-028P	278	20-070P	278	20-126P	278	20-260	92
18-329	84	20-029	98	20-071	99	20-127	103	20-261	92
18-330	84	20-029C	113	20-072	99	20-127C	114	20-262	92
18-331	84	20-029N	104	20-072N	104	20-127N	106	20-263	92
18-332	84	20-029P	278	20-072P	278	20-127P	278	20-265	92
18-333	84	20-030	98	20-073	99	20-128	103	20-267	92
18-334	84	20-030C	113	20-073N	104	20-128C	114	20-268	92
18-335	84	20-030N	104	20-073P	278	20-128N	106	20-269	92
18-336	84	20-030P	278	20-074	99	20-128P	278	20-270	92
18-338	84	20-031	98	20-075	99	20-129	103	20-271	92
18-339	84	20-031N	104	20-076	100	20-129P	278	20-272	92
1861-12	358	20-031P	278	20-076N	105	20-130	102	20-273	92
1861-16	358	20-032	98	20-077	100	20-132	102	20-274	92
1861-20	358	20-032N	104	20-078	100	20-133	101	20-275	92
1861-24	358	20-034	98	20-079	100	20-134	101	20-276	92
1861-32	358	20-034C	113	20-079N	105	20-142	101	20-277	92
1861-40	358	20-034N	104	20-080	100	20-143	101	20-278	92
1861-8	358	20-035	98	20-080N	105	20-143P	277	20-279	92
1862-12	358	20-035C	113	20-081	100	20-150	100	20-280	92
1862-16	358	20-035N	104	20-081C	113	20-150N	106	20-282	92
1862-20	358	20-035P	278	20-081N	105	20-151	100	20-287	93
1862-24	358	20-036	98	20-082	100	20-151N	106	20-288	93
1862-32	358	20-036C	113	20-082C	113	20-152	100	20-289	93
1862-8	358	20-036N	104	20-082N	105	20-152C	114	20-290	93
1900-12	359	20-036P	278	20-083	100	20-152N	106	20-291	93
1900-16	359	20-037	98	20-083C	113	20-152P	277	20-292	93
1900-20	359	20-037C	113	20-083N	105	20-153	100	20-293	93
1900-24	359	20-037N	104	20-084	100	20-153C	114	20-294	93
1900-32	359	20-038	98	20-084C	113	20-153N	106	20-295	93
1900-40	359	20-038N	104	20-084N	105	20-153P	277	20-296	93
1900-8	359	20-039	99	20-085	100	20-154	100	20-300	93
1901-12	359	20-040	99	20-085C	113	20-154N	106	20-301	93
1901-16	359	20-041	99	20-085N	105	20-154P	277	20-302	93
1901-20	359	20-043	99	20-086	100	20-155	100	20-303	93
1901-24	359	20-044	99	20-086C	113	20-155N	106	20-304	93
1901-32	359	20-045	99	20-086N	105	20-155P	277	20-305	93
1901-40	359	20-046	99	20-087	100	20-156N	106	20-308	93
1901-48	359	20-046N	105	20-087C	113	20-160	102	20-309	93
1901-8	359	20-046P	277	20-087N	105	20-161	102	20-310	93
1902-12	359	20-047	99	20-088	100	20-162	102	20-311	93
1902-16	359	20-047N	105	20-088C	113	20-162C	114	20-312	93
1902-20	359	20-048	99	20-088N	105	20-162N	106	20-313	93
1902-24	359	20-048N	105	20-089	100	20-163	102	20-314	93
1902-32	359	20-049	99	20-089N	105	20-163C	114	20-317	94
1902-8	359	20-049N	105	20-089S	100	20-163N	106	20-318	94
1961-12	358	20-050	99	20-090	100	20-164	102	20-319	94
1961-16	358	20-050N	105	20-090N	105	20-164N	106	20-320	94
1961-20	358	20-050P	277	20-090S	102	20-165	102	20-321	94
1961-24	358	20-051	99	20-091	100	20-165C	114	20-322	94
1961-32	358	20-052	99	20-091N	105	20-165N	106	20-323	94
1961-8	358	20-052P	277	20-091S	100	20-166	102	20-324	94
1962-12	358	20-053	99	20-092	100	20-166N	106	20-327	94
1962-16	358	20-053N	105	20-092N	105	20-167	102	20-328	94
1962-20	358	20-054	99	20-093	101	20-170	103	20-330	92
1962-24	358	20-054C	113	20-094	100	20-171	103	20-333	94
1962-32	358	20-054N	105	20-094N	105	20-172	103	20-334	94
1962-8	358	20-054P	277	20-094S	100	20-174	102	20-337	95
20-000	97	20-055	99	20-095	101	20-174N	106	20-338	95
20-004	97	20-055C	113	20-097	101	20-192	100	20-339	95
20-005	97	20-055N	105	20-098	101	20-200	91	20-344	95
20-006	97	20-055P	277	20-099	101	20-201	90	20-370	94
20-007	97	20-056	99	20-099C	114	20-203	90	20-372	94
20-008	97	20-056C	113	20-100	101	20-204	90	20-380	90
20-009	97	20-056N	105	20-100C	101	20-205	90	20-382	90
20-010	97	20-056P	277	20-101	101	20-206	90	20-384	90
20-011	97	20-057	99	20-102	101	20-206N	110	20-401	95
20-012	98	20-057N	105	20-103	102	20-207	90	20-403	95
20-013	97	20-057P	277	20-103N	106	20-208	90	20-409	95
20-015N	104	20-058	99	20-104	102	20-211	90	20-411	95
20-016N	104	20-058C	113	20-104N	106	20-212	90	20-413	95
20-017	98	20-058N	105	20-105	102	20-213	90	20-417	95
20-017N	104	20-058P	277	20-105C	114	20-214	90	20-419	95
20-018	98	20-059	99	20-105N	106	20-218	91	20-425	96
20-018N	104	20-059C	113	20-106	102	20-219	91	20-427	96
20-018P	277	20-059N	105	20-106C	114	20-220	91	20-435	96
20-019	98	20-059P	277	20-106N	106	20-221	91	20-437	96
20-019C	113	20-060	99	20-107	102	20-222	91	20-439	96
20-019N	104	20-060C	113	20-107C	114	20-223	91	20-445	96
20-019P	277	20-060N	105	20-107N	106	20-227	91	20-451	96
20-020	98	20-061	99	20-108	102	20-228	91	20-453	96
20-020C	113	20-061C	113	20-108C	114	20-229	91	20-455	96
20-020N	104	20-061N	105	20-108N	106	20-230	91	20-457	96
20-020P	277	20-061P	277	20-109	102	20-231	91	20-461	96
20-021	98	20-062	99	20-110	102	20-232	91	20-463	96
20-021C	113	20-062C	113	20-110N	106	20-235	91	20-465	96
20-021N	104	20-062N	105	20-111	102	20-237	91	20-473	156
20-021P	277	20-062P	277	20-111N	106	20-240	91	20-485	156
20-022	98	20-063	99	20-112	102	20-241	91	20-487	156
20-022N	104	20-063C	113	20-113	102	20-242	91	20-487C	114
20-023	99	20-063N	105	20-115	102	20-243	91	20-501	156
20-023N	105	20-063P	277	20-116	102	20-244	91	20-503	156
20-024N	104	20-064	99	20-117	102	20-245	91	20-510	98
20-025	98	20-065	99	20-118	102	20-248	92	20-510N	104
20-025N	104	20-066	99	20-119	102	20-249	92	20-511	98
								20-511N	104
								20-512	98
								20-512N	104
								20-512P	278
								20-513N	104
								20-514N	104
								20-514P	278
								20-522P	278
								20-523P	278
								20-524P	278
								20-525P	278
								20-526P	278
								20-527P	278
								20-528P	278
								20-529P	278
								20-530	99
								20-530N	105
								20-530P	278
								20-531	99
								20-531N	105
								20-531P	277
								20-532	99
								20-532N	105
								20-532P	277
								20-533P	278
								20-535	100
								20-535N	105
								20-538	100
								20-538N	105
								20-539	100
								20-539N	105
								20-551	101
								20-552	101
								20-553	101

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
20-660	115	20-744P	278	21-099	25	2403-LH-8	332	2406-24-16	333	2502-8-12	335
20-660N	110	20-745N	111	21-111	25	2404-10-12	332	2406-24-20	333	2502-8-4	335
20-661	115	20-745P	278	21-113	25	2404-10-16	332	2406-32-24	333	2502-8-6	335
20-661N	110	20-746N	111	21-115	25	2404-10-4	332	2406-6-4	333	2502-8-8	335
20-670	115	20-746P	278	21-117	25	2404-10-8	332	2406-6-8	333	2503-10-12	336
20-670N	109	20-747P	278	21-119	25	2404-12-12	332	2406-8-4	333	2503-10-6	336
20-672	115	20-748N	111	21-121	25	2404-12-16	332	2406-8-6	333	2503-10-8	336
20-672N	109	20-748P	278	21-133	25	2404-12-20	332	2408-10	334	2503-12-12	336
20-673	115	20-749N	111	21-151	25	2404-12-6	332	2408-12	334	2503-12-16	336
20-673N	109	20-750N	111	21-153	25	2404-12-8	332	2408-14	334	2503-12-8	336
20-674	115	20-750P	277	21-155	25	2404-14-12	332	2408-16	334	2503-14-12	336
20-674N	109	20-751N	111	21-159	25	2404-16-12	332	2408-2	334	2503-16-12	336
20-675	115	20-751P	277	21-161	25	2404-16-16	332	2408-20	334	2503-16-16	336
20-676	115	20-752N	111	21-193	25	2404-16-20	332	2408-24	334	2503-16-20	336
20-676N	109	20-752P	277	21-195	25	2404-16-24	332	2408-3	334	2503-20-16	336
20-677	115	20-753N	111	21-197	25	2404-20-12	332	2408-32	334	2503-20-20	336
20-677N	109	20-753P	277	21-207	25	2404-20-16	332	2408-4	334	2503-2-2	336
20-678	115	20-754N	111	2161-12-12	360	2404-20-20	332	2408-5	334	2503-24-24	336
20-678N	109	20-754P	277	2161-16-16	360	2404-20-24	332	2408-6	334	25-033	142
20-679	115	20-755N	111	2161-20-20	360	2404-2-2	332	2408-8	334	2503-3-2	336
20-679N	109	20-755P	277	2161-24-24	360	2404-2-4	332	25-001	142	2503-32-32	336
20-680	115	20-756N	111	2161-32-32	360	2404-24-16	332	2500-10	334	2503-4-2	336
20-680N	109	20-756P	277	2161-8-8	360	2404-24-20	332	2500-10-8	334	2503-4-4	336
20-682	115	20-757N	111	2162-12-12	360	2404-24-24	332	2500-12	334	2503-4-6	336
20-682N	109	20-757P	277	2162-16-16	360	2404-24-32	332	2500-12-8	334	2503-5-2	336
20-683	115	20-758N	111	2162-20-20	360	2404-3-2	332	2500-14	334	2503-5-4	336
20-683N	109	20-758P	277	2162-24-24	360	2404-32-20	332	2500-16	334	2503-6-12	336
20-684	115	20-759N	111	2162-32-32	360	2404-32-24	332	2500-16-12	334	2503-6-2	336
20-684N	109	20-760N	111	2162-8-8	360	2404-32-32	332	2500-20	334	2503-6-4	336
20-685	115	20-760P	278	22-008	74	2404-40-40	332	2500-2-2	334	2503-6-6	336
20-686	115	20-761P	278	22-009	74	2404-4-2	332	2500-24	334	2503-6-8	336
20-686N	109	20-762N	105	22-009A	74	2404-4-4	332	2500-32	334	2503-8-12	336
20-687	115	20-762P	278	22-010	74	2404-4-6	332	2500-4-4	334	2503-8-4	336
20-687N	109	20-763P	278	22-010A	74	2404-4-8	332	2500-5-5	334	2503-8-6	336
20-688	115	20-764P	278	22-010B	74	2404-5-2	332	2500-6	334	2503-8-8	336
20-688N	109	20-776P	279	22-010LF	172	2404-5-4	332	2500-6-4	334	2504-10	336
20-689	115	20-777P	279	22-011	74	2404-5-6	332	2500-8-6	334	2504-12	336
20-689N	109	20-779P	279	22-011A	74	2404-6-12	332	2500-8-8	334	2504-16	336
20-700N	108	20-780	320	22-011LF	172	2404-6-2	332	2501-10-12	334	2504-4	336
20-700P	278	20-801	115	22-012	74	2404-6-4	332	2501-10-6	334	2504-6	336
20-701N	108	20-801N	108	22-012LF	172	2404-6-6	332	2501-10-8	334	2504-8	336
20-701P	278	20-803	115	22-013	74	2404-6-8	332	2501-12-12	334	2505-10-8	336
20-702N	108	20-803N	108	22-013LF	172	2404-8-12	332	2501-12-16	334	2505-12-12	336
20-702P	277	20-805	115	22-014	74	2404-8-16	332	2501-12-6	334	2505-4-4	336
20-703N	108	20-805N	108	22-014LF	172	2404-8-4	332	2501-12-8	334	2505-6-4	336
20-703P	277	20-806	115	22-015	74	2404-8-6	332	2501-16-12	334	2505-8-6	336
20-704N	108	20-807	115	2261-12-12	360	2404-8-8	332	2501-16-16	334	2505-8-8	336
20-704P	277	20-807N	110	2261-16-16	360	2404-L-10-8	333	2501-16-20	334	25-062	142
20-705N	108	20-808	115	2261-20-20	360	2404-L-12-12	333	2501-20-16	334	25-175	142
20-706N	108	20-808N	110	2261-24-24	360	2404-L-16-16	333	2501-20-20	334	25-176	142
20-707N	108	20-809	115	2261-32-32	360	2404-L-4-2	333	2501-20-24	334	25-220	142
20-708N	108	20-809N	109	2261-8-8	360	2404-L-4-4	333	2501-2-2	334	25C100B	388
20-709N	108	20-810	115	2262-12-12	360	2404-L-6-4	333	2501-24-20	334	26-001	75
20-710N	108	20-810N	109	2262-16-16	360	2404-L-6-6	333	2501-24-24	334	26-001	86
20-711N	108	20-811	115	2262-20-20	360	2404-L-8-6	333	2501-32-24	334	26-002	75
20-712N	108	20-811N	109	2262-24-24	360	2404-L-8-8	333	2501-32-32	334	26-002	86
20-713N	108	20-813	115	2262-32-32	360	2405-10-12	333	2501-4-2	334	26-003	75
20-714N	108	20-813N	111	2262-8-8	360	2405-10-6	333	2501-4-4	334	26-003	86
20-715N	108	20-814	115	2361-12-12	360	2405-10-8	333	2501-4-6	334	26-004	75
20-716N	109	20-814N	111	2361-16-16	360	2405-12-12	333	2501-4-8	334	26-004	86
20-717N	109	20-815	115	2361-20-20	360	2405-12-16	333	2501-5-2	334	26-005	75
20-718N	109	20-815N	111	2361-24-24	360	2405-12-8	333	2501-5-6	334	26-005	86
20-719N	109	20-836P	279	2362-12-12	360	2405-14-12	333	2501-6-12	334	26-007	75
20-720N	109	20-837P	279	2362-16-16	360	2405-16-12	333	2501-6-2	334	26-007	86
20-721N	109	20-838P	279	2362-20-20	360	2405-16-16	333	2501-6-4	334	26-008	75
20-722N	109	20-853P	279	2362-24-24	360	2405-16-20	333	2501-6-6	334	26-008	86
20-723N	110	20-854P	279	24-003	75	2405-20-20	333	2501-6-8	334	26-010	87
20-724N	110	20-855P	279	24-004	75	2405-2-2	333	2501-8-12	334	26-011	87
20-724P	278	20-856P	279	24-005	75	2405-24-24	333	2501-8-4	334	2601-10-6	336
20-725N	110	20-857P	279	24-006	75	2405-3-2	333	2501-8-6	334	2601-10-8	336
20-725P	278	20-858P	279	24-007	75	2405-32-32	333	2501-8-8	334	2601-12-12	336
20-726N	110	20-859P	279	2403-10	332	2405-4-2	333	2501-L-10-8	335	2601-12-8	336
20-727N	110	20-860P	279	2403-10-6	332	2405-4-4	333	2501-L-12-12	335	2601-14-12	336
20-728C	114	20-861P	279	2403-10-8	332	2405-5-2	333	2501-L-14-12	335	2601-16-12	336
20-728N	110	20-862P	279	2403-12	332	2405-5-4	333	2501-L-16-16	335	2601-16-16	336
20-729N	110	20-863P	279	2403-12-10	332	2405-6-2	333	2501-L-4-2	335	26-011X	87
20-730N	110	20-864P	279	2403-12-6	332	2405-6-4	333	2501-L-4-4	335	26-012	87
20-730P	278	20-865P	279	2403-12-8	332	2405-6-6	333	2501-L-5-2	335	2601-20-20	336
20-731N	110	20-876P	279	2403-14	332	2405-6-8	333	2501-L-5-4	335	2601-24-24	336
20-731P	278	20-877P	279	2403-16	332	2405-8-12	333	2501-L-6-4	335	26-013	87
20-732N	110	20-878P	279	2403-16-12	332	2405-8-4	333	2501-L-6-6	335	2601-3-2	336
20-732P	278	20-879P	279	2403-2	332	2405-8-6	333	2501-L-8-6	335	26-014	87
20-733N	110	20-880P	279	2403-20	332	2405-8-8	333	2501-L-8-8	335	2601-4-2	336
20-733P	278	20-881P	279	2403-20-16	332	2406-10-4	333	2502-10-6	335	2601-4-4	336
20-734N	110	20-900P	279	2403-24	332	2406-10-6	333	2502-10-8	335	2601-5-2	336
20-734P	278	20-901P	279	2403-24-20	332	2406-10-8	333	2502-12-12	335	2601-5-4	336
20-735N	110	20-904P	279	2403-3	332	2406-12-10	333	2502-12-8	335	2601-6-4	336
20-735P	278	20-905P	279	2403-32	332	2406-12-4	333	2502-14-12	335	2601-6-6	336
20-736N	110	20-944P	278	2403-4	332	2406-12-6	333	2502-16-12	335	2601-8-6	336
20-736P	278	20-993P	278	2403-5	332	2406-12-8	333	2502-16-16	335	2601-8-8	336
20-737N	110	21-003	25	2403-6	332	2406-14-10	333	2502-20-20	335	26-020	87
20-738N	110	21-007	25	2403-6-4	332	2406-14-12	333	2502-24-24	335	26-021	87
20-739N	110	21-009	25	2403-6-5	332	2406-14-6	333	2502-32-32	335	2602-12-12	337
20-740N	110	21-021	25	2403-8	332	2406-14-8	333	2502-4-2	335		

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
2602-8-8	337	26-258	87	27-105	88	28-058	3	28-113	5
26-031	87	26-269	87	27-115	88	28-058LF	3	28-113LF	166
2603-10	337	26-270	87	27-116	88	28-058LF	166	28-114	5
2603-12	337	26-272	87	27-117	88	28-059	3	28-114LF	166
2603-16	337	26-274	87	27-126	88	28-059LF	3	28-115	5
2603-20	337	26-275	87	27-127	88	28-059LF	166	28-115LF	166
2603-2-2	337	26-279	87	27-142	88	28-060	3	28-116	6
2603-24	337	26-280	87	27-145	88	28-060LF	3	28-116LF	166
26-032X	87	26-281	87	27-147	88	28-061	3	28-117	6
2603-32	337	26-291	87	27-148	88	28-061LF	3	28-117LF	166
2603-3-3	337	26-292	87	27-153	88	28-061LF	166	28-118	6
2603-4-4	337	26-293	87	27-158	88	28-062	3	28-118LF	166
2603-5-5	337	26-294	87	27-175	88	28-062LF	3	28-119LF	166
2603-6	337	26-295	87	27-176	88	28-063	3	28-121	6
2603-8	337	26-296	87	27-177	88	28-067	4	28-121LF	166
26-062	86	26-297	87	27-179	88	28-068	4	28-122	6
26-063	86	26-299	87	27-180	88	28-069	4	28-122LF	166
26-064	86	27-001	73	27-187	88	28-070	4	28-123	7
26-065	86	27-001	88	27-188	88	28-075	4	28-124	7
26-066	86	2700-10	337	27-189	88	28-075LF	166	28-125	7
26-068	86	2700-12	337	27-190	88	28-076	4	28-126	7
26-069	86	2700-14	337	27-193	88	28-076LF	166	28-128	6
26-077	86	2700-16	337	27-194	88	28-077	4	28-128LF	166
26-079	86	27-002	73	27-195	88	28-077LF	166	28-129	6
26-082	86	27-002	88	27-196	88	28-078	4	28-129LF	166
26-088	86	2700-20	337	27-208	88	28-078LF	166	28-130	6
26-090	86	2700-2-2	337	27-209	88	28-079	4	28-130LF	166
26-092	86	2700-24	337	27-211	88	28-079LF	166	28-131	7
26-101	86	27-003	73	27-213	88	28-080	4	28-131LF	168
26-102	86	27-003	88	27-220	88	28-080LF	166	28-132	7
26-103	86	2700-32	337	27-221	88	28-084	6	28-132LF	168
26-104	86	2700-4-4	337	27-224	88	28-084LF	167	28-133	7
26-105	86	27-005	73	27-225	88	28-085	6	28-133LF	168
26-106	86	27-005	88	27-226	88	28-085LF	167	28-134	7
26-107	86	2700-5-5	337	27-232	88	28-086	6	28-134LF	168
26-115	86	27-006	73	27-233	88	28-086LF	167	28-135	7
26-123	86	27-006	88	27-234	88	28-087	6	28-135LF	168
26-124	86	2700-6-6	337	27-235	88	28-087LF	167	28-136	7
26-125	86	2700-8	337	27-236	88	28-088	6	28-140	7
26-126	86	2701-10	337	27-237	88	28-088LF	167	28-141	7
26-127	86	2701-12	337	27-238	88	28-089	6	28-142	7
26-128	86	2701-16	337	27-239	88	28-089LF	167	28-143	7
26-142	86	2701-20	337	27-253	88	28-090	6	28-143LF	168
26-143	86	2701-24	337	27-254	88	28-090LF	166	28-144	7
26-144	86	2701-4	337	27-258	88	28-092	6	28-144LF	168
26-145	86	2701-5	337	27-262	88	28-092LF	167	28-145	7
26-146	86	2701-6	337	27-263	88	28-092LF	167	28-145LF	168
26-149	86	2701-8	337	28-001	2	28-092SLF	167	28-146	7
26-150	86	2702-10	338	28-002	2	28-093	6	28-147	7
26-152	86	2702-12	338	28-003	2	28-093LF	167	28-147LF	168
26-153	86	2702-16	338	28-004	2	28-093LF	167	28-148	7
26-154	86	2702-20	338	28-005	2	28-093SLF	167	28-148LF	168
26-155	86	2702-4	338	28-009	2	28-094	6	28-149	7
26-156	86	2702-6	338	28-010	2	28-094LF	167	28-149LF	168
26-157	86	2702-8	338	28-010LF	166	28-094LF	167	28-150	7
26-158	86	2703-10	338	28-011	2	28-094SLF	167	28-150LF	168
26-159	86	2703-12	338	28-011LF	166	28-095	6	28-151	7
26-175	86	2703-16	338	28-012	2	28-095LF	167	28-151LF	168
26-176	86	2703-20	338	28-012LF	166	28-095LF	167	28-152	7
26-177	86	2703-4	338	28-013	2	28-095SLF	167	28-152LF	168
26-178	86	2703-6	338	28-013LF	166	28-096	6	28-153	7
26-179	86	2703-8	338	28-014	2	28-096LF	167	28-154	7
26-180	86	2704-10	338	28-015	2	28-096LF	167	28-155	7
26-180L	86	2704-12	338	28-016	2	28-096SLF	167	28-156	4
26-181	86	2704-16	338	28-017	2	28-097	6	28-156S	4
26-182	86	2704-4	338	28-018	2	28-097LF	167	28-157	4
26-183	86	2704-6	338	28-019	2	28-097LF	167	28-157S	4
26-184	86	2704-8	338	28-020	2	28-097SLF	167	28-158	4
26-187	86	2705-10-8	338	28-021	2	28-098LF	167	28-159	4
26-188	86	2705-12-12	338	28-023	2	28-098LF	167	28-160	4
26-189	86	2705-16-16	338	28-024	2	28-098SLF	167	28-165	5
26-190	86	2705-20-20	338	28-025	2	28-099LF	167	28-165LF	166
26-193	86	2705-24-24	338	28-026	2	28-099LF	167	28-166	5
26-194	86	2705-4-2	338	28-027	2	28-099SLF	167	28-166LF	166
26-195	86	2705-4-4	338	28-028	2	28-102	5	28-167	5
26-196	86	2705-5-2	338	28-029	3	28-102L	5	28-167LF	166
26-197	86	2705-6-4	338	28-030	3	28-102LF	166	28-168	5
26-198	86	2705-6-6	338	28-031	3	28-103	5	28-168LF	166
26-220	87	2705-8-6	338	28-032	3	28-103LF	166	28-169	5
26-221	87	2705-8-8	338	28-032LF	166	28-104	5	28-174	6
26-221B	87	2706-10-8	338	28-033	2	28-104L	5	28-175	6
26-223	87	2706-12-12	338	28-033LF	166	28-104LF	166	28-176	6
26-224	87	2706-16-16	338	28-034	2	28-105	5	28-180	6
26-224B	87	27-062	88	28-034LF	166	28-105L	5	28-180	4
26-225	87	2706-20-20	338	28-035	2	28-105LF	166	28-181	4
26-226	87	2706-24-24	338	28-035LF	166	28-106	5	28-181L	4
26-228	87	27-063	88	28-036	2	28-106LF	166	28-182	4
26-229	87	27-064	88	28-036LF	166	28-106LF	166	28-183	4
26-230	87	2706-4-2	338	28-037	3	28-107	5	28-183L	4
26-232	87	2706-4-4	338	28-038	3	28-107L	5	28-184	4
26-233	87	27-066	88	28-039	3	28-107LF	166	28-184L	4
26-234	87	2706-6-4	338	28-041	3	28-108	5	28-185	4
26-235	87	2706-6-6	338	28-042	3	28-108LF	166	28-185LF	166
26-236	87	27-068	88	28-043	3	28-109L	5	28-188	4
26-237	87	2706-8-6	338	28-044	3	28-109LF	166	28-189	4
26-238	87	2706-8-8	338	28-045	3	28-110L	5	28-189LF	166
26-240	87	27-081	88	28-046	3	28-110LF	166	28-190	9
26-241	87	27-092	88	28-048	3	28-111	5	28-190L	9
26-251	87	27-094	88	28-049	3	28-111L	5	28-191	9
26-252	87	27-096	88	28-050	3	28-111LF	166	28-191LF	9
26-253	87	27-102	88	28-051	3	28-112	5	28-191LF	168
26-254	87	27-103	88	28-052	3	28-112LF	166	28-192	9
28-192L	9								
28-192LF	168								
28-193	9								
28-193L	9								
28-194	9								
28-194L	9								
28-195	9								
28-195L	9								
28-196	9								
28-196LF	168								
28-198	9								
28-199	9								
28-201	6								
28-201LF	167								
28-201S	7								
28-201SLF	167								
28-202	6								
28-202LF	167								
28-202S	7								
28-202SLF	167								
28-203	6								
28-203S	7								
28-203SLF	167								
28-204	6								
28-204S	7								
28-204SLF	167								
28-205	6								
28-205S	7								
28-205SLF	167								
28-206	6								
28-206S	7								
28-206SLF	167								
28-207	9								
28-208	9								
28-209	9								
28-209LF	168								
28-211	8								
28-211L	8								
28-211LF	168								
28-212	8								
28-212L	8								
28-212LF	168								
28-213	8								

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
28-291	11	28-440	145	28-587	311	28-633W	272	28-703	62	28-767W	272
28-292	11	28-441	11	28-589	309	28-634	272	28-703	271	28-768	272
28-293	11	28-441	145	28-592	311	28-634P	272	28-703W	271	28-768F	62
28-294	11	28-442	11	28-593	311	28-635	272	28-704	62	28-768W	272
28-295	11	28-442	145	28-594	311	28-635P	272	28-704	271	28-770F	62
28-300	12	28-443	11	28-595	311	28-639	311	28-704P	271	28-772F	62
28-301	12	28-448	318	28-597	311	28-640	272	28-704W	271	28-773F	62
28-301J	13	28-449	318	28-601	271	28-640	311	28-705	62	28-774	272
28-302	12	28-450	318	28-601	311	28-640W	272	28-705	271	28-774F	62
28-303	12	28-451	318	28-601B	271	28-641	272	28-705W	271	28-774P	272
28-304	12	28-452	318	28-601P	271	28-641W	272	28-706	62	28-774W	272
28-304J	13	28-453	318	28-601W	271	28-642	272	28-706	271	28-775	272
28-306	13	28-454	318	28-602	271	28-642W	272	28-706W	271	28-775P	272
28-307	13	28-455	318	28-602B	271	28-643	272	28-707	62	28-775W	272
28-308	13	28-456	318	28-602P	271	28-643W	272	28-707	271	28-776	272
28-309	13	28-457	318	28-602W	271	28-651	311	28-707W	271	28-776P	272
28-310	13	28-458	318	28-603	271	28-652	311	28-708	62	28-776W	272
28-311	12	28-459	318	28-603	311	28-659	271	28-708	271	28-777	272
28-312	13	28-460	318	28-603B	271	28-659P	271	28-708P	271	28-777F	62
28-313	12	28-461	318	28-603P	271	28-659W	271	28-708W	271	28-777P	272
28-315	12	28-462	318	28-603W	271	28-660	271	28-709	62	28-777W	272
28-317	12	28-463	318	28-604	271	28-660P	271	28-709	271	28-778	272
28-317J	13	28-464	318	28-604B	271	28-660W	271	28-709P	271	28-778F	62
28-318	12	28-465	318	28-604W	271	28-661	271	28-710	62	28-778P	272
28-319	12	28-466	318	28-605	271	28-661P	271	28-711	62	28-778W	272
28-321	12	28-467	318	28-605	313	28-661W	271	28-712	62	28-779	272
28-321J	13	28-468	318	28-605B	271	28-663	271	28-713	62	28-779P	272
28-322	12	28-469	318	28-605W	271	28-663P	271	28-714	62	28-780F	62
28-325	12	28-470	318	28-606	271	28-663W	271	28-715	62	28-781F	62
28-328	11	28-471	318	28-606	313	28-664	271	28-716	62	28-783F	62
28-328	145	28-472	318	28-606W	271	28-664P	271	28-717	62	28-784F	62
28-329	11	28-473	318	28-607	271	28-664W	271	28-718	62	28-786F	62
28-329	145	28-474	318	28-607	313	28-665	271	28-720	271	28-797	62
28-330	11	28-475	7	28-607W	271	28-665	311	28-720W	271	28-800	116
28-330	145	28-476LF	168	28-608	271	28-665W	271	28-721	271	28-800	272
28-331	11	28-480LF	168	28-608	313	28-666	271	28-721W	271	28-800P	272
28-332	11	28-481	7	28-608W	271	28-666	311	28-722F	62	28-801	116
28-332	145	28-482LF	168	28-609	271	28-666P	271	28-723	271	28-801	272
28-333	11	28-485LF	168	28-609W	271	28-666W	271	28-723P	271	28-801P	272
28-333	145	28-486LF	168	28-610	271	28-667	271	28-723W	271	28-802	116
28-335	11	28-487	7	28-610P	271	28-667	311	28-724	271	28-802	272
28-335	145	28-488LF	168	28-611	272	28-667W	271	28-724F	62	28-802P	272
28-336	11	28-489LF	168	28-611B	272	28-668	271	28-724W	271	28-803	116
28-336	145	28-490LF	168	28-611W	272	28-668	311	28-725	271	28-803	272
28-337	11	28-491LF	168	28-612	272	28-668P	271	28-725W	271	28-803P	272
28-338	11	28-492LF	168	28-612B	272	28-668W	271	28-726	271	28-803W	272
28-338	145	28-493	7	28-612P	272	28-669	311	28-726W	271	28-804	116
28-339	11	28-497	7	28-612W	272	28-670	311	28-728F	62	28-804	272
28-339	145	28-498	7	28-613	272	28-671	271	28-729F	62	28-804P	272
28-340	11	28-499	7	28-613B	272	28-671	311	28-731F	62	28-805	116
28-340	145	28-500	312	28-613P	272	28-671P	271	28-733F	62	28-805	272
28-345	13	28-501	312	28-613W	272	28-671W	271	28-734F	62	28-805P	272
28-346	12	28-502	312	28-614	272	28-672	271	28-736F	62	28-806	116
28-347	12	28-507	312	28-614B	272	28-672	311	28-738F	62	28-806	272
28-348	12	28-508	312	28-614P	272	28-672P	271	28-740F	62	28-806P	272
28-350	316	28-509	312	28-614W	272	28-672W	271	28-741	271	28-807	116
28-351	316	28-510	312	28-615	272	28-673	311	28-741P	271	28-807	272
28-352	316	28-511	312	28-615P	272	28-674	271	28-741W	271	28-807P	272
28-353	316	28-515	312	28-615W	272	28-674W	271	28-742	271	28-808	116
28-354	316	28-516	312	28-616	272	28-675	271	28-742F	62	28-808	272
28-355	316	28-517	312	28-616W	272	28-675	311	28-742P	271	28-808P	272
28-356	316	28-518	312	28-617	272	28-675W	271	28-743	271	28-809	272
28-357	316	28-520	312	28-617W	272	28-676	311	28-743P	271	28-809P	272
28-358	316	28-521	312	28-618	272	28-677	311	28-743W	271	28-810	116
28-359	316	28-522	312	28-618W	272	28-678	271	28-744	271	28-810	272
28-360	317	28-528	312	28-619	272	28-678P	271	28-744P	271	28-810P	272
28-361	317	28-530	312	28-619	311	28-678W	271	28-744W	271	28-811	116
28-362	317	28-531	312	28-619P	271	28-679	271	28-745	271	28-811	271
28-363	317	28-532	312	28-619W	272	28-679	311	28-745W	271	28-811P	271
28-364	317	28-533	309	28-620	271	28-679W	271	28-746	271	28-812	271
28-365	317	28-534	309	28-620	311	28-680	271	28-746W	271	28-812P	271
28-366	317	28-535	309	28-620W	272	28-680	311	28-747	271	28-812W	271
28-367	317	28-540	309	28-621	272	28-680P	271	28-747W	271	28-813	271
28-368	317	28540S	309	28-621W	272	28-680W	271	28-748	62	28-813P	271
28-369	317	28-541	309	28-622	272	28-681	311	28-748	271	28-813W	271
28-370	317	28541S	309	28-622W	272	28-682	271	28-748P	271	28-814	271
28-371	317	28-545	309	28-623	272	28-682W	271	28-748W	271	28-814P	271
28-372	317	28-546	309	28-623B	272	28-683	271	28-749	62	28-814W	271
28-373	317	28-547	309	28-623W	272	28-683	313	28-749	271	28-815	116
28-374	317	28-552	309	28-624	272	28-683W	271	28-753	62	28-815	271
28-375	317	28552S	309	28-624B	272	28-684	313	28-754	62	28-815P	271
28-376	317	28-553	309	28-624W	272	28-685	271	28-756	62	28-815W	271
28-377	317	28553S	309	28-625	272	28-685	313	28-760F	62	28-816	116
28-378	317	28-557	309	28-625B	272	28-685W	271	28-760P	272	28-816	271
28-379	316	28-558	309	28-625W	272	28-686	313	28-760W	272	28-816P	271
28-380	316	28-559	309	28-626	272	28-687	313	28-761	272	28-816W	271
28-381	316	28-560	309	28-626P	272	28-688	311	28-761P	272	28-817	116
28-382	316	28-561	309	28-627	272	28-690	309	28-761W	272	28-817	271
28-400	107	28-562	309	28-627W	272	28-691	309	28-762	272	28-817P	271
28-401	107	28-562S	309	28-628	272	28-693P	272	28-762F	62	28-818	116
28-402	107	28-564	309	28-628B	272	28-694P	272	28-762P	272	28-818	271
28-403	107	28-564S	309	28-628W	272	28-695P	272	28-762W	272	28-818P	271
28-404	107	28-565	309	28-629	272	28-696P	272	28-763	272	28-818P	271
28-405	107	28-565S	309	28-629P	272	28-697P	272	28-763P	272	28-818W	271
28-415	23	28-566	309	28-630	272	28-698P	272	28-763W	272	28-819	116
28-417	23	28-566S	309	28-630P	272	28-699P	272	28-764	272	28-819	271
28-424	9	28-578	311	28-631	272	28-701	62	28-764P	272	28-819P	271
28-425	9	28-579	309	28-631P	272	28-701	271	28-764W	272	28-819W	271
28-426	9	28-583	311	28-632	272	28-701W	271	28-765	272	28-820	116
28-427	9	28-584	311	28-632P	272	28-702	62	28-765W	272	28-820	271
28-430	5	28-585	311	28-633	272	28-702	271	28-766F	62	28-820P	271
28-440	11	28-586									

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
28-821	116	28-990	308	30-050	40	30-235	31	30-387	29
28-821	271	28-991	308	30-050	85	30-236	31	30-388	29
28-821P	271	28-996	242	30-051	40	30-237	31	30-389	29
28-822	116	28-997	242	30-051	85	30-238	29	30-390	29
28-823	116	28-998	242	30-052	40	30-239	29	30-391	30
28-824	116	28-999	242	30-053	38	30-240	31	30-392	29
28-825	116	29-900	313	30-053LF	170	30-241	31	30-393	30
28-826	116	29-901	313	30-058	38	30-243	31	30-394	30
28-827	116	29-902	313	30-063	38	30-245	31	30-395	30
28-828	116	29-903	313	30-063BE	38	30-246	31	30-396	30
28-829	116	29-904	313	30-063LF	170	30-247	31	30-397	30
28-832	116	29-905	313	30-063S	38	30-249	31	30-398	30
28-833	116	29-906	313	30-064	38	30-250	32	30-399	30
28-835	116	29-907	313	30-066	38	30-251	32	30-400	30
28-836	116	29-908	313	30-067	38	30-252	32	30-401	24
28-837	116	29-909	313	30-068	38	30-253	32	30-402	30
28-838	116	29-910	313	30-073	38	30-254	32	30-406	24
28-840	116	29-911	313	30-073LF	170	30-255	32	30-410	24
28-841	116	29-912	313	30-078	37	30-257	32	30-411	24
28-842	116	29-913	313	30-083	37	30-258	32	30-412	24
28-843	116	29-914	313	30-087	37	30-259	32	30-413	24
28-844	116	30-000	36	30-088	37	30-260	32	30-420	24
28-855	116	300-000	316	30-093	37	30-261	32	30-421	24
28-856	116	300-0004	289	30-093L	37	30-264	32	30-422	29
28-857	116	300-0004	290	30-094	37	30-265	32	30-423	29
28-858	116	300-0006	289	30-098	38	30-266	32	30-424	29
28-860	116	300-0006	290	30-100	38	30-266SS	34	30-426	31
28-861	116	300-0008	289	30-103	39	30-267	32	30-427	31
28-862	116	300-001	316	30-103B	39	30-268	32	30-428	31
28-863	116	300-002	316	30-103LF	170	30-269	32	30-429	32
28-864	116	300-0020	289	30-103P	275	30-269SS	34	30-430	33
28-867	116	300-003	316	30-123	40	30-270	32	30-450	40
28-868	116	300-004	316	30-128	40	30-271	31	30-451	40
28-869	116	300-005	289	30-133	40	30-275	32	30-452	40
28-870	116	300-006	316	30-138	40	30-276	32	30-453	42
28-871	116	300-007	316	30-139	40	30-277	32	30-454	42
28-873	116	300-008	316	30-140	40	30-278	32	30-455	42
28-874	116	30-001	36	30-142	39	30-279	32	30-457	42
28-875	116	300-010	289	30-149	39	30-280	32	30-458	42
28-876	116	300-012	289	30-150	39	30-281	32	30-459	42
28-877	116	300-014	316	30-150B	39	30-282	32	30-461	42
28-878	116	300-015	316	30-150R	39	30-283	32	30-462	42
28-880	117	300-016	289	30-151	39	30-284	32	30-463	42
28-881	117	300-017	316	30-160	45	30-286	32	30-466	42
28-882	117	300-018	316	30-161	44	30-290	31	30-467	42
28-883	117	300-019	316	30-162	44	30-291	31	30-468	42
28-884	117	30-001LF	170	30-163	45	30-292	31	30-471	42
28-885	117	300-020	316	30-180	39	30-293	31	30-472	42
28-886	117	300-021	316	30-180F	39	30-294	31	30-473	42
28-887	117	300-022	316	30-181	37	30-295	22	30-480	33
28-888	117	300-023	316	30-182	37	30-297	31	30-482	33
28-889	117	300-024	316	30-183	37	30-298	31	30-483	33
28-890	117	300-026	316	30-184	37	30-299	31	30-484	33
28-891	117	300-028	316	30-200	29	30-300	30	30-486	33
28-894	117	300-032	316	30-200LF	169	30-300SS	34	30-505	42
28-895	117	300-033	316	30-200SS	34	30-301	30	30-506	42
28-896	117	300-034	316	30-201	29	30-301SS	34	30-507	42
28-897	117	300-035	316	30-201LF	169	30-302	30	30-508	42
28-898	117	300-036	316	30-201SS	34	30-302SS	34	30-510	42
28-899	117	30-006	36	30-202	29	30-303	30	30-511	42
28-900	117	30-011	36	30-203	29	30-304	30	30-512	42
28-901	117	30-011LF	169	30-203LF	169	30-305	30	30-513	42
28-902	117	30-012	36	30-203SS	34	30-306	30	30-516	42
28-905	117	30-016	36	30-204	29	30-310	33	30-517	42
28-906	117	30-017	36	30-204LF	169	30-311	33	30-518	42
28-907	117	30-018	36	30-204SS	34	30-312	33	30-519	42
28-908	117	30-021	38	30-205	29	30-313	33	30-526	44
28-911	117	30-022	38	30-206	29	30-314	33	30-527	44
28-912	117	30-025	41	30-206LF	169	30-315	33	30-530	44
28-917	117	30-026	39	30-206SS	34	30-316	33	30-531	44
28-918	117	30-027	41	30-207	29	30-340	33	30-540	43
28-919	117	30-027SS	41	30-207LF	169	30-341	33	30-541	43
28-920	117	30-028	41	30-207SS	34	30-342	33	30-542	43
28-930	117	30-028SS	41	30-209	29	30-343	33	30-543	43
28-931	117	30-029	41	30-210	29	30-344	33	30-545	43
28-932	117	30-029SS	41	30-210SS	34	30-345	33	30-546	43
28-933	117	30-030	41	30-211	29	30-346	33	30-547	43
28-947	117	30-031	41	30-212	29	30-349	33	30-548	43
28-948	117	30-031LF	170	30-213	29	30-358	29	30-550	43
28-949	117	30-032	41	30-214	29	30-359	29	30-551	43
28-950	117	30-032LF	170	30-215	29	30-360	29	30-552	43
28-955	62	30-032SS	41	30-215SS	34	30-361	29	30-553	43
28-957	62	30-033	41	30-216	29	30-362	29	30-560	43
28-958	62	30-033SS	41	30-217	29	30-363	29	30-561	43
28-959	62	30-034	41	30-219	29	30-366	29	30-562	43
28-960	62	30-034SS	41	30-220	30	30-370	30	30-563	43
28-961	62	30-035	41	30-221	30	30-371	30	30-565	43
28-962	62	30-039	41	30-222	30	30-372	30	30-566	43
28-963	62	30-040	41	30-223	30	30-373	30	30-567	43
28-964	62	30-040LF	170	30-224	30	30-374	30	30-568	43
28-966	62	30-040SS	41	30-225	30	30-375	30	30-570	43
28-969	62	30-041	41	30-226	30	30-376	30	30-571	43
28-970	62	30-041SS	41	30-227	30	30-377	30	30-572	43
28-971	62	30-042	41	30-229	30	30-378	30	30-573	43
28-972	62	30-042SS	41	30-230	31	30-379	30	30-600	46
28-973	62	30-043	41	30-230LF	169	30-380	30	30-609	46
28-974	62	30-044	41	30-230SS	34	30-381	30	30-620	46
28-975	62	30-045	41	30-231	31	30-382	30	30-626	45
28-981	62	30-046	41	30-232	31	30-383	30	30-627	45
28-982	62	30-047	37	30-233	31	30-384	30	30-629	45
28-988	308	30-048	37	30-234	31	30-385	29	30-630	46
28-989	308	30-049	37	30-234SS	34	30-386	29	30-631	44
30-637	46								
30-638	46								
30-640	46								
308-070	301								
31-022	275								
31-030	275								
31-031	275								
31-032	275								
31-033	275								
31-034	275								
31-035	275								
31-038	275								
31-039	275								
31-040	275								
31-041	275								
31-042	275								
31-055	275								
31-058	275								
31-063	275								
31-064	275								
31-067	275								
31-068	275								
31-069	275								
31-093	275								
31-095	275								
31-096	275								
31-097	275								
311-036	290								
320-000	143								
320-000	319								
320-005	143								
320-005	319								
32-001	15								
32-001SS	26								
32-002	15								
320-023	320								
320-027	320								
32-002LF	168								
32-002SS	26								
32-003	15								

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
32-023	15	32-098SS	26	32-346	20	32-462	21	33-005	273	33-041W	273
32-023LF	168	32-099	16	32-349	16	32-463	21	33-005B	273	33-042	273
32-023SS	26	32-100	22	32-350	19	32-465	21	33-005W	273	33-042B	273
32-024	15	32-101	22	32-351	16	32-466	21	33-006	273	33-042W	273
32-024SS	26	32-102	22	32-352	19	32-467	21	33-006B	273	33-043	273
32-025	15	32-103	22	32-353	19	32-470	17	33-006W	273	33-043B	273
32-025SS	26	32-104	22	32-354	18	32-472	17	33-007	273	33-043W	273
32-026	15	32-105	22	32-355	16	32-473	17	33-007B	273	33-044	273
32-027	15	32-105C	22	32-356	16	32-475	17	33-007W	273	33-044B	273
32-028	15	32-106	22	32-357	16	32-476	17	33-008	273	33-044W	273
32-029	15	32-107	22	32-359	21	32-500	301	33-008B	273	33-045	273
32-030	21	32-107C	22	32-360	16	325-0004	290	33-008W	273	33-045B	273
32-031	21	32-109	20	32-361	19	325-004	289	33-009	273	33-045W	273
32-032	21	32-110	20	32-362	21	325-005	289	33-009B	273	33-046	273
32-033	21	32-111	20	32-363	20	325-006	289	33-009W	273	33-046B	273
32-034	21	32-112	20	32-364	21	325-006	290	33-010	273	33-046W	273
32-036	18	32-113	20	32-365	19	325-008	289	33-010W	273	33-047	273
32-036LF	169	32-114	20	32-365LF	169	32-501	301	33-011	273	33-047B	273
32-038	18	32-115	20	32-366	19	325-010	289	33-011W	273	33-047W	273
32-038B	19	32-116	20	32-367	19	325-012	289	33-012	273	33-048	273
32-038SS	26	32-117	18	32-368	18	325-016	289	33-012	273	33-048	273
32-039	18	32-118	18	32-369	22	32-502	301	33-012B	273	33-048W	273
32-039B	19	32-119	18	32-371	22	325-020	289	33-012W	273	33-049	274
32-039LF	169	32-120	18	32-372	22	32-503	301	33-013	273	33-049P	274
32-039SS	26	32-121	18	32-373	22	32-504	301	33-013B	273	33-052	274
32-040	18	32-122	18	32-375	16	32-506	301	33-013W	273	33-052P	274
32-040LF	169	32-123	18	32-376	16	32-507	301	33-014	273	33-052W	274
32-041	18	32-124	18	32-377	145	32-508	301	33-014	273	33-053	274
32-041B	19	32-125	18	32-379	16	32-510	301	33-014B	273	33-053B	274
32-041LF	169	32-126	19	32-380	16	32-517	301	33-014W	273	33-053W	274
32-041SS	26	32-126LF	169	32-381	145	32-521	301	33-015	273	33-054	274
32-042	18	32-128	19	32-382	145	32-526	301	33-015	273	33-054P	274
32-042B	19	32-129	18	32-383	145	32-533	301	33-015B	273	33-054W	274
32-042LF	169	32-130	18	32-384	145	32-535	301	33-015W	273	33-057	274
32-042SS	26	32-131	18	32-385	145	32-539	301	33-016	273	33-057P	274
32-043	18	32-132	18	32-386	16	32-543	301	33-016	273	33-057W	274
32-043B	19	32-133	18	32-387	145	32-545	301	33-016B	273	33-058	274
32-043SS	26	32-150	25	32-388	145	32-549	301	33-016W	273	33-058B	274
32-044	18	32-151	25	32-389	21	32-550	301	33-017	273	33-058W	274
32-045	18	32-153	25	32-390	15	32-551	301	33-017	273	33-059	274
32-046	18	32-159	25	32-391	18	32-552	301	33-017B	273	33-059W	274
32-047	18	32-160	25	32-392	21	32-553	301	33-017W	273	33-060	274
32-048	18	32-170	25	32-394	22	32-554	301	33-018	273	33-060W	274
32-049	17	32-171	25	32-397	22	32-555	301	33-018	273	33-061	274
32-050	17	32-182	145	32-400	19	32-556	301	33-018B	273	33-061W	274
32-051	17	32-185	145	32-401	20	32-557	301	33-018W	273	33-062	274
32-052	17	32-186	145	32-402	20	32-558	301	33-019	273	33-062P	274
32-053	17	32-187	145	32-403	20	32-559	301	33-019B	273	33-063	274
32-053LF	169	32-188	145	32-404	20	32-561	301	33-019W	273	33-063W	274
32-054	17	32-189	145	32-405	20	32-562	301	33-020	273	33-064	274
32-055	17	32-190	145	32-406	20	32-563	301	33-020	273	33-064W	274
32-056	17	32-191	145	32-407	20	32-564	301	33-020B	273	33-065	274
32-057	17	32-200	16	32-409	20	32-565	301	33-020W	273	33-065W	274
32-058	17	32-201	16	32-410	20	32-566	301	33-021	273	33-066	274
32-058LF	169	32-202	16	32-411	20	32-567	301	33-021B	273	33-066P	274
32-059	17	32-300	15	32-412	19	32-568	301	33-021W	273	33-066W	274
32-059LF	169	32-301	15	32-413	19	32-570	301	33-022	273	33-067	274
32-060	17	32-302	15	32-414	19	32-571	301	33-022	273	33-067P	274
32-061	17	32-303	15	32-415	19	32-572	301	33-022B	273	33-067W	274
32-061LF	169	32-304	15	32-416	19	32-573	301	33-022W	273	33-068	274
32-062	17	32-305	15	32-417	19	32-574	301	33-023	273	33-068P	274
32-063	17	32-306	15	32-418	19	32-575	301	33-023	273	33-068W	274
32-063LF	169	32-307	15	32-419	19	32-576	301	33-023B	273	33-079	274
32-064	17	32-308	18	32-420	19	32-577	301	33-023W	273	33-079W	274
32-065	17	32-308B	19	32-425	19	32-578	301	33-024	273	33-089	274
32-066	21	32-309	18	32-429	19	32-579	301	33-024	273	33-089W	274
32-067	21	32-310	18	32-433	19	32-580	301	33-024B	273	33-091	274
32-068	21	32-311	18	32-434	19	32-584	301	33-024W	273	33-091B	274
32-069	21	32-311SS	26	32-435	19	32-586	301	33-025	273	33-091W	274
32-070	21	32-312	18	32-436	19	32-588	301	33-025	273	33-092	274
32-071	21	32-313	18	32-437	24	32-590	301	33-025B	273	33-092B	274
32-072	21	32-314	18	32-438	24	32-591	301	33-025W	273	33-092W	274
32-073	21	32-314SS	26	32-439	24	32-592	301	33-026	273	33-093	274
32-074	21	32-315	18	32-440	24	32-596	301	33-026B	273	33-093B	274
32-075	21	32-316	15	32-441	17	32-597	301	33-026W	273	33-093W	274
32-076	21	32-317	17	32-442	17	32-725	23	33-028	273	33-094	274
32-077	21	32-318	17	32-443	17	32-726	23	33-028W	273	33-094W	274
32-078	21	32-319	18	32-444	17	32-727	23	33-029	273	33-095	274
32-079	16	32-320	17	32-445	17	32-728	23	33-029W	273	33-095B	274
32-080	16	32-321	17	32-446	17	32-741	23	33-030	273	33-095P	274
32-081	21	32-322	21	32-447	17	32-742	23	33-030W	273	33-095W	274
32-082	21	32-326	22	32-448	17	32-781	23	33-032	273	33-096	274
32-083	21	32-327	22	32-450	16	32-782	319	33-032W	273	33-096B	274
32-084	21	32-328	22	32-450	116	32-783	319	33-033	273	33-096P	274
32-085	21	32-329	16	32-451	16	32-900	31	33-033W	273	33-096W	274
32-086	21	32-330	18	32-451	116	32-901	31	33-035	273	33-097	274
32-087	16	32-331	16	32-452	16	32-902	31	33-035W	273	33-097B	274
32-088	16	32-332	16	32-452	116	32-903	31	33-036	273	33-097W	274
32-089	16	32-334	22	32-453	16	32-905	31	33-036	273	33-098	274
32-090	16	32-335	22	32-453	116	32-906	31	33-036B	273	33-098B	274
32-091	16	32-336	22	32-454	16	32-907	31	33-036W	273	33-098P	274
32-092	16	32-336C	22	32-454	116	33-000	273	33-038	273	33-098W	274
32-093	16	32-337	22	32-455	16	33-000W	273	33-038B	273	33-099	274
32-093LF	169	32-337C	22	32-455	116	33-002	273	33-038W	273	33-099P	274
32-093SS	26	32-337LF	169	32-456	16	33-002B	273	33-039	273	33-099W	274
32-094	16	32-338	22	32-456	116	33-002W	273	33-039B	273	33-300	274
32-095	16	32-339	22	32-457	16	33-003	273	33-039W	273	33-300P	274
32-095SS	26	32-340	22	32-457	116	33-003B	273	33-040	273	33-301	274
32-096	16	32-341	22	32-458	16	33-003W	273	33-040B	273	33-301P	274
32-096SS	26	32-341C	22	32-458	116	33-004	273	33-040W	273	33-301W	274
32-097	16	32-342	22	32-460	21	33-004B	273	33-041	273	33-302	274
32-098	16	32-345	20	32-461	21	33-004W	273	33-041B	273	33-302P	274

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
33-303	273	33-339P	274	33-417	275	34-222SS	27	35-971	283	38-057	124		
33-303	273	33-339W	274	33-418	275	34-223	27	35-972	283	38-060	124		
33-303W	273	33-340	274	33-419	274	34-223SS	27	35-973	283	38-061	124		
33-306	273	33-340P	274	33-419W	274	34-224	27	35-974	283	38-062	124		
33-306	273	33-340W	274	33-420	275	34-224SS	27	35-975	283	38-063	124		
33-306W	273	33-341	274	33-422	275	34-225	27	35-977	283	38-064	124		
33-307	273	33-341P	274	33-423	275	34-225SS	27	35-980	283	38-065	124		
33-307	273	33-341W	274	33-424	275	34-500	323	35-981	283	38-066	124		
33-307B	273	33-342	274	33-426	275	34-503	323	35-982	283	38-067	124		
33-307W	273	33-342P	274	33-429	275	34-512	323	35-983	283	38-068	124		
33-308	273	33-342W	274	33-430	275	34-513	323	35-984	283	38-072	125		
33-308B	273	33-343	274	33-431	275	34-515	323	35-985	283	38-073	125		
33-309	273	33-343P	274	33-432	275	34-516	323	35-987	283	38-074	125		
33-309B	273	33-343W	274	33-433	275	34-525	323	36-110	118	38-075	125		
33-309W	273	33-344	274	33-434	275	34-529	323	36-110SS	118	38-076	125		
33-310	273	33-344P	274	33-435	275	34-533	323	36-111	118	38-077	125		
33-310B	273	33-344W	274	33-436	275	34-535	323	36-112	118	38-078	125		
33-310W	273	33-345	274	33-437	275	34-543	323	36-113	118	38-079	125		
33-311	273	33-345P	274	33-438	275	34-551	323	36-114	118	38-080	125		
33-311	273	33-345W	274	33-439	275	34-552	323	36-116	118	38-081	125		
33-311B	273	33-346	274	33-440	275	34-562	323	36-116SS	118	38-082	125		
33-311W	273	33-346W	274	33-441	275	34-563	323	36-118	118	38-083	125		
33-312	273	33-347	274	33-442	274	34-579	324	36-120	118	38-084	125		
33-312B	273	33-347W	274	33-442P	274	34-583	324	36-120SS	118	38-085	125		
33-312W	273	33-348	274	33-442W	274	34-584	324	36-121	118	38-086	125		
33-313	273	33-348W	274	33-444	274	34-585	324	36-130	118	38-087	125		
33-313	273	33-349	273	33-444P	274	34-587	324	36-130SS	118	38-088	125		
33-313B	273	33-349	273	33-444W	274	34-588	324	36-132	119	38-090	125		
33-313W	273	33-349W	273	33-448	275	34-589	324	36-140	119	38-091	125		
33-314	273	33-350	274	33-450	275	34-590	324	36-140SS	119	38-092	125		
33-314	273	33-350P	274	33-451	275	34-591	324	36-141	119	38-093	125		
33-314B	273	33-350W	274	33-453	275	34-592	324	36-142	119	38-094	125		
33-314W	273	33-351	273	33-454	275	34-595	324	36-144	119	38-095	125		
33-315	273	33-351	273	33-455	275	34-597	324	36-146	119	38-101	125		
33-315W	273	33-351B	273	33-456	275	34-600	324	36-146SS	119	38-102	125		
33-316	273	33-351W	273	33-460	273	34-610	324	36-147	119	38-103	125		
33-316	273	33-352	273	33-460W	273	34-611	324	36-148	119	38-104	125		
33-316B	273	33-352	273	33-461	273	34-612	324	36-150	119	38-105	125		
33-316W	273	33-352B	273	33-461	273	34-613	324	36-150SS	119	38-106	125		
33-317	273	33-352W	273	33-461W	273	350-004	289	36-152	119	38-107	125		
33-318	273	33-353	274	33-462	273	350-004	290	36-160	120	38-108	125		
33-318	273	33-353W	274	33-462	273	350-004SS	289	36-164	120	38-109	125		
33-318W	273	33-380	273	33-462W	273	350-005	289	36-164SS	120	38-110	125		
33-319	273	33-380W	273	33-463	273	350-005SS	289	36-166	120	38-113	125		
33-319	273	33-381	273	33-463	273	350-006	289	36-166SS	120	38-114	125		
33-319W	273	33-381W	273	33-463W	273	350-006	290	36-168	120	38-115	125		
33-320	273	33-384	273	33-464	273	350-006SS	289	36-170	120	38-116	125		
33-320W	273	33-384B	273	33-464W	273	350-008	289	36-172	120	38-117	125		
33-321	273	33-384W	273	33-467	274	350-008SS	289	36-174	120	38-118	125		
33-321	273	33-385	273	33-467P	274	350-010	289	36-176	120	38-119	125		
33-321P	274	33-385	273	33-467W	274	350-010SS	289	36-178	120	38-120	125		
33-321W	273	33-385B	273	33-468	274	350-012	289	36-180	121	38-124	126		
33-321W	274	33-385W	273	33-468P	274	350-012SS	289	36-182	121	38-125	126		
33-322	273	33-386	273	33-468W	274	350-016	289	36-184	121	38-126	126		
33-322	273	33-386W	273	33-469	274	350-016SS	289	36-186	121	38-127	126		
33-322W	273	33-389	274	33-469P	274	350-020	289	36-188	121	38-128	126		
33-323	273	33-389W	274	33-469W	274	350-020SS	289	36-200	121	38-129	126		
33-323	273	33-390	274	33-470	274	35-132	59	36-205	121	38-132	126		
33-324	273	33-390B	274	33-470P	274	35-134	59	36-210	121	38-133	126		
33-324	273	33-390W	274	33-470W	274	35-910	283	36-212	121	38-134	126		
33-325	274	33-391	274	33-471	274	35-911	283	36-214	121	38-136	126		
33-325P	274	33-391B	274	33-471P	274	35-912	283	36-216	121	38-137	126		
33-325W	274	33-391W	274	33-471W	274	35-913	283	36-220	121	38-138	126		
33-326	274	33-392	274	33-480	274	35-914	283	38-001	123	38-139	126		
33-326P	274	33-392W	274	33-480W	274	35-915	283	38-002	123	38-140	126		
33-326W	274	33-394	274	33-481	274	35-917	283	38-003	123	38-141	126		
33-327	273	33-394B	274	33-481W	274	35-920	283	38-004	123	38-142	126		
33-327	273	33-394W	274	33-482	274	35-921	283	38-005	123	38-143	126		
33-327	273	33-395	274	33-482W	274	35-922	283	38-010	123	38-144	126		
33-327W	273	33-395B	274	34-001	71	35-923	283	38-011	123	38-146	126		
33-328	273	33-395P	274	34-011	71	35-924	283	38-012	123	38-148	126		
33-328	273	33-395W	274	34-012	71	35-925	283	38-013	123	38-149	126		
33-328W	273	33-396	274	34-016	71	35-927	283	38-014	123	38-150	126		
33-329	273	33-396B	274	34-022	71	35-930	283	38-015	134	38-151	126		
33-329	273	33-396P	274	34-031	71	35-931	283	38-016	134	38-152	126		
33-329W	273	33-396W	274	34-041	71	35-932	283	38-019	123	38-153	126		
33-330	273	33-397	274	34-046	71	35-933	283	38-020	123	38-154	126		
33-330	273	33-397W	274	34-051	71	35-934	283	38-021	123	38-155	126		
33-330W	273	33-398	274	34-056	71	35-935	283	38-022	123	38-156	126		
33-331	273	33-398W	274	34-204	27	35-937	283	38-023	123	38-157	126		
33-331	273	33-399	274	34-204SS	27	35-940	283	38-028	123	38-158	126		
33-331W	273	33-399W	274	34-205	27	35-941	283	38-029	123	38-161	128		
33-332	273	33-402	274	34-205SS	27	35-942	283	38-030	123	38-162	128		
33-332	273	33-402W	274	34-206	27	35-943	283	38-035	123	38-163	128		
33-332B	273	33-403	274	34-206SS	27	35-944	283	38-036	123	38-164	128		
33-332W	273	33-403W	274	34-211	27	35-945	283	38-037	123	38-165	128		
33-333	273	33-406	274	34-211SS	27	35-947	283	38-038	123	38-170	128		
33-333	273	33-406B	274	34-212	27	35-950	283	38-039	123	38-171	128		
33-333W	273	33-406W	274	34-212SS	27	35-951	283	38-040	124	38-172	128		
33-334	273	33-407	274	34-213	27	35-952	283	38-041	124	38-173	128		
33-334	273	33-407B	274	34-213SS	27	35-953	283	38-042	124	38-174	128		
33-335	273	33-407W	274	34-214	27	35-954	283	38-043	124	38-179	128		
33-335	273	33-408	274	34-214SS	27	35-955	283	38-044	124	38-180	128		
33-335W	273	33-408B	274	34-215	27	35-957	283	38-045	124	38-181	128		
33-336	273	33-408W	274	34-215SS	27	35-9							

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
38-198	129	38-711	142	40-010	205	40-106	206	4404-8-6	373	444-042	286
38-199	129	38-712	143	40-011	205	40-107	206	4404-8-8	373	444-045	286
38-204	129	38-714	143	4001-10	355	40-108	206	44-100	208	444-047	286
38-205	129	38-716	143	4001-12	355	40-109	206	44-101	208	444-048	286
38-206	129	38-718	142	4001-16	355	40-110	206	44-102	208	444-049	286
38-207	129	38-720	143	40-012	205	40-111	206	44-103	208	444-060	286
38-208	129	38-732	142	4001-20	355	40-112	206	44-104	208	444-061	286
38-209	129	38-761	142	4001-2-2	355	40-113	206	44-105	208	444-062	286
38-210	129	38-769	142	4001-24	355	40-114	206	44-106	208	44-410	211
38-211	129	38-770	142	40-013	205	40-115	206	44-107	208	44-411	211
38-212	129	38-800	145	4001-32	355	40-120	206	44-108	208	444-110	286
38-217	129	38-802	145	4001-3-3	355	40-121	206	44-109	208	444-111	286
38-218	129	38-806	145	40-014	205	40-122	206	44-110	208	444-112	286
38-219	129	38-808	145	4001-4-4	355	40-123	206	44-112	208	444-113	286
38-220	129	38-810	145	40-015	205	40-124	206	44-120	208	44-412	211
38-221	129	38-828	145	4001-5-5	355	40-125	206	44-124	208	44-413	211
38-222	129	38-830	145	40-016	205	40-126	206	44-127	208	44-414	211
38-223	129	38-832	145	4001-6-6	355	40-127	206	44-131	208	44-415	211
38-224	129	38-834	145	40-017	205	40-128	206	44-134	208	44-416	211
38-225	129	38-836	145	4001-8-8	355	40-129	206	44-137	208	44-417	211
38-226	129	38-860	145	40-020	205	40-130	206	44-160	208	44-418	211
38-227	129	38-862	145	40-021	205	40-131	206	44-161	208	44-419	211
38-228	129	38-864	145	40-022	205	40-132	206	44-162	208	44-420	211
38-229	129	38-866	145	40-023	205	40-133	206	44-163	208	44-430	211
38-230	129	38-868	145	40-024	205	40-134	206	44-164	208	44-431	211
38-235	130	38-873	145	40-025	205	40-135	206	44-165	208	44-432	211
38-236	130	38-874	145	40-026	205	40-140	206	44-166	208	44-433	211
38-237	130	38-910	144	40-027	205	40-141	206	44-167	208	44-434	211
38-238	130	38-915	144	40-028	205	40-142	206	44-168	208	44-435	211
38-239	130	38-920	142	40-029	205	40-143	206	44-169	208	44-436	211
38-240	130	38-923	142	40-030	205	40-144	206	44-170	208	44-437	211
38-241	130	38-926	142	40-031	205	40-145	206	44-180	209	44-438	211
38-242	130	38-927	142	40-032	205	40-146	206	44-181	209	44-440	211
38-243	130	38-930	143	40-033	205	40-147	206	44-182	209	44-441	211
38-244	130	38-931	143	40-034	205	40-148	206	44-183	209	44-442	211
38-245	130	38-932	143	40-035	205	40-149	206	44-184	209	44-444	211
38-246	130	38-933	143	40-036	205	40-150	206	44-185	209	44-445	211
38-247	130	38-934	143	40-040	205	40-151	206	44-186	209	44-446	211
38-249	130	38-935	143	40-041	205	40-152	206	44-187	209	44-447	211
38-252	130	38-936	143	4004-12	359	40-153	206	44-188	209	44-448	211
38-253	130	38-937	143	4004-16	359	40-154	206	44-189	209	44-449	211
38-255	130	38-938	143	40-042	205	40-155	206	44-200	209	44-450	211
38-256	130	38-939	143	4004-20	359	40-160	207	44-201	209	44-451	211
38-257	130	38-943	143	4004-24	359	40-161	207	44-202	209	44-452	211
38-259	130	38-944	143	40-043	205	40-162	207	44-203	209	44-453	211
38-264	130	38-945	143	4004-32	359	40-163	207	44-204	209	44-454	211
38-265	130	38-946	143	40-044	205	40-164	207	44-205	209	44-456	211
38-266	130	38-950	142	4004-40	359	40-165	207	44-206	209	44-458	211
38-267	130	38-950	306	4004-48	359	40-166	207	44-207	209	44-461	211
38-269	130	38-952	142	40-045	205	40-167	207	44-208	209	44-462	211
38-278	131	38-952	306	40-046	205	40-168	207	44-250	209	44-463	211
38-279	131	38-952-2	142	40-047	205	40-169	207	44-251	209	44-470	212
38-280	131	38-952-2	306	40-048	205	40-170	207	44-252	209	44-471	212
38-281	131	38-952R	142	4004-8-8	359	40-171	207	44-253	209	44-472	212
38-287	131	38-952R	306	40-049	205	40-172	207	44-254	209	44-473	212
38-288	131	38-952U	142	40-050	205	40-173	207	44-255	209	44-474	212
38-290	131	38-952U	306	40-051	205	40-174	207	44-256	209	44-475	212
38-291	131	38-960	142	40-052	205	40-180	207	44-257	209	44-476	212
38-292	131	38-960	306	40-053	205	40-181	207	44-258	209	44-477	212
38-293	131	38-960B5	142	40-054	205	40-182	207	44-259	209	44-478	212
38-294	131	38-960B5	306	40-055	205	40-183	207	44-260	209	44-480	212
38-300	132	38-960U	142	40-056	205	40-184	207	44-276	210	44-500	213
38-301	132	38-960U	306	40-060	205	40-185	207	44-279	210	44-501	213
38-306	132	38-965	142	40-061	205	40-186	207	44-280	210	44-502	213
38-307	132	38-965	306	40-062	205	40-187	207	44-282	210	44-503	213
38-312	132	38-965B5	142	40-063	205	40-188	207	44-283	210	44-504	213
38-313	132	38-965B5	306	40-064	205	40-189	207	44-286	210	44-505	213
38-318	133	38-965R	142	40-065	205	40-190	207	44-287	210	44-506	213
38-319	133	38-965R	306	40-066	205	40-191	207	44-291	210	44-507	213
38-324	134	38-970	142	40-067	205	40-192	207	44-296	210	44-508	213
38-325	134	38-970	306	40-068	205	40-193	207	44-298	210	44-509	213
38-326	134	38-975	142	40-069	205	40-200	207	44-301	210	44-510	213
38-327	134	38-975	306	40-070	205	40-201	207	44-303	210	44-511	213
38-328	134	38-985	143	40-071	205	40-202	207	44-306	210	44-512	213
38-333	134	38-986	143	40-072	205	40-203	207	44-391	210	44-513	213
38-334	134	38-988	143	40-073	205	40-204	207	44-392	210	44-514	213
38-335	134	38-989	143	40-074	205	40-205	207	44-393	210	44-515	213
38-336	134	38-990	143	40-075	205	40-206	207	44-394	210	44-516	213
38-337	134	38C100B	388	40-076	205	40-207	207	44-395	210	44-517	213
38-342	134	39-096LF	169	40-080	206	40-208	207	44-396	210	44-518	213
38-343	134	40-001	205	40-081	206	40-209	207	44-397	210	44-519	213
38-344	134	4000-10	355	40-082	206	40-210	207	44-398	210	44-520	213
38-345	134	4000-12	355	40-083	206	40-211	207	444-000	286	44-521	213
38-346	134	4000-14	355	40-084	206	40-212	207	444-001	286	44-522	213
38-351	133	4000-16	355	40-085	206	40-213	207	444-002	286	44-523	213
38-352	133	40-002	205	40-086	206	43-200L	180	444-003	286	44-524	213
38-357	133	4000-20	355	40-087	206	43-200T	180	444-004	286	44-527	213
38-358	133	4000-2-2	355	40-088	206	43-204L	180	444-005	286	44-528	213
38-363	133	4000-24	355	40-089	206	43-204T	180	444-006	286	44-529	213
38-364	133	40-003	205	40-090	206	43-206L	180	444-007	286	44-530	213
38-368	133	4000-32	355	40-091	206	4404-10-8	373	444-008	286	44-531	213
38-369	133	4000-3-3	355	40-092	206	4404-12-12	373	444-009	286	44-532	213
38-370	133	40-004	205	40-093	206	4404-16-12	373	444-010	286	44-534	213
38-371	133	4000-4-4	355	40-094	206	4404-16-16	373	444-011	286	44-535	213
38-372	133	40-005	205	40-095	206	4404-20-16	373	444-020	286	44-537	213
38604	306	4000-5-5	355	40-096	206	4404-20-20	373	444-021	286	44-538	213
38605	306	40-006	205	40-100	206	4404-24-24	373	444-023	286	44-539	213
38606	306	4000-6-6	355	40-101	206	4404-4-2	373	444-024	286	44-543	213
38607	306	40-007	205	40-102	206	4404-4-4	373	444-026	286	44-600	212
38-700	144	40-008	205	40-103	206	4404-5-2	373	444-027	286	44-601	212
38-705	144	4000-8-8	355	40-104	206	4404-6-4	373	444-028			

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
44-604	212	44-977	283	46-064	146	46-327	151	46-600	319
44-605	212	44-978	283	46-065	146	46-330	151	46-607	319
44-606	212	44-981	283	46-066	146	46-331	151	46-607	319
44-607	212	44-982	283	46-067	146	46-335	151	46-620	319
44-608	212	44-983	283	46-068	146	46-336	151	46-621	319
44-609	212	44-984	283	46-069	146	46-337	151	46-622	319
44-610	212	44-985	283	46-070	146	46-338	151	46-630	319
44-633	214	44-986	283	46-071	146	46-340	152	46-631	319
44-634	214	44-987	283	46-072	146	46-341	152	46-741	158
44-635	214	44-988	283	46-073	146	46-342	152	46-742	158
44-636	214	4501-10-8	373	46-074	147	46-345	152	46-743	158
44-637	214	4501-12-12	373	46-075	147	46-346	152	46-744	158
44-638	214	4501-16-12	373	46-076	147	46-347	152	46-747	158
44-650	214	4501-16-16	373	46-077	147	46-350	152	46-748	158
44-651	214	4501-20-16	373	46-078	147	46-351	152	46-752	158
44-652	214	4501-20-20	373	46-079	147	46-352	152	46-753	158
44-653	214	4501-24-24	373	46-080	147	46-355	152	46-754	158
44-654	214	4501-32-32	373	46-081	147	46-356	152	46-755	158
44-655	214	4501-4-4	373	46-082	147	46-357	152	46-756	158
44-656	214	4501-6-6	373	46-083	147	46-358	152	46-757	158
44-657	214	4501-8-6	373	46-084	147	46-360	153	46-758	158
44-658	214	4501-8-8	373	46-085	147	46-361	153	46-765	158
44-659	214	4503-10-8	373	46-086	147	46-362	153	46-766	158
44-660	214	4503-12-12	373	46-087	147	46-365	153	46-767	158
44-662	214	4503-16-16	373	46-088	147	46-366	153	46-768	157
44-670	214	4503-20-20	373	46-089	147	46-367	153	46-769	157
44-671	214	4503-8-6	373	46-089A	147	46-368	153	46-770	157
44-672	214	46-001	154	46-090A	157	46-370	153	46-771	157
44-673	214	46-002	154	46-090ALF	173	46-371	153	46-780	157
44-674	214	46-002X	154	46-100	148	46-372	153	46-781	157
44-675	214	46-003	154	46-101	148	46-373	153	46-782	157
44-676	214	46-003LF	173	46-102	148	46-375	153	46-783	157
44-677	214	46-004	154	46-103	148	46-376	153	46-786	157
44-678	214	46-005	154	46-104	148	46-377	153	46-787	157
44-700	215	46-005LF	173	46-107	148	46-378	153	46-788	157
44-701	215	46-010	154	46-115	148	46-400	162	46-792	157
44-702	215	46-011	154	46-116	148	46-400M	162	46-793	157
44-703	215	46-011LF	173	46-117	148	46-401	162	46-794	157
44-704	215	46-011X	154	46-118	148	46-401M	162	46-795	157
44-705	215	46-012	154	46-119	148	46-402	162	46-798	157
44-706	215	46-012LF	173	46-123	148	46-402M	162	46-799	157
44-707	215	46-013	154	46-125	148	46-406M	162	46-800	157
44-708	215	46-014	154	46-126	148	46-411	162	46-801	157
44-720	215	46-016	154	46-127	148	46-411M	162	46-830	159
44-721	215	4601-NWO-10	373	46-128	148	46-429	162	46-832	159
44-723	215	4601-NWO-10-8	373	46-130	149	46-429M	162	46-833	159
44-724	215	4601-NWO-12	373	46-131	149	46-430M	162	46-834	159
44-725	215	4601-NWO-16	373	46-132	149	46-440	163	46-835	159
44-726	215	4601-NWO-16-12	373	46-134	149	46-443	163	46-838	159
44-727	215	4601-NWO-20	373	46-140	149	46-450	162	46-840	159
44-728	215	4601-NWO-24	373	46-141	149	46-451	162	46-841	159
44-729	215	4601-NWO-4	373	46-142	149	46-455	162	46-843	159
44-911	283	4601-NWO-5	373	46-143	149	46-456	162	46-845	159
44-912	283	4601-NWO-6	373	46-151	149	46-457	162	46-846	159
44-913	283	4601-NWO-8	373	46-152	149	46-465	162	46-875	159
44-914	283	46-020	154	46-152T	149	46-466	162	46-876	159
44-915	283	46-021	154	46-153	149	46-467	162	46-877	159
44-916	283	46-021LF	173	46-160	149	46-475	162	46-878	159
44-917	283	46-022	154	46-161	149	46-476	162	46-900	163
44-921	283	46-023	154	46-161T	149	46-485	162	46-9001	163
44-922	283	46-023LF	173	46-162	149	46-492	144	46-9001	184
44-923	283	46-028	155	46-165	149	46-493	144	46-903	163
44-924	283	46-029	155	46-166	149	46-500	164	46-9031	163
44-925	283	46-031	155	46-166T	149	46-505	164	46-9031	184
44-926	283	46-036	155	46-167	149	46-510	164	46-9041	163
44-927	283	46-038	155	46-200	164	46-511	164	46-9041	184
44-931	283	46-039	155	46-201	164	46-512	164	46-9051	163
44-932	283	4603-NWO-10	374	46-202	164	46-513	164	46-9051	184
44-933	283	4603-NWO-12	374	46-238	161	46-514	164	46-910	163
44-934	283	4603-NWO-16	374	46-241	160	46-515	164	46-912	163
44-935	283	4603-NWO-20	374	46-243	160	46-516	164	46-920	163
44-936	283	4603-NWO-24	374	46-244	160	46-517	164	46-9201	163
44-937	283	4603-NWO-4	374	46-247	160	46-518	164	46-9201	184
44-941	283	4603-NWO-6	374	46-248	160	46-519	164	46-921	163
44-942	283	4603-NWO-8	374	46-250	160	46-520	161	46-922	163
44-943	283	46-040	155	46-251	160	46-521	161	46-922A	163
44-944	283	46-045	155	46-252	160	46-530	161	46-9221	163
44-945	283	46-046	155	46-255	160	46-531	161	46-9221	184
44-946	283	46-048	155	46-256	160	46-532	161	46-923	163
44-947	283	46-048	319	46-257	160	46-533	161	46-9231	163
44-951	283	4604-O-10	374	46-260	160	46-539	164	46-9231	184
44-952	283	4604-O-10-8	374	46-270	187	46-540	13	46-924	163
44-953	283	4604-O-12	374	46-277	203	46-541	13	46-9241	163
44-954	283	4604-O-16	374	46-278	203	46-560	164	46-9241	184
44-955	283	4604-O-16-12	374	46-300	150	46-561	164	46-925	163
44-956	283	4604-O-20	374	46-301	150	46-562	164	46-930	163
44-957	283	4604-O-20-16	374	46-305	150	46-563	164	46-930	184
44-958	283	4604-O-24	374	46-306	150	46-564	164	46930SS	197
44-961	283	4604-O-24-20	374	46-310	150	46-565	164	46-931	163
44-962	283	4604-O-4	374	46-311	150	46-566	164	46-931	184
44-963	283	4604-O-6	374	46-312	150	46-567	164	46931SS	197
44-964	283	4604-O-8	374	46-315	150	46-568	164	46-932	163
44-965	283	46-050	155	46-316	150	46-569	164	46-932	184
44-966	283	46-051	155	46-317	150	46-570	164	46932SS	197
44-967	283	46-055	156	46-318	150	46-571	164	46-933	163
44-968	283	46-056	156	46-320	151	46-572	164	46-933	184
44-971	283	46-056LF	173	46-321	151	46-573	164	46933SS	197
44-972	283	46-056P	156	46-322	151	46-575	164	46-934	163
44-973	283	46-060	156	46-323	151	46-576	164	46-934	184
44-974	283	46-061	156	46-324	151	46-577	164	46934SS	197
44-975	283	46-061L	156	46-325	151	46-578	164	46-935	163
44-976	283	46-061LF	173	46-326	151	46-600	143	46-935	184

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
48-110	217	49-081	217	51-025	219	52-042	219	5405-2-2	340	550-012	290
48-111	217	49-082	217	51-026	219	52-043	219	5405-2-4	340	5500-12-12	342
48-113	217	49-083	217	51-027	219	52-044	219	5405-24-24	340	5500-12-8	342
48-120	217	49-084	217	51-028	219	52-045	219	5405-24-32	340	5500-16	342
48-121	217	49-085	217	51-029	219	52-046	219	5405-32-32	340	5500-16-12	342
48-121T	218	49-086	217	51-030	219	52-047	219	5405-4-2	340	5500-2	342
48-122	217	49-087	217	51-040	219	52-048	219	5405-4-4	340	550-020	290
48-122T	218	49-088	217	51-041	219	52-049	219	5405-4-6	340	5500-20-20	342
48-123	217	49-089	217	51-042	219	52-050	219	5405-4-8	340	5500-24	342
48-124	217	49-090	217	51-043	219	52-060	219	5405-6-4	340	550-028	290
48-125	217	49-094	217	51-044	219	52-061	219	5405-6-6	340	5500-32	342
48-126	217	49-100	217	51-045	219	52-062	219	5405-6-8	340	550-036	290
48-127	217	49-101	217	51-046	219	52-063	219	5405-8-12	340	5500-4	342
48-128	217	49-102	217	51-047	219	52-064	219	5405-8-8	340	5500-4-2	342
48-129	217	49-103	217	51-048	219	52-065	219	540602	135	550-048	290
48-131	217	49-104	217	51-049	219	52-066	219	540602S	135	550-056	290
48-135	217	49-105	217	51-050	219	52-067	219	540604	135	5500-6	342
48-140	217	49-106	217	51-060	219	52-068	219	540604S	135	5500-6-4	342
48-141	217	49-107	217	51-061	219	52-069	219	540606	135	550-072	290
48-141T	218	49-108	217	51-062	219	52-070	219	540606S	135	5500-8	342
48-142	217	49-109	217	51-063	219	52-080	219	540608	135	5500-8-4	342
48-142T	218	49-120	217	51-064	219	52-081	219	5406-12-2	341	5500-8-6	342
48-143	217	49-121	217	51-065	219	52-082	219	5406-12-4	341	550-088	290
48-144	217	49-122	217	51-066	219	52-083	219	5406-12-6	341	550-104	290
48-145	217	49-123	217	51-067	219	52-084	219	5406-12-8	341	5501-12-12	342
48-146	217	49-124	217	51-068	219	52-085	219	5406-16-12	341	5501-16-16	342
48-147	217	49-125	217	51-069	219	52-086	219	5406-16-4	341	5501-20-20	342
48-148	217	49-126	217	51-070	219	52-087	219	5406-16-6	341	5501-2-2	342
48-149	217	49-127	217	51-080	219	52-088	219	5406-16-8	341	550-128	290
48-151	217	49-128	217	51-081	219	52-089	219	5406-20-12	341	5501-4-4	342
48-152	217	49-129	217	51-082	219	52-090	219	5406-20-16	341	550-152	290
48-160	218	49-140	217	51-083	219	52-100	219	5406-20-4	341	5501-6-6	342
48-160T	218	49-141	217	51-084	219	52-101	219	5406-20-6	341	5501-8	342
48-161	218	49-142	217	51-085	219	52-102	219	5406-20-8	341	550-188	290
48-161T	218	49-143	217	51-086	219	52-103	219	5406-24-12	341	5502-12	342
48-162	218	49-144	217	51-087	219	52-104	219	5406-24-16	341	5502-12-16	342
48-163	218	49-145	217	51-088	219	52-105	219	5406-24-20	341	5502-12-8	342
48-164	218	49-146	217	51-089	219	52-106	219	5406-24-6	341	550-216	290
48-165	218	49-147	217	51-090	219	52-107	219	5406-24-8	341	5502-16-12	342
48-166	218	49-148	217	51-100	219	52-108	219	5406-32-12	341	5502-16-16	342
48-167	218	49-149	217	51-101	219	52-109	219	5406-32-16	341	5502-16-20	342
48-168	218	49-160	218	51-102	219	52-120	220	5406-32-20	341	5502-2	342
48-169	218	49-161	218	51-103	219	52-121	220	5406-32-24	341	5502-20	342
48-170	218	49-162	218	51-104	219	52-122	220	5406-32-6	341	5502-20-16	342
48-171	218	49-163	218	51-105	219	52-123	220	5406-32-8	341	5502-24	342
48-172	218	49-164	218	51-106	219	52-124	220	5406-4-2	341	5502-32	342
48-174	218	49-165	218	51-107	219	52-125	220	5406-6-2	341	5502-4	342
48-180	218	49-166	218	51-108	219	52-126	220	5406-6-4	341	5502-4-2	342
48-200	218	49-167	218	51-109	219	52-127	220	5406-8-2	341	5502-4-6	342
48-201	218	49-168	218	51-120	220	52-128	220	5406-8-4	341	550-248	290
48-203	218	49-169	218	51-121	220	52-129	220	5406-8-6	341	5502-4-8-8	342
48-205	218	50-001	59	51-122	220	52-140	220	5406-C-12	342	5502-6	342
48-207	218	500-012	290	51-123	220	52-141	220	5406-C-16	342	5502-6-2	342
48-209	218	5000-12-12	340	51-124	220	52-142	220	5406-C-2	342	5502-6-4	342
48-213	218	5000-12-6	340	51-125	220	52-143	220	5406-C-24	342	5502-6-8	342
48-220	218	5000-12-8	340	51-126	220	52-144	220	5406-C-4	342	550-280	290
48-227	218	5000-16	340	51-127	220	52-145	220	5406-C-6	342	5502-8-12	342
49-001	216	5000-16-12	340	51-128	220	52-146	220	5406-C-8	342	5502-8-4	342
49-002	216	5000-2	340	51-129	220	52-147	220	5406-FLP-1	341	5502-8-6	342
49-003	216	500-020	290	51-140	220	52-148	220	5406-FLP-12	341	5502-8-8	342
49-004	216	5000-20-16	340	51-141	220	52-150	220	5406-FLP-2	341	550-312	290
49-005	216	5000-20-20	340	51-142	220	52-160	220	5406-FLP-4	341	5503-12-12	343
49-006	216	5000-24	340	51-143	220	52-161	220	5406-FLP-6	341	5503-16	343
49-007	216	500-028	290	51-144	220	52-162	220	5406-FLP-8	341	5503-2	343
49-008	216	5000-32	340	51-145	220	52-163	220	5406-HH-24	341	5503-20	343
49-009	216	500-036	290	51-146	220	52-164	220	5406-HHP-1	341	5503-24	343
49-010	216	5000-4	340	51-147	220	52-165	220	5406-HHP-12	341	5503-4	343
49-011	216	5000-4-2	340	51-148	220	52-166	220	5406-HHP-16	341	5503-6	343
49-020	216	500-048	290	51-149	220	52-167	220	5406-HHP-2	341	5503-8	343
49-021	216	500-056	290	51-160	220	52-168	220	5406-HHP-20	341	5504-12	343
49-022	216	5000-6-4	340	51-161	220	540402	135	5406-HHP-4	341	5504-12-8	343
49-023	216	5000-6-6	340	51-162	220	540402S	135	5406-HHP-6	341	5504-16	343
49-024	216	500-072	290	51-163	220	540404	135	5406-HHP-8	341	5504-16-12	343
49-025	216	5000-8	340	51-164	220	540404S	135	5406-P-12	341	5504-2	343
49-026	216	5000-8-4	340	51-165	220	5404-12	340	5406-P-16	341	5504-20	343
49-027	216	5000-8-6	340	51-166	220	5404-12-6	340	5406-P-2	341	5504-24	343
49-028	216	500-088	290	51-167	220	5404-12-8	340	5406-P-20	341	5504-32	343
49-029	216	500-104	290	51-168	220	5404-16	340	5406-P-24	341	5504-4	343
49-030	216	50-011	59	52-001	219	5404-16-12	340	5406-P-32	341	5504-4-2	343
49-040	216	500-128	290	52-002	219	5404-2	340	5406-P-4	341	5504-6	343
49-041	216	500-152	290	52-003	219	5404-20	340	5406-P-6	341	5504-6-4	343
49-042	216	500-188	290	52-004	219	5404-20-16	340	5406-P-8	341	5504-8	343
49-043	216	500-216	290	52-005	219	5404-24	340	5406-SHP-12	341	5504-8-6	343
49-044	216	500-248	290	52-006	219	5404-24-16	340	5406-SHP-16	341	5505-12	343
49-045	216	500-280	290	52-007	219	5404-24-20	340	5406-SHP-2	341	5505-16	343
49-046	216	50C100B	388	52-008	219	5404-32	340	5406-SHP-20	341	5505-2	343
49-047	216	51-001	219	52-009	219	5404-32-24	340	5406-SHP-24	341	5505-20	343
49-048	216	51-002	219	52-010	219	5404-4	340	5406-SHP-32	341	5505-4	343
49-049	216	51-003	219	52-011	219	5404-4-2	340	5406-SHP-4	341	5505-6	343
49-050	216	51-004	219	52-020	219	5404-6	340	5406-SHP-6	341	5505-8	343
49-060	216	51-005	219	52-021	219	5404-6-2	340	5406-SHP-8	341	55-060	265
49-061	216	51-006	219	52-022	219	5404-6-4	340	540804	135	55-061	265
49-062	216	51-007	219	52-023	219	5404-8	340	540804S	135	55-062	265
49-063	216	51-008	219	52-024	219	5404-8-4	340	540806	135	55-063	265
49-064	216	51-009	219	52-025	219	5404-8-6	340	540806S	135	55-064	265
49-065	216	51-010	219	52-026	219	5405-12-12	340	540808	135	55-065	265
49-066	216	51-011	219	52-027	219	5405-12-6	340	540808S	135	55-066	265
49-067	216	51-020	219	52-028	219	5405-12-8	340	541006	135	55-06	

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
55-076	265	55-753	266	56-027	229	56-115	231	56-261	231	57-087	230
55-080	265	55-754	266	56-028	229	56-120	231	56-262	231	57-088	230
55-081	265	55-755	266	5602-8-8	344	56-121	231	56-263	231	57-089	230
55-082	265	55-756	267	56-029	229	56-122	231	56-264	231	57-090	230
55-083	265	55-757	267	56-030	229	56-123	231	56-265	231	57-091	230
55-084	265	55-758	267	56-031	229	56-124	231	56-266	231	57-092	230
55-085	265	55-759	267	5603-12	344	56-125	231	56-267	231	57-093	230
55-086	265	55-760	267	5603-16	344	56-126	231	56-270	231	57-094	230
55-087	265	55-761	267	56-032	229	56-127	231	56-271	231	57-095	230
55-088	265	55-762	267	5603-20	344	56-128	231	56-272	231	57-096	230
55-089	265	55-763	267	5603-2-2	344	56-129	231	56-273	231	57-100	231
55-090	265	55-764	267	5603-24	344	56-130	231	56-280	232	57-101	231
55-100	265	55-765	267	56-033	229	56-131	231	56-281	232	57-101T	233
55-101	265	55-766	267	56-034	229	56-132	231	56-290	232	57-102	231
55-102	265	55-767	267	5603-4-4	344	56-133	231	56-291	232	57-102T	233
55-103	265	55-768	267	56-035	229	56-134	231	56-292	232	57-103	231
55-104	265	55-769	267	56-036	229	56-135	231	56-293	232	57-104	231
55-105	265	55-770	267	5603-6-6	344	56-140	232	56-294	232	57-105	231
55-106	265	55-771	267	5603-8-8	344	56-141	232	56-295	232	57-106	231
55-107	265	55-772	267	56-040	229	56-142	232	56-296	232	57-107	231
55-108	265	55-773	267	56-041	229	56-143	232	56-297	232	57-108	231
55-109	265	55-774	267	5604-12	344	56-144	232	56-300	233	57-109	231
55-111	265	55-775	267	5604-16	344	56-145	232	56-330	233	57-110	231
55-115	265	55-776	267	56-042	229	56-146	232	56-331	233	57-111	231
55-120	265	55-777	267	5604-20	344	56-147	232	56-332	233	57-112	231
55-121	265	55-778	267	5604-2-2	344	56-148	232	57-001	229	57-113	231
55-122	265	55-779	267	5604-24	344	56-149	232	57-002	229	57-114	231
55-123	265	55-780	267	56-043	229	56-150	232	57-003	229	57-115	231
55-124	265	55-781	267	56-044	229	56-151	232	57-004	229	57-120	231
55-125	265	55-782	267	5604-4-4	344	56-152	232	57-005	229	57-121	231
55-126	265	55-783	267	56-045	229	56-153	232	57-006	229	57-121T	233
55-127	265	55-784	267	56-046	229	56-154	232	57-007	229	57-122	231
55-128	265	55-785	267	5604-6-6	344	56-155	232	57-008	229	57-122T	233
55-129	265	55-786	267	56-047	229	56-160	232	57-009	229	57-123	231
55-140	265	55-787	267	56-048	229	56-161	232	57-010	229	57-124	231
55-141	265	55-788	267	5604-8-8	344	56-162	232	57-011	229	57-125	231
55-142	265	55-789	267	56-049	229	56-163	232	57-020	229	57-126	231
55-143	265	55-790	267	56-050	229	56-164	232	57-021	229	57-127	231
55-144	265	55-791	267	56-051	229	56-165	232	57-021T	233	57-128	231
55-145	265	55-792	267	5605-12	344	56-166	232	57-022	229	57-129	231
55-146	265	55-796	267	5605-16	344	56-167	232	57-022T	233	57-130	231
55-147	265	55-797	267	56-052	229	56-168	232	57-023	229	57-131	231
55-148	265	55-798	267	5605-20	344	56-169	232	57-024	229	57-132	231
55-149	265	55-801	267	5605-2-2	344	56-170	232	57-025	229	57-133	231
55-160	265	55-802	267	5605-24	344	56-171	232	57-026	229	57-134	231
55-161	265	55-803	267	56-053	229	56-172	232	57-027	229	57-135	231
55-162	265	55-804	266	5605-32	344	56-173	232	57-028	229	57-140	232
55-163	265	55-805	267	56-054	229	56-174	232	57-029	229	57-141	232
55-164	265	55-806	267	5605-4-4	344	56-180	233	57-030	229	57-141T	233
55-165	265	55-807	266	56-055	229	56-181	233	57-031	229	57-142	232
55-166	265	55-808	266	56-056	229	56-182	233	57-032	229	57-142T	233
55-167	265	55-809	267	5605-6-6	344	56-183	233	57-033	229	57-143	232
55-168	265	55-810	267	5605-8	344	56-184	233	57-034	229	57-144	232
55-174	265	55-811	266	56-060	230	56-185	233	57-035	229	57-145	232
55-241	265	55-812	266	56-061	230	56-186	233	57-036	229	57-146	232
55-243	265	55-813	266	56-062	230	56-187	233	57-040	229	57-147	232
55-250	265	55-814	267	56-063	230	56-188	233	57-041	229	57-148	232
55-253	265	55-815	267	56-064	230	56-189	233	57-041T	233	57-149	232
55-292	265	55-816	267	56-065	230	56-190	233	57-042	229	57-150	232
55-710	266	55-950	266	56-066	230	56-191	233	57-042T	233	57-151	232
55-711	266	55-951	266	56-067	230	56-192	233	57-043	229	57-152	232
55-712	266	56-001	229	56-068	230	56-193	233	57-044	229	57-153	232
55-713	266	5600-12	344	56-069	230	56-200	233	57-045	229	57-154	232
55-714	266	5600-16	344	56-070	230	56-201	233	57-046	229	57-155	232
55-715	266	56-002	229	56-071	230	56-202	233	57-047	229	57-160	232
55-716	266	5600-20	344	56-072	230	56-203	233	57-048	229	57-160T	233
55-717	266	5600-2-2	344	56-073	230	56-204	233	57-049	229	57-161	232
55-718	266	5600-24	344	56-074	230	56-205	233	57-050	229	57-161T	233
55-719	266	56-003	229	56-075	230	56-206	233	57-051	229	57-162	232
55-720	266	56-004	229	56-076	230	56-207	233	57-052	229	57-163	232
55-721	266	5600-4-4	344	56-080	230	56-208	233	57-053	229	57-164	232
55-722	266	56-005	229	56-081	230	56-209	233	57-054	229	57-165	232
55-723	266	56-006	229	56-082	230	56-210	233	57-055	229	57-166	232
55-724	266	5600-6-6	344	56-083	230	56-211	233	57-056	229	57-167	232
55-725	266	56-007	229	56-084	230	56-212	233	57-060	230	57-168	232
55-726	266	56-008	229	56-085	230	56-213	233	57-061	230	57-169	232
55-727	266	5600-8-8	344	56-086	230	56-220	233	57-061T	233	57-170	232
55-728	267	56-009	229	56-087	230	56-221	233	57-062	230	57-171	232
55-729	267	56-010	229	56-088	230	56-222	233	57-062T	233	57-172	232
55-730	267	56-011	229	56-089	230	56-224	233	57-063	230	57-173	232
55-731	267	5601-12	344	56-090	230	56-225	233	57-064	230	57-174	232
55-732	267	5601-16	344	56-091	230	56-226	233	57-065	230	57-180	233
55-733	267	5601-20	344	56-092	230	56-227	233	57-066	230	57-181	233
55-734	267	5601-2-2	344	56-093	230	56-228	233	57-067	230	57-181T	233
55-735	267	5601-24	344	56-094	230	56-229	233	57-068	230	57-182	233
55-736	266	5601-4-4	344	56-095	230	56-240	230	57-069	230	57-183	233
55-737	266	5601-6-6	344	56-096	230	56-241	230	57-070	230	57-184	233
55-738	266	5601-8	344	56-100	231	56-242	230	57-071	230	57-185	233
55-739	266	56-020	229	56-101	231	56-243	230	57-072	230	57-186	233
55-740	266	56-021	229	56-102	231	56-244	230	57-073	230	57-187	233
55-741	266	5602-12	344	56-103	231	56-245	230	57-074	230	57-188	233
55-742	266	5602-16	344	56-104	231	56-246	230	57-075	230	57-189	233
55-743	266	56-022	229	56-105	231	56-247	230	57-076	230	57-190	233
55-744	266	5602-20	344	56-106	231	56-250	230	57-080	230	57-191	233
55-745	266	5602-2-2	344	56-107	231	56-251	230	57-081	230	57-192	233
55-746	266	5602-24	344	56-108	231	56-252	230	57-081T	233	57-193	233
55-747	266	56-023	229	56-109	231	56-253	230	57-082	230	57-200	233
55-748	266	56-024	229	56-110	231	56-254	230	57-082T	233	57-201	233
55-749	266	5602-4-4	344	56-111	231	56-255	230	57-083	230	57-201T	233
55-750	266	56-025	229	56-112	231	56-256	230	57-084	230	57-202	233
55-751	266	56-026	229	56-113	231	56-257	230	57-085	230	57-203	233
55-752	266</										

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
57-205	233	58-048	245	59-043	245	59-164	247	611-052	290	620-008	288
57-206	233	58-049	245	59-044	245	59-165	247	611-056	287	620-008SS	288
57-207	233	58-050	245	59-045	245	59-166	247	611-056	290	620-010	288
57-208	233	58-060	245	59-046	245	59-167	247	611-060	287	620-010	290
57-209	233	58-061	245	59-047	245	59-168	247	611-064	287	620-010SS	288
57-210	233	58-062	245	59-048	245	59-169	247	611-072	287	620-012	288
57-211	233	58-063	245	59-049	245	59-170	247	611-072	290	620-012	290
57-212	233	58-064	245	59-050	245	59-171	247	611-080	287	620-012SS	288
57-213	233	58-065	245	59-051	245	59-172	247	611-088	287	620-016	288
57-220	233	58-066	245	59-052	245	59-173	247	611-096	287	620-016	290
57-223	233	58-067	245	59-053	245	59-174	247	611-104	287	620-016SS	288
57-223T	233	58-068	245	59-054	245	59-180	247	611-116	287	620-020	288
57-224	233	58-069	245	59-055	245	59-181	247	611-128	287	620-020	290
57-225	233	58-070	245	59-056	245	59-182	247	611-152	287	620-020SS	288
57-226	233	58-080	246	59-060	245	59-183	247	611-164	287	620-024	288
57-227	233	58-081	246	590600	136	59-184	247	611-176	287	620-024SS	288
57-228	233	58-082	246	59-061	245	59-185	247	611-188	287	620-028	288
57-229	233	58-083	246	59-062	245	59-186	247	611-200	287	620-028	290
57-240	230	58-084	246	59-063	245	59-187	247	611-212	287	620-028SS	288
57-241	230	58-085	246	59-064	245	59-200	247	611-224	287	620-032	288
57-242	230	58-086	246	59-065	245	59-201	247	611-248	287	620-032	290
57-243	230	58-087	246	59-066	245	59-202	247	611-270	287	620-032SS	288
57-244	230	58-088	246	59-067	245	59-203	247	611-312	287	620-036	288
57-245	230	58-089	246	59-068	245	59-204	247	611-332	287	620-036	290
57-246	230	58-090	246	59-069	245	59-205	247	611-390	287	620-036SS	288
57-247	230	58-100	246	59-070	245	59-206	247	61-150	314	620-040	288
57-250	230	58-101	246	59-071	245	59-207	247	61-150	379	620-040	290
57-251	230	58-102	246	59-072	245	59-220	247	61-152	314	620-040SS	288
57-252	230	58-103	246	59-073	245	59-221	247	61-152	379	620-044	288
57-253	230	58-104	246	59-074	245	59-222	247	61-153	314	620-044SS	288
57-254	230	58-105	246	59-075	245	59-223	247	61-153	379	620-048	288
57-255	230	58-106	246	59-076	245	59-224	247	61-154	314	620-048	290
57-256	230	58-107	246	59-080	246	59-225	247	61-154	379	620-048SS	288
57-257	230	58-108	246	590800	136	595320	136	61-155	314	620-052	288
57-260	231	58-109	246	59-081	246	600-006	287	61-155	379	620-052	290
57-261	231	58-120	246	59-082	246	600-008	287	61-911	282	620-052SS	288
57-262	231	58-121	246	59-083	246	600-008	290	61-912	282	620-056	288
57-263	231	58-122	246	59-084	246	600-010	287	61-913	282	620-056	290
57-264	231	58-123	246	59-085	246	600-010	290	61-914	282	620-056SS	288
57-265	231	58-124	246	59-086	246	600-012	287	61-915	282	620-060	288
57-266	231	58-125	246	59-087	246	600-012	290	61-916	282	620-060SS	288
57-267	231	58-126	246	59-088	246	600-016	287	61-917	282	620-064	288
57-270	231	58-127	246	59-089	246	600-016	290	61-918	282	620-064SS	288
57-271	231	58-128	246	59-090	246	600-020	287	61-921	282	620-072	288
57-272	231	58-129	246	59-091	246	600-020	290	61-922	282	620-072	290
57-273	231	58-140	246	59-092	246	600-024	287	61-923	282	620-072SS	288
57-274	231	58-141	246	59-093	246	600-028	287	61-924	282	620-080	288
57-275	231	58-142	246	59-094	246	600-028	290	61-925	282	620-088	288
57-276	231	58-143	246	59-095	246	600-032	287	61-926	282	620-096	288
57-277	231	58-144	246	59-096	246	600-032	290	61-927	282	620-104	288
57-280	232	58-145	246	59-100	246	600-036	287	61-928	282	620-116	288
57-281	232	58-146	246	59-101	246	600-036	290	61-931	282	620-128	288
57-282	232	58-147	246	59-102	246	600-040	287	61-932	282	620-152	288
57-283	232	58-148	246	59-103	246	600-040	290	61-933	282	620-164	288
57-284	232	58-149	246	59-104	246	600-044	287	61-934	282	620-176	288
57-285	232	58-160	247	59-105	246	600-048	287	61-935	282	620-188	288
57-286	232	58-161	247	59-106	246	600-048	290	61-936	282	620-200	288
57-287	232	58-162	247	59-107	246	600-052	287	61-937	282	620-212	288
57-290	232	58-163	247	59-108	246	600-052	290	61-938	282	620-224	288
57-291	232	58-164	247	59-109	246	600-056	287	61-941	282	620-248	288
57-292	232	58-165	247	59-110	246	600-056	290	61-942	282	620-270	288
57-293	232	58-166	247	59-111	246	600-060	287	61-943	282	620-312	288
57-294	232	58-167	247	59-112	246	600-064	287	61-944	282	620-332	288
57-295	232	58-168	247	59-113	246	600-072	287	61-945	282	620-390	288
57-296	232	59-001	245	59-114	246	600-072	290	61-946	282	620400	136
57-297	232	59-002	245	59-115	246	600-080	287	61-947	282	620532	136
57-300	233	59-003	245	59-120	246	600-088	287	61-948	282	620600	136
57-301	233	59-004	245	59-121	246	600-096	287	61-951	282	620604	136
57-311	233	59-005	245	59-122	246	600-104	287	61-952	282	62-075	223
57-330	233	59-006	245	59-123	246	61-050	314	61-953	282	62-076	223
57-331	233	59-007	245	59-124	246	61-050	379	61-954	282	62-077	223
57-332	233	59-008	245	59-125	246	61-052	314	61-955	282	62-078	223
58-001	245	59-009	245	59-126	246	61-052	379	61-956	282	62-079	223
58-002	245	59-010	245	59-127	246	61-053	314	61-957	282	62-080	223
58-003	245	59-011	245	59-128	246	61-053	379	61-958	282	620800	136
58-004	245	59-012	245	59-129	246	61-054	314	61-961	282	62-081	223
58-005	245	59-013	245	59-130	246	61-054	379	61-962	282	62-082	223
58-006	245	59-014	245	59-131	246	61-055	314	61-963	282	62-083	223
58-007	245	59-015	245	59-132	246	61-055	379	61-964	282	62-100	221
58-008	245	59-016	245	59-133	246	611-006	287	61-965	282	621000	136
58-009	245	59-017	245	59-134	246	611-006	290	61-966	282	62-101	221
58-010	245	59-020	245	59-135	246	611-008	287	61-967	282	62-102	221
58-011	245	59-021	245	59-140	246	611-010	287	61-968	282	62-103	221
58-020	245	59-022	245	59-141	246	611-010	290	61-971	282	62-104	221
58-021	245	59-023	245	59-142	246	611-012	287	61-972	282	62-105	221
58-022	245	59-024	245	59-143	246	611-012	290	61-973	282	62-106	221
58-023	245	59-025	245	59-144	246	611-016	287	61-974	282	62-107	221
58-024	245	59-026	245	59-145	246	611-016	290	61-975	282	62-108	221
58-025	245	59-027	245	59-146	246	611-020	287	61-976	282	62-109	221
58-026	245	59-028	245	59-147	246	611-020	290	61-977	282	62-110	221
58-027	245	59-029	245	59-148	246	611-024	287	61-978	282	62-112	221
58-028	245	59-030	245	59-149	246	611-028	287	61-981	282	621200	136
58-029	245	59-031	245	59-150	246	611-028	290	61-982	282	62-160	221
58-030	245	59-032	245	59-151	246	611-032	287	61-983	282	62-161	221
58-040	245	59-033	245	59-152	246	611-032	290	61-984	282	62-162	221
58-041	245	59-034	245	59-153	246	611-036	287	61-985	282	62-163	221
58-042	245	59-035	245	59-154	246	611-040	287	61-986	282	62-164	221
58-043	245	59-036	245	59-155	246	611-040	290	61-987	282	62-165	221
58-044	245	59-040	245	59-160	247	611-044	287	61-988	282	62-166	221
58-045	245	590400	136	59-161	247	611-048	287	620-006	288	62-167	221
58-046	245	59-041	245	59-162	247	611-048					

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
62-181	221	62-530	223	63-251	221	63-608	222	63-965	282	6402-O-16-12	347
62-182	221	62-531	223	63-252	221	63-610	222	63-966	282	6402-O-16-16	347
62-183	221	62-532	223	63-253	221	63-630	224	63-967	282	6402-O-20-20	347
62-184	221	62-534	223	63-254	221	63-631	224	63-968	282	6402-O-24-24	347
62-185	221	62-535	223	63-255	221	63-632	224	63-971	282	6402-O-4-4	347
62-186	221	62-538	223	63-256	221	63-633	224	63-972	282	6402-O-4-6	347
62-187	221	62-539	223	63-257	221	63-634	224	63-973	282	6402-O-6-6	347
62-188	221	62-543	223	63-258	221	63-635	224	63-974	282	6402-O-6-8	347
62-250	221	62-600	222	63-259	221	63-636	224	63-975	282	6402-O-8-6	347
62-251	221	62-601	222	63-291	221	63-637	224	63-976	282	6402-O-8-8	347
62-252	221	62-602	222	63-392	221	63-638	224	63-977	282	6403-O-10	347
62-253	221	62-603	222	63-393	221	63-653	224	63-978	282	6403-O-12	347
62-254	221	62-604	222	63-394	221	63-654	224	63-981	282	6403-O-16	347
62-255	221	62-605	222	63-395	221	63-655	224	63-982	282	6403-O-6	347
62-256	221	62-606	222	63-396	221	63-656	224	63-983	282	6403-O-8	347
62-257	221	62-607	222	63-397	221	63-657	224	63-984	282	640400	136
62-258	221	62-608	222	63-398	221	63-658	224	63-985	282	6404-10-6	347
62-259	221	62-610	222	63-410B	222	63-660	224	63-986	282	6404-10-8	347
62-260	221	62-630	224	63-411B	222	63-661	224	63-987	282	6404-12-12	347
62-391	221	62-631	224	63-412B	222	63-662	224	63-988	282	6404-16-16	347
62-392	221	62-632	224	63-413	222	63-663	224	6400-10	346	6404-20-20	347
62-393	221	62-633	224	63-413B	222	63-664	224	6400-10-12	346	6404-24-24	347
62-394	221	62-634	224	63-414	222	63-665	224	6400-10-16	346	6404-4-2	347
62-395	221	62-635	224	63-414B	222	63-670	224	6400-10-6	346	6404-4-4	347
62-396	221	62-636	224	63-415	222	63-671	224	6400-10-8	346	6404-6-4	347
62-397	221	62-637	224	63-415B	222	63-672	224	6400-12	346	6404-6-6	347
62-398	221	62-638	224	63-416	222	63-680	224	6400-12-10	346	6404-6-8	347
62-410B	222	62-653	224	63-416B	222	63-681	224	6400-12-14	346	6404-8-6	347
62-411B	222	62-654	224	63-417	222	63-682	224	6400-12-16	346	6404-8-8	347
62-412B	222	62-655	224	63-417B	222	63-683	224	6400-12-6	346	6405-O-10-12	348
62-413	222	62-656	224	63-418	222	63-684	224	6400-12-8	346	6405-O-10-4	348
62-413B	222	62-657	224	63-418B	222	63-701	223	6400-14	346	6405-O-10-6	348
62-414	222	62-658	224	63-419	222	63-702	223	6400-16	346	6405-O-10-8	348
62-414B	222	62-660	224	63-420	222	63-703	223	6400-16-10	346	6405-O-12-12	348
62-415	222	62-670	224	63-421	222	63-704	223	6400-16-12	346	6405-O-12-16	348
62-415B	222	62-671	224	63-430	222	63-705	223	6400-16-14	346	6405-O-12-6	348
62-416	222	62-672	224	63-431	222	63-706	223	6400-16-20	346	6405-O-12-8	348
62-416B	222	62-701	223	63-432	222	63-707	223	6400-16-24	346	6405-O-14-12	348
62-417	222	62-702	223	63-433	222	63-708	223	6400-16-8	346	6405-O-16-12	348
62-417B	222	62-703	223	63-434	222	63-720	221	6400-2	346	6405-O-16-16	348
62-418	222	62-704	223	63-435	222	63-721	221	6400-20	346	6405-O-16-20	348
62-418B	222	62-705	223	63-436	222	63-722	221	6400-20-12	346	6405-O-16-8	348
62-419	222	62-706	223	63-437	222	63-723	221	6400-20-16	346	6405-O-20-20	348
62-420	222	62-707	223	63-438	222	63-724	221	6400-20-24	346	6405-O-20-24	348
62-421	222	62-708	223	63-440	222	63-725	221	6400-24	346	6405-O-2-2	348
62-430	222	62-720	221	63-441	222	63-726	221	6400-24-20	346	6405-O-24-16	348
62-431	222	62-721	221	63-442	222	63-727	221	6400-24-32	346	6405-O-24-20	348
62-432	222	62-722	221	63-445	222	63-728	221	6400-3	346	6405-O-24-24	348
62-433	222	62-723	221	63-446	222	63-759	223	6400-32	346	6405-O-32-32	348
62-434	222	62-724	221	63-447	222	63-760	223	6400-4	346	6405-O-4-2	348
62-435	222	62-725	221	63-448	222	63-761	223	6400-4-10	346	6405-O-4-4	348
62-436	222	62-726	221	63-449	222	63-762	223	6400-4-2	346	6405-O-4-6	348
62-437	222	62-727	221	63-450	222	63-763	223	6400-4-3	346	6405-O-6-2	348
62-438	222	62-728	221	63-452	222	63-764	223	6400-4-5	346	6405-O-6-4	348
62-440	222	62-771	222	63-453	222	63-771	222	6400-4-6	346	6405-O-6-6	348
62-441	222	62-772	222	63-454	222	63-772	222	6400-4-8	346	6405-O-8-12	348
62-442	222	62-773	222	63-455	222	63-773	222	6400-5	346	6405-O-8-4	348
62-445	222	62-774	222	63-470	223	63-774	222	6400-5-4	346	6405-O-8-6	348
62-446	222	62-775	222	63-471	223	63-775	222	6400-5-6	346	6405-O-8-8	348
62-447	222	62-776	222	63-472	223	63-776	222	6400-6	346	640600	136
62-448	222	62-777	222	63-473	223	63-777	222	6400-6-10	346	640800	136
62-449	222	62-778	222	63-474	223	63-778	222	6400-6-12	346	6408-H-O-10	348
62-450	222	63-075	223	63-475	223	63-911	282	6400-6-16	346	6408-H-O-12	348
62-452	222	63-076	223	63-476	223	63-912	282	6400-6-4	346	6408-H-O-14	348
62-453	222	63-077	223	63-477	223	63-913	282	6400-6-5	346	6408-H-O-16	348
62-454	222	63-078	223	63-478	223	63-914	282	6400-6-8	346	6408-H-O-2	348
62-455	222	63-079	223	63-480	223	63-915	282	6400-8	346	6408-H-O-20	348
62-470	223	63-080	223	63-500	223	63-916	282	6400-8-10	346	6408-H-O-24	348
62-471	223	63-081	223	63-501	223	63-917	282	6400-8-12	346	6408-H-O-3	348
62-472	223	63-082	223	63-502	223	63-921	282	6400-8-16	346	6408-H-O-32	348
62-473	223	63-083	223	63-504	223	63-922	282	6400-8-4	346	6408-H-O-4	348
62-474	223	63-100	221	63-505	223	63-923	282	6400-8-6	346	6408-H-O-5	348
62-475	223	63-101	221	63-506	223	63-924	282	6400-L-10	346	6408-H-O-6	348
62-476	223	63-102	221	63-507	223	63-925	282	6400-L-12	346	6408-H-O-8	348
62-477	223	63-103	221	63-508	223	63-926	282	6400-L-16	346	6408-O-10	348
62-478	223	63-104	221	63-509	223	63-927	282	6400-L-20	346	6408-O-12	348
62-479	223	63-105	221	63-510	223	63-931	282	6400-L-4	346	6408-O-14	348
62-480	223	63-106	221	63-511	223	63-932	282	6400-L-6	346	6408-O-16	348
62-481	223	63-107	221	63-512	223	63-933	282	6400-L-8	346	6408-O-2	348
62-500	223	63-108	221	63-513	223	63-934	282	6401-10-6	346	6408-O-20	348
62-501	223	63-109	221	63-516	223	63-935	282	6401-10-8	346	6408-O-24	348
62-502	223	63-110	221	63-517	223	63-936	282	6401-12-12	346	6408-O-3	348
62-503	223	63-112	221	63-518	223	63-937	282	6401-12-6	346	6408-O-32	348
62-504	223	63-160	221	63-521	223	63-941	282	6401-12-8	346	6408-O-4	348
62-505	223	63-161	221	63-522	223	63-942	282	6401-16-12	346	6408-O-5	348
62-506	223	63-162	221	63-523	223	63-943	282	6401-16-16	346	6408-O-6	348
62-507	223	63-163	221	63-524	223	63-944	282	6401-20-20	346	6408-O-8	348
62-508	223	63-164	221	63-528	223	63-945	282	6401-24-24	346	64-100	235
62-509	223	63-165	221	63-529	223	63-946	282	6401-32-32	346	641000	136
62-510	223	63-166	221	63-530	223	63-947	282	6401-4-2	346	64-101	235
62-511	223	63-167	221	63-531	223	63-951	282	6401-4-4	346	64-102	235
62-512	223	63-168	221	63-534	223	63-952	282	6401-4-6	346	64-103	235
62-513	223	63-180	221	63-535	223	63-953	282	6401-5-2	346	64-104	235
62-516	223	63-181	221	63-538	223	63-954	282	6401-5-4	346	64-105	235
62-517	223	63-182	221	63-600	222	63-955	282	6401-6-4	346	64-106	235
62-518	223	63-183	221	63-601	222	63-956	282	6401-6-6	346	64-107	235
62-521	223	63-184	221	63-602	222	63-957	282	6401-6-8	346	64-108	235
62-522	223	63-185	221	63-603	222	63-958	282	6401-8-6	346	64-109</	

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
6410-O-12-12	349	64-273	238	64-482	242	6500-10-8	349	65-121	235	65-330	238
6410-O-12-4	349	64-276	238	64-486	239	6500-12	349	65-122	235	65-334	238
6410-O-12-6	349	64-279	238	64-503	240	6500-12-10	349	65-123	235	65-336	238
6410-O-12-8	349	64-280	237	64-505	240	6500-12-8	349	65-124	235	65-343	238
6410-O-14-12	349	64-282	238	64-506	240	6500-14	349	65-126	235	65-351	238
6410-O-16-10	349	64-283	238	64-507	240	6500-16	349	65-127	235	65-363	239
6410-O-16-12	349	64-286	238	64-508	240	6500-20	349	65-130	235	65-364	239
6410-O-16-20	349	64-289	237	64-509	240	6500-24	349	65-131	235	65-383	239
6410-O-16-6	349	64-291	238	64-510	240	6500-32	349	65-133	235	65-384	239
6410-O-16-8	349	64-298	238	64-511	240	6500-4	349	65-134	235	65-385	239
6410-O-20-12	349	64-299	237	64-512	240	6500-4-6	349	65-136	235	65-386	239
6410-O-20-16	349	64-300	237	64-513	240	6500-5	349	65-137	235	65-390	241
6410-O-20-24	349	64-301	238	64-514	240	6500-6	349	65-138	235	65-391	241
6410-O-24-12	349	64-303	238	64-515	240	6500-6-8	349	65-139	235	65-392	241
6410-O-24-16	349	64-306	238	64-516	240	6500-8	349	65-140	235	65-393	241
6410-O-24-20	349	64-316	238	64-517	240	6500-8-6	349	65-141	235	65-394	241
6410-O-32-20	349	64-317	237	64-518	240	6501-10-8	349	65-142	235	65-395	241
6410-O-32-24	349	64-318	238	64-519	240	6501-12-12	349	65-145	235	65-396	241
6410-O-4-4	349	64-319	237	64-520	240	6501-16-16	349	65-146	235	65-397	241
6410-O-4-6	349	64-322	238	64-521	240	6501-20-20	349	65-148	235	65-398	241
6410-O-6-4	349	64-327	238	64-522	240	6501-24-24	349	65-150	235	65-399	241
6410-O-6-8	349	64-328	238	64-523	240	6501-32-32	349	65-151	235	65-400	241
6410-O-8-10	349	64-330	238	64-524	240	6501-4-2	349	65-154	235	65-401	241
6410-O-8-12	349	64-334	238	64-525	240	6501-4-4	349	65-160	236	65-410	237
6410-O-8-4	349	64-336	238	64-527	240	6501-6-4	349	65-161	236	65-411	237
6410-O-8-6	349	64-343	238	64-528	240	6501-6-6	349	65-162	236	65-412	237
6410-O-8-8	349	64-351	238	64-529	240	6501-8-6	349	65-163	236	65-413	237
64-110	235	64-353	239	64-530	240	6501-8-8	349	65-164	236	65-414	237
64-112	235	64-364	239	64-531	240	6502-10	350	65-165	236	65-415	237
64-114	235	64-383	239	64-532	240	6502-12	350	65-166	236	65-416	237
64-121	235	64-384	239	64-533	240	6502-16	350	65-167	236	65-417	237
64-122	235	64-385	239	64-534	240	6502-20	350	65-168	236	65-418	237
64-123	235	64-386	239	64-535	240	6502-24	350	65-169	236	65-419	237
64-124	235	64-390	241	64-537	240	6502-32	350	65-170	236	65-420	237
64-126	235	64-391	241	64-538	240	6502-4	350	65-171	236	65-421	237
64-127	235	64-392	241	64-539	240	6502-5	350	65-180	236	65-422	237
64-130	235	64-393	241	64-540	240	6502-6	350	65-181	236	65-430	239
64-131	235	64-394	241	64-541	240	6502-8	350	65-182	236	65-431	239
64-133	235	64-395	241	64-542	240	6503-12-12	350	65-183	236	65-432	239
64-134	235	64-396	241	64-543	240	6503-4-4	350	65-184	236	65-433	239
64-136	235	64-397	241	64-545	240	6503-6-4	350	65-185	236	65-434	239
64-137	235	64-398	241	64-546	240	6503-6-6	350	65-186	236	65-435	239
64-138	235	64-399	241	64-547	240	6503-8-6	350	65-187	236	65-436	239
64-139	235	64-400	241	64-549	240	6503-8-8	350	65-188	236	65-437	239
64-140	235	64-410	237	64-550	240	650400	136	65-189	236	65-438	239
64-141	235	64-411	237	64-551	240	6504-10-10	350	65-190	236	65-439	239
64-142	235	64-412	237	64-553	240	6504-12-12	350	65-191	236	65-440	239
64-145	235	64-413	237	64-600	241	6504-16-16	350	65-192	236	65-441	239
64-146	235	64-414	237	64-601	241	6504-20-20	350	65-200	236	65-442	239
64-148	235	64-415	237	64-602	241	6504-24-24	350	65-201	236	65-443	239
64-160	236	64-416	237	64-603	241	6504-4-4	350	65-202	236	65-444	239
64-161	236	64-417	237	64-604	241	6504-6-4	350	65-203	236	65-445	239
64-162	236	64-418	237	64-605	241	6504-6-6	350	65-204	236	65-446	239
64-163	236	64-419	237	64-606	241	6504-8-6	350	65-205	236	65-447	239
64-164	236	64-420	237	64-607	241	6504-8-8	350	65-206	236	65-448	239
64-165	236	64-421	237	64-608	241	6505-10-8	350	65-207	236	65-449	239
64-166	236	64-422	237	64-609	241	6505-12-12	350	65-208	236	65-450	239
64-167	236	64-430	239	64-610	241	6505-12-8	350	65-209	236	65-451	239
64-168	236	64-431	239	64-611	241	6505-16-12	350	65-210	236	65-452	239
64-169	236	64-432	239	64-653	241	6505-16-16	350	65-211	236	65-453	239
64-170	236	64-433	239	64-654	241	6505-20-20	350	65-250	237	65-454	239
64-171	236	64-434	239	64-655	241	6505-2-4	350	65-251	237	65-456	239
64-180	236	64-435	239	64-656	241	6505-24-24	350	65-252	237	65-457	239
64-181	236	64-436	239	64-657	241	6505-32-32	350	65-253	237	65-458	239
64-182	236	64-437	239	64-658	241	6505-4-2	350	65-254	237	65-459	239
64-183	236	64-438	239	64-659	241	6505-4-4	350	65-255	237	65-460	239
64-184	236	64-439	239	64-660	241	6505-5-4	350	65-256	237	65-461	239
64-185	236	64-440	239	64-661	241	6505-6-4	350	65-257	237	65-462	239
64-186	236	64-441	239	64-692	242	6505-6-6	350	65-258	237	65-463	239
64-187	236	64-442	239	64-693	242	6505-8-6	350	65-259	237	65-464	239
64-188	236	64-443	239	64-694	242	6505-8-8	350	65-260	237	65-465	239
64-189	236	64-444	239	64-695	242	650600	136	65-261	237	65-471	242
64-190	236	64-445	239	64-696	242	6506-10-6	350	65-262	237	65-472	242
64-191	236	64-446	239	64-697	242	6506-10-8	350	65-268	238	65-473	242
64-192	236	64-447	239	64-703	238	6506-12-12	350	65-269	238	65-474	242
64-200	236	64-448	239	64-704	238	6506-12-8	350	65-273	238	65-475	242
64-201	236	64-449	239	64-705	238	6506-16-16	350	65-276	238	65-476	242
64-202	236	64-450	239	64-706	238	6506-20-20	350	65-279	238	65-477	242
64-203	236	64-451	239	64-707	238	6506-24-24	350	65-280	237	65-478	242
64-204	236	64-452	239	64-708	238	6506-32-32	350	65-282	238	65-479	242
64-205	236	64-453	239	64-733	237	6506-4-2	350	65-283	238	65-480	242
64-206	236	64-454	239	64-770	234	6506-4-4	350	65-286	238	65-481	242
64-207	236	64-456	239	64-771	234	6506-4-6	350	65-287	238	65-482	242
64-208	236	64-457	239	64-772	234	6506-6-4	350	65-288	238	65-486	239
64-209	236	64-458	239	64-773	234	6506-6-6	350	65-289	237	65-491	239
64-210	236	64-459	239	64-773H	234	6506-6-8	350	65-291	238	65-503	240
64-211	236	64-460	239	64-774	234	6506-8-6	350	65-292	238	65-505	240
64-250	237	64-461	239	64-774H	234	6506-8-8	350	65-296	238	65-506	240
64-251	237	64-462	239	64-775	234	650800	136	65-298	238	65-507	240
64-252	237	64-463	239	64-775H	234	65-100	235	65-299	237	65-508	240
64-253	237	64-464	239	64-776	234	65-101	235	65-300	237	65-509	240
64-254	237	64-465	239	64-776H	234	65-102	235	65-301	238	65-510	240
64-255	237	64-472	242	64-777	234	65-103	235	65-303	238	65-511	240
64-256	237	64-473	242	64-777H	234	65-104	235	65-306	238	65-512	240
64-257	237	64-474	242	64-778	234	65-105	235	65-309	238	65-513	240
64-258	237	64-475	242	64-778H	234	65-106	235	65-316	238	65-514	240
64-259	237	64-476	242	64-779	234	65-107	235	65-317	237	65-515	240
64-260	237	64-477	242	64-780	234	65-108	235	65-318	238	65-516	240
64-261	237	64-478	242	64-780H	234	65-109	235	65-319	237	65-517	240
64-262	237										

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
65-521	240	6600-14	351	66-772	243	6801-NWO-12-14	351	6805-NWO-20-20	353
65-522	240	6600-16	351	66-773	243	6801-NWO-12-16	351	6805-NWO-24-24	353
65-523	240	6600-20	351	66-774	243	6801-NWO-12-20	351	6805-NWO-4-2	353
65-524	240	6600-24	351	66-775	243	6801-NWO-12-8	351	6805-NWO-4-4	353
65-525	240	6600-24	351	66-776	243	6801-NWO-14	351	6805-NWO-5-2	353
65-527	240	66003	284	66-777	243	6801-NWO-14-12	351	6805-NWO-6-4	353
65-528	240	6600-3-3	351	66-778	243	6801-NWO-16	351	6805-NWO-6-6	353
65-529	240	66004	284	67-470	243	6801-NWO-16-12	351	6805-NWO-8-6	353
65-530	240	6600-4-4	351	67-471	243	6801-NWO-16-14	351	6805-NWO-8-8	353
65-531	240	66005	284	67-472	243	6801-NWO-16-20	351	680602	137
65-532	240	6600-5-5	351	67-473	243	6801-NWO-2	351	680604	137
655320	136	66006	284	67-474	243	6801-NWO-20	351	680606	137
65-533	240	6600-6-6	351	67-475	243	6801-NWO-20-12	351	680608	137
65-534	240	66007	284	67-476	243	6801-NWO-20-16	351	6806-NWO-10-8	353
65-535	240	66008	284	67-477	243	6801-NWO-20-24	351	6806-NWO-12-12	353
65-537	240	6600-8-8	351	67-500	243	6801-NWO-24	351	6806-NWO-16-16	353
65-538	240	66009	284	67-501	243	6801-NWO-24-20	351	6806-NWO-20-20	353
65-539	240	66010	284	67-502	243	6801-NWO-3	351	6806-NWO-24-24	353
65-540	240	66011	284	67-503	243	6801-NWO-32	351	6806-NWO-32-32	353
65-541	240	66012	284	67-504	243	6801-NWO-4	351	6806-NWO-4-2	353
65-542	240	66013	284	67-505	243	6801-NWO-4-5	351	6806-NWO-4-4	353
65-543	240	6602-10	351	67-506	243	6801-NWO-4-6	351	6806-NWO-6-4	353
65-544	240	6602-12	351	67-507	243	6801-NWO-4-8	351	6806-NWO-6-6	353
65-545	240	6602-14	351	67-508	243	6801-NWO-5	351	6806-NWO-8-6	353
65-546	240	6602-16	351	67-509	243	6801-NWO-5-4	351	6806-NWO-8-8	353
65-547	240	6602-20	351	67-510	243	6801-NWO-5-6	351	680804	137
65-549	240	6602-24	351	67-511	243	6801-NWO-6	351	680806	137
65-550	240	6602-3	351	67-512	243	6801-NWO-6-10	351	680808	137
65-551	240	6602-4	351	67-513	243	6801-NWO-6-12	351	6809-NWO-10-10	353
65-553	240	6602-5	351	67-630	244	6801-NWO-6-4	351	6809-NWO-12-12	353
65-600	241	6602-6	351	67-631	244	6801-NWO-6-5	351	6809-NWO-16-16	353
65-601	241	6602-8	351	67-632	244	6801-NWO-6-8	351	6809-NWO-20-20	353
65-602	241	660402	137	67-633	244	6801-NWO-8	351	6809-NWO-24-24	353
65-603	241	660404	137	67-634	244	6801-NWO-8-10	351	6809-NWO-4-4	353
65-604	241	660602	137	67-635	244	6801-NWO-8-12	351	6809-NWO-6-6	353
65-605	241	660604	137	67-636	244	6801-NWO-8-16	351	6809-NWO-8-8	353
65-606	241	660606	137	67-637	244	6801-NWO-8-4	351	681006	137
65-607	241	660804	137	67-638	244	6801-NWO-8-6	351	681008	137
65-608	241	660806	137	67-653	243	6802-NWO-10	352	681208	137
65-609	241	660808	137	67-654	243	6802-NWO-10-10	352	681212	137
65-610	241	66-470	243	67-655	243	6802-NWO-10-8	352	6815-NWO-10-10	353
65-611	241	66-471	243	67-656	243	6802-NWO-12	352	6815-NWO-12-12	353
65-653	241	66-472	243	67-657	243	6802-NWO-12-14	352	6815-NWO-16-16	353
65-654	241	66-473	243	67-658	243	6802-NWO-12-16	352	6815-NWO-4-4	353
65-655	241	66-474	243	67-669	243	6802-NWO-14	352	6815-NWO-6-6	353
65-656	241	66-475	243	67-670	243	6802-NWO-16	352	6815-NWO-6-8	353
65-657	241	66-476	243	67-671	243	6802-NWO-16-12	352	6815-NWO-8-8	353
65-658	241	66-477	243	67-672	243	6802-NWO-16-20	352	685320	137
65-659	241	66-478	243	67-700	244	6802-NWO-2	352	685321	137
65-660	241	66-500	243	67-701	244	6802-NWO-20	352	685322	137
65-661	241	66-501	243	67-702	244	6802-NWO-20-16	352	6900-O-10-12	354
65-662	241	66-502	243	67-703	244	6802-NWO-24	352	6900-O-10-6	354
65-692	242	66-503	243	67-704	244	6802-NWO-32	352	6900-O-10-8	354
65-693	242	66-504	243	67-705	244	6802-NWO-4	352	6900-O-12-12	354
65-694	242	66-505	243	67-707	244	6802-NWO-4-6	352	6900-O-12-16	354
65-695	242	66-506	243	67-708	244	6802-NWO-4-8	352	6900-O-12-6	354
65-696	242	66-507	243	67-709	244	6802-NWO-5	352	6900-O-12-8	354
65-697	242	66-508	243	67-711	244	6802-NWO-6	352	6900-O-14-12	354
65-733	237	66-509	243	67-712	244	6802-NWO-6-10	352	6900-O-16-12	354
65-770	234	66-510	243	67-713	244	6802-NWO-6-4	352	6900-O-16-16	354
65770API	254	66-511	243	67-760	244	6802-NWO-6-8	352	6900-O-16-20	354
65-771	234	66-512	243	67-761	244	6802-NWO-8	352	6900-O-20-16	354
65771API	254	66-513	243	67-762	244	6802-NWO-8-10	352	6900-O-20-20	354
65-771H	234	66-630	244	67-763	244	6802-NWO-8-12	352	6900-O-24-20	354
65-772	234	66-631	244	67-764	244	6802-NWO-8-6	352	6900-O-24-24	354
65772API	254	66-632	244	67-765	244	680302	137	6900-O-32-32	354
65-772H	234	66-633	244	67-766	244	6803-NWO-10	352	6900-O-4-2	354
65-773	234	66-634	244	67-767	244	6803-NWO-12	352	6900-O-4-4	354
65773API	254	66-635	244	67-768	244	6803-NWO-16	352	6900-O-4-6	354
65-773H	234	66-636	244	67-769	244	6803-NWO-16-12	352	6900-O-5-4	354
65-774	234	66-637	244	67-770	243	6803-NWO-2	352	6900-O-6-4	354
65774API	254	66-638	244	67-771	243	6803-NWO-20	352	6900-O-6-6	354
65-774H	234	66-653	243	67-772	243	6803-NWO-24	352	6900-O-6-8	354
65-775	234	66-654	243	67-773	243	6803-NWO-4	352	6900-O-8-12	354
65775API	254	66-655	243	67-774	243	6803-NWO-5	352	6900-O-8-4	354
65-775H	234	66-656	243	67-775	243	6803-NWO-6	352	6900-O-8-6	354
65-776	234	66-657	243	67-776	243	6803-NWO-6-8	352	6900-O-8-8	354
65776API	254	66-658	243	67-777	243	6803-NWO-8	352	6901-NWO-10-12	354
65-776H	234	66-670	243	67-778	243	6803-NWO-8-10	352	6901-NWO-10-4	354
65-777	234	66-671	243	6801-LL-NWO-10	352	680402	137	6901-NWO-10-6	354
65777API	254	66-672	243	6801-LL-NWO-12	352	680404	137	6901-NWO-10-8	354
65-777H	234	66-700	244	6801-LL-NWO-16	352	680406	137	6901-NWO-12-12	354
65-778	234	66-701	244	6801-LL-NWO-20	352	680421	137	6901-NWO-12-16	354
65778API	254	66-702	244	6801-LL-NWO-4	352	6804-NWO-10	353	6901-NWO-12-6	354
65-778H	234	66-704	244	6801-LL-NWO-6	352	6804-NWO-12	353	6901-NWO-12-8	354
65-779	234	66-705	244	6801-LL-NWO-6-8	352	6804-NWO-16	353	6901-NWO-14-12	354
65779API	254	66-708	244	6801-LL-NWO-8	352	6804-NWO-16-12	353	6901-NWO-16-12	354
65-779H	234	66-709	244	6801-L-NWO-10	352	6804-NWO-20	353	6901-NWO-16-16	354
65-780	234	66-712	244	6801-L-NWO-12	352	6804-NWO-24	353	6901-NWO-16-20	354
65780API	254	66-713	244	6801-L-NWO-16	352	6804-NWO-32	353	6901-NWO-20-12	354
65-780H	234	66-760	244	6801-L-NWO-20	352	6804-NWO-4	353	6901-NWO-20-16	354
65-781	234	66-761	244	6801-L-NWO-4	352	6804-NWO-5	353	6901-NWO-20-20	354
65781API	254	66-762	244	6801-L-NWO-6	352	6804-NWO-6	353	6901-NWO-24-24	354
65-781H	234	66-763	244	6801-L-NWO-8	352	6804-NWO-6-8	353	6901-NWO-32-32	354
65-782	234	66-764	244	6801-L-NWO-8-10	352	6804-NWO-8	353	6901-NWO-4-2	354
65-783	234	66-765	244	6801-NWO-10	351	6804-NWO-8-10	353	6901-NWO-4-4	354
65783API	254	66-766	244	6801-NWO-10-12	351	6805-NWO-10-6	353	6901-NWO-4-6	354
65-784	234	66-767	244	6801-NWO-10-16	351	6805-NWO-10-8	353	6901-NWO-5-4	354
66000	284	66-768	244	6801-NWO-10-6	351	6805-NWO-12-12	353	6901-NWO-6-4	354
66001	284	66-769	244	6801-NWO-10-8	351	6805-NWO-12-8	353	6901-NWO-6-6	354
6600-10	351	66-770	243	6801-NWO-12	351	6805-NWO-14-12	353	6901-NWO-6-8	354
6600-12	351	66-771	243	6801-NWO-12-10	351	6805-NWO-16-16	353	6901-NWO-8-12	354

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
695322	138	7045-20-42	370	72060404	140	73-006	285	73-232B	305	77-116	259
695322S	138	7045-2-10	370	720604S	141	73-007	285	73-232N5	305	77-117	259
69-600	250	7045-4-12	370	720606	140	73-008	285	73-233B	305	77-118	259
69-601	250	7045-4-14	370	720606S	141	73-009	285	73-238U	305	77-119	259
69-602	250	7045-6-12	370	72-061	248	73-010	285	73-670	281	77-120	259
69-603	250	7045-6-16	370	72-062	248	73-011	285	73-671	281	77-124	259
69-604	250	7045-6-18	370	72-063	248	73-023	285	73-672	281	77-125	259
69-605	250	7045-8-16	370	72-064	248	73-024	285	73-673	281	77-126	259
69-606	250	7045-8-18	370	72-065	248	73-025	285	73-674	281	77-127	259
69-607	250	7045-8-22	370	72-066	248	73-026	285	73-951	26	77-128	259
69-608	250	710402	139	72-067	248	73-027	285	73-951	224	77-129	259
7000-10-12	367	710402S	140	72-068	248	73-028	285	73-952	26	77-130	259
7000-10-8	367	710404	139	72-069	248	73-029	285	73-952	224	77-131	259
7000-12-12	367	710404S	140	72-070	248	73-030	285	73-953	26	77-132	259
7000-12-8	367	71040604	139	72-080	248	73-031	285	73-953	224	77-134	259
7000-16-16	367	710604	139	720804	140	73-033	285	73-954	26	77-139	259
7000-20-20	367	71060404	139	720804S	141	73-035	285	73-954	224	77-140	259
7000-4-2	367	71060406	139	720806	140	73-036	285	73-955	26	77-141	259
7000-4-4	367	710604S	140	720806S	141	73-037	285	73-955	224	77-142	259
7000-6-4	367	710606	139	720808	140	73-038	285	73-956	26	77-143	259
7000-6-6	367	710606S	140	720808S	141	73-039	285	73-956	224	77-144	259
7000-6-8	367	710608	139	72-081	248	73-040	285	73-957	26	77-145	259
7000-8-12	367	710804S	140	72-082	248	73-041	285	73-957	224	77-152	259
7000-8-6	367	710806	139	72-083	248	73-043	285	73-958	26	77-153	259
7000-8-8	367	710806S	140	72-084	248	73-044	285	73-958	224	77-154	259
7002-10-8	368	71080804	139	72-085	248	73-045	285	73-959	26	77-155	259
7002-12-12	368	710808S	140	72-086	248	73-046	285	73-959	224	77-156	259
7002-12-16	368	72-001	248	72-087	248	73-047	285	73-960	26	77-157	259
7002-16-16	368	7200-12-12	367	72-088	248	73-048	285	73-960	224	77-161	260
7002-20-20	368	7200-16-16	367	72-089	248	73-049	285	73-961	224	77-162	260
7002-24-24	368	72-002	248	72-090	248	73-050	285	73-970	26	77-163	260
7002-4-2	368	7200-20-20	367	72-100	248	73-051	285	73-970	224	77-164	260
7002-4-4	368	72-003	248	72100808	140	73-056	285	73-971	26	77-165	260
7002-4-6	368	72-004	248	72-101	248	73-057	285	73-971	224	77-166	260
7002-4-8	368	7200-4-2	367	72-102	248	73-058	285	73-972	26	77-167	260
7002-6-4	368	7200-4-4	367	72-103	248	73-059	285	73-972	224	77-168	260
7002-6-6	368	72-005	248	72-104	248	73-060	285	73-973	26	77-169	260
7002-6-8	368	72-006	248	72-105	248	73-063	285	73-973	224	77-170	260
7002-8-12	368	7200-6-4	367	72-106	248	73-064	285	73-974	26	77-171	260
7002-8-6	368	7200-6-6	367	72-107	248	73-065	285	73-974	224	77-177	260
7002-8-8	368	7200-6-8	367	72-108	248	73-066	285	73-975	26	77-178	260
700402	139	72-007	248	72-109	248	73-067	285	73-975	224	77-179	260
700404	139	72-008	248	72-120	249	73-068	285	73-976	26	77-180	260
700404S	139	7200-8-6	367	72-121	249	73-069	285	73-976	224	77-181	260
700406	139	7200-8-8	367	72-122	249	73-070	285	73-977	26	77-182	260
7005-10-18	369	72-009	248	72-123	249	73-071	285	73-977	224	77-183	260
7005-10-20	369	72-010	248	72-124	249	73-200B	304	73-979	26	77-184	260
7005-10-22	369	72-011	248	72-125	249	73-200N5	303	73-979	224	77-185	260
7005-12-22	369	72-020	248	72-126	249	73-200U	304	73-980	26	77-201	260
7005-12-27	369	72-021	248	72-127	249	73-201B	304	73-980	224	77-202	260
7005-14-26	369	72-022	248	72-128	249	73-201G	304	73-981	26	77-203	260
7005-16-27	369	72-023	248	72-129	249	73-201U	304	73-981	224	77-204	260
7005-16-33	369	72-024	248	72-140	249	73-202B	304	73-982	26	77-205	260
7005-20-42	369	72-025	248	72-141	249	73-202U	304	73-982	224	77-206	260
7005-24-48	369	72-026	248	72-142	249	73-203B	304	73-983	281	77-207	260
7005-4-10	369	72-027	248	72-143	249	73-203B5	304	73-984	281	77-208	260
7005-4-12	369	72-028	248	72-144	249	73-203G	304	73-985	281	77-209	260
7005-4-14	369	72-029	248	72-145	249	73-203G1	304	73-986	281	77-210	260
7005-4-18	369	7202-NWO-10-8	368	72-146	249	73-203G5	304	73-987	281	77-211	260
7005-5-12	369	7202-NWO-12-12	368	72-147	249	73-203N1	303	7420-10-8	367	77-212	260
7005-5-14	369	7202-NWO-12-16	368	72-148	249	73-203N5	303	7420-12-12	367	77-214	260
7005-6-14	369	7202-NWO-16-16	368	72-149	249	73-203O	304	7420-12-8	367	77-219	260
7005-6-16	369	7202-NWO-20-20	368	72-160	249	73-203R	304	7420-16-12	367	77-220	260
7005-6-18	369	7202-NWO-24-24	368	72-161	249	73-203R1	304	7420-16-16	367	77-222	260
7005-8-16	369	7202-NWO-4-2	368	72-162	249	73-203R5	304	7420-20-16	367	77-223	260
7005-8-18	369	7202-NWO-4-4	368	72-163	249	73-203U	304	7420-20-20	367	77-224	260
7005-8-22	369	7202-NWO-6-4	368	72-164	249	73-203U1	304	7420-2-2	367	77-225	260
700602	139	7202-NWO-6-6	368	72-165	249	73-203U5	304	7420-4-2	367	77-226	260
700604	139	7202-NWO-6-8	368	72-166	249	73-203W	304	7420-6-4	367	77-227	260
700606	139	7202-NWO-8-12	368	72-167	249	73-203Y	304	7420-6-6	367	77-238	261
700804	139	7202-NWO-8-6	368	72-168	249	73-204B	304	7420-8-6	367	77-240	261
700806	139	7202-NWO-8-8	368	72-180	249	73-204G	304	7420-8-8	367	77-241	261
700808	139	72-030	248	72-181	249	73-204N1	303	7425-10	368	77-242	261
7022-10-8	369	720302	140	72-182	249	73-204N5	303	7425-12	368	77-244	261
7022-12-12	369	72-040	248	72-183	249	73-204U	304	7425-16	368	77-247	261
7022-16-16	369	720402	140	72-184	249	73-205B	304	7425-2	368	77-252	261
7022-4-2	369	720402S	141	72-185	249	73-205B5	304	7425-4	368	77-253	261
7022-4-4	369	720404	140	72-186	249	73-205G	304	7425-8	368	77-255	261
7022-6-4	369	720404S	141	72-187	249	73-205R	304	7520-10-10	367	77-256	261
7022-6-6	369	72-041	248	72-200	249	73-205U	304	7520-12-12	367	77-258	261
7022-8-6	369	72-042	248	72-201	249	73-205Y	304	7520-2-2	367	77-262	261
7022-8-8	369	72-043	248	72-202	249	73-206A	304	7520-4-4	367	77-263	261
7025-10-22	370	72-044	248	72-203	249	73-206B	304	7520-6-6	367	77-265	261
7025-12-27	370	72-045	248	72-204	249	73-206B1	304	7520-8-8	367	77-267	261
7025-16-33	370	72-046	248	72-205	249	73-206B5	304	75C100B	388	77-268	261
7025-4-10	370	72-047	248	72-206	249	73-206G	304	770402	141	77-269	261
7025-4-12	370	72-048	248	72-207	249	73-206N1	303	770404	141	77-270	261
7025-5-12	370	72-049	248	72-220	249	73-206N5	303	770604	141	77-271	261
7025-6-14	370	72-050	248	72-223	249	73-206R	304	77-100	259	77-272	261
7025-6-16	370	7205-NWO-10-18	370	72-224	249	73-206U	304	77-101	259	77-273	261
7025-8-16	370	7205-NWO-4-10	370	72-225	249	73-206U5	304	77-102	259	77-274	261
7042-12-12	369	7205-NWO-4-12	370	72-226	249	73-206W	304	77-103	259	77-275	261
7042-16-16	369	7205-NWO-4-14	370	72-227	249	73-206Y	304	77-104	259	77-276	261
7042-20-20	369	7205NWO-5-12	370	7240-10	368	73-207B	304	77-105	259	77-277	261
7042-2-2	369	7205-NWO-6-14	370	7240-12	368	73-207B5	304	77-107	259	77-280	261
7042-24-24	369	7205-NWO-6-16	370	7240-16	368	73-207G	304	77-108	259	77-284	261
7042-4-2	369	7205-NWO-8-16	370	7240-4	368	73-207N5	303	77-109	259	77-291	261
7042-4-4	369	7205-NWO-8-18									

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
77-297	261	77-499	264	801-005	268	808-040	268	830-288S	291	850020	270
77-298	261	77-500	264	801-007	268	817-002	268	830808	141	850025	270
77-300	261	77-501	264	80-101	320	817-003	268	836002	269	850030	270
77-303	262	77-502	264	80-101	322	817-005	268	836003	269	850040	270
77-304	262	77-504	264	801-010	268	817-007	268	836005	269	8555-H-10	370
77-306	262	77-506	264	801-012	268	817-010	268	836007	269	8555-H-12	370
77-307	262	77-507	264	801-015	268	817-012	268	836010	269	8555-H-14	370
77-309	262	77-508	264	80-102	320	817-015	268	836012	269	8555-H-16	370
77-312	262	77-509	264	80-102	322	817-020	268	836015	269	8555-H-18	370
77-314	262	77-510	264	801-020	268	817-025	268	836020	269	8555-H-20	370
77-318	262	77-511	264	801-025	268	817-030	268	836025	269	8555-H-22	370
77-320	262	77-514	264	80-103	320	817-040	268	836030	269	8555-H-26	370
77-322	262	77-516	264	80-103	322	817-060	268	836040	269	8555-H-30	370
77-323	262	77-518	264	801-030	268	820400	141	839041	269	8555-P-10	370
77-331	262	77-519	264	80-104	320	820600	141	839050	269	8555-P-12	370
77-332	262	77-521	264	80-104	322	820800	141	839052	269	8555-P-14	370
77-333	262	77-522	264	801-040	268	821000	141	839072	269	8555-P-16	370
77-334	262	77-523	264	801-060	268	829-002	268	839073	269	8555-P-18	370
77-335	262	77-524	264	80-201	320	829-003	268	839099	269	8555-P-20	370
77-336	262	77-543	264	80-201	322	829-005	268	839101	269	8555-P-22	370
77-337	262	77-545	264	80-202	320	829-007	268	839130	269	8555-P-26	370
77-340	263	77-546	264	80-202	322	829-010	268	839131	269	8555-P-30	370
77-341	263	77-547	264	80-203	320	829-012	268	839166	269	860402	141
77-343	263	77-548	264	80-203	322	829-015	268	839167	269	860404	141
77-345	263	77-549	264	80-204	322	829-020	268	839168	269	860604	141
77-346	263	77-554	264	80-205	322	829-025	268	839209	269	860606	141
77-347	263	77-556	264	80-206	322	829-030	268	839210	269	860808	141
77-349	263	77-559	264	80-207	322	829-040	268	839211	269	88-024	299
77-351	263	77-560	264	80-208	322	829-060	268	839212	269	88-028	299
77-352	261	77-560	264	80-209	322	829-101	269	839247	269	88-032	299
77-354	261	77-563	264	80-301	321	829-130	269	839248	269	88-038	299
77-355	261	77-585	264	80-302	321	829-131	269	839249	269	88-050	299
77-356	261	77-587	264	80-303	321	829-168	269	839250	269	88-065	299
77-357	261	77-588	264	80-304	321	829-211	269	839251	269	88-075	299
77-358	261	77-606LF	263	80-305	321	829-212	269	839338	269	88-085	299
77-359	261	77-607LF	263	80-306	321	829-251	269	839420	269	88-112	299
77-360	261	77-608LF	263	80-307	321	829-338	269	839422	269	89-024	299
77-361	261	7802-12	368	80-331	321	829-422	269	840-131	292	89-028	299
77-362	261	7802-16	368	80-332	321	829-532	269	840-150	292	89-032	299
77-363	261	7802-4	368	80-333	321	830-002	269	840-175	292	89-038	299
77-364	261	7802-6	368	80-334	321	830-003	269	840-188	292	89-044	299
77-365	261	7802-8	368	80-335	321	830-005	269	840-200	292	89-050	299
77-370	261	7825-12	368	80-336	321	830-007	269	840-225	292	89-056	299
77-382	262	7825-16	368	80-463	320	830-010	269	840-238	292	89-065	299
77-383	262	7825-2	368	80-463	322	830-012	269	840-250	292	89-075	299
77-385	262	7825-20	368	805-002	268	830-015	269	840-256	292	89-085	299
77-387	262	7825-4	368	805-003	268	830-020	269	840-263	292	89-095	299
77-395	262	7825-6	368	805-005	268	830-030	269	840-275	292	89-112	299
77-398	262	7825-8	368	805-007	268	830-040	269	840-288	292	89-138	299
77-401	262	80-001	320	80-501	321	830-052	269	840-300	292	897002	270
77-402	263	80-001	321	805-010	268	830-060	291	840-312	292	897003	270
77-404	263	80-002	320	805-012	268	830-060S	291	840-325	292	897005	270
77-405	263	80-002	321	805-015	268	830-064	291	840-350	292	897007	270
77-406	263	80-003	320	80-502	321	830-064S	291	840-375	292	897010	270
77-407	263	80-003	321	805-020	268	830-072	291	840-382	292	897012	270
77-410	263	80-004	320	805-025	268	830-072S	291	840-400	292	897015	270
77-411	263	80-004	321	80-503	321	830-073	269	840-425	292	897020	270
77-413	263	80-005	320	805-030	268	830-080	291	840-450	292	897025	270
77-416	263	80-005	321	80-504	321	830-080S	291	840-475	292	897030	270
77-419	263	80-006	320	805-040	268	830-096	291	840-500	292	897040	270
77-420	263	80-006	321	80-505	321	830-096S	291	840-525	292	898002	270
77-423	263	80-007	320	80-506	321	830-101	269	840-550	292	898003	270
77-424	263	80-007	321	80-511	321	830-130	269	840-575	292	898005	270
77-426	263	80-020	320	80-512	321	830-131	269	840-600	292	898007	270
77-427	263	80-020	321	80-513	321	830-132	291	840-625	292	898010	270
77-429	263	80-031	320	80-514	321	830-132S	291	840-650	292	898012	270
77-430	263	80-031	321	80-515	321	830-152	291	840-675	292	898015	270
77-431	263	80-032	320	80-516	321	830-152S	291	840-700	292	898020	270
77-432	263	80-032	321	806-002	268	830-167	269	840-750	292	898025	270
77-433	263	80-033	320	806-003	268	830-168	269	840-800	292	898030	270
77-434	263	80-033	321	806-005	268	830-182	291	840-850	292	898040	270
77-435	263	80-034	320	806-007	268	830-182S	291	840-888	292	899000	203
77-436	263	80-034	321	80-601	322	830-183	291	847002	270	899001	203
77-437	263	80-035	320	806-010	268	830-183S	291	847003	270	899002	203
77-438	263	80-035	321	806-012	268	830-184	291	847005	270	899003	203
77-453	263	80-036	320	806-015	268	830-184S	291	847007	270	899004	203
77-454	263	80-036	321	80-602	322	830-185	291	847010	270	899005	203
77-455LF	263	80-061	320	806-020	268	830-185S	291	847012	270	899006	203
77-456LF	263	80-061	322	806-025	268	830-188	291	847015	270	899007	203
77-457LF	263	80-062	320	80-603	322	830-188S	291	847020	270	899008	203
77-461	263	80-062	322	806-030	268	830-189	291	847025	270	899050	203
77-462	263	80-063	320	80-604	322	830-189S	291	847030	270	899051	203
77-463	263	80-063	322	806-040	268	830-190	291	847040	270	899052	203
77-464	263	80-064	320	80-605	322	830-190S	291	847060	270	899053	203
77-465	263	80-064	322	80-606	322	830-192	291	848002	270	899054	203
77-466	263	80-065	320	806-060	268	830-192S	291	848003	270	899055	203
77-467	264	80-065	322	80-611	322	830-193	291	848005	270	899056	203
77-468	264	80-066	320	80-612	322	830-193S	291	848007	270	899057	203
77-470	264	80-066	322	80-613	322	830-194	291	848010	270	899058	203
77-473	264	80-067	320	80-614	322	830-194S	291	848012	270	90-001	253
77-474	264	80-067	322	80-615	322	830-195	291	848015	270	90-002	253
77-481	264	80-068	320	80-616	322	830-195S	291	848020	270	90-003	253
77-483	264	80-068	322	808-002	268	830-196	291	848025	270	90-004	253
77-485	264	80-069	320	808-003	268	830-196S	291	848030	270	90-005	253
77-486	264	80-069	322	808-005	268	830-197	291	848040	270	90-006	253
77-488	264	80-080	320	808-007	268	830-197S	291	850002	270	90-007	253
77-489	264	80-080	322	808-010	268	830-198	291	850003	270	90-008	253
77-490	264	80-081	322	808-012	268	830-198S	291	850005	270	90-009	253
77-492	264	80-100	320	808-015	268	830-211	269	850007	270	90-010	253
77-493	264	80-100	322	808-020	268	830-212	269	850010	270	90-011	253

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
90-020	299	93-128	253	940-530	189	944-431	191	949-474	200	973-208	303
90-024	299	93-129	253	940-800	316	944-431LF	191	949-475	200	973-209	303
90-028	299	93-130	253	940-801	316	944-432	191	949-481	201	973-210	303
90-032	299	93-131	253	940-803	316	944-432LF	191	949-482	201	973-211	303
90-038	299	935-122	183	940-804	316	944-433	191	949-483	201	973-215	307
90-044	299	935-123	183	940-805	316	944-433LF	191	949-484	201	973-216	307
90-050	299	935-124	183	940-806	316	944-434	191	949-485	201	973-217	307
90-056	299	935-129	183	940-810	316	944-434LF	191	949-486	201	973-219	307
90-065	299	935-130	183	940-811	316	944-435	191	949-487	201	973-221	307
90-075	299	940-121	186	940-812	316	944-435LF	191	949-488	201	973-222	307
90-085	299	940-122	186	940-813	316	948-101	182	9508-12	367	973-223	307
90-095	299	940-123	186	940-814	316	948-102	182	9508-16	367	973-224	307
90-100	253	940-130	188	940-815	316	948-103	182	9508-2	367	973-226	305
90-102	253	940-131	188	940-822	317	948-104	182	9508-4	367	973-229	305
90-103	253	940-132	188	940-823	317	948-105	182	9508-6	367	973-230	305
90-104	253	940-133	188	940-824	317	948-106	182	9508-8	367	973-231	305
90-105	253	940-134	188	940-825	317	948-107	182	9522-H-12	369	973-232	305
90-106	253	940-135	188	940-826	317	948-108	182	9522-H-16	369	973-233	305
90-107	253	940-136	188	940-827	317	948-131	187	9522-H-2	369	973-234	305
90-108	253	940-137	188	940-840	317	948-132	187	9522-H-20	369	973-238	305
90-109	253	940-138	188	940-841	317	948-133	187	9522-H-4	369	973-252	307
90-110	253	940-139	188	940-842	317	948-134	187	9522-H-6	369	973-253	307
90-111	253	940-140	188	940-843	317	948-135	187	9522-H-8	369	973-255	307
90-112	299	940-171	177	940-844	317	948-141	187	9522-P-12	369	973-262	307
90-114	253	940-171L	178	940-845	317	948-142	187	9522-P-16	369	973-323	305
90-115	253	940-171LF	174	940-846	317	948-143	187	9522-P-2	369	973-325	305
90-116	253	940-171T	179	940-847	317	948-144	187	9522-P-20	369	973-327	305
90-117	253	940-172	177	940-848	317	948-170	181	9522-P-4	369	973-329	305
90-118	253	940-172L	178	942-142	187	948-171	181	9522-P-6	369	973-332	305
90-119	253	940-172LF	174	942-170	187	948-172	181	9522-P-8	369	973-334	305
90-120	253	940-172T	179	942-171	187	948-173	181	95-300	300	973-600	281
90-121	253	940-173	177	942-208	180	948-174	181	95-301	300	973-601	281
90-122	253	940-173L	178	942-209	180	948-175	181	95-302	300	973-602	281
90-123	253	940-173LF	174	942-210	180	948-176	181	95-303	300	973-603	281
90-124	253	940-173T	179	943-200	180	948-177	181	95-304	300	973-604	281
90-125	253	940-174	177	943-201	180	949-101	194	95-305	300	973-605	281
90-126	253	940-174L	178	943-202	180	949-102	194	95-306	300	973-606	281
90-127	253	940-174LF	174	943-203	180	949-103	194	95-307	300	973-607	281
90-128	253	940-174T	179	943-204	180	949-104	194	95-308	300	973-620	281
90-129	253	940-175	177	943-205	180	949-105	194	95-309	300	973-621	281
90-130	253	940-175L	178	943-206	180	949-106	194	95-310	300	973-622	281
90-131	253	940-175LF	174	943-207	180	949-107	194	95-311	300	973-623	281
90-132	253	940-176	177	943-212	183	949-108	194	95-312	300	973-624	281
90-138	299	940-176L	178	943-213	183	949-121	202	95-313	300	973-625	281
90-140	253	940-176LF	174	943-233LF	175	949-122	202	95-314	300	973-626	281
90-141	253	940-177	177	943-234LF	175	949-123	202	95-315	300	973-627	281
90-165	299	940-177L	178	943-235LF	175	949-124	202	95-316	300	973-628	281
90-180	299	940-177LF	174	943-236LF	175	949-125	202	95-317	300	973-650	281
90-205	299	940-178	177	943-237LF	175	949-126	202	95-318	300	973-651	281
90-212	253	940-178L	178	943-238LF	175	949-127	202	95-319	300	973-652	281
90-231	299	940-178LF	174	943-284	187	949-128	202	95-320	300	973-653	281
90-256	299	940-179	177	944-005	185	949-161	196	95-321	300	973-654	281
90-282	299	940-179LF	174	944-012	185	949-162	196	95-322	300	973-655	281
90-307	299	940-180	177	944-013	185	949-163	196	95-323	300	973-656	281
91-008	253	940-180LF	174	944-026	185	949-164	196	95-324	300	973-657	281
91-009	253	940-181	177	944-051	185	949-165	196	95-325	300	973-658	281
91-010	253	940-181LF	174	944-052	185	949-166	196	95-326	300	973-659	281
91-011	253	940-212LF	175	944-060	185	949-167	196	95-327	300	973-700	281
91-707	308	940-213LF	175	944-100	185	949-168	196	95-328	300	973-701	281
92-007	300	940-214LF	175	944-101	185	949-169	196	95-329	300	973-702	281
92-008	300	940-215LF	175	944-102	185	949-170	196	95-330	300	973-703	281
92-009	300	940-216LF	175	944-106	185	949-171	193	95-331	300	973-704	281
92-010	300	940-217LF	175	944-108	185	949-172	193	96-301	300	973-705	281
92-011	300	940-250	301	944-111	185	949-173	193	96-302	300	973-706	281
92-012	300	940-284	203	944-112	185	949-174	193	96-303	300	973-707	281
92-013	300	940-285	203	944-116	185	949-175	193	96-304	300	973-708	281
92-014	300	940-286	203	944-118	185	949-176	193	96-305	300	973-850	281
92-015	300	940-287	203	944-121	185	949-177	193	96-306	300	973-851	281
92-016	300	940-288	203	944-128	185	949-178	193	96-307	300	973-852	281
92-017	300	940-289	203	944-134	185	949-180	196	96-308	300	973-853	281
92-102	253	940-291	203	944-134LF	173	949-181	195	96-310	300	973-854	281
92-107	253	940-292	203	944-135	185	949-182	195	96-312	300	973-855	281
92-108	253	940-294	203	944-136	185	949-183	195	96-314	300	973-856	281
92-109	253	940-295	203	944-138	185	949-184	195	96-316	300	973-857	281
92-110	253	940-296	203	944-142	185	949-185	195	96-318	300	973-858	281
92-111	253	940-297	203	944-142LF	173	949-401	199	96-320	300	973-870	281
92-114	253	940-298	203	944-401	192	949-402	199	96-322	300	973-871	281
92-115	253	940-299	203	944-401V	192	949-403	199	96-323	300	973-872	281
92-116	253	940-350	301	944-402	192	949-404	199	972-171	307	973-873	281
92-119	253	940-352	190	944-402V	192	949-405	199	972-172	307	973-874	281
92-120	253	940-353	190	944-403	192	949-406	199	972-180	307	973-875	281
92-121	253	940-354	190	944-403V	192	949-407	199	972-181	307	973-876	281
92-122	253	940-355	190	944-404	192	949-408	199	972-182	307	973-877	280
92-123	253	940-356	190	944-404V	192	949-430	198	972-183	307	973-877	281
92-128	253	940-357	190	944-405	192	949-431	198	972-184	307	973-878	281
93-008	300	940-358	190	944-405V	192	949-432	198	972-185	307	973-879	281
93-009	300	940-359	190	944-406	192	949-441	201	972-186	307	973-880	281
93-010	300	940-360	190	944-406V	192	949-442	201	972-187	307	973-881	281
93-011	300	940-461	186	944-407	192	949-443	201	972-190	307	973-890	281
93-012	300	940-462	186	944-407V	192	949-444	201	972-191	307	973-891	281
93-013	300	940-464	186	944-408	192	949-445	201	972-192	307	973-892	281
93-014	300	940-465	186	944-408V	192	949-446	201	972-193	307	973-893	281
93-015	300	940-521	189	944-409	192	949-447	201	972-194	307	973-894	281
93-016	300	940-522	189	944-409V	192	949-448	201	972-195	307	973-895	281
93-017	300	940-523	189	944-410	192	949-451	200	973-200	303	973-900	280
93-113	253	940-523LF	189	944-410V	192	949-452	200	973-201	303	973-901	280
93-121	253	940-524	189	944-411	192	949-453	200	973-202	303	973-902	280
93-122	253	940-525	189	944-411V	192	949-454	200	973-203			

Table with 8 columns: Part#, Page, Part#, Page, Part#, Page, Part#, Page, Part#, Page. Contains a comprehensive list of part numbers and their corresponding page numbers, organized in columns.

Part#	Page	Part#	Page	Part#	Page	Part#	Page	Part#	Page
GE2-112T-NPT	382	HP2405-12-12	371	KS-6	295	NV-12-F	315	SSC318-8	377
GE2-114T-NPT	382	HP2405-16-16	371	KS-7	295	NV-12-F	381	SSC320-12	377
GE2-12-NPT	382	HP2405-20-20	371	KS-8	295	NV-12-M	315	SSC320-16	377
GE2-12-SAE	382	HP2405-24-24	371	KS-9	295	NV-12-M	381	SSC320-2	377
GE2-14-NPT	382	HP2405-6-4	371	LSQ-VEP-12SF	380	NV-14-F	315	SSC320-4	377
GE2-16-SAE	382	HP2405-8-6	371	LSQ-VEP-34SF	380	NV-14-F	381	SSC320-6	377
GE2-1-NPT	382	HP2406-10-10	371	LSQ-VEP-1SF	380	NV-14-M	315	SSC320-8	377
GE2-2T-NPT	382	HP2406-12-12	371	LSQ-VEP-20SF	380	NV-14-M	381	SSC6801-12-12	378
GE2-34-NPT	382	HP2406-14-14	371	LSQ-VEP-24SF	380	NV-1-F	315	SSC6801-16-16	378
GE2-38-NPT	382	HP2406-16-16	371	LSQ-VEP-12PF	380	NV-1-F	381	SSC6801-4-4	378
GE3L-04-SAE	382	HP2406-20-20	371	LSQ-VEP-34PF	380	NV-1-M	315	SSC6801-6-6	378
GE3L-06-SAE	382	HP2406-24-24	371	LSQ-VEP-1PF	380	NV-1-M	381	SSC6801-8-8	378
GE3L-08-SAE	382	HP2406-32-32	371	LSQ-VEP-20PF	380	NV-34-F	315	SSC6803-12-12	378
GE3L-112T-NPT	382	HP2406-6-6	371	LSQ-VEP-24PF	380	NV-34-F	381	SSC6803-4-4	378
GE3L-114T-NPT	382	HP2406-8-8	371	KZE-B-14SM	381	NV-34-M	315	SSC6803-6-6	378
GE3L-12-NPT	382	HP2501-10-8	371	KZE-B-38SM	381	NV-34-M	381	SSC6803-8-8	378
GE3L-12-SAE	382	HP2501-12-12	371	KZE-B-14PF	381	NV-38-F	315		
GE3L-14-NPT	382	HP2501-16-16	371	KZE-B-38PF	381	NV-38-F	381		
GE3L-16-SAE	382	HP2501-20-20	371	MB40-04	389	NV-38-M	315		
GE3L-1-NPT	382	HP2501-24-24	371	MB40-06	389	NV-38-M	381		
GE3L-2T-NPT	382	HP2501-32-32	371	MB40-08	389	SG-3750	298		
GE3L-34-NPT	382	HP2501-6-4	371	MB40-12	389	SG-5000	298		
GE3L-38-NPT	382	HP2501-6-6	371	MB40-16	389	SG-6250	298		
HEAVYDUTYBANDS	295	HP2501-8-6	371	MFB40-03	389	SG-7500	298		
HNV12CAP	381	HP2501-8-8	371	MFC-12-N	384	SS-3751	298		
HNV-12-F	314	HP2502-10-8	371	MFC-34-N	384	SS-5001	298		
HNV-12-F	379	HP2502-12-12	371	MFC-38-N	384	SS54044	227		
HNV-12-F-B	314	HP2502-16-16	371	MGP-F10-13	386	SS540442.0	227		
HNV-12-F-B	379	HP2502-20-20	371	MGP-F10-13	386	SS540443.0	227		
HNV-12-M	314	HP2502-24-24	371	MGP-F10-20	386	SS54046	227		
HNV-12-M	379	HP2502-32-32	371	MGP-F10-20	386	SS54048	227		
HNV-12-M-B	314	HP2502-6-4	371	MGP-F10-27	386	SS540482.0	227		
HNV-12-M-B	379	HP2502-6-6	371	MGP-F10-27	386	SS540483.0	227		
HNV12PLUG	381	HP2502-8-6	371	MGP-F10-34	386	SS-6251	298		
HNV14CAP	381	HP5000-12-12	372	MGP-F10-34	386	SS-7501	298		
HNV-14-F	314	HP5000-16-16	372	MGP-F10-41	386	SSC2403-12-12	377		
HNV-14-F	379	HP5000-20-20	372	MGP-F10-41	386	SSC2403-16-16	377		
HNV-14-F-B	314	HP5000-24-24	372	MGP-F10-51	386	SSC2403-4-4	377		
HNV-14-F-B	379	HP5000-32-32	372	MGP-F10-51	386	SSC2403-6-6	377		
HNV-14-M	314	HP5000-4-4	372	MGP-F10-61	386	SSC2403-8-8	377		
HNV-14-M	379	HP5000-6-6	372	MGP-F10-61	386	SSC2404-12-12	377		
HNV-14-M-B	314	HP5000-8-8	372	MGP-F20-06	387	SSC2404-16-16	377		
HNV-14-M-B	379	HP5405-12-12	371	MGP-F20-06	387	SSC2404-4-2	377		
HNV14PLUG	381	HP5405-16-16	371	MGP-F20-08	387	SSC2404-4-4	377		
HNV1CAP	381	HP5405-20-20	371	MGP-F20-08	387	SSC2404-4-8	377		
HNV-1-F	314	HP5405-24-24	371	MGP-F20-10	387	SSC2404-6-4	377		
HNV-1-F	379	HP5405-32-32	371	MGP-F20-10	387	SSC2404-6-6	377		
HNV-1-F-B	314	HP5405-4-4	371	MGP-F20-12	387	SSC2404-6-8	377		
HNV-1-F-B	379	HP5405-6-6	371	MGP-F20-12	387	SSC2404-8-8	377		
HNV-1-M	314	HP5405-8-8	371	MGP-F20-14	387	SSC2405-12-12	377		
HNV-1-M	379	HP5502-12-12	372	MGP-F20-14	387	SSC2405-16-16	377		
HNV-1-M-B	314	HP5502-16-16	372	MGP-F20-16	387	SSC2405-4-2	377		
HNV-1-M-B	379	HP5502-20-20	372	MGP-F20-16	387	SSC2405-4-4	377		
HNV1PLUG	381	HP5502-24-24	372	MGP-F20-20	387	SSC2405-6-2	377		
HNV34CAP	381	HP5502-32-32	372	MGP-F20-20	387	SSC2405-6-4	377		
HNV-34-F	314	HP5502-4-4	372	MGP-F20-25	387	SSC2405-6-6	377		
HNV-34-F	379	HP5502-4-6	372	MGP-F20-25	387	SSC2405-6-8	377		
HNV-34-F-B	314	HP5502-6-4	372	MHS-077	389	SSC2405-8-4	377		
HNV-34-F-B	379	HP5502-6-6	372	MHS-090	389	SSC2405-8-6	377		
HNV-34-M	314	HP5502-8-8	372	MHS-100	389	SSC2405-8-8	377		
HNV-34-M	379	HP6801-10-10	372	MHS-114	389	SSC2500-12-12	377		
HNV-34-M-B	314	HP6801-12-12	372	MHS-130	389	SSC2500-16-16	377		
HNV-34-M-B	379	HP6801-16-16	372	MHS-138	389	SSC2500-2-2	377		
HNV34PLUG	381	HP6801-20-20	372	MHS-153	389	SSC2500-4-4	377		
HNV38CAP	381	HP6801-24-24	372	MHS-159	389	SSC2500-6-6	377		
HNV-38-F	314	HP6801-32-32	372	MHS-175	389	SSC2500-8-8	377		
HNV-38-F	379	HP6801-6-6	372	MHS-185	389	SSC2501-12-12	378		
HNV-38-F-B	314	HP6801-6-8	372	MHS-225	389	SSC2501-16-16	378		
HNV-38-F-B	379	HP6801-8-8	372	MHS-238	389	SSC2501-4-2	378		
HNV-38-M	314	K-10	295	MHS-264	389	SSC2501-4-4	378		
HNV-38-M	379	K-11	295	MHS-296	389	SSC2501-6-2	378		
HNV-38-M-B	314	K-12	295	MHS-366	389	SSC2501-6-4	378		
HNV-38-M-B	379	K-14	295	MMFC12NPT	383	SSC2501-6-6	378		
HNV38PLUG	381	K-16	295	MMFC16NPT	383	SSC2501-6-8	378		
HP1501-12-12	372	K-18	295	MMFC20NPT	383	SSC2501-8-4	378		
HP1501-16-16	372	K-20	295	MMFC4NPT	383	SSC2501-8-6	378		
HP1501-20-20	372	K-24	295	MMFC6NPT	383	SSC2501-8-8	378		
HP1501-24-24	372	K-28	295	MMFC8NPT	383	SSC2502-12-12	378		
HP1501-32-32	372	K-3	295	MMNV12NPT	383	SSC2502-16-16	378		
HP1501-4-4	372	K-311	295	MMNV16NPT	383	SSC2502-4-4	378		
HP1501-4-6	372	K-32	295	MMNV4NPT	383	SSC2502-6-4	378		
HP1501-6-4	372	K-4	295	MMNV6NPT	383	SSC2502-6-6	378		
HP1501-6-6	372	K-5	295	MMNV8NPT	383	SSC2502-8-8	378		
HP1501-8-8	372	K-6	295	MMPH100	385	SSC2601-2-2	378		
HP1502-12-12	372	K-7	295	MMPH125	385	SSC2601-4-2	378		
HP1502-16-16	372	K-8	295	MMPH160	385	SSC2601-4-4	378		
HP1502-20-20	372	K-9	295	MMPH200	385	SSC2601-6-4	378		
HP1502-24-24	372	KS5001 Wind-up Tool	298	MMPH250	385	SSC2601-6-6	378		
HP1502-32-32	372	KS-10	295	MMPH315	385	SSC2601-8-8	378		
HP1502-4-4	372	KS-11	295	MMPH400	385	SSC2602-12-12	378		
HP1502-4-6	372	KS-12	295	MMPH50	385	SSC2602-4-4	378		
HP1502-6-4	372	KS-14	295	MMPH80	385	SSC2603-12-12	378		
HP1502-6-6	372	KS-16	295	MMRS100	385	SSC2603-16-16	378		
HP1502-8-8	372	KS-18	295	MMRS125	385	SSC2603-2-2	378		
HP2404-10-8	371	KS-20	295	MMRS160	385	SSC2603-4-4	378		
HP2404-12-12	371	KS-24	295	MMRS200	385	SSC2603-6-6	378		
HP2404-16-16	371	KS-28	295	MMRS250	385	SSC2603-8-8	378		
HP2404-20-20	371	KS-3	295	MMRS315	385	SSC318-12	377		
HP2404-24-24	371	KS-311	295	MMRS375	385	SSC318-16	377		
HP2404-6-4	371	KS-32	295	MMRS50	385	SSC318-2	377		
HP2404-8-6	371	KS-4	295	MMRS80	385	SSC318-4	377		
HP2405-10-8	371	KS-5	295	N/A	296	SSC318-6	377		

Minimum Order

There is no minimum order. However, all orders under \$50 are subject to a \$5 handling fee. Payment terms are 2% 10 days/ net 30 days. A 2% service charge per month will be collected on all past due balances. All Backorders under \$10 will be canceled. Online orders have no minimum

Uh...Oh Catalog Errors

We strive to provide a completely error free catalog, but if errors are discovered, they are corrected in our computer immediately. **Please note that current computer pricing supercedes printed catalog errors.**

Damage/ Shortage Claims

Please be sure to count the cartons you sign for and note any damage on the bill of Lading. Open your order immediately to check for any concealed damage. If damaged, the original carton should be kept for possible carrier inspection. Shortage or damage claims must be reported within **5 days** of delivery. To process a claim, we need your invoice number or customer number. Once we ship an order it's consigned to the carrier. Please note: THEY are responsible for any shortage or damage incurred - until you sign a clear bill of receipt. Usually, carriers will not honor a claim if they have a signed receipt from you.

Be Smart

These products are intended for use by qualified, experienced professionals, and the selection of appropriate products for the intended use must be made by persons knowledgeable in this field.

Return Policy

Unused NON-DEFECTIVE items in Midland packages with part numbers clearly identified and in resalable condition are subject to a 25% restocking charge and **must be returned within six months from invoice date**. Custom made or blanket ordered, special items are not returnable.

DEFECTIVE items, may be returned at Midland's discretion for credit or replacement. No cash refunds will be given. For a Return Authorization (RA) number before shipping product, please call Customer Service at 1-888-821-5725. NO returns of any type will be accepted without lot traceability and an RA number.

Returns must be received within 30 days of the issuance of the RA number. Please have the following information on hand when calling for an RA number:

- Customer Name
- Original purchase order number
- Nature of problem
- Account number
- Invoice number

Credit will be issued within 30 days after returned product is received and if inspection and traceability requirements are met. Credit will be null and void after one year from credit date.

Returns must be received within 30 days of the issuance of the RA number.

California Customers:

Midland Metal does not guarantee that all products meet California environmental laws or Proposition 65. It is the sole responsibility and liability of the Midland distributor to order products for use in California that comply with California laws.

Limited Warranty:

All of our goods are guaranteed only to extent of replacing, requiring or repairing any part that proves defective in workmanship or material, provided it is reported to us no later than 30 days after receipt of the part. No responsibility will be assumed for deterioration, wear or injury of parts which results from age, accident or abuse. Except as expressly provided herein, Midland Metal Mfg. does not make any warranty or representation, express or implied, with respect to its products, including without limitation any implied or expressed warranty of merchantability or fitness for a particular purpose. In addition, under no circumstances shall Midland Metal Mfg. be liable for lost profits, lost savings or other consequential, incidental, special or indirect damages, or for acts of negligence that are not intentional or reckless in nature regardless of whether it has been advised of the possibility of such damages.

Special Order Items

Orders for special products or blanket purchase orders cannot be canceled without our authorization, and only upon terms that will indemnify us against loss.

Dimension Disclaimer

Dimensions may change without notice. Please contact Midland if they are critical.

Copyright Protection

No reproduction either in whole or in part may be made from this catalog without the written permission from us. Any reproduction of this catalog constitutes a violation of the copyright laws of the United States of America.

Midland Marketing Inc © Nov 2015

Midland Metal Manufacturing Company
 phone **888-821-5725** fax **888-877-5391**
 P.O. Box 415040
 Kansas City, MO 64141-5040

CREDIT APPLICATION
 (Please type or print legibly)

() New Account

() Updated Information

Date: _____

Legal Business Name					
DBA:			Resale No. (Attach Certificate)		
Mailing Address			Street Address		
City	State	Zip	City	State	Zip
Phone	Fax		Email		
Do you except backorders?	YES	NO	UPS Collect # (If Preferred)		
Accounting Contact Informaiton	FAX		EMAIL		

How did you hear about Midland: Referral Postcard Email Web Magazine

Other _____

Please place a check mark where appropriate:

() Corporation

() Partnership

() Proprietorship

Business premises:

() Owned Value \$ _____ Mortgage \$ _____

() Rented Lessor: _____

Founded ____/____/____ Fed ID# _____ EIN _____ Annual sales \$ _____

Name of Principal	Name of Principal	Name of Principal
Residence Address	Residence Address	Residence Address
City	City	City
State & Zip	State & Zip	State & Zip
Title & S/S No.	Title S/S No.	Title & S/S No.

References:

- 1. Vendor: _____ Phone: (____) _____ - _____
- 2. Vendor: _____ Phone: (____) _____ - _____
- 3. Vendor: _____ Phone: (____) _____ - _____
- 4. Bank: _____ Phone: (____) _____ - _____
- 5. Bank Contact: _____ Phone: (____) _____ - _____

Credit, if extended, depends upon the degree of confidence this Credit Application affords.

In consideration for the extension of credit by **Midland Metal Manufacturing Company**, Applicant agrees to pay invoices within terms. Invoices not timely paid will be subject to service charges of 18 percent per annum. Should an account be referred to third parties for collection, Applicant agrees to pay all cost of collecting, including attorneys' fees.

Applicant's Signature Date

By: _____, _____

FOR PROPRIETORSHIP ONLY
*** Please Sign Personal Guaranty**

In consideration for the extension of credit to above Applicant by **Midland Metal Manufacturing Company** the undersigned, jointly and severally, personally and unconditionally, guaranty performance in accordance with this Credit Application. This is a continuing guaranty, subject to cancellation only by registered mail directed to **Midland Metal Manufacturing Company**, P.O. Box 415040, Kansas City, MO 64141-5040.

EXECUTED at _____, _____, on the date above stated.
City State

 Guarantor (Sign and Print Name) Social Security Number

 Guarantor (Sign and Print Name) Social Security Number

Midland Also Accepts:



	Midland	Parker	Tomco	Amflo	Breco	Milton	Dixon	Hansen	Foster
Industrial Interchange 1/4	28560	UC304F-4	UC2-16	C60		745			
	28579	UC304M-4	UC2-15	C61		746			
	28589	UC304M-6	UC2-20	C61-03					
	28551	B22A	M180	C20-01	B2CM1-B		DC2101	900	2903
	28552	B22	M181	C21	B2CM2-B	716M	DC21	1100	3103
	28553	B22E	M182	C21-03	B2CM3-B	719M	DC2103	1300	3303
	28539	B23A	M183	C20-21	B2CF1-B		DC2021	800	2803
	28540	B23	M184	C20	B2CF2-B	715M	DC20	1000	3003
	28541	B23E	M185	C20-23	B2CF3-B	718M	DC2023	1200	3203
	28562	B20-3B	M186	C20-42	B2CS2-B	717M	DC2042		
	28564	B20-5B	M187		B2CS3-B	717-6M	DC2044	1700	3703
	28565	B20-3BP	M189	C20-42L	B2CPS2-B	1717-4M	DC2042L	1600P	1513
	28566	B20-5BP	M190	C20-44L	B2CPS3-B	1717-6M	DC2044L	1700P	1713
	28545	H0C	1802	CP21-01	BB2M1-S	726	DCP2101	12	12-3
	28546	H2C	1804	CP21	BB2M2-S	727	DCP21	10	10-3
	28547	H2C-E	1806	CP21-03	BB2M3-S	733	DCP2103	14	14-3
	28533	H1C	1803	CP20-21	BB2F1-S	729	DCP2021	13	13-3
	28534	H3C	1805	CP20	BB2F2-S	728	DCP20	11	11-3
	28535	H3C-E	1807	CP20-23	BB2F3-S	732	DCP2023	15	15-3
	28557	H8C	1824	CP21-42	BB2S2-S	736	DCP2142	16	16-3
	28559	H9C	1826	CP21-44	BB2S3-S	736-6	DCP2144	17	17-3
	28558	H8CP	1850	CP21-42L	BB2PS2-S	1736-4	DCP2142L		51-3
	28561	H9CP	1860	CP21-44L	BB2PS3-S	1736-6	DCP2144L		71-3
	28515	B12A	A2180	C1-01	B2JM1-B		DC101	B21QS-12M	TF2903
	28516	B12	A2181	C1	B2JM2-B	786	DC1	B21QS-25M	TF3103
	28517	B12E	A2182	C1-03	B2JM3-B	789	DC103	B21QS-37M	TF3303
	28506	B13A	A2183	C2-21	B2JF1-B		DC221	B21QS-12F	TF2803
	28507	B13	A2184	C2	B2JF2-B	785	DC2	B21QS-25F	TF3003
28508	B13E	A2185	C2-23	B2JF3-B	788	DC223	B21QS-37F	TF3203	
28528	B10-3B	A2186	C2-42	B2JS2-B	786-4	DC242	B21QS-25H	TF3603	
28530	B10-5B	A2188	C2-44	B2JS3-B	786-6	DC244	B21QS-37H	TF3703	
28531	B10-3BP	A2189	C2-42L	B2JPS2-B	1786-4	DC242L	B21QS-25HP	TF1513	
28532	B10-5BP	A2190	C2-44L	B2JPS3-B	1786-6	DC244L	B21QS-37HP	TF1713	
28509	0C	2152	CP1-01	BJ2M1-S		DCP101		TF12	
28510	2C	2154	CP1	BJ2M2-S	783	DCP1	21AP-25M	TF10	
28511	2C-E	2156	CP1-03	BJ2M3-S		DCP103	21AP-37M	TF14	
28500	1C	2153	CP2-21	BJ2F1-S		DCP221		TF13	
28501	3C	2155	CP2	BJ2F2-S	784	DCP2	21AP-25F	TF11	
28502	3C-E		CP2-23	BJ2F3-S		DCP223	21AP-37F	TF15	
28518	8C	2164	CP1-42	BJ2S2-S	783-4	DCP142	21AP-25H	TF16	
28520	9C	2166	CP1-44	BJ2S3-S	783-6	DCP144	21AP-37H	TF17	
28521	8CP	2150	CP1-42L	BJ2PS2-S	1783-4	DCP142L		TF51	
28522	9CP	2160	CP1-44L	BJ2PS3-S	1783-6	DCP144L		TF71	
28592		A102		B20M1-B					
28593	B52	A101	C45	B20M2-B	776	DC37	20AS-25M	210-3103	
28594	B52E	A107		B20M3-B		DC3703	20AS-37M	210-3303	
28583		A103		B20F1-B					
28584	B53	A100	C38B	B20F2-B	775	DC38	20AS25F	210-3003	
28585	B53E	A106		B20F3-B		DC3823	20AS37F	210-3203	
28601		A104		B20S2-B	776-4	DC3842			
28603		A105		B20S3-B	776-6	DC3844			
28586		202		B02M1-S				210-12	
28587	A2C	200	CP37	B02M2-S	777	DCP37	20AP-25M	210-10	
28577		302		B02F1-S					
28578	A3C	300	CP38	B02F2-S	778	DCP38		210-11	
28595	A8C	400	CP37-42	B02S2-S	777-7	DCP3742			
28597		500		B02S3-S	777-6	DCP3744			
28667	BST-1M	ST1M	CST1B	1STM1-B				12MS	
28665	BST-2M	ST2M	CST3B	2STM2-B	1762	STMC2	2-S15	25MS	
28666	BST-3M	ST3M	CST5B	3STM3-B		STMC3	3-S20	38MS	
28668	BST-4M	ST4M	CST7B	4STM4-B		STMC4	4-S25	50MS	
28669	BST-6M	ST6M				STMC6	6-S30	75MS	
28670	BST-8M	ST8M				STMC8	8-S35	100MS	
28671	BST-1	ST1	CST2B	1STF1-B				12FS	
28651	BST-2	ST2	CST4B	2STF2-B	1761	STFC2	2-S16	25FS	
28652	BST-3	ST3	CST6B	3STF3-B		STFC3	3-S21	38FS	
28672	BST-4	ST4	CST8B	4STF4-B		STFC4	4-S26	50FS	
28673	BST-6	ST6				STFC6	6-S31	75FS	
28674	BST-8	ST8				STFC8	8-S36	100FS	
28675	ST-N1M	SP1M-S	CPST1	ST1M1-S				12MP	
28639	ST-N2M	SP2M-S	CPST3	ST2M2-S	1763	STMP2	2-T15	25MP	
28640	ST-N3M	SP3M-S	CPST5	ST3M3-S		STMP3	3-T20	38MP	
28676	ST-N4M	SP4M-S	CPST7	ST4M4-S		STMP4	4-T25	50MP	
28677	ST-N6M	SP6M-S				STMP6	6-T30	75MP	
28678	ST-N8M	SP8M-S				STMP8	8-T35	100MP	
28688	ST-N1	SP1-S	CPST2	ST1F1-S					
28619	ST-N2	SP2-S	CPST4	ST2F2-S	1764	STFP2	2-T16	25FP	
28620	ST-N3	SP3-S	CPST6	ST3F3-S		STFP3	3-T21	38FP	
28679	ST-N4	SP4-S	CPST8	ST4F4-S		STFP4	4-T26	50FP	
28680	ST-N6	SP5-S				STFP6	6-T31	75FP	
28681	ST-N8	SP6-S				STFP8	8-T3	100FP	
28682		1102							
28683	B72	1101	C27	B-2LM2-B	794	DC27		LM3103	
28684	B73	1100	C28	B2LF2-B	790	DC28		LM3003	
28685		1106							
28686	L2C	1109	CP27	B-L2M2-S	791	DCP27		LM10	
28687	L3C	1110	CP28	B-L2F2-S	792	DCP28		LM11	
98823	24C	T410	C25-02	B-3CM2-S	1834	DC2502	410	4104	
98824	24	T430	C25	B-3CM3-S	1836	DC25	430	4304	
98810	25C	T400	C26-22	B-3CF2-S	1833	DC2622	400	4004	
98811	25	T420	C26	B-3CF3-S	1835	DC26	420	4204	
98814	H0E	T40	CP25-02	B-B3M2-S	1839	DCP2502	40	40-4	
98815	H2E	T42	CP25	B-B3M3-S	1837	DCP25	42	42-4	
98801	H1E	T41	CP26-22	B-B3F2-S	1840	DCP2622	41	41-4	
98802	H3E	T43	CP26	B-B3F3-S	1838	DCP26	43	43-4	

THREAD INFORMATION



THREAD INFORMATION

Thread Chart

DASH SIZE	2	3	4	5	6	7	8	10	12	14	16	20	24	32	40	48	
O.D. TUBING SIZE	1/8	5/32	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	2	2-1/2	3
STANDARD PIPE SIZE N.P.T.F. (DRYSEAL)*	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4-11 1/2	1 1/2-11 1/2	2-11 1/2	2 1/2-8	3-8	
S.A.E. 45° FLARE	5/16-24		7/16-20	1/2-20	5/8-18	11/16-16	3/4-16	7/8-14	1 1/16-14	1 1/4-12	1 3/8-12						
INVERTED FLARE	5/16-24		7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1 1/16-16								
J.I.C. 37° FLARE	5/16-24		7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12	3-12	3 1/2-12	
COMPRESSION	5/16-24	3/8-24	7/16-24	1/2-24	9/16-24	5/8-24	11/16-20	13/16-18	1-18	1 1/8-18							
FLARELESS COMPRESSION (PLASTIC TUBE)	5/16-24		3/8-24	7/16-24	1/2-24		11/16-20										
AIR BRAKE - PLASTIC TUBE			7/16-24		17/32-24		11/16-20	13/16-18	1-18								
AIR BRAKE - COPPER TUBE			7/16-24	1/2-24	17/32-24		11/16-20	13/16-18	1-18								
DOUBLE COMPRESSION	5/16-24		7/16-24	1/2-20	9/16-20		11/16-16										
STEEL COMPRESSION (HIGH PRESSURE)	5/16-24	3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12			
S.A.E. O-RING	5/16-24		7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 1/16-12	1 3/16-12	1 5/16-12	1 5/8-12	1 7/8-12	2 1/2-12			
INTERNAL O-RING			1/2-20	9/16-18	5/8-18		7/8-14	1-14	1 1/8-12	1 1/2-12	1 3/4-12	2-12					
NPSM SWIVEL THREAD	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 1/2	1 1/4-11 1/2	1 1/2-11 1/2	2-11 1/2			
FLAT FACE THREAD			9/16-18		11/16-16		13/16-16	1-14	1 3/16-12		1 7/16-12	1 11/16-12	2-12				
BRITISH THREAD BSPP/BSPT	1/8-28		1/4-19		3/8-19		1/2-14		3/4-14		1-11	1 1/4-11	1 1/2-11	2-11			
METRIC THREAD	10	12	14	16	18	20	22	24	26	27	30	33	36	42	48		
CODE 61 FLANGE HEAD O.D	M10X1.0	M12X1.5	M14X1.5	M16X1.5	M18X1.5	M20X1.5	M22X1.5	M24X1.5	M26X1.5	M27X2.0	M30X2.0	M33X2.0	M36X2.0	M42X2.0	M48X2.0		
CODE 62 FLANGE HEAD O.D							1.19	1.335	1.50		1.75	2.00	2.38	2.81	3.31	4.00	
FLANGE HEAD O.D							1.25		1.62		1.88	2.12	2.50	3.12			


THREAD PROFILES **THREAD PROFILES**

Pipe Threads




Garden Hose Fittings

Male Garden Hose Threads are 3/4" with O.D. of 1.0625 and 11-1/2 threads per inch




Brass 45° Flared Tube Fittings



Brass Inverted Flare Fittings



Brass Compression Fittings












Tubing O.D. Size



PICTORIAL TABLE OF CONTENTS

Many New Lead Free fittings 166-175

 <p>Barstock and Forged Brass Fittings</p>	<p>Pipe Fittings..... 1-13 Hose Barb Fittings..... 14-27 Push-On Barb Fittings..... 28-33 Garden Hose Fittings..... 35-46 45° Flare Fittings..... 47-61 JIC 37° Flare..... 62 Inverted Flare Fittings..... 63-70 POL(Bottled Gas)..... 71</p>	<p>Compression Fittings..... 72-88 Flareless Fittings..... 89-96 Push-In Fittings..... 97-115 BSPT/BSPP Metric..... 116-117 Grease Fittings..... 118-121 Air Brake Fittings..... 122-145 SPECIALTY VALVES AND COCKS Drain Cocks..... 146-147</p>	<p>Shut-Off Cocks..... 148-149 Air Cocks..... 150-153 Needle Valves..... 154-157 Micro Metering..... 158 Instrumentation..... 159 Specialty Valves..... 160-162 Mini Ball Valves..... 163 Check Valves..... 164</p>
 <p>Valves</p>	<p>FORGED BRASS VALVES Full Port Ball..... 177 Locking Handle..... 178 Tee Handle..... 179 MIP x FIP..... 181-182 Gas Valves..... 183 Mini Ball Valves..... 184-185 3-Way Valves..... 186</p>	<p>Misc..... 187 Gate Valves..... 188 "Y" Strainer..... 189 Check Valves..... 190-192 Lead Free Ball Valves 174-175</p>	<p>STAINLESS STEEL VALVES 2000# Full Port..... 193 Standard Port..... 194 Full Port..... 195-196 SS Mini Ball Valve..... 197 Check Valves..... 198-201 Carbon Steel..... 202 PVC Valves..... 203</p>
 <p>Nipples & Fittings</p>	<p>BRASS & BRONZE Brass Nipples..... 204-207 Bronze Fittings..... 208-215 STAINLESS STEEL Stainless Nipples..... 216-220 Stainless Fittings..... 221-224 3000# SS Fittings..... 225-227</p>	<p>BLACK & GALVANIZED Black Schedule 40..... 229-233 Merchant Couplings..... 234 Malleable Fittings..... 235-242 Steel Fittings..... 243-244 Schedule 80 Nipples..... 245-249 300# Malleable..... 250</p>	<p>Forged Steel Flanges... 251-252 Swages..... 253 API Line Couplings..... 254 Bushings & Plugs..... 255 Forged Steel Fittings... 256-257 Copper Fittings..... 258-263</p>
 <p>Plastic Fittings</p>	<p>PVC Nipples..... 265 Plastic Fittings..... 266-270 Pipe-Nylon Poly..... 271-272 Hose Barb..... 273-275 Garden Hose..... 275 Compression..... 276 Push-In..... 277-279 Barbed Fittings for plastic pipe..... 280</p>	<p>See our website for new Stainless Steel Valves, gate, globe, y-strainer, swing checks and flanges.</p>	
 <p>Hose Clamps</p>	<p>WORM GEAR CLAMPS 600 & 611 Series..... 287 620 Series..... 288 620 SS..... 288 350 SS..... 289 300,325 & 350 Series..... 289 500 & 550 Series..... 290 Hose Clamp Kits..... 290</p>	<p>Economy 830 Series..... 291 T-Bolt Clamps..... 292 1 Ear Clamps..... 293 2 Ear & Gapless..... 294 F-Clamps..... 295 K-Clamps..... 295 FLJ-Clamps..... 296 FLJS-Clamps..... 297</p>	<p>Clamp-IT Strapping..... 298 Clamp Tools..... 298 Lined Band Clamps..... 299-300 Hose Ferrules..... 301 Hose Crimper..... 301 See all new #316 SS clamps on pg. 288-289</p>
 <p>Tubing</p>	<p>Polyethylene..... 303-304 Nylon 12 Tubing..... 305 Endure™ Air Brake..... 306 PVC Tubing..... 307 Aluminum..... 307 Copper..... 307 Tube Cutters..... 308</p>		
 <p>Quick Disconnects & Pneumatic</p>	<p>Universal Series..... 309 Steel Couplers..... 309 Industrial Interchange ..309-312 Parker (Tru-Flate)..... 312 ARO 210 Interchange..... 311 ST Series High Flow..... 311 Mini Type..... 313 Lincoln Interchange..... 313 ISO-A Interchange..... 314 Wing Nut..... 314</p>	<p>ISO-B Interchange..... 314 Flush Face..... 315 AG Interchange..... 315 Mufflers..... 316 Breather Vents..... 316 Speed Control Valve..... 316 Inline Filter..... 317 Sliding Hand Valve..... 317 Manifolds..... 318 Safety Blow Gun..... 318</p>	<p>Air Adjusting Valve..... 318 Pistol Grip Blo-Gun..... 318 Air Chucks..... 319 Tank & Vent..... 320 Gauges..... 320 Accessories..... 321 SS Beverage Fittings... 322-326</p>
 <p>Hose Accessories</p>	<p>Combination Nipples..... 281 Cam & Groove..... 282-283 Universal Couplings..... 284 Ground Joint Couplings..... 285 Fire Hose Fittings..... 284-286</p>		<p>Lead Free..... 165-175 Understanding the law..... 165 Pipe..... 166-168 Hose..... 168-170 Flare & Comp..... 171-173 Valves..... 174-175</p>
 <p>Hydraulic Adapters</p>	<p>Steel Pipe Swivels..... 324-327 Steel JIC 37° Adapters ..328-335 JIC Bulkhead Adapters 335-336 Steel Pipe Adapters..... 337-342 O-Ring Adapters..... 343-347 Female JIC Swivel..... 347-349 SAE O Ring..... 349-353 Steel Flange Adapters .. 354-358</p>	<p>O-Ring Face Seal..... 359-365 BSPT/BSPP Adapters .. 365-367 Metric Adapters..... 367 High Pressure Swivel .. 369-370 Beaded Insert..... 371-372 Flareless Bite-Type..... 373-374 Double Ferrule..... 375-376 Hydraulic Couplings .. 377-379</p>	<p>Steel Ball Valves..... 380 High Pressure Control 381-382 Hydraulic Motors..... 383 Hydraulic Pumps..... 384-385 Check Valves..... 386 Spiral Hose Wrap..... 386 Filter Filler..... 387 Hose Cover..... 386</p>
	<p>Numerical Index..... 388-412 General Info..... 413 New Account App..... 422-423</p>	<p>Q.D. Crossover..... 416 Thread Chart..... 417 Thread Profiles..... 418</p>	

PICTORIAL INDEX

BRASS

VALVES

NIPPLES & FITTINGS

PLASTIC FITTINGS

CLAMPS

TUBING

PNEUMATICS

ACCESSORIES

HYDRAULIC


























NUMERICAL INDEX

BRASS FITTINGS

PICTORIAL INDEX

























Pipe

Pages 1-13

90° Elbow  pg 2	45° Elbow  pg 2	Union Tee  pg 2	Cross  pg 3	Coupling  pg 3
Union  pg 4	Cap  pg 4	St. Elbow  pg 4	Hex Bushing  pg 5	Square Plug  pg 6
Countersunk  pg 6	Slotted-Head  pg 6	Hex Plug  pg 6	Locknut  pg 7	Close Nipple  pg 7
Long Nipple more sizes  pg 7	Hex Nipple  pg 8	45° Elbow  pg 8	Street Tee  pg 9	Extender  pg 9
Male Elbow  pg 10	Branch Tee  pg 10	Male Tee  pg 11	WYE  pg 11	Bulkhead  pg 12-13
















Hose Barb

Pages 15-27

Male Adapter  pg 15	Swivel more sizes  pg 16	Mender more sizes  pg 16	Fe. Adapter  pg 17	Swivel  pg 17
Swivel  pg 18	90° Elbow  pg 18	Tees  pg 19	HB Elbow  pg 19	Female HB  pg 20
45° Elbow  pg 21	Ball End  pg 21	Ballseat Adapt  pg 21	Ballseat Union  pg 21	Ballseat F Adapt  pg 21
45° Flare  pg 21	Flare Swivel  pg 22	Dbl Barb Ad.  pg 25	Dbl Barb Elb.  pg 25	Sig. Barb Ad.  pg 25
Sig. Barb El.  pg 25	SS Nipple  pg 26	Steel Band  pg 27	SS Band  pg 27	




















Push-on Hose Barb

Pages 29-34

Male Adapter  pg 29	Male Swivel  pg 29	Fe. Swivel  pg 29	Splicer  pg 30	Fe. Adapter  pg 30
Male Elbow  pg 30	Rigid Tube  pg 31	SAE Flare  pg 31	JIC Flare  pg 31	Dual Swivel  pg 31
45° SAE  pg 32	37° JIC  pg 32	Inverted Male  pg 32	Ballseat  pg 33	Stainless  pg 34




















Garden Hose

Pages 36-46

Swivel  pg 36	FGH x Fe.  pg 36	Rigid  pg 36	Swivel  pg 37	FGH x Male  pg 37
Rig. FGH x M  pg 37	Rig. FGH x F  pg 38	MGH x M  pg 38	MGH x MGH  pg 38	Plug  pg 39
Washers  pg 39	"Y"  pg 40	Quick Disc.  pg 40	Coupling  pg 42	Coupling  pg 43
NPSM Shank  pg 43	Shut-Off  pg 45	Nozzle  pg 46	Spray  pg 46	

SAE 45° Flare

Pages 48-61









Short Rod Nut  pg 48	Extra Heavy  pg 49	Flared Plug  pg 50	Flared Cap  pg 50	Copper Gask.  pg 50
Union  pg 51	Union tee  pg 52	Fir x M Pipe  pg 53	Fe. Adapter  pg 54	Male Adapter  pg 55
90° Elbow  pg 56	90° Elbow  pg 57	Forged Cross  pg 58	90° Flare  pg 58	Fe. Branch  pg 59
Union  pg 60	Flare Reducer  pg 60	Swivel  pg 61	Union  pg 61	

PICTORIAL INDEX

BRASS FITTINGS


















JIC 37° Adapters

Page 62

Straight  pg 62	45° Elbow  pg 62	Tube Union  pg 62	90° Elbow  pg 62	Straight Swiv.  pg 62
Straight Adap.  pg 62	Straight Union  pg 62	Tube Tee  pg 62		





Inverted Flare

Pages 64-70

Steel Nut  pg 64	Fe. Adapter  pg 65	Male Adapter  pg 65	Elbow  pg 66	45° Elbow  pg 66
Union Tee  pg 66	Steel Plug  pg 67	M Branch Tee  pg 67	Female Elbow  pg 67	Male Run Tee  pg 67
Brake Tee  pg 68	Dual Adapter  pg 68	Pipe Adapter  pg 69	SAE x Invert F  pg 69	Metric Tee  pg 70
Stand. x Met.  pg 70	Metric Union  pg 70			



















POL (Bottled Gas)

Page 71

Tee Check  pg 71	Tailpiece  pg 71	Nut  pg 71	Cap  pg 71
---	---	---	---

Compression Fittings

Pages 72-88

Brass Sleeve  pg 73	Brass Insert  pg 74	Brass Nut  pg 74	Long Nut  pg 75	Sleeve Nut  pg 75
Cap  pg 75	Union  pg 76	Tee  pg 77	Union Elbow  pg 78	Fe. Adapter  pg 79
Male Adapter  pg 80	Male Elbow  pg 81	M. Branch Tee  pg 82	Female Elbow  pg 83	45° Elbow  pg 84
Dbl Comp.  pg 85	Captive Slve  pg 86	Self Align  pg 88		














Flareless

Pages 89-96

Plastic Sleeve  pg 90	Brass Sleeve  pg 90	Nut/ Plastic  pg 90	Nut/ Brass  pg 91	Union86  pg 91
Union Tee  pg 92	Fe. Connector  pg 92	Male Elbow  pg 93	Female Elbow  pg 93	Male Run Tee  pg 94
Male Branch  pg 95	Bulkhead  pg 95	Insert Only  pg 95	Tube x Male  pg 96	Insert Only  pg 96

Brass Push-in Fittings

Pages 97-103

Union Conn.  pg 98	Reducer  pg 98	Union Tee  pg 98	Fe. Connector  pg 98	Press-in  pg 99
M Connector  pg 99	Swivel Elbow  pg 100	Union Elbow  pg 100	Union "Y"  pg 101	Cross  pg 101
Swivel M Bran  pg 102	Fe. Branch  pg 102	Blkhead Union  pg 103		






Nickel-Plated Push-in

Pages 103-107

Union Conn.  pg 104	Fe. Conn.  pg 104	Male Conn.  pg 105	Blk Head Union  pg 106	Ball Valve  pg 107
--	---	---	---	---


Nickel-Plated Metric Push-in

Pages 108-111

Stght Male  pg 108	Swivel Male  pg 109	Bulkhead Union  pg 110	Union Tee  pg 111	Union Y  pg 111
---	---	---	--	--

Composite Body Push-in

Pages 112-114

Union  pg 113	Union Tee  pg 113	Fe Connector  pg 113	Union Elbow  pg 114	Y Connector  pg 114
--	---	---	--	--

Composite Metric Push-in






Pages 115

Male Adapt  pg 115	Union  pg 115	Swivel Male  pg 115	Union Tee  pg 115	Y Connector  pg 115
---	---	--	--	--

BRASS FITTINGS
















British Pipe Fittings

Pages 116-117

Nipple  pg 116	Plug  pg 116	BSPT NPT  pg 116	Coupling  pg 117	BSPPT Tee  pg 117
---	---	---	---	--
















Steel Grease Fittings

Pages 118-121

Pipe Thread  pg 118	Pipe Thread  pg 118	Pipe Thread  pg 118	Pipe Thread  pg 118	1/4-28 Taper  pg 119
1/4-28 Taper  pg 119	Drive Type  pg 120	Metric  pg 120	Metric  pg 120	Metric  pg 120
Metric  pg 120	Metric  pg 121	Button Head  pg 121	Whip Hose  pg 121	Gun Coupler  pg 121













Air Brake-Nylon Tubing

Pages 122-126

Sleeve  pg 123	Nut  pg 123	Union  pg 123	Bulkhead  pg 123	Steel Insert  pg 123
Brass Insert  pg 124	Tee  pg 124	Elbow  pg 124	Fe. Adapter  pg 124	Male Adapter  pg 125
Male Elbow  pg 125	Female Elbow  pg 125	Male Run Tee  pg 126	Male Branch  pg 126	45° Elbow  pg 126

Air Brake - Copper











Pages 127-131

Sleeve  pg 128	Nut  pg 128	Union  pg 128	Tee  pg 128	Elbow  pg 129
Fe. Adapter  pg 129	Male Adapter  pg 129	90° Male Elbow  pg 130	90° Fe. Elbow  pg 130	Run Tee  pg 130
Branch Tee  pg 131	45° Elbow  pg 131			

PICTORIAL INDEX
















Air Brake - Hoses/ Ends

Pages 132-134

Sleeve  pg 132	Nut  pg 132	Nut  pg 132	Spring  pg 133	Union  pg 133
Fe. Connector  pg 133	Male Connector  pg 133	Adapter  pg 133	Nut/ Spring  pg 134	Adapter Body  pg 134
















D.O.T. Push-in

Pages 135-141

Male 45°  pg 135	Male Swivel  pg 135	Plug  pg 136	Union  pg 136	Union Tee  pg 136
Union Elbow  pg 136	Fe. Connector  pg 137	Male Connector  pg 137	Male Elbow  pg 138	Male Swivel  pg 138
Male Run Tee  pg 139	M Swivel Run  pg 140	Male Branch  pg 141	Bulkhead Union  pg 141	Fe. Bulkhead Un  pg 141













Air Brake - Accessories

Pages 142-145

Collet  pg 142	Tubing  pg 142	Fuel Line  pg 142	Steel Brake  pg 143	No Hub  pg 143
Seal  pg 143	Hex Ft Chuck  pg 143	1/4 I.D. Barb  pg 143	Dual Foot  pg 143	Angle Chuck  pg 143
Hose  pg 144	Airbrake Tube  pg 144	Male Connector  pg 145	90° Male Elbow  pg 145	Long Ells  pg 145

Drain Cocks

Pages 146-147








Shut Off  pg 146	Drain Valve  pg 146	Drain Cock  pg 146	Truck Drain  pg 146	Shut Off  pg 146
Lever Handle  pg 146	Internal Seat  pg 147	Internal Seat  pg 147	Long Seat  pg 147	Bibb Needle  pg 147
Needle Valve  pg 147	Radiator Type  pg 147			

PICTORIAL INDEX

VALVES/ FITTINGS









Shut-off Cocks

Pages 148-149

Flare x Male  pg 148	Flare x Flare  pg 148	Flare x Female  pg 148	Comp x Male  pg 149	Fe. x Female  pg 149
Male x Fe.  pg 149	Male x Male  pg 149			
















Brass Air Cocks

Pages 150-153

MIP x BIBB  pg 150	MIP x BIBB  pg 150	MIP x MIP  pg 150	MIP x MIP  pg 151	MIP x BIBB  pg 151
MIP x BIBB  pg 151	FIP x FIP  pg 152	MIP x FIP  pg 153		




Needle Valves

Pages 154-158

Comp x Male  pg 154	Comp x Male  pg 154	Comp x Comp  pg 154	Flare x Male  pg 155	Flare x Flare  pg 155
Air Vent  pg 155	M. x M. Pipe  pg 155	Fe. x Fe. Pipe  pg 156	M. x Fe. Pipe  pg 156	Check Valve  pg 156
Flow Control  pg 156	Needle Valve  pg 156	Needle  pg 157	Needle  pg 157	Metering  pg 158





Instrumentation

Page 159

Fe. x Fe.  pg 159	Fe. x Fe. Angle  pg 159	3 Way Valves  pg 159
--	--	---




Specialty Valves

Pages 160-162

 pg 160	 pg 161	 pg 162	 pg 162
---	---	---	---

Mini/ Check Valves






Pages 163-164

Male x Female  pg 163	Check  pg 164	Check  pg 164
--	--	--

New 500PSI Check Valves!

Lead Free

Pages 165-174

Pipe  pg 166	Hose Barbs  pg 168	Push-On  pg 169	Compression  pg 172	Ball Valves  pg 174
---	--	--	--	--
















Valves

Pages 175-203

Full Port  pg 177	Locking Handle  pg 178	Tee Handle  pg 179	Economy  pg 180	MIP x FIP  pg 181
Italian  pg 180	M x F  pg 181	Gas Ball  pg 183	Appliance  pg 183	Flare x Flare  pg 183
Mini Fe. x Fe.  pg 184	Mini M. x Fe.  pg 184	Mini Fe. x Fe.  pg 185	Safety  pg 187	Vac. Breaker  pg 187
Exhaust  pg 187	Barb x M Pipe  pg 185	Radiator  pg 187	3-Way  pg 186	Hose Bibb  pg 187
Gate Valve  pg 188	Y-Stainer  pg 189	Check  pg 190	In-Line Check  pg 192	SS Mini Ball  pg 197
Stainless  pg 193	Stainless  pg 195	SS Check  pg 198	Spring Check  pg 200	2pc Barrel  pg 201
1500# Check  pg 1201	Carbon Ball  pg 202	PVC Thread  pg 203	PVC Slip  pg 203	Plastic  pg 203

Brass & Bronze

Pages 204-215

















Nipple  pg 204	90° Elbow  pg 208	90° Street  pg 208	45° Elbow  pg 209	45° Street  pg 209
Tees  pg 209	Reducing  pg 210	Crosses  pg 210	Coupling  pg 211	Caps  pg 212
Union  pg 212	Hex Bushing  pg 213	Countersunk  pg 214	Locknut  pg 215	Hex Nipple  pg 215

BLACK & GALVANIZED

PICTORIAL INDEX

Stainless Steel

Pages 216-224

Nipple  pg 210-212	Sch 80  pg 213	90° Elbow  pg 215	90° Street  pg 215	45° Elbow  pg 215
Tees  pg 215	Crosses  pg 215	Machined  pg 215	Couplings  pg 216	Caps  pg 216
Hex Bushings  pg 217	Unions  pg 217	Hex Head  pg 217	Square Plug  pg 218	1/2 Coupling  pg 218
Hose Nipple  pg 218				






























3000# Threaded Fitngs #304

Pages 225-227

90° Elbow  pg 225	45° Elbow  pg 225	Tees  pg 225	Street Elbow  pg 225	Coupling  pg 226
Reducing  pg 226	Half Coupling  pg 226	Union  pg 226	Caps  pg 227	Hex Bushing  pg 227
Nipples  pg 227	Square Plug  pg 227			

Black & Galvanized

Pages 229-250

Sch 40  pg 229-233	Toe Nipple  pg 233	Merchant  pg 234	half Merchant  pg 234	90° Elbow  pg 235
90° Street  pg 236	45° Elbow  pg 236	45° Street  pg 236	Tee  pg 237	Coupling  pg 237
Reducing  pg 238	Service  pg 239	Side Outlet  pg 239	Hex Bushing  pg 240	Union  pg 241
Cored Plug  pg 241	Cross  pg 241	Cap  pg 242	Flange  pg 242	Hex Bushing  pg 243
Cap  pg 243	Square Plug  pg 243	Countersunk  pg 244	Sch 80  pg 245-247	Seamless  pg 248-249
300# 90° Elbow  pg 250	300# 45° Elbow  pg 250	300# 90° Street  pg 250	300# Tee  pg 250	300# Coupling  pg 250





Forged Steel Flanges

Pages 251-252

Slip-on  pg 251	Threaded  pg 251	Weld Neck  pg 252	Blind  pg 252	SS available
--	--	--	--	------------------------




Swages

Pages 253

Standard Bull  pg 253	XH Bull Plug  pg 253	Std. 40 Swage  pg 253	API Line  pg 254
--	--	--	---









Forged Steel Bushings & Plugs

Pages 255

Forged Bushing  pg 255	Hex Head Plug  pg 255	Square Plug  pg 255
---	---	--





















2000 & 3000# Forged Steel

Pages 256-257

90° Elbow  pg 256	Cross  pg 256	Coupling  pg 257	45° Elbow  pg 256	Street Elbows  pg 256
Half Coupling  pg 256	Tees  pg 256	Union  pg 257		

Copper Fittings











Pages 258-264

90° Ell  pg 259	90° Street Ell  pg 259	90° Long Turn  pg 259	90° Long Turn  pg 259	45° Ell  pg 260
Street 45°  pg 260	Coupling  pg 260	Coupling  pg 260	Coupling  pg 261	Reducer  pg 261
Reducer  pg 261	Flush Bushing  pg 262	Male Adapter  pg 262	Male Fitting  pg 262	Fe. Adapter  pg 263
Fitting Adapter  pg 263	Cap  pg 263	Unions  pg 263	U-Type Strap  pg 263	Tee  pg 264

SEE WEBSITE FOR MORE!








PVC Pipe

Pages 264-269

PVC Nipples  pg 265	Sch 40  pg 266	Threaded Coup  pg 266	90° Elbow  pg 266	Slip Cap  pg 267
45° Slip Elbow  pg 257	FIP x FIP  pg 258	Tee  pg 256	MIP x FIP  pg 259	Slip Cap  pg 259









Nylon & Poly Pipe

Page 271-272

Hex Plug  pg 271	Pipe Cap  pg 272	Hex Nipples  pg 272	Hex Bushing  pg 271	Elbow  pg 271
Tee  pg 271	Coupling  pg 272	MANY NEW SIZES!		









Nylon & Poly Plastic Hose

Pages 273-275

Female  pg 274	Male  pg 273	Elbow  pg 273	Hose x Female  pg 274	Union Elbow  pg 274
Connector  pg 274	Barbed Tee  pg 275	Tees  pg 275	MANY NEW SIZES!	

Plastic Garden Hose

Page 275

Cap  pg 275	Nut  pg 275	Adapter  pg 275	Thread Adapter  pg 275	MGH  pg 275
FGH  pg 275	FGH x Fe. Pipe  pg 275	Adapter  pg 275		

















Plastic Compression

Pages 276

Union  pg 276	Bulkhead  pg 276	Union Tees  pg 276	Union Elbow  pg 276	Connectors  pg 276
---	---	--	---	--



Plastic Push-In

Pages 277-279

Connector  pg 277	Union  pg 277	Cross  pg 277	Reducing  pg 277	Union Elbow  pg 277
Fixed Elbow  pg 278	Plug-in  pg 278	Stem Adapter  pg 278	Union Tee  pg 278	Reducing Tee  pg 278
Bulkhead  pg 278	Female  pg 278	2-Way  pg 279	PI x PI  pg 279	PI x NPTF  pg 279
Check Valve  pg 279				

Barbed for Plastic Pipe






Pages 280

Hex Adapter  pg 280	Bronze Tee  pg 280	Elbow  pg 280	S. Hose Nipple  pg 280	Steel Mender  pg 280
--	--	--	---	---






HOSE CLAMPS/ QUICK DISCONNECT

PICTORIAL INDEX

Combination / King Nipples Pages 281

Steel Hose  pg 281	Plated Steel  pg 281	Brass  pg 281	Aluminum  pg 281	Mender  pg 281
---	---	--	---	---

Cam & Groove Pages 280-281

Alum  pg 280	Stainless  pg 280	Brass  pg 280	Poly  pg 281	A - DP  pg 281
---	--	--	---	---

Hose Accessories Pages 284-286









Male NPT  pg 284	Washer  pg 284	Female NPT  pg 284	Hose End  pg 284	Triple  pg 282
Hose Stem  pg 285	Wing Nut  pg 285	Female Spud  pg 285	Male Pipe  pg 285	Bolt Clamps  pg 285
Hydrant Adapt.  pg 286	Fe. x M. Nipple  pg 286	Dbl. Male  pg 286		

Hose Clamps Pages 287-301






















600 Series  pg 287	611 Series  pg 287	620 Series  pg 288	620SS  pg 288	300 Series  pg 289
325 Series  pg 289	350 Series  pg 289	500 Series  pg 290	550 Series  pg 290	Worm  pg 291
T-Bolt  pg 292	1-Ear  pg 293	2-Ear  pg 294	F-Clamp  pg 295	K-Clamp  pg 295
FLJ-Clamp  pg 296	FLJS-Clamp  pg 297	Clamp-It  pg 298	Tools  pg 298	Mini-F  pg 300
General  pg 299	Ultra  pg 299	Rubber Clip  pg 300	Ferrules  pg 301	Crimper  pg 301

SEE ALL NEW 316 SS CLAMPS!



















Tubing Pages 302-308

Polyethylene  pg 303-304	Nylon 12  pg 305	Endure Tubing  pg 306	Polyvinylchloride  pg 307	Aluminum  pg 307
Copper  pg 307	Soft Copper  pg 307	Mini Cutter  pg 308		

Quick Disconnects Pages 309-315

Univ. Coupler  pg 309	U. HB Coupler  pg 309	Ind. Coupler  pg 309	Ind. Plug  pg 309	Interchange  pg 310
Inter. Plug  pg 310	Parker Coupler  pg 312	Parker Plug  pg 312	ARO Coupler  pg 311	ARO Plug  pg 311
Std. Coupler  pg 311	Std. Plug  pg 311	Mini Coupler  pg 313	Mini Plug  pg 313	Lincoln Coup.  pg 313
Lincoln Plug  pg 313	ISO-A  pg 314	ISO-B  pg 314	Flush Face  pg 315	AG  pg 315
Wing Nut  pg 314				

Pneumatics Pages 316-319





Mufflers  pg 316	Vent  pg 316	Control Valve  pg 316	Press. Snubber  pg 316	Flow Adjust.  pg 316
Aluminum Muff.  pg 317	In-line  pg 317	High Flow  pg 317	Hand Valves  pg 317	3 in 1 Manifold  pg 318
Blow Gun  pg 318	Blo-Gun  pg 318	Rubber Nozzle  pg 318	Foot Chuck  pg 319	Air Vent  pg 319
Foot Chuck  pg 319	Valves  pg 319	Caps  pg 319		

PICTORIAL INDEX

HYDRAULIC ADAPTERS











Accessories

Pages 320-321

Pencil Gauge  pg 320	Gauges  pg 320	Teflon Tape  pg 321	Brush  pg 321
---	---	--	--

Beverage Fittings

Pages 322-323

Swivel Nut  pg 322	Swivel Hose  pg 322	90° Swivel  pg 322	Hose Splicer  pg 322	90° Barb  pg 322
Barb Hose Tee  pg 322	Male Flare  pg 323	NPT to Barb  pg 323	Swivel to Barb  pg 323	NPT Elbow  pg 323

Steel Pipe Swivels

Pages 324-327

Male Swivel  pg 325	Female Swivel  pg 325	Elbow Swivel  pg 326	Swivel Elbow  pg 326	45° Swivel  pg 326
45° Swivel  pg 327	M. Swivel Tee  pg 327	Fe. Swivel Tee  pg 327	Fe. Swivel  pg 327	








Steel JIC Fittings

Pages 332-338

JIC Tube Nut  pg 329	JIC Cap  pg 329	JIC Tube Nut  pg 329	JIC Sleeve  pg 329	JIC Tube Union  pg 330
JIC Large Hex  pg 330	JIC Male  pg 330	JIC Long  pg 331	JIC Female  pg 331	Reducer/ Exp  pg 331
JIC Plug  pg 332	JIC Union  pg 332	JIC M. Elbow  pg 332	Long Elbow  pg 333	JIC Female  pg 333
JIC Male 45°  pg 334	JIC Union 45°  pg 334	JIC Female 45°  pg 334	JIC Male  pg 334	JIC Female  pg 335
JIC Union  pg 335				






















JIC Bulkhead Adapters

Pages 335-336

Union  pg 335	Union Elbow  pg 335	Union 45° Elb.  pg 336	Branch Tee  pg 336	Run Tee  pg 336
JIC x Fe. Pipe  pg 336	JIC x M. Bulk  pg 336			









Steel Pipe Fittings

Pages 337-342

Pipe Coupling  pg 338	Hex Nipple  pg 338	Pipe Adapter  pg 338	Pipe Cap  pg 339	Hex Plug  pg 339
Hollow Plug  pg 339	Hex Plug  pg 339	Square Plug  pg 339	Pipe Cap  pg 340	Male Elbow  pg 340
45° Elbow  pg 340	90° St. Elbow  pg 340	Female Elbow  pg 340	45° St. Elbow  pg 341	45° Female  pg 341
Male Pipe Tee  pg 342	Fe. Branch Tee  pg 342	Street Tee  pg 342	Run Pipe Tee  pg 342	Branch Tee  pg 342
Pipe Tee  pg 342				

O-Ring Adapters










Pages 343-347

JIC O-Ring  pg 344	Long O-Ring  pg 344	O-Ring Adapter  pg 344	O-Ring Swivel  pg 345	O-Ring Hex  pg 345
O-Ring Pipe  pg 345	O-Ring Adapt.  pg 346	Hex Plug  pg 346	Hollow Plug  pg 346	O-Reducer  pg 357

HYDRAULIC ADAPTERS
















37° JIC Swivels

Pages 347-349

JIC Nut Elbow  pg 347	Swivel Elbow  pg 347	JIC 45° Swivel  pg 348	Pipe Elbow  pg 348	JIC Connector  pg 348
Swivel Adapter  pg 348	Pipe Adapter  pg 348	Swivel Branch  pg 349	Branch Tee  pg 349	























SAE O-Ring Fittings

Pages 349-353

JIC O-Ring  pg 349	Long O-Ring  pg 350	X-Long O-Ring  pg 350	Straight 45°  pg 350	O-Ring Branch  pg 353
O-Ring Run  pg 351	Pipe Elbow  pg 351	O-Ring Elbow  pg 351	37° JIC Swivel  pg 351	O-Ring Elbow  pg 351
O-Ring Swivel  pg 352	90° Swivel  pg 352	45° Swivel  pg 353	Viton O-Ring  pg 353	Buna O-Ring  pg 353

Flange Adapters

Pages 354-358

Flange 61  pg 355	45° Flange 61  pg 355	JIC Flange  pg 355	Flange 62  pg 355	45° Flange 62  pg 356
90° Flange 62  pg 356	Split 61  pg 356	Split 62  pg 356	Flange O-Ring  pg 356	Flange Pad  pg 356
Flange Kit 61  pg 357	Flange Pad  pg 357	Flange Kit 61  pg 357	Flange Kit 62  pg 357	Split 61  pg 357
Split 62  pg 357	Pipe Weld  pg 358	Pipe Pad 62  pg 358	Pipe Thread  pg 358	Pipe Thread 62  pg 358
O-Ring 61  pg 358	O-Ring 62  pg 358			

PICTORIAL INDEX





O-Ring Face Seal

Pages 359-365

Tube Nut  pg 360	Tube Sleeve  pg 360	Tube Union  pg 360	Cap  pg 360	Locknut  pg 360
Plug  pg 360	Male Union  pg 360	Male O-Ring  pg 361	Fe ORFS Red.  pg 361	Plug  pg 361
Union Elbow  pg 361	Male Elbow  pg 361	ORFS to Pipe  pg 362	ORFS Tee  pg 362	ORFS Union  pg 362
ORFS Bulkhead  pg 362	ORFS 90°  pg 362	ORFS 45°  pg 362	ORFS Tee  pg 363	ORFS Union  pg 363
ORFS Branch  pg 363	Straight Thread  pg 363	Flat Face 37°  pg 364	Nut Elbow  pg 364	37° Swivel  pg 364
O-Ring Elbow  pg 364	ORFS to 45  pg 364	ORFS Branch  pg 364	ORFS Run  pg 364	Swivel Ell  pg 365











BSPT Adapters

Page 365

JIC BSPT  pg 365	Elbow BSPT  pg 365	Nipple  pg 365	Plug  pg 365
---	--	---	---







BSPP Adapters

Pages 365-367

Nipple  pg 365	Coupling  pg 366	Female Swivel  pg 366	Elbow  pg 366	45° Elbow  pg 366
Male Nipple  pg 366	Male BSPP  pg 366	Swivel BSPP  pg 367	Plug BSPP  pg 367	Hollow BSPP  pg 367

Metric Adapters

Pages 367-368












Connector  pg 367	Male Elbow  pg 368	Straight Swivel  pg 368	Metric Plug  pg 368	Metric Parallel  pg 368
Fe. Adapter  pg 368				

PICTORIAL INDEX

HYDRAULIC ADAPTERS/ MISC.







High Pressure Swivels

Pages 369-370

M. Connector  pg 369	Fe. Connector  pg 369	Tube Adapter  pg 369	Male Elbow  pg 369	Female Elbow  pg 369
Pipe Adapter  pg 369	Pipe Coupling  pg 370	Swivel Elbow  pg 370	Female Swivel  pg 370	Street Elbow  pg 370
O-Ring Elbow  pg 370				














Beaded Hose Inserts

Pages 371-372

Hose Insert  pg 371	90° Insert  pg 371	45° Insert  pg 371	90° O-Ring  pg 371	45° O-Ring  pg 372
O-Ring Hose  pg 372				











Flareless Bite-Type Steel

Pages 373-374

Tube Nut  pg 373	Tube Sleeve  pg 373	Male Connector  pg 373	Union  pg 373	Union Elbow  pg 373
Male Elbow  pg 373	Female Elbow  pg 374	Male Branch  pg 374	Female Branch  pg 374	Union Tee  pg 374
Male O-Ring  pg 374	O-Ring Elbow  pg 374	Male O-Ring  pg 374		







Stainless Compression

Pages 375-376

Tube Nut  pg 375	Sleeve Set  pg 375	Tube Union  pg 375	Male Connector  pg 375	Fe Connector  pg 376
Union Elbow  pg 376	Male Elbow  pg 376	Female Elbow  pg 376	Union Tee  pg 376	Male O-Ring  pg 376





Quick Disconnect

Pages 377-379

ISO-A  pg 377	ISO-B  pg 377	Thread Conn.  pg 377	Flush Face  pg 378	Flush Face  pg 378
AG  pg 379				




Dust Caps & Plugs

Page 379

ISO-A Plug  pg 379	ISO-B Plug  pg 379	ISO-A Cap  pg 379	ISO-B Cap  pg 379
---	--	--	--




Steel Valves

Pages 380, 386

Two-Way  pg 380	Three-Way  pg 380	Check Valve  pg 386
--	---	--



High Pressure Flow Control

Pages 381-382

Flow Control  pg 381	Needle Valve  pg 381	Compensating  pg 382
---	--	---



Hydraulic Motors & Pumps

Pages 383, 385

Motors  pg 383	Pumps  pg 384
---	---



Wrap/ Protector/ Cover

Pages 386

Wrap  pg 386	Hose Cover  pg 386
---	--

Filter Filler

Page 387

Breather  pg 387	Filter  pg 387
---	--

Threading Information

Abbreviation	System Name
BSPP	British Standard Pipe Parallel
BSPT_r	British Standard Pipe Taper
CHT	American Standard Fire Hose Thread (1" National Hose Thread is Chemical Hose Thread , also known as Booster Hose Thread)
GHT	Garden Hose Thread (FGH - Female Garden Hose) (MGH - Male Garden Hose)
IPS	Iron Pipe Straight Thread
IPT	Iron Pipe Thread
JIC	Joint Industrial Committee
NH or NST	American Standard Fire Hose Coupling Thread (National Hose thread also known as National Standard Thread)
NPT	American Standard Taper Pipe Thread (National Pipe Tapered)
NPTF	American Standard Taper Pipe Fuel Dryseal Thread (National Pipe Tapered)(Dryseal)
NPSH	American Standard Straight Pipe for Hose Couplings (National Pipe Straight Hose)
NPSM	American Standard Straight Mechanical Joints (National Pipe Straight Mechanical)

Association Abbreviations

SAE International (SAE) is a professional organization for mobility engineering professionals in the aerospace, automotive, and commercial vehicle industries. The Society is a standards development organization for the engineering of powered vehicles of all kinds, including cars, trucks, boats, aircraft, and others.

AGA - American Gas Association

JIC - Joint Industrial Committee

ASA - American Statistical Association

ASME - American Society of Mechanical Engineers

Additional information

Brass Fitting Material CompositionIntro Page 22

Thread Size ChartPage 417

Thread Profiles.....Page 418

Quick Disconnect Crossover reference.....Page 416

For more detailed information, suggested sealing methods, thread compatibility, etc...
visit **www.midlandindustrial.com** and click on "**Knowledge Bank**"

Need help identifying a fitting?


Let our engineering team assist you!

Step 1 - Determine material. (Brass, Steel, Stainless, etc...)

Step 2 - Check Threads. (See Intro page 20 for threading types)

Step 3 - Measure Outer Diameter(O.D.) , Inner Diameter (I.D.), Length and any other relevant measurement.

Step 4 - If you have the fitting with you, place it on the grid below and take a photo. If the fitting cannot be placed on the grid please use any photo available.



Step 5- Email photo of fitting along with information collected to :

engineer@midlandindustrial.com

Please allow up to 1 business day for a response. If the request is urgent please call 1-888-821-5725

Material used for Brass Fittings

Straight bodies: Barstock CA 360 or CA 345
Shape bodies: Extruded barstock CA 360 or Forged CA 377
Nuts: Barstock CA 360 or Forged CA 377

MATERIAL COMPOSITION

CA360 Barstock Brass


ASTM B16 - 92

Elements	Nominal	Min	Max
Copper	61.5	60	63
Lead	3.1	2.5	3.7
Iron			.35
Other			.50
Zinc	35.4	Balance	

CA377 Forged Brass

ASTM B 124,283

Elements	Nominal	Min	Max
Copper	59.5	58	61
Lead	2	1.5	2.5
Iron			.30
Zinc	38	Balance	




Extruded Barstock Fittings

Hexagon, round and shaped bars are extruded in the configuration required, drawn to size, cut to length and straightened. First a solid round billet (8 to 12 inches in diameter) is heated to the pliable state and forced by pressure of approximately 80,000 pounds per square inch through a die. The resulting continuous length of bar is cooled and then drawn through dies to the desired external size. (The drawing process also controls the temper). After straightening, the bar is ready for machining.

The process produces a dense, nonporous material somewhat stronger in the longitudinal direction due to an orientated flow of the grain.

Forged Fittings

Material for forging is extruded in round bars, cut to length and straightened. (At this point in the process, forging rod differs from round extruded machinable bars only in temper and chemical properties). After straightening, the bars are cut again into slugs (short lengths), reheated to the pliable state and pressed under a pressure of approximately 25,000 pounds per square inch between upper and lower die cavities. After cooling, the flash is trimmed away and the forging blank is ready for machining.



This process of forming under extreme pressure produces a uniformly dense material of exceptional strength. Because grain flow follows the contour, the fitting has high impact strength and is resistant to mechanical shock and vibration.

Why Brass Fittings?

Brass fittings are popular because they are strong and durable and hence widely used in industrial and residential applications. The use of brass to make various fittings provides a distinct look because of its yellow color. The advantages of brass for fittings include its good corrosive resistance, and also its plating, joining, polishing and finishing characteristics. Brass as a material is easily machined and hence can be given any shapes of the various types of fittings available.

Features of Brass Fittings:

Brass fittings have certain unique features which make them highly demanded. Some of these properties are as follows:

- Brass fittings are characterized by good strength.
- These fittings have excellent high temperature ductility.
- They have reasonable cold ductility.
- Fittings made of brass have good conductivity.
- They are excellent in corrosion resistance.
- Brass fittings have good bearing properties.
- They have low magnetic permeability.