



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 1 of 9

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **Alkylbenzene Lubricate**

**Product Code(s)** : LAB201 (P/N 475426); LAB2055 (P/N 475428)

**Recommended use of the chemical and restrictions on use**

: Lubricant for any CFC, HCFC or ammonia refrigeration or air conditioning application.  
Restriction on use: None known

**Chemical family** : Mixture

**Name, address, and telephone number of the supplier:**

**Parker Hannifin Corporation - Sporlan Division**

206 Lange Drive  
Washington, MO, U.S.A.  
63090

Supplier's Telephone # : (636)239-1111

**24 Hr. Emergency Tel #** : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

**Name, address, and telephone number of the manufacturer:**

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Clear yellow liquid. Slight petroleum odour.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

**Label elements**

*Hazard pictogram(s)*

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

*Signal Word*

Not required

*Hazard statement(s)*

Not required

*Precautionary statement(s)*

Not required

**Other hazards**

Other hazards which do not result in classification :

Burning produces obnoxious and toxic fumes. May be mildly irritating to skin, eyes and respiratory system. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 2 of 9

## SAFETY DATA SHEET

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Benzene, C14-30-alkyl derivatives	Benzol, C-30-Alkylderivate	68855-24-3	100.00

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. Call a physician.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Obtain medical attention if symptoms develop and persist.
- Skin contact* : Wash off immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation or symptoms develop, seek medical attention.
- Eye contact* : Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.

#### Most important symptoms and effects, both acute and delayed

- : May cause mild eye irritation. Symptoms may include stinging and tearing. May cause mild skin irritation. Symptoms may include mild redness and swelling. May cause respiratory irritation. In high concentrations, symptoms may include sore throat, sneezing, coughing and shortness of breath. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

##### *Suitable extinguishing media*

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

##### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture / Conditions of flammability

- : Not flammable under normal conditions of use. However, may ignite if exposed to extreme heat and flame. Closed containers may build up pressure when exposed to heat and flame. Vapours are heavier than air and may spread along floors.

#### Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

#### Hazardous combustion products

- : Carbon oxides Organic materials

#### Special protective equipment and precautions for firefighters

##### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

##### *Special fire-fighting procedures*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 3 of 9

## SAFETY DATA SHEET

### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Wear suitable protective equipment. Refer to protective measures listed in sections 7 and 8. Restrict access to area until completion of clean-up.

**Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

**Methods and material for containment and cleaning up**

- : Remove all sources of ignition. Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

**Special spill response procedures**

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
 US CERCLA Reportable quantity (RQ): None.

### SECTION 7. HANDLING AND STORAGE

**Precautions for safe handling**

- : Use only in well-ventilated areas. Wear suitable protective equipment during handling. Avoid breathing vapours or mists. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling.

**Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

**Incompatible materials** : Oxidizing agents; Acids.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>					
	<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
		<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Benzene, C14-30-alkyl derivatives	5 mg/m3 (As 'Oil mist, mineral')	N/Av	5 mg/m3 (inhalable) (As 'Oil mist, mineral')	N/Av	

\*Note: The ACGIH TLV listed above for Propylene glycol is an AIHA WEEL.

**Exposure controls**

**Ventilation and engineering measures**

- : Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

**Respiratory protection**

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 4 of 9

## SAFETY DATA SHEET

- Skin protection** : Gloves impervious to the material are recommended. Advice should be sought from glove suppliers.
- Eye / face protection** : Chemical goggles are recommended when there is a potential for splashing.
- Other protective equipment** : Wear sufficient clothing to prevent skin contact. Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.
- General hygiene considerations** : Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Clear yellow liquid.
- Odour** : Slight petroleum odour.
- Odour threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : Not available.
- Initial boiling point and boiling range** : > 300°C (> 572°F)
- Flash point** : 175°C (347°F)
- Flashpoint (Method)** : open cup
- Evaporation rate (BuAe = 1)** : > 1
- Flammability (solid, gas)** : Not applicable.
- Lower flammable limit (% by vol.)** : N/Av
- Upper flammable limit (% by vol.)** : N/Av
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Vapour pressure** : <0.1
- Vapour density** : N/Av
- Relative density / Specific gravity** : 0.87
- Solubility in water** : Insoluble.
- Other solubility(ies)** : None known.
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : 9.5 to 13.7
- Auto-ignition temperature** : Not known.
- Decomposition temperature** : N/Av
- Viscosity** : 28.2 cSt @ 40°C (104°F)
- Volatiles (% by weight)** : 0%
- Volatile organic Compounds (VOC's)** : 0
- Absolute pressure of container** : N/Av
- Flame projection length** : N/Av
- Other physical/chemical comments** : None.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 5 of 9

## SAFETY DATA SHEET

### SECTION 10. STABILITY AND REACTIVITY

- Reactivity** : Not normally reactive.
- Chemical stability** : Stable under the recommended storage and handling conditions prescribed.
- Possibility of hazardous reactions** : No dangerous reaction known under conditions of normal use.
- Conditions to avoid** : Avoid excessive heat, sparks and open flame. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.
- Incompatible materials** : Oxidizing agents; Acids.
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

- : If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract.

###### *Sign and symptoms ingestion*

- : Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

###### *Sign and symptoms skin*

- : Direct skin contact may result in little or no irritation.

###### *Sign and symptoms eyes*

- : May cause mild transient irritation.

##### Potential Chronic Health Effects

- : Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

##### Mutagenicity

- : Not expected to be mutagenic in humans.

##### Carcinogenicity

- : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

##### Reproductive effects & Teratogenicity

- : Not expected to cause reproductive effects.

##### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

##### Specific target organ effects

- : The substance or mixture is not classified as specific target organ toxicant, single exposure.  
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### Medical conditions aggravated by overexposure

- : None known.

##### Synergistic materials

- : Not available.

##### Toxicological data

- : See below for individual ingredient acute toxicity data.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 6 of 9

## SAFETY DATA SHEET

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u>	<u>LD<sub>50</sub></u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Benzene, C14-30-alkyl derivatives	N/Av	>15800 mg/kg	>7940 mg/kg

### Other important toxicological hazards

: None known.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Do not allow material to contaminate ground water system. As supplied, not expected to be toxic to fish and aquatic plants. See the following tables for individual ingredient ecotoxicity data.

### Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Benzene, C14-30-alkyl derivatives	68855-24-3	>600mg/L (Rainbow trout)	N/Av	None.

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Benzene, C14-30-alkyl derivatives	68855-24-3	>100mg/L Water flea	N/Av	None.

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Benzene, C14-30-alkyl derivatives	68855-24-3	>1000mg/L (Green algae)	N/Av	None.

### Persistence and degradability

: Not readily biodegradable.

### Bioaccumulation potential

: Bioconcentration factor (BCF) = 3.2

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
-------------------	--	--------------------------------------

**Mobility in soil** : No information available.

### Other Adverse Environmental effects

: No information available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Handling for Disposal

: Handle waste according to recommendations in Section 7.

### Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 7 of 9

## SAFETY DATA SHEET

**RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	Not regulated	none	
<b>49CFR/DOT Additional information</b>	None.				
TDG	None.	Not regulated.	Not regulated	none	
<b>TDG Additional information</b>	None.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
 : Not applicable.

### SECTION 15 - REGULATORY INFORMATION

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Benzene, C14-30-alkyl derivatives	68855-24-3	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: None. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:



Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 8 of 9

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Benzene, C14-30-alkyl derivatives	68855-24-3	No	N/Ap	No	No	No	No	No	No

### Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Benzene, C14-30-alkyl derivatives	68855-24-3	272-472-8	Present	Present	(3)-21	KE-02159	Present	HSR007354

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
 CAS: Chemical Abstract Services  
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
 CFR: Code of Federal Regulations  
 CSA: Canadian Standards Association  
 DOT: Department of Transportation  
 EPA: Environmental Protection Agency  
 HMIS: Hazardous Materials Identification System  
 HSDB: Hazardous Substances Data Bank  
 IARC: International Agency for Research on Cancer  
 Inh: Inhalation  
 LC: Lethal Concentration  
 LD: Lethal Dose  
 MN: Minnesota  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NFPA: National Fire Protection Association  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NTP: National Toxicology Program  
 OECD: Organisation for Economic Co-operation and Development  
 OSHA: Occupational Safety and Health Administration  
 PA: Pennsylvania  
 PEL: Permissible exposure limit  
 RCRA: Resource Conservation and Recovery Act  
 RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 STEL: Short Term Exposure Limit  
 TLV: Threshold Limit Values  
 TWA: Time Weighted Average





Alkylbenzene Lubricate

LAB201;LAB2055

SDS Revision Date (mm/dd/yyyy): 02/08/2019

Page 9 of 9

## SAFETY DATA SHEET

- References** :
- WHMIS: Workplace Hazardous Materials Identification System
  - 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
  - 2. International Agency for Research on Cancer Monographs, searched 2017
  - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2017(Chempendium, HSDB and RTECs).
  - 4. Material Safety Data Sheets from manufacturer.
  - 5. US EPA Title III List of Lists - 2017 version.
  - 6. California Proposition 65 List - 2017 version.
  - 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.

**Preparation Date (mm/dd/yyyy)**

: 05/14/2015

**Reviewed Date SDS (dd/mm/yyyy)**

: 08/02/2019

**Revision No.**

: 2

**Revision Information**

: All (format change)

**Other special considerations for handling**



: Provide adequate information, instruction and training for operators.

**HMIS Rating**

: \*- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
*Health: 1                      Flammability: 1                      Reactivity: 0*

**NFPA Rating**

0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
 : *Health: 1                      Flammability: 1                      Instability: 0                      Special Hazards: None.*

<p><b><u>Prepared for:</u></b>          Parker Hannifin Corporation - Sporlan Division          206 Lange Drive, Washington, MO, U.S.A. 63090          Telephone: (636) 239-1111          www.parker.com          Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p><b><u>Prepared by:</u></b>          ICC The Compliance Center Inc.          Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

**END OF DOCUMENT**