

SAFETY DATA SHEET

BUZ-AWFTM

Wasp and hornet spray

Section 1 - Product and Company Information

Product Name HMIS Codes

Buz-Awf™ Health 2
Product Codes Flammability 1

84391 Reactivity 0

Chemical Family
Organic

Use

Pesticide

Manufacturer's Name RectorSeal, LLC 2601 Spenwick Drive Houston, Texas 77055 USA

Date of Validation February 9, 2021

Date of Preparation March 12, 2013 Emergency Telephone No. Chemtrec 24 Hours (800)-424-9300 USA (703)-527-3887 International

Technical Service Telephone No. (800)-231-3345 or (713)-263-8001

Section 2 - Hazards Identification

GHS CLASSIFICATION

Physical Hazards

None

Health Hazards

Acute Toxicity

Oral: Not Classified Dermal: Not Classified Inhalation: Not Classified

Skin Corrosion/Irritation: Not Classified

Serious Eye Damage/Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified

Germ Cell Mutagenicity: Not Classified

Carcinogenicity: Not Classified

Reproductive Toxicology: Not Classified

Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified

Aspiration Toxicity: Not Classified

GHS Label elements, including precautionary statements





GHS04: Compressed Gas GHS07: Harmful/Irritant Signal Word: **Warning**

Hazard Statements

H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.

H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.

Precautionary Statements

P102 - Keep out of reach of children.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing

P362 - Take off contaminated clothing and wash before reuse.

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU No. 1272/2008

Summary Of Acute Hazards

Repeated inhalation may cause dizziness, nausea and CNS effects. May cause severe eye and skin irritation.

Route Of Exposure, Signs And Symptoms

INHALATION

Inhalation of high concentrations may cause central nervous system effects characterized by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

EYE CONTACT

Contact with eyes may cause severe irritation.

SKIN CONTACT

Irritation and drying.

INGESTION

May cause irritation of the digestive tract. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

SUMMARY OF CHRONIC HAZARDS

Skin irritation, contact dermatitis, and defatting.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

Section 3 - Composition/Information on Ingredients

Ingredient: Petroleum Distillate

Percentage By Weight: < 94

CAS Number: 64742-47-8

EINEC: 265-149-8

Ingredient: Tetramethrin

Percentage By Weight: 0.1

CAS Number: 7696-12-0

EINEC: 231-711-6

Ingredient: Pyrethrins

Percentage By Weight: 0.25

CAS Number: 8003-34-7

EINEC: 232-319-8

Ingredient: Piperonyl Butoxide

Percentage By Weight: 0.5

CAS Number: 51-03-6

EINEC: 200-076-7

Ingredient: Carbon Dioxide

Percentage By Weight: 5.15

CAS Number: 124-38-9

EINEC: 204-696-9

Section 4 - First Aid Measures

If inhaled: If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial

respiration as needed. Obtain emergency medical attention. Prompt action is essential.

If on skin: Immediately wash with soap and water. Remove and wash any contaminated clothing.

If in eyes: Flush eyes with large amounts of water for 15 minutes. Get medical attention if

irritation persists.

If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person.

Section 5 - Fire Fighting Measures

Extinguishing Media

Foam, dry chemical, CO₂, or water fog.

Special Fire Fighting Procedures: Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.

Unusual Fire And Explosion Hazards: Aerosol cans are under pressure— exposure to temperatures above 120°F (49°C) can cause bursting or "rocketing" of cans.

Section 6 - Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use absorbent materials to prevent footing hazard and to contain. Ventilate area with forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

Section 7 - Handling and Storage

Precautions To Be Taken In Handling And Storing: Shake well before using. Keep away from heat and open flames. Prolonged exposure to direct sunshine or storage above 120°F (49°C) may cause can to burst. Do not puncture or incinerate can.

Other Precautions: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions.

Section 8 - Exposure Controls/Personal Protection

Ingredient Units

Petroleum Distillate

ACGIH TLV: 100 ppm

OSHA PEL: 100 ppm

Tetramethrin

ACGIH TLV: 15 mg/m3 OSHA PEL: 10 mg/m3

Pyrethrins

ACGIH TLV: N/D OSHA PEL: N/D

Piperonyl Butoxide

ACGIH TLV: N/D OSHA PEL: N/D

Carbon Dioxide

ACGIH TLV: 5,000 ppm OSHA PEL: 5,000 ppm OSHA STEL: 30,000 ppm

Respiratory Protection (Specify Type): In confined, poorly ventilated areas, use NIOSH/MSHA approved air

purifying or supplied air respirator.

Ventilation - Local Exhaust: Acceptable

Special: N/A

Mechanical (General): Acceptable

Other: N/A

Protective Gloves: Wear rubber gloves.

Eye Protection: Safety glasses (ANSI Z-87.1 or equivalent)

Other Protective Clothing Or Equipment: Chemical resistant coveralls recommended.

Work/Hygienic Practices: Where use can result in skin contact, wash exposed areas thoroughly before eating,

drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

Section 9 - Physical and Chemical Properties

Boiling point: > 252°F (122°C) @ 760 mmHg

Specific gravity (H20 = 1): 0.80 Vapor pressure (mmHg): N/D

> Melting point: N/A

Vapor Density (Air = 1): < 1

Evaporation rate (Ethyl Acetate = 1):

Appearance/Odor: Amber Liquid/Petroleum Odor

Solubility in water: Insoluble

Volatile Organic Compounds (VOC) Content

(theoretical percentage by weight): 94% or (752 g/L)

> Flash point: 150°F (66°C)

Lower explosion limit: N/D N/D Upper explosion limit:

Aerosol flame extension: Negative

> NFPA Aerosol Level: 1

Section 10 - Stability and Reactivity

Stability: Stable

Conditions To Avoid: Do not store in temperatures above 120°F (49°C).

Incompatibility (Materials To Avoid): Oxidizers, acids and bases.

Hazardous Decomposition Products: CO, CO₂, and fragmented hydrocarbons.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicology Information

Chronic Health Hazards

No ingredient in this product is an IARC, NTP or OSHA Lister carcinogen.

Toxicology Data

Ingredient Name

Petroleum Distillate

Oral-Rat LD50: N/D Inhalation-Rat LC50: N/D

Tetramethrin

Oral-Rat LD50: N/D Inhalation-Rat LC50: N/D

Pyrethrins

Oral-Rat LD50: N/D Inhalation-Rat LC50: N/D

Piperonyl Butoxide

Oral-Rat LD50: N/D Inhalation-Rat LC50: N/D

Carbon Dioxide

Oral-Rat LD50: N/D

Inhalation-Rat TCLo: 6 pph/24h (10D preg)

Section 12 - Ecological Information

Ecological Data

Ingredient Name: Petroleum Distillate

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

Ingredient Name: **Tetramethrin**

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

Ingredient Name: Pyrethrins

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

Ingredient Name: Piperonyl Butoxide

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

Ingredient Name: Carbon Dioxide

Food Chain Concentration Potential N/D

Waterfowl Toxicity Inhalation 5 – 8%

BOD N/D

Aquatic Toxicity 100 – 200 mg/L /various organisms

Section 13 - Disposal Considerations

Waste Classification: Aerosols

Disposal Method: Empty containers can be disposed of in trash. Full containers should be depressurized to separate liquid phase. Dispose of all liquid waste in accordance with all local, state and federal regulations.

Section 14 - Transportation Information

DOT: Consumer Commodity, ORM-D

Ocean (IMDG): UN1950, Aerosols, 2, Ltd Qty or Limited Quantity, EmS No. F-D, S-U

Air (IATA): UN1950, Aerosols, 2.2, ERG#126

Section 15 - Regulatory Information

Regulatory Data

Ingredient Name: Petroleum Distillate

SARA 313 No

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Ingredient Name: Tetramethrin

SARA 313 Yes

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Ingredient Name: Pyrethrins

SARA 313 Yes

TSCA Inventory Yes

CERCLA RQ 1 lb.

RCRA Code N/A

Ingredient Name: Piperonyl Butoxide

SARA 313 Yes

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Ingredient Name: Carbon Dioxide

SARA 313 No

TSCA Inventory Yes

CERCLA RQ N/A

RCRA Code N/A

Section 16 - Other Information

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made.

Consult RectorSeal for further information: (713) 263-8001